

Inferring Stable Genetic Networks from Steady-State Data [★]

Michael M. Zavlanos ^a, A. Agung Julius ^b, Stephen P. Boyd ^c and George J. Pappas ^d

^a*Department of Mechanical Engineering, Stevens Institute of Technology,
Hoboken, NJ 07030, USA*

^b*Department of Electrical, Computer and Systems Engineering, Rensselaer Polytechnic Institute,
Troy, NY 12180, USA*

^c*Department of Electrical Engineering, Stanford University,
Stanford, CA 94305, USA.*

^d*Department of Electrical and Systems Engineering, University of Pennsylvania,
Philadelphia, PA 19104, USA*

Abstract

Gene regulatory networks capture the interactions between genes and other cell substances, resulting from the fundamental biological process of transcription and translation. In some applications, the topology of the regulatory network is not known, and has to be inferred from experimental data. The experimental data consist of expression levels of the genes, which are typically measured as mRNA concentrations in micro-array experiments. In a so called genetic perturbation experiment, small perturbations are applied to equilibrium states and the resulting changes in expression activity are measured. This paper develops novel algorithms that identify a sparse and stable genetic network that explains data obtained from noisy genetic perturbation experiments. Our identification algorithm is based on convex relaxations of the sparsity and stability constraints and can also incorporate a variety of prior knowledge of the network structure. Such knowledge can be either qualitative, specifying positive, negative or no interactions between genes, or quantitative, specifying a range of interaction strengths. Our approach is applied to both synthetic and experimental data, obtained for the SOS pathway in *Escherichia coli*, and the results show that the stability specification not only ensures consistency with the steady-state assumptions, but also significantly increases the identification performance. Since the method is based on convex optimization, it can be efficiently applied to large scale networks.

Key words: Genetic network identification, convex optimization, semidefinite programming, stability of linear systems.

1 Introduction

Recent advances in systems biology have given rise to the need for a more systemic understanding of large scale quantitative experimental data. In particular, the use of RNA micro-arrays that enables gene expression measurements for large scale biological networks, has provided researchers with valuable data that can be used to identify gene interactions in large genetic networks. Besides promoting biological knowledge, identification of

such networks is also important in drug discovery, where a systems-wide understanding of regulatory networks is crucial for identifying the targeted pathways [1].

Due to the significance of its potential applications, genetic network identification has recently received considerable attention. Depending on whether identification aims at relating the expression of a gene to the sequence motifs found in its promoter or to the expression of other genes in the cell, approaches can be characterized as *gene-to-sequence* or *gene-to-gene*, respectively [2, 3]. The ensemble of both classes form the so called *genetic network identification* problem; solution techniques can either ignore or explicitly consider the underlying gene dynamics.

[★] A preliminary version of this work can be found in [34].

Email addresses: michael.zavlanos@stevens.edu (Michael M. Zavlanos), agung@ecse.rpi.edu (A. Agung Julius), boyd@stanford.edu (Stephen P. Boyd), pappas@seas.upenn.edu (George J. Pappas).

Members of the former class are clustering algorithms [4, 5] that group genes with similar expressions, due to the high probability that they are functionally, but not necessarily directly, related to each other. Alternatively, grouping of co-expressed genes may be achieved using information-theoretic methods [6]. Both approaches, however, are restricted to identifying undirected networks and hence, lack causality. Causality may be recovered using Bayesian networks [7], which can handle directed graphs. But Bayesian networks typically do not accommodate cycles and hence, can not handle feedback motifs that are common in genetic regulatory networks. Both causality and feedback motifs are no longer an issue when the network is modeled as a set of differential equations [8–18]. Identification is then typically optimization based, while approaches depend on whether the data is obtained from steady-state measurements [8–10] or dynamic time-series [11–18]. Although time-series data includes more information about the system dynamics, identification in this case is more difficult due to the high computational effort that is typically required.

The approach proposed in this paper falls under the latter class of networks modeled as differential equations and aims at obtaining a minimal model that explains given genetic perturbation data at steady-state. The minimality specification is due to the observation that biological networks exhibit loose connectivity [19, 20] and in the present framework, it was first addressed in [8] in the form of *a priori* combinations of constraints on the connectivity of the network. On the other hand, the steady-state nature of the data implies stability of the underlying genetic networks, and to the best of our knowledge, this is a first attempt to formally address this specification.

To avoid the combinatorially hard nature of the problem, we employ a weighted ℓ_1 relaxation of the minimality constraint [10, 21–25], which leads to much more scalable linear constraints. The convex optimization formulation in our approach is also preserved by the stability specification, which we capture by either linear or semidefinite constraints that arise from Geršgorin’s and Lyapunov’s theorems, respectively. Finally, we employ additional linear constraints so that our model best fits the given genetic perturbation data as well as satisfies *a priori* knowledge on the network structure. We show that in the absence of the stability specification, our approach performs well for sufficiently large data sets with low noise, while smaller and noisy data sets hinder its performance, partly due to identification of unstable networks. However, introducing the stability specification greatly improves the identification performance, and not only justifies our model but also makes it promising for future research.

The rest of this paper is organized as follows. In Section 2 we describe the genetic network identification prob-

lem, while in Section 3 we develop the proposed ℓ_1 relaxation and discuss the aforementioned stability issues that could hinder its identification performance. In Section 4 we extend our algorithm to account for stability of the identified solutions. Finally, in Sections 5 and 6, we illustrate efficiency of our approach on artificial noisy data sets as well as on experimental data for the SOS pathway in *Escherichia coli*.

2 Genetic Network Identification

Genetic regulatory networks consisting of n genes can be modeled as n -dimensional dynamical systems [8]. In general, such models assume the form

$$\dot{\hat{x}} = f(\hat{x}, u), \quad (1)$$

where $\hat{x}(t) \in \mathbb{R}^n$ and $u(t) \in \mathbb{R}^p$. Here $\hat{x}_i(t) \in \mathbb{R}$ denotes the transcription activity (typically measured as mRNA concentration) of gene i in the network, and u_i is the so called transcription perturbation.¹ Nonlinear genetic networks as in (1) can have multiple stable equilibria, each one typically corresponding to a phenotypical state of the system. Then, the dynamics in a neighborhood of any given equilibrium x_{eq} can be approximated by the set of linear differential equations

$$\dot{\tilde{x}} = A\tilde{x} + Bu, \quad (2)$$

where $\tilde{x} \triangleq \hat{x} - x_{eq}$ [11]. The matrix $A \in \mathbb{R}^{n \times n}$ encodes pairwise interactions between the individual genes in the network at the given equilibrium or phenotypical state, while the matrix $B \in \mathbb{R}^{n \times p}$ indicates which genes are affected by the transcriptional perturbations. Assuming the equilibrium $\tilde{x} = 0$ is stable and the perturbation u is sufficiently small and constant, the system (2) will restabilize at a new equilibrium \tilde{x} , at which

$$A\tilde{x} + Bu = 0. \quad (3)$$

Let m be the number of available transcription perturbations² and define the matrices $U = [u_1 \cdots u_m] \in \mathbb{R}^{p \times m}$ and $\tilde{X} = [\tilde{x}_1 \cdots \tilde{x}_m] \in \mathbb{R}^{n \times m}$ containing the transcription perturbations of all m experiments and their associated steady-state mRNA concentrations, respectively.

¹ In a transcription perturbation experiment, individual genes are over-expressed using an episomal expression plasmid. Then U can be quantified using a second strain with a reporter gene in place of the over-expressed gene on the plasmid. After the perturbation, cells grow under constant physiological conditions to the steady-state and the change in mRNA concentration, compared to cells in the same physiological conditions but unperturbed, is measured [26]. For large scale networks, we may assume that not all genes are affected by a given perturbation, resulting in $p \leq n$.

² Typically, each transcription perturbation corresponds to a specific experiment.

Then, collecting all m experiments at steady-state, system (3) can be written as³

$$A\tilde{X} + BU = 0. \quad (4)$$

Because of nonlinearity and measurement noise, the measured deviation of the mRNA concentrations can be different from the ones predicted by the linear model. If we denote these measured quantities as X , we can then write $X = \tilde{X} + \Delta X$. We then have the following relation

$$AX + BU = (A\tilde{X} + BU) + A\Delta X. \quad (5)$$

Here, $\eta \triangleq A\Delta X$ is the residual of the linear model. Finding the linear model that best fits the experimental data amounts to making η as small as possible (in some norm). Then, the network identification problem can be stated as follows.

Problem 1 (Genetic Network Identification)

Given steady-state transcription perturbation and mRNA concentration data U and X , determine the sparsest stable matrix A that results in sufficiently small residual η , while incorporating any a priori biological knowledge regarding the presence, absence, or nature of specific gene interactions.

The requirement that A is sparse is due to biological networks being sparse in nature [19, 20], while the stability condition is necessary for the steady-state to be observed. Finally, accordance with a priori biological knowledge is both desired and naturally expected to result in improved identification performance.

3 Linear Programming Formulation

Given any genetic network described by (2), the problem of identifying the sparsest matrix A that approximately satisfies constraints (4), can be formulated as the following optimization problem

$$\begin{aligned} & \text{minimize} && t \text{card}(A) + (1 - t)\epsilon \\ & \text{subject to} && \|AX + BU\|_1 \leq \epsilon, \quad \epsilon > 0 \end{aligned} \quad (6)$$

where $\text{card}(A)$ denotes the number of nonzero entries in matrix A , and $\|A\|_1 = \sum_{i,j=1}^n |a_{ij}|$ denotes the (elementwise) ℓ_1 norm of a matrix A . Variables in problem (6) are the matrix A and fitting error ϵ , while the problem data are the matrices X , B , U and the parameter $0 \leq t \leq 1$, which is used to control the trade-off between

³ The matrices B and U are typically unknown. However, if we assume controllable networks, i.e., networks where we can perturb each individual gene, then U can be chosen so that BU is a diagonal matrix, subject to scaling.




Fig. 1. Plot of the weights w_{ij} as a function of the entries $|a_{ij}|$, for different values of the parameter $\delta > 0$.

sparsity, i.e., $\text{card}(A)$, and best fit, i.e., ϵ . Note that any other norm could be used in the constraints here; we use the ℓ_1 norm since it handles outliers well.

When a priori knowledge about the network is also available, it is typically in the form of a partial sign pattern $S = (s_{ij}) \in \{0, +, -, ?\}^{n \times n}$, which encodes known positive interactions (+), negative interactions (-), no interactions (0), or no a priori knowledge regarding interactions (?). Such knowledge can be included in (6) by means of the set of linear constraints

$$A \in S \Leftrightarrow \begin{cases} a_{ij} \geq 0, & \text{if } s_{ij} = + \\ a_{ij} \leq 0, & \text{if } s_{ij} = - \\ a_{ij} = 0, & \text{if } s_{ij} = 0 \\ a_{ij} \in \mathbb{R}, & \text{if } s_{ij} = ? \end{cases} \quad (7)$$

resulting in the problem

$$\begin{aligned} & \text{minimize} && t \text{card}(A) + (1 - t)\epsilon \\ & \text{subject to} && \|AX + BU\|_1 \leq \epsilon, \quad A \in S, \quad \epsilon > 0. \end{aligned} \quad (8)$$

From a computational point of view, formulation (8) poses a significant challenge. Although both constraints are convex in the matrix A [27], the cost function $\text{card}(A)$ is not convex. Solving this problem globally can be done, for instance by branch-and-bound methods or directly by considering all possible 2^{n^2} sparsity patterns for A . Nevertheless, these methods are typically very slow, and cannot scale to networks with more than a handful of genes.

To obtain a method that can scale to large networks,

Algorithm 1 Network ID (Ignoring Stability)

Require: Sign pattern S , experimental data X and U , and control parameter $0 \leq t \leq 1$,

- 1: Initialize weights $w_{ij} = 1$ for all $i, j = 1, \dots, n$,
- 2: **for** $it = 1$ to J **do**
- 3: Solve the linear program (9) for A and ϵ ,
- 4: Update the weights w_{ij} using (10),
- 5: **end for**

we propose a convex relaxation of the cardinality cost function. In particular, we replace the $\text{card}(A)$ objective with the weighted ℓ_1 -norm $\sum_{i,j=1}^n w_{ij}|a_{ij}|$, resulting in the following *convex* program

$$\begin{aligned} & \text{minimize} && t \sum_{i,j=1}^n w_{ij}|a_{ij}| + (1-t)\epsilon \\ & \text{subject to} && \|AX + BU\|_1 \leq \epsilon, \quad A \in S, \quad \epsilon > 0, \end{aligned} \quad (9)$$

where the weights w_{ij} are chosen such that (Fig. 1)

$$w_{ij} = \frac{\delta}{\delta + |a_{ij}|}, \quad \text{for all } i, j = 1, \dots, n \quad (10)$$

for sufficiently small $\delta > 0$ [21]. The main idea behind the proposed heuristic is to uniformly initialize all weights by $w_{ij} = 1$ (this corresponds to the standard ℓ_1 relaxation of the cost function) and repeatedly solve problem (9), each time updating the weights using (10) (Algorithm 1). Then, large weights are always assigned to small matrix entries $|a_{ij}|$ and small weights to large entries $|a_{ij}|$, which can eliminate any weak genetic interactions in the final identified matrix A . In practice, Algorithm 1 requires no more than $J = 10$ iterations, regardless of the problem size. We refer the reader to our earlier publication on this subject [10]. Furthermore, recent theoretical results [28] show that, in some cases (not including the present application), minimizing the weighted ℓ_1 norm of a matrix A , in fact does minimize $\text{card}(A)$ with high probability.

4 Incorporating Stability

In Section 3 we developed an iterative procedure, based on the solution of linear programs, able to identify a sparse matrix that best fits possibly noisy network data, while satisfying a priori knowledge about the network. In this section, we propose two different ways of incorporating stability in Algorithm 1, both preserving its convex nature and hence, having the associated scalability and global optimality properties. Furthermore, we show that these modified approaches significantly increase the performance of our identification algorithm.

4.1 Linear Approximation

Incorporating stability of the identified matrix A as a linear constraint in Algorithm 1 relies on the following theorem by Geršgorin.

Algorithm 2 Network ID (Geršgorin Stability)

Require: Sign pattern S , experimental data X and U , and control parameter $0 \leq t \leq 1$,

- 1: Initialize weights $w_{ij} = 1$ for all $i, j = 1, \dots, n$,
- 2: **for** $it = 1$ to J **do**
- 3: Solve the linear program (13) for A and ϵ ,
- 4: Update the weights w_{ij} using (10),
- 5: Update the weights v_i using (14),
- 6: **end for**

Theorem 2 ([29]) *Let $A = (a_{ij}) \in \mathbb{R}^{n \times n}$ and for all $i = 1, \dots, n$ define the deleted absolute row sums of A by $R_i(A) \triangleq \sum_{j \neq i} |a_{ij}|$. Then, all eigenvalues of A are located in the union of n discs*

$$G(A) \triangleq \cup_{i=1}^n \{z \in \mathbb{C} \mid |z - a_{ii}| \leq R_i(A)\}.$$

Furthermore, if a union of k of these n discs forms a connected region that is disjoint from all the remaining $n - k$ discs, then there are exactly k eigenvalues of A in this region.

The region $G(A)$ is often called the *Geršgorin region* (for the rows) of A , the individual discs in $G(A)$ are called the *Geršgorin discs*, while the boundaries of these discs are called the *Geršgorin circles*. Since A and A^T have the same eigenvalues, one can also obtain a similar Geršgorin disc theorem for the columns of A . Clearly, if

$$a_{ii} \leq - \sum_{j \neq i} |a_{ij}|, \quad \text{for all } i = 1, \dots, n \quad (11)$$

then all discs $\{z \in \mathbb{C} \mid |z - a_{ii}| \leq R_i(A)\}$ are in the left half plane \mathbb{C}_- and Theorem 2 ensures that all eigenvalues of A are also in \mathbb{C}_- , which implies that A is stable. What is appealing about constraints (11) is that they are convex in the entries of A , and can be expressed as a set of linear inequalities; hence, they can be directly incorporated in the linear program (9) in Algorithm 1, rendering a stable matrix. However, constraints (11) also impose strict structural constraints on the entries of A . In particular, they restrict all diagonal entries of A to be non-positive and matrix A to be *diagonally dominant*, namely

$$|a_{ii}| \geq \sum_{j \neq i} |a_{ij}|, \quad \text{for all } i = 1, \dots, n.$$

This later constraint can be relaxed by applying a similarity transformation on A . In particular, since $V^{-1}AV$ and A share the same eigenvalues for any invertible matrix V , we can apply Geršgorin's theorem to $V^{-1}AV$ and for a smart choice of V we can obtain sharper bounds on the eigenvalues. A particularly convenient choice is $V \triangleq \text{diag}(v_1, \dots, v_n)$, with $v_i > 0$ for all $i = 1, \dots, n$.




Fig. 2. Plot of the weights v_i as a function of the entries $|a_{ii}| - R_i(A)$, for average $\beta = 0$ and different values of the parameter $\delta > 0$.

Then, $V^{-1}AV = (v_j a_{ij}/v_i)$ and Geršgorin's theorem states that all eigenvalues of A lie in the region

$$G(V^{-1}AV) \triangleq \cup_{i=1}^n \left\{ z \in \mathbb{C} \mid |z - a_{ii}| \leq \frac{1}{v_i} \sum_{j \neq i} v_j |a_{ij}| \right\}.$$

Clearly, if we require that

$$a_{ii} \leq -\frac{1}{v_i} \sum_{j \neq i} v_j |a_{ij}|, \quad i = 1, \dots, n, \quad (12)$$

then $G(V^{-1}AV) \subset \mathbb{C}_-$, which implies that matrix A is stable, but not necessarily diagonally dominant. Constraints (12) are still linear in the entries of A and hence, can be directly incorporated in (9) resulting in the linear program

$$\begin{aligned} & \text{minimize} && t \sum_{i,j=1}^n w_{ij} |a_{ij}| + (1-t)\epsilon \\ & \text{subject to} && \|AX + BU\|_1 \leq \epsilon, \quad A \in \mathcal{S}, \quad \epsilon > 0 \\ & && a_{ii} \leq -\frac{1}{v_i} \sum_{j \neq i} v_j |a_{ij}|, \quad i = 1, \dots, n. \end{aligned} \quad (13)$$

The identification procedure is then described in Algorithm 2. Intuitively, the weights v_i , should penalize Geršgorin discs far in the left half plane and assign the remaining slack to discs close to (or intersecting) the imaginary axis, breaking in this way the diagonal dominance in the associated row. In particular, for $\beta \triangleq \frac{1}{n} \sum_{i=1}^n (|a_{ii}| - R_i(A))$ we choose the weights v_i by

Algorithm 3 Network ID (Lyapunov Stability)

Require: Sign pattern \mathcal{S} , experimental data X and U , and control parameter $0 \leq t \leq 1$,

- 1: Apply Algorithm 1 for matrix A ,
- 2: **if** matrix A is unstable **then**
- 3: Solve (17) for a Lyapunov matrix P ,
- 4: Initialize weights $w_{ij} = 1$ for all $i, j = 1, \dots, n$,
- 5: **for** $it = 1$ to J **do**
- 6: Solve the semidefinite program (18) for A and ϵ ,
- 7: Update the weights w_{ij} using (10),
- 8: **end for**
- 9: **end if**

(Fig. 2)

$$v_i \triangleq \begin{cases} 1 + \frac{|a_{ii}| - R_i(A) - \beta}{\delta + (|a_{ii}| - R_i(A) - \beta)}, & \text{if } |a_{ii}| - R_i(A) > \beta \\ \frac{\delta}{\delta - (|a_{ii}| - R_i(A) - \beta)}, & \text{if } |a_{ii}| - R_i(A) \leq \beta \end{cases}, \quad (14)$$

where $R_i(A)$ denotes the deleted absolute sum for row i , as in Theorem 2, and the quantity $|a_{ii}| - R_i(A) > 0$ indicates how far in the left half plane the associated Geršgorin disc is located. Convergence of Algorithm 2 is slower than that of Algorithm 1 and for certain ill-conditioned problem instances it may result in periodic solutions.

4.2 Semidefinite Approximation

Let A be the matrix identified by Algorithm 1 which can possibly be unstable. The goal in this section is to characterize “small” perturbations to A that render it stable, while satisfying the desired sign pattern and maintaining its sparsity structure. For this, let $D \in \mathbb{R}^{n \times n}$ be the sought perturbation matrix and define the matrix $A' \triangleq A + D$. A necessary and sufficient condition for stability of A' is the existence of a symmetric positive definite Lyapunov matrix P such that

$$(A + D)^T P + P(A + D) \prec 0. \quad (15)$$

Letting $L \triangleq PD$, equation (15) becomes

$$A^T P + L^T + PA + L \prec 0, \quad (16)$$

which is a linear matrix inequality in both P and L and can be efficiently solved using semidefinite programming [27]. In particular, solving the following semidefinite program

$$\begin{aligned} & \text{minimize} && \|LX\|_2 \\ & \text{subject to} && A^T P + L^T + PA + L \prec 0, \quad P \succeq I, \end{aligned} \quad (17)$$

gives $D = P^{-1}L$ and the desired stable matrix A' becomes $A' = A + P^{-1}L$. This program formulation can

be motivated by noticing that

$$\begin{aligned} \|(A'X + BU) - (AX + BU)\|_2 &= \|P^{-1}LX\|_2, \\ &\leq \frac{\|LX\|_2}{\|P\|_2} \leq \|LX\|_2, \end{aligned}$$

since $\|P\|_2 \geq 1$. Therefore, minimizing the objective $\|LX\|_2$ means minimizing an upper bound of the difference between $AX + BU$ and $A'X + BU$. Clearly, the matrix A' may no longer satisfy the desired sign pattern or sparsity specifications. Therefore, we need to further perturb A' to obtain a new matrix A (in a neighborhood of A') that is also stable. For this, we use the Lyapunov matrix P associated with A' and compute A by modifying problem (9) as

$$\begin{aligned} &\text{minimize } t \sum_{i,j=1}^n w_{ij} |a_{ij}| + (1-t)\epsilon \\ &\text{subject to } \|AX + BU\|_1 \leq \epsilon, \quad \epsilon > 0 \\ &\quad A^T P + PA \prec 0, \quad A \in S. \end{aligned} \quad (18)$$

We iterate until convergence, as in Algorithm 1. This procedure is described in Algorithm 3.

Remark 3 (Connection to linear systems theory)
Assume that the left kernel \mathcal{C} of the data matrix X is nontrivial, i.e., $c \triangleq \dim(\mathcal{C}) > 0$, and define a basis matrix $C \in \mathbb{R}^{c \times n}$ of \mathcal{C} , such that $\text{rank}(C) = c$ and

$$v \in \mathcal{C} \Leftrightarrow \exists k \in \mathbb{R}^{1 \times c} \text{ s.t. } v = kC.$$

Then, for any matrix $K \in \mathbb{R}^{n \times c}$, let $A' \triangleq A + KC$, where $K \in \mathbb{R}^{n \times c}$. Notice that $(A + KC)X + BU = AX + BU$, due to the fact that $CX = 0$. The matrix C parameterizes all models A' that result in the same residual as A . Obtaining a matrix K that renders A' stable is equivalent to the observer design problem in linear systems theory [30]. A well known condition for the existence of such a K is the detectability of the pair (A, C) . In particular, the pair (A, C) is called detectable if

$$\text{rank} \begin{bmatrix} \lambda I - A \\ C \end{bmatrix} = n,$$

for all $\lambda \in \mathbb{C}_+$ (the closed right half plane). Then, K can be obtained by the solution of the Lyapunov equation $(A + KC)^T P + P(A + KC) \prec 0$, where P is a symmetric positive definite Lyapunov matrix. Setting $L \triangleq PK$ we get a linear matrix inequality in P and L , similar to the one in (16).




Fig. 3. ROC plots of algorithms 1 (Unstable), 2 (Geršgorin) and 3 (SDP) for network size $n = 20$ and connectivity $c = 20\%$. Shown are the curves (mean and standard deviation) for $\sigma = 30\%$, $\nu = 10\%$ and $m = n$ (full data). This is an ideal case for identification, with many high quality data. It is expected that predictions should be good and trusted.




Fig. 4. ROC plots of algorithms 1 (Unstable), 2 (Geršgorin) and 3 (SDP) for network size $n = 20$ and connectivity $c = 20\%$. Shown are the curves (mean and standard deviation) for $\sigma = 0\%$, $\nu = 50\%$ and $m = \lceil \frac{n}{3} \rceil$ (partial data). This is challenging case for identification, with few low quality data. It is expected that predictions are not so good and possibly should not be trusted much.

5 Synthetic Data and Discussion

5.1 Sensitivity to Parameter Selection

In this section we study how the parameter $0 \leq t \leq 1$ that regulates the tradeoff between sparsity and best fit in problems (9), (13) and (18) affects the performance of our identification methods. As the measure of performance, we use the Receiver Operating Characteristic




Fig. 5. ROC plots of algorithms 1 (Unstable), 2 (Geršgorin) and 3 (SDP) for network size $n = 20$ and connectivity $c = 20\%$. Shown are the curves (mean and standard deviation) for $\sigma = 0\%$, $\nu = 50\%$ and $m = n$ (full data). The identification performance depends on the parameter t .

(ROC) curve. The ROC curve, plots the sensitivity of the prediction results against (1-specificity). These quantities are given by the formula [31]

$$\text{Sensitivity} = \frac{\text{TP}}{\text{TP} + \text{FN}} \quad \text{and} \quad \text{Specificity} = \frac{\text{TN}}{\text{TN} + \text{FP}},$$

where T=True, F=False, P=Positives, and N=Negatives. Since, the parameter t regulates the weight put on sparsity, i.e., number of zeros, vs. best fit, the terms “Positives” and “Negatives” here refer to non-zero and zero interactions between genes, respectively.⁴ The best possible prediction, will give a point in the upper left corner of the plot, representing 100% sensitivity, i.e., no false zero identifications, and 100% specificity, i.e., no false non-zero identifications. A completely random guess will give a point along the diagonal line (line of no discrimination).

To evaluate the performance of our algorithms, we created ROC plots for networks of size $n = 20$ genes with $c = 20\%$ connectivity, and for different values of sign knowledge σ , data size m , and noise levels ν . We applied our algorithms to a set of 20 *stable*, *random* and *well-conditioned* (otherwise, preconditioning would be required) interconnection matrices A that were generated to be identified. The sample matrices A were ob-

⁴ “Precision” and “Recall” are metrics that are often also used to measure performance. “Recall” is defined by the ratio $\text{TP}/(\text{TP}+\text{FN})$ and is, therefore, the same as “Sensitivity”. Nevertheless, “Precision” is defined by $\text{TP}/(\text{TP}+\text{FP})$ and is a different metric, that is sometimes also referred to as Positive Predictive Value (PPV).

tained as the solution of the following program:

$$\begin{aligned} & \text{minimize} \quad \|D\|_2 \\ & \text{subject to} \quad \gamma I \preceq \frac{1}{2} \left((\tilde{A} + D) + (\tilde{A} + D)^T \right) \preceq \epsilon I, \\ & \quad \Gamma < \gamma < \epsilon < E < 0, \\ & \quad D_{ij} = 0 \quad \text{if} \quad A_{ij} = 0, \quad \forall i, j = 1, \dots, n, \end{aligned}$$

where \tilde{A} is a random, not necessarily stable, interconnection matrix that satisfies a 20% sparsity specification, and D is a perturbation added to \tilde{A} to obtain a stable matrix $A = \tilde{A} + D$. If the (i, j) th entry of \tilde{A} is zero, so is the (i, j) th entry of D , by construction. The constants $\Gamma, E < 0$ regulate the condition number of $A = \tilde{A} + D$ (more accurately, its eigenvalues). The above optimization problem is based in the observation that an asymmetric matrix A is negative definite if and only if its symmetric part $\frac{1}{2}(A + A^T)$ is negative definite. Then, A will be stable with Lyapunov matrix I . The data sets associated with matrix A are obtained by $X = -A^{-1}BU + \nu N$, where $BU \in \mathbb{R}^{n \times m}$ and $N \in \mathbb{R}^{n \times m}$ are zero mean and unit variance normally distributed random matrices (entry-wise). All algorithms were implemented in MATLAB using the *cvx* toolbox for convex optimization problems [32] and run on an Intel Core 2 Duo 3.06GHz processor with 8GB RAM. For problems of size $n = 20$, each iteration of algorithms 1, 2 and 3 took approximately 2, 5 and 8 seconds, respectively, while no more than 15 iterations are in general required for algorithms 1 and 2, and 25 iterations for algorithm 3.


Figs. 3 and 4 contain the ROC plots for parameters $\sigma = 30\%$, $\nu = 10\%$, $m = n$ (full data), and $\sigma = 0\%$, $\nu = 50\%$, $m = \lceil \frac{n}{3} \rceil$ (partial data), respectively. These cases correspond to the two “extremes” in terms of possible identification performance, i.e., many high quality vs. few low quality available data. Every point in the plots corresponds to a different value of t . As expected, high quality data gives better identifications, i.e., many points are clustered close to the upper left corner of the plot (Fig. 3). This also means that the value of t does not affect much the quality of identification. This is not the case with few low quality data, as shown in Fig. 4. Although the parameter t still does not affect much the quality of identification, now most points are clustered in the bottom left corner of the plot close to the line of no discrimination, which implies much worse identification. In particular, algorithm 1 (Unstable) does not perform any better than a random prediction. For data quality in-between these two extremes, the identification performance depends on the parameter t , as shown in Fig. 5.

We observe that algorithms 2 (Geršgorin) and 3 (SDP) always perform better than algorithm 1 (Unstable).⁵


⁵ Due to space limitations, ROC plots for other parameter

This observation is an indication that stability is important, not only for consistency with the problem assumptions, but also for identification performance. Additionally, from Figs. 3, 4, and 5, we see that algorithm 3 (SDP) performs slightly better than algorithm 2 (Geršgorin). This is reasonable, since it does not impose any hard constraints on the edge weights of the network. Nevertheless, algorithm 2 (Geršgorin) has a simple linear formulation and scales better with the problem size.


5.2 Identification Performance



(a)



(b)



(c)

Fig. 6. Identification performance (y -axis) as a function of the parameter $0 \leq t \leq 1$ (x -axis), for networks of size $n = 20$, connectivity $c = 20\%$, sign knowledge $\sigma = 30\%$, noise $\nu = 10\%$ and $m = n$ (full data). Fig. 6(a): Algorithm 1 (Unstable), Fig. 6(b): Algorithm 2 (Geršgorin), Fig. 6(c): Algorithm 3 (SDP).

combinations (σ, m, ν) are not contained in this paper.

Table 1
Algorithm 1 (Unstable): Selection of the parameter $0 \leq t \leq 1$ for networks with $n = 20$ genes and $c = 20\%$ connectivity.

	$\sigma = 0\%$		$\sigma = 30\%$	
	$\nu = 10\%$	$\nu = 50\%$	$\nu = 10\%$	$\nu = 50\%$
$m = 20$	$t=0.0962$	$t=0.0854$	$t=0.1407$	$t=0.1362$
	32% FIDs	33% FIDs	17% FIDs	20% FIDs
	58% $\frac{FZs}{FIDs}$	59% $\frac{FZs}{FIDs}$	64% $\frac{FZs}{FIDs}$	63% $\frac{FZs}{FIDs}$
	180% $\frac{ER}{ER^*}$	36% $\frac{ER}{ER^*}$	185% $\frac{ER}{ER^*}$	39% $\frac{ER}{ER^*}$
	100% StIDs	92% StIDs	59% StIDs	48% StIDs
$m = 7$	$t=0.0808$	$t=0.0834$	$t=0.1303$	$t=0.1460$
	34% FIDs	35% FIDs	22% FIDs	23% FIDs
	55% $\frac{FZs}{FIDs}$	55% $\frac{FZs}{FIDs}$	59% $\frac{FZs}{FIDs}$	59% $\frac{FZs}{FIDs}$
	145% $\frac{ER}{ER^*}$	27% $\frac{ER}{ER^*}$	220% $\frac{ER}{ER^*}$	40% $\frac{ER}{ER^*}$
	93% StIDs	85% StIDs	5% StIDs	2% StIDs

Table 2
Algorithm 2 (Geršgorin): Selection of the parameter $0 \leq t \leq 1$ for networks with $n = 20$ genes and $c = 20\%$ connectivity.

	$\sigma = 0\%$		$\sigma = 30\%$	
	$\nu = 10\%$	$\nu = 50\%$	$\nu = 10\%$	$\nu = 50\%$
$m = 20$	$t=0.0933$	$t=0.0777$	$t=0.1373$	$t=0.1215$
	26% FIDs	28% FIDs	16% FIDs	17% FIDs
	61% $\frac{FZs}{FIDs}$	61% $\frac{FZs}{FIDs}$	67% $\frac{FZs}{FIDs}$	65% $\frac{FZs}{FIDs}$
	190% $\frac{ER}{ER^*}$	38% $\frac{ER}{ER^*}$	201% $\frac{ER}{ER^*}$	41% $\frac{ER}{ER^*}$
$m = 7$	$t=0.0809$	$t=0.0820$	$t=0.1341$	$t=0.1544$
	27% FIDs	29% FIDs	18% FIDs	19% FIDs
	57% $\frac{FZs}{FIDs}$	57% $\frac{FZs}{FIDs}$	62% $\frac{FZs}{FIDs}$	62% $\frac{FZs}{FIDs}$
	175% $\frac{ER}{ER^*}$	33% $\frac{ER}{ER^*}$	234% $\frac{ER}{ER^*}$	45% $\frac{ER}{ER^*}$

In this section, we study the performance of our algorithms in terms of the total false identifications. The performance metrics of interest are the total number of false identifications (FIDs), the fitting error (ER) compared to the best fit (ER^*) obtained if the identified network was the sought one, and the number of false zero identifications (FZs) as a function of the total false identifications. The ratio FZs/FIDs captures sparsity of the network and ER/ER^* indicates how close the identification is to the sought one. Too high or low FZs/FIDs are undesirable, since they correspond to very dense or sparse networks that do not capture reality. Similarly, ER/ER^* that is far away from 1, possibly indicates low quality identification, either qualitatively (signs) or quantitatively (edge weights' values). The ratio FZs/FIDs is also related to the connectivity (Connect) of the identified networks.

As in Section 5.1, we focus on networks of size $n = 20$ with connectivity $c = 20\%$, generated as before. Figs. 6(a), 6(b) and 6(c) show the performance of algorithms 1 (Unstable), 2 (Geršgorin) and 3 (SDP),

Table 3

Algorithm 3 (SDP): Selection of the parameter $0 \leq t \leq 1$ for networks with $n = 20$ genes and $c = 20\%$ connectivity.

	$\sigma = 0\%$		$\sigma = 30\%$	
	$\nu = 10\%$	$\nu = 50\%$	$\nu = 10\%$	$\nu = 50\%$
$m = 20$	$t=0.1485$	$t=0.2575$	$t=0.3334$	$t=0.3126$
	25% FIDs	24% FIDs	13% FIDs	16% FIDs
	65% $\frac{FZs}{FIDs}$	62% $\frac{FZs}{FIDs}$	65% $\frac{FZs}{FIDs}$	66% $\frac{FZs}{FIDs}$
	183% $\frac{ER}{ER^*}$	42% $\frac{ER}{ER^*}$	185% $\frac{ER}{ER^*}$	42% $\frac{ER}{ER^*}$
$m = 7$	$t=0.1394$	$t=0.1546$	$t=0.2562$	$t=0.3086$
	27% F.IDs	28% F.IDs	17% F.IDs	19% F.IDs
	58% $\frac{FZs}{FIDs}$	57% $\frac{FZs}{FIDs}$	63% $\frac{FZs}{FIDs}$	65% $\frac{FZs}{FIDs}$
	164% $\frac{ER}{ER^*}$	34% $\frac{ER}{ER^*}$	203% $\frac{ER}{ER^*}$	43% $\frac{ER}{ER^*}$

respectively, for parameters $\sigma = 30\%$, $\nu = 10\%$ and $m = n$ (full data). We observe that as t increases, FIDs and connectivity decrease, while FZs/FIDs and ER/ER* increase. In fact, very large values of t result in the lowest FIDs that are also the worst in quality, since then FZs/FIDs=1. To address this tradeoff, we select t so that it results in a network with equal/similar connectivity to the desired one ($c = 20\%$). This, results in identification performances as shown in Tables 1, 2 and 3 for algorithms 1, 2 and 3, respectively. Table 1 also shows the percent of stable identifications (StIDs) returned by algorithm 1. Note that this decreases significantly as the noise increases or the size of data set and sign knowledge decreases. In all cases, the ratio FZs/FIDs is approximately 60%, while the error ER ranges from a fraction to a multiple of the best one ER*. What is noteworthy is that algorithms 2 (Geršgorin) and 3 (SDP) have comparable performance in terms of FIDs, which can get as low as 16% for high quality data (low noise, high sign knowledge and full data). In all cases, algorithms 2 (Geršgorin) and 3 (SDP) perform better than algorithm 1 in terms of FIDs.

5.3 Discussion

In Sections 5.1 and 5.2 we discussed two ways of choosing the parameter t . The first depending on proximity to the upper left corner of the ROC plot and the second depending on the desired connectivity of the identified network. In this section we show consistency of these two methods. In other words, we show that a parameter t that gives an identification with desired connectivity, lies as close as possible to the upper left corner of the ROC plot. For this, we check the locations in the ROC plot of the identifications contained in Tables 1, 2 and 3. For illustration purposes, we focus on the parameters $(m, \sigma, \nu) = \{(20, 30\%, 10\%), (7, 0\%, 50\%), (20, 0\%, 50\%)\}$ in order to compare with Figs. 3, 4 and 5, respectively. For these data sets, we get sensitivity and (1-specificity) values, as shown in Table 4. Locating these values in Figs. 3, 4 and 5 we see that they lie at least as close to the upper

Table 4

Sensitivity and (1-specificity) values for selected identifications in Tables 1, 2 and 3.

(m, σ, ν) and Alg.	1-Specificity	Sensitivity	
$(20, 30\%, 10\%)$	Alg. 1	0.13 ± 0.04	0.61 ± 0.07
	Alg. 2	0.11 ± 0.05	0.61 ± 0.06
	Alg. 3	0.08 ± 0.03	0.63 ± 0.07
$(7, 0\%, 50\%)$	Alg. 1	0.19 ± 0.03	0.19 ± 0.04
	Alg. 2	0.16 ± 0.03	0.33 ± 0.03
	Alg. 3	0.18 ± 0.02	0.36 ± 0.03
$(20, 0\%, 50\%)$	Alg. 1	0.21 ± 0.06	0.25 ± 0.07
	Alg. 2	0.18 ± 0.07	0.36 ± 0.08
	Alg. 3	0.33 ± 0.07	0.57 ± 0.04

Table 5

A summary of *a priori* knowledge for the SOS pathway in *Escherichia coli*. A “+” sign indicates known activation, a “-” sign indicates known inhibition, “0” indicates the absence of connection, and “?” indicates an unknown connection. In brackets are known gene interactions that are considered unknown for the purposes of identification.

Genes	<i>recA</i>	<i>lexA</i>	<i>ssb</i>	<i>recF</i>	<i>dinI</i>	<i>umuDC</i>	<i>rpoD</i>	<i>rpoH</i>	<i>rpoS</i>
<i>recA</i>	?	-	?(-)	?(+)	?(+)	?(-)	+	?(0)	?(0)
<i>lexA</i>	+	-	?(-)	?(+)	?(+)	?(-)	+	?(0)	?(0)
<i>ssb</i>	+	-	?(-)	?(+)	?(+)	?(-)	+	?(0)	?(0)
<i>recF</i>	?(0)	?(0)	?(0)	?(-)	?(0)	?(0)	+	?(0)	+
<i>dinI</i>	+	-	?(-)	?(+)	?	?(-)	+	?(0)	?(0)
<i>umuDC</i>	+	-	?(-)	?(+)	?(+)	?(-)	+	?(0)	?(0)
<i>rpoD</i>	+	-	?(-)	?(+)	?(+)	?(-)	?	+	?(0)
<i>rpoH</i>	?(0)	?(0)	?(0)	?(0)	?(0)	?(0)	+	?	?(0)
<i>rpoS</i>	?(0)	?(0)	?(0)	?(0)	?(0)	?(0)	+	?(0)	?

left corner compared to other points in these ROC plots and, therefore, they correspond to better identification performance. Although network connectivity is typically unknown, its is easier to get an estimate of it from biological knowledge, than construct ROC plots that depend on identification performance.

6 SOS pathway in *Escherichia coli*

We further applied the proposed identification algorithms to a subnetwork of the SOS pathway in *Escherichia coli*, using the genetic perturbation experimental data set

$$X = 10^{-3} \begin{bmatrix} 906 & -132 & -139 & 187 & 291 & -61 & -77 & -17 & -25 \\ 212 & 383 & -117 & 64 & 169 & -87 & 39 & 125 & 84 \\ 18 & -107 & 10524 & 61 & 80 & 13 & 64 & 89 & -70 \\ 104 & -50 & -273 & 139 & 180 & 146 & 69 & -4 & 275 \\ 119 & -97 & 56 & 315 & 2147 & 142 & -68 & 135 & 113 \\ 76 & -189 & -214 & 250 & 347 & 2017 & -67 & -172 & -22 \\ -122 & -47 & -102 & -107 & -11 & 104 & 3068 & 365 & 217 \\ 178 & -183 & 36 & -70 & -34 & -155 & 8 & 26633 & 87 \\ 72 & -128 & 73 & 81 & 305 & 51 & -61 & 274 & 672 \end{bmatrix}$$




Fig. 7. (Taken from [8]) Diagram of interactions in the SOS network. DNA lesions caused by mitomycin C (MMC) (blue hexagon) are converted to single-stranded DNA during chromosomal replication. Upon binding to ssDNA, the RecA protein is activated (RecA*) and serves as a coprotease for the LexA protein. The LexA protein is cleaved, thereby diminishing the repression of genes that mediate multiple protective responses. Boxes denote genes, ellipses denote proteins, hexagons indicate metabolites, arrows denote positive regulation, filled circles denote negative regulation. Red emphasis denotes the primary pathway by which the network is activated after DNA damage.

provided in [8]. Since there was no explicit mention to U , we assumed that $U = I_9$.⁶ The *a priori* knowledge we used is depicted in Table 5 and has been obtained based on the diagram of Fig. 7.

The subnetwork that we considered consists of nine genes and several transcription factors and metabolites (Fig. 7). The main pathway featured in this network is the pathway between the single-stranded DNA (ssDNA) and the protein LexA that acts as a repressor to several other genes (*recA*, *ssb*, *dinI*, *umuDC*, and *rpoD*). The protein RecA, which is activated by the single-stranded DNA, cleaves LexA and thus upregulates the above mentioned genes. Other key regulators in the network are the sigma factors $\sigma70$, $\sigma32$, and $\sigma38$. These sigma factors play an important role in initiating transcription in heat shock and starvation responses.

We applied Algorithms 1, 2 and 3 on the data set X for different values of the parameter t . The corresponding ROC plots are shown in Fig. 8. As discussed in Section 5, the best identifications will correspond to values of the parameter t that give points in the ellipse in Fig. 8. For algorithm 1 these points correspond to $t \in [0.01, 0.1]$,

⁶ Note that this is a reasonable assumption, since different values of U would only result in scaling of the model.

for algorithm 2 they correspond to $t \in [0, 0.1]$, and for algorithm 3 they correspond to $t \in [0.05, 0.5]$. In particular, we choose $t = 0.01$ for algorithm 1, $t = 0.01$ for algorithm 2 and $t = 0.1$ for algorithm 3. These parameters result in 37%, 31% and 31% false identifications, respectively. Therefore, algorithms 2 and 3 still perform better than algorithm 1, demonstrating the importance of the stability specification.

All identifications obtained from algorithm 1 are unstable, while the obtained networks have connectivity approximately equal to 50%. Note that this identification performance is worse than the one shown in Tables 1, 2 and 3 for full data and 30% sign knowledge. This is expected since the SOS pathway is much denser (its connectivity is approximately 60%), which conflicts with the sparsity objective.⁷ Following we present the interconnection matrix for the SOS pathway in *Escherichia coli* returned by Algorithm 2 for $t = 0.01$:

$$A = 10^{-3} \begin{bmatrix} -33 & -2 & 0 & 0 & 5 & 0 & 2 & 0 & 0 \\ 9 & -21 & -1 & -44 & 1 & 2 & 2 & 0 & 20 \\ 2 & -2 & -29 & 0 & 0 & 0 & 2 & 0 & 0 \\ 10 & 0 & -2 & -123 & 2 & 8 & 4 & 0 & 37 \\ 2 & -2 & 0 & 0 & -30 & 0 & 2 & 0 & 0 \\ 2 & -2 & 0 & 0 & 0 & -31 & 2 & 0 & 0 \\ 2 & -2 & 0 & 0 & 0 & 0 & -38 & 2 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 2 & -2 & 0 \\ 2 & -2 & 0 & 0 & 2 & 0 & 2 & 0 & -15 \end{bmatrix}.$$

Matrix A has 7 false positives, 3 false negatives, 16 false zeros, and 26 false identifications in total, while it is also stable and satisfies the desired sparsity pattern. The matrix A returned by Algorithm 3 for $t = 0.1$ is:

$$A = 10^{-3} \begin{bmatrix} -10 & -3 & 0 & -1 & 2 & 0 & 2 & 0 & 0 \\ 5 & -23 & 0 & 0 & 0 & -1 & 2 & 0 & 2 \\ 2 & -2 & -1 & -4 & 0 & 0 & 3 & 0 & 0 \\ 0 & 0 & 0 & -4 & 0 & 0 & 2 & 0 & 2 \\ 2 & -2 & 0 & 0 & -5 & 0 & 2 & 0 & 0 \\ 2 & -2 & 0 & -1 & 0 & -5 & 2 & 0 & 0 \\ 2 & -2 & 0 & -4 & 0 & 0 & -3 & 2 & 0 \\ 0 & 0 & 0 & -5 & 0 & 0 & 2 & 0 & 0 \\ 2 & -4 & 0 & 0 & 2 & 0 & 2 & 0 & -15 \end{bmatrix}.$$

Matrix A has 3 false positives, 6 false negatives, 16 false zeros, and 25 false identifications in total, while it is also stable and satisfies the desired sparsity pattern.

7 Conclusions

In this paper, we considered the problem of identifying a minimal model that best explains genetic perturbation data obtained at the network's equilibrium state. We relaxed the combinatorially hard cardinality optimization

⁷ Note that we are analyzing a part of the SOS response mechanism in *E. coli* in which central role plays the protein LexA. This protein regulates the expression activity of a large number of other genes, which explains the particularly high connectivity observed here. In fact, it is known that LexA directly regulates, i.e., binds to the promoters, of 31 other genes [33]. The connectivity of genes like LexA is atypical.




Fig. 8. ROC plots of algorithms 1 (Unstable), 2 (Geršgorin) and 3 (SDP) for the SOS pathway shown in Fig. 7 and different values of the parameter t . The best identifications are contained in the ellipse close to the upper left corner.

specification by employing its weighted ℓ_1 approximation and extended our formulation to account for *a priori* knowledge on the network structure, as well as stability of the derived solutions. We tested performance and sensitivity of our algorithms to parameter selection, for various sizes of data sets, sign knowledge and noise levels. We concluded that stability is not only necessary for consistency with the problem assumptions, but also for better identification performance. The strength of our approach lies in its convex nature that can handle large scale identification problems. Its efficiency was also demonstrated on real experimental data obtained for the SOS pathway in *Escherichia coli*.

References

- [1] S. L. Schreiber. *Target-oriented and diversity-oriented organic synthesis in drug discovery*, Science, vol. 287, no. 5460, pp. 1964-1969, 2000.
- [2] M. Bansal, V. Belcastro, A. Ambesi-Impiombato and D. di Bernardo. *How to Infer Gene Networks from Expression Profiles*, Molecular Systems Biology, vol. 3, 2007. (10.1038/msb4100120).
- [3] T. Gardner and J. Faith. *Reverse-Engineering Transcription Control Networks*, Physics of Life Reviews, vol. 2, pp. 65-88, 2005.
- [4] M. Eisen, P. Spellman, P. Brown, D. Botstein. *Cluster Analysis and Display of Genome-Wide Expression Patterns*, Proc. National Academy of Science, vol. 95, pp. 14863-14868, 1998.
- [5] R. Amato, A. Ciaramella, N. Deniskina, C. Del Mondo, D. di Bernardo, C. Donalek, G. Longo, G. Mangano, G. Miele, G. Raiconi, A. Staiano and R. Tagliaferri. *A Multi-Step Approach to Time Series Analysis and Gene Expression Clustering*, Bioinformatics, vol. 22, pp. 589-596, 2006.
- [6] R. Steuer, J. Kurths, C.O. Daub, J. Weise and J. Selbig. *The Mutual Information: Detecting and Evaluating Dependencies between Variables*, Bioinformatics, vol. 182, pp. 231-240, 2002.
- [7] D. Pe'er, I. Nachman, M. Linial and N. Friedman. *Using Bayesian Networks to Analyze Expression Data*, Journal of Computational Biology, vol. 7, pp. 601-620, 2000.
- [8] T. Gardner, D. di Bernardo, D. Lorenz and J. Collins. *Inferring Genetic Networks and Identifying Compound Mode of Action via Expression Profiling*, Science, vol. 301, pp. 102-105, 2003.
- [9] J. Tegner, M. Yeung, J. Hasty and J. Collins. *Reverse Engineering Gene Networks: Integrating Genetic Perturbations with Dynamical Modeling*, Proc. of the National Academy of Science, vol. 100(10), pp. 5944-5949, 2003.
- [10] A. A. Julius, M. M. Zavlanos, S. P. Boyd and G. J. Pappas. *Genetic Network Identification using Convex Programming*, IET Systems Biology, vol. 3(3), pp. 155-166, 2009.
- [11] E. Sontag, A. Kiyatkin and B. Kholodenko. *Inferring Dynamic Architecture of Cellular Networks using Time Series of Gene Expression, Protein and Metabolite Data*, Bioinformatics, vol. 20(12), pp. 1877-1886, 2004.
- [12] M. Bansal, G. Della Gatta and D. di Bernardo. *Inference of Gene Regulatory Networks and Compound Mode of Action from Time Course Gene Expression Profiles*, Bioinformatics, vol. 22(7), pp. 815-822, 2006.
- [13] F. Amato, C. Cosentino, W. Curatola and D. di Bernardo. *LMI-based Algorithm for the Reconstruction of Biological Networks*, Proc. American Control Conference, pp. 2720-2725, New York, NY, 2007.
- [14] A. Papachristodoulou and B. Recht. *Determining Interconnections in Chemical Reaction Networks*, Proc. American Control Conference, pp. 4872-4877, New York, NY, 2007.
- [15] E. August and A. Papachristodoulou. *Efficient, Sparse Biological Network Determination*, BMC Systems Biology, vol. 3(25), 2009.
- [16] J. Srividhy, E. J. Crampin, P. E. McSharry, S. Schnell. *Reconstructing Biochemical Pathways from Time Course Data*, Proteomics, vol. 7, pp. 828-838, 2007.
- [17] R. Porreca, S. Drulhe, H. de Jong, G. Ferrari-Trecate. *Structural Identification of Piecewise-Linear Models of Genetic Regulatory Networks*, Journal of Computational Biology, vol. 15(10), pp. 1365-1380, 2008.
- [18] E. Cinquemani and R. Porreca and J. Lygeros and G. Ferrari-Trecate. *Canalizing Structure of Genetic Network Dynamics: Modelling and Identification via Mixed-Integer Programming*, Proc. IEEE Conference on Decision and Control, Shanghai, China, 2009.
- [19] M. Arnone and E. Davidson. *The Hardwiring of Development: Organization and Function of Genomic Regulatory Systems*, Development, vol. 124.
- [20] D. Thieffry, A. Huerta, E. Pérez-Rueda and J. Collado-Vides. *From Specific Gene Regulation to Genomic Networks: A Global Analysis of Transcriptional Regulation in Escherichia Coli*, Bioessays, vol. 20.
- [21] S. Boyd. *ℓ_1 -norm Methods for Convex Cardinality Problems*, Lecture Notes for EE364b, Stanford University. Available at <http://www.stanford.edu/class/ee364b/>.
- [22] A. Hassibi, J. How and S. Boyd. *Low-Authority Controller Design via Convex Optimization*, AIAA Journal of Guidance, Control, and Dynamics, vol. 22(6), pp. 862-872, 1999.

- [23] J. A. Tropp. *Just Relax: Convex Programming Methods for Identifying Sparse Signals*, IEEE Transactions on Information Theory, vol. 51(3), pp. 1030-1051, 2006.
- [24] S. Han S, Y. Yoon and K. H. Cho, *Inferring Biomolecular Interaction Networks Based on Convex Optimization*, Computational Biology and Chemistry, vol. 31(5-6), pp. 347-354, 2007.
- [25] E. J. Candes, M. B. Wakin and S. Boyd. *Enhancing Sparsity by Reweighted ℓ_1 Minimization*, Journal of Fourier Analysis and Applications, vol. 14(5), pp. 877-905, 2008.
- [26] D. DiBernardo, T.S.Gardner, J.J. Collins. *Robust identification of large genetic networks*, Pacific Symposium on Biocomputing, vol. 9, pp. 486-497, 2004.
- [27] S. Boyd and L. Vandenberghe. *Convex Optimization*, Cambridge University Press, 2004.
- [28] E. Candes, J. Romberg and T. Tao. *Robust Uncertainty Principles: Exact Signal Reconstruction from Highly Incomplete Frequency Information*, IEEE Transaction on Information Theory, vol. 52(2), pp. 489-509, 2006.
- [29] R. Horn and C. Johnson. *Matrix Analysis*, Cambridge University Press, 1985.
- [30] W. Rugh. *Linear System Theory*, Prentice Hall, 1996.
- [31] J. E. De Muth. *Basic Statistics and Pharmaceutical Statistical Applications*, Chapman & Hall/CRC, 2006, 2nd edn.
- [32] M. Grant, S. Boyd, and Y. Ye, *cvx MATLAB Software for Disciplined Convex Programming*, Available at <http://www.stanford.edu/~boyd/cvx/>.
- [33] A. R. Fernandez De Henestrosa, T. Ogi, S. Aoyagi, D. Chafin, J. J. Hayes, H. Ohmori and R. Woodgate. *Identification of Additional Genes Belonging to the LexA regulation in Escherichia coli*, Molecular Microbiology, vol. 35, pp. 1560-1572, 2000.
- [34] M. M. Zavlanos, A. A. Julius, S. P. Boyd and G. J. Pappas. *Identification of Stable Genetic Networks using Convex Programming*, Proc. of the 2008 American Control Conference, Seattle, WA, June 2008, pp.2755-2760.