# CS276B

#### Web Search and Mining

Lecture 13 Text Mining II: QA systems

(includes slides borrowed from ISI, Nicholas Kushmerick, Marti Hearst, Mihai Surdeanu and Marius Pasca)

# Question Answering from text

- An idea originating from the IR community
- With massive collections of full-text documents, simply finding *relevant documents* is of limited use: we want *answers* from textbases
- QA: give the user a (short) answer to their question, perhaps supported by evidence.
- The common person's view? [From a novel]
   "I like the Internet. Really, I do. Any time I need a piece of shareware or I want to find out the weather in Bogota ... I'm the first guy to get the modem humming. But as a source of information, it sucks. You got a billion pieces of data, struggling to be heard and seen and downloaded, and anything I want to know seems to get trampled underfoot in the crowd."
  - M. Marshall. The Straw Men. HarperCollins Publishers, 2002.


# People want to ask questions...

Examples from AltaVista query log who invented surf music? how to make stink bombs where are the snowdens of yesteryear? which english translation of the bible is used in official catholic liturgies? how to do clayart how to copy psx how tall is the sears tower? Examples from Excite query log (12/1999) how can i find someone in texas where can i find information on puritan religion? what are the 7 wonders of the world how can i eliminate stress What vacuum cleaner does Consumers Guide recommend Around 12-15% of query logs


# The Google answer #1

- Include question words etc. in your stop-list
- Do standard IR
- Sometimes this (sort of) works:
- Question: Who was the prime minister of Australia during the Great Depression?
- Answer: James Scullin (Labor) 1929-31.









## A Brief (Academic) History

- In some sense question answering is not a new research area
- Question answering systems can be found in many areas of NLP research, including:
   Natural language database systems
  - A lot of early NLP work on these (e.g., LUNAR)
  - Spoken dialog systems
  - Currently very active and commercially relevant
- The focus on open-domain QA is fairly new
  - MURAX (Kupiec 1993): Encyclopedia answers
  - Hirschman: Reading comprehension tests
  - TREC QA competition: 1999-

## AskJeeves

- Askjeeves is probably most hyped example of "Question answering"
- It largely does pattern matching to match your question to their own knowledge base of questions
- If that works, you get the human-curated answers to that known question
- If that fails, it falls back to regular web search
- A potentially interesting middle ground, but a fairly weak shadow of real QA

# **Online QA Examples**

- Examples
  - LCC:
  - http://www.languagecomputer.com/demos/question\_answering/index.html
     AnswerBus is an open-domain question answering system: www.answerbus.com
  - Ionaut: http://www.ionaut.com:8400/
  - EasyAsk, AnswerLogic, AnswerFriend, Start, Quasm, Mulder, Webclopedia, etc.

11

# Question Answering at TREC

- Question answering competition at TREC consists of answering a set of 500 fact-based questions, e.g., "When was Mozart born?".
- For the first three years systems were allowed to return 5 ranked answer snippets (50/250 bytes) to each question.
  - IR think
  - Mean Reciprocal Rank (MRR) scoring:
    - 1, 0.5, 0.33, 0.25, 0.2, 0 for 1, 2, 3, 4, 5, 6+ doc
- Mainly Named Entity answers (person, place, date, ...)
   From 2002 the systems are only allowed to return a single *exact* answer and the notion of confidence has been introduced.

# The TREC Document Collection

- The current collection uses news articles from the following sources:
  - AP newswire, 1998-2000
  - New York Times newswire, 1998–2000
- Xinhua News Agency newswire, 1996-2000
  In total there are 1,033,461 documents in the
  - collection. 3GB of text
- This is too much text to process entirely using advanced NLP techniques so the systems usually consist of an initial information retrieval phase followed by more advanced processing.
- Many supplement this text with use of the web, and other knowledge bases

13

Sample TREC questions

- 1. Who is the author of the book, "The Iron Lady: A Biography of Margaret Thatcher"?
- 2. What was the monetary value of the Nobel Peace Prize in 1989?
- 3. What does the Peugeot company manufacture?
- 4. How much did Mercury spend on advertising in 1993?
- 5. What is the name of the managing director of Apricot Computer?
- 6. Why did David Koresh ask the FBI for a word processor?
- 7. What debts did Qintex group leave?
- 8. What is the name of the rare neurological disease with
- symptoms such as: involuntary movements (tics), swearing, and incoherent vocalizations (grunts, shouts, etc.)? <sup>14</sup>

# **Top Performing Systems**

- Currently the best performing systems at TREC can answer approximately 60-80% of the questions
  - A pretty amazing performance!
- Approaches and successes have varied a fair deal
   Knowledge-rich approaches, using a vast array
  - of NLP techniques stole the show in 2000, 2001
     Notably Harabagiu, Moldovan et al. SMU/UTD/LCC
  - AskMSR system stressed how much could be achieved by very simple methods with enough text (now has various copycats)
  - Middle ground is to use a large collection of surface matching patterns (ISI)





Web Question Answering: Is More Always Better?
 Dumais, Banko, Brill, Lin, Ng (Microsoft, MIT, Berkeley)















### Step 1: Rewrite queries


- Intuition: The user's question is often syntactically quite close to sentences that contain the answer
  - Where is the Louvre Museum located?
  - The Louvre Museum is located in Paris
  - Who created the character of Scrooge?
  - *Charles Dickens* created the character of <u>Scrooge</u>.

















### Results

- Standard TREC contest test-bed: ~1M documents; 900 questions
- Technique doesn't do too well (though would have placed in top 9 of ~30 participants!)
  - MRR = 0.262 (i.e., right answer ranked about #4-#5 on average)
  - Why? Because it relies on the enormity of the Web!
- Using the Web as a whole, not just TREC's 1M documents... MRR = 0.42 (i.e., on average, right answer is ranked about #2-#3)




 In many scenarios (e.g., monitoring an individual's email...) we only have a small set of documents

28

- Works best/only for "Trivial Pursuit"-style fact-based questions
- Limited/brittle repertoire of
   question categories
  - answer data types/filters
  - query rewriting rules

# ISI: Surface patterns approach

- Use of Characteristic Phrases
- "When was <person> born"
  - Typical answers
    - "Mozart was born in 1756."
    - "Gandhi (1869-1948)..."
  - Suggests phrases (regular expressions) like
     "<NAME> was born in <BIRTHDATE>"
    - "<NAME> ( <BIRTHDATE>-"
  - Use of Regular Expressions can help locate correct answer



# Pattern Learning (cont.)

- Repeat with different examples of same question type
  - Gandhi 1869", "Newton 1642", etc.
- Some patterns learned for BIRTHDATE
  - a. born in <ANSWER>, <NAME>
  - $\scriptstyle \bullet \ b. < NAME>$  was born on  $<\!ANSWER\!>$  ,
  - c. <NAME> ( <ANSWER> –
  - d. <NAME> ( <ANSWER> )

## Experiments

- 6 different Q types
  - from Webclopedia QA Typology (Hovy et al., 2002a)

32

34

- BIRTHDATE
- LOCATION
- INVENTOR
- DISCOVERER
- DEFINITIONWHY-FAMOUS

EXperiments: pattern precision
BIRTHDATE table:

1.0 < NAME> ( <ANSWER> - .)
0.85 <NAME> was born on <ANSWER>,
0.66 <NAME> was born in <ANSWER>,
0.59 <NAME> was born ( ANSWER>
0.53 <ANSWER> <NAME> was born
0.50 - <NAME> ( <ANSWER>
0.36 <NAME> ( <ANSWER> 

INVENTOR


- 1.0 <ANSWER> invents <NAME>
- 1.0 the <NAME> was invented by <ANSWER>
- 1.0 <ANSWER> invented the <NAME> in

# Experiments (cont.) DISCOVERER 1.0 when <ANSWER> discovered <NAME>

- 1.0 <ANSWER>'s discovery of <NAME>
- 0.9 <NAME> was discovered by <ANSWER> in


#### DEFINITION

- 1.0 <NAME> and related <ANSWER>
- 1.0 form of <ANSWER>, <NAME>
- 0.94 as <NAME>, <ANSWER> and




35


31





# Shortcomings... (cont.)


- Long distance dependencies
  - "Where is London?"
  - "London, which has one of the most busiest airports in the world, lies on the banks of the river Thames"
  - would require pattern like:
  - <QUESTION>, (<any\_word>)\*, lies on <ANSWER>
  - Abundance & variety of Web data helps system to find an instance of patterns w/o losing answers to long distance dependencies












# Lexical Terms Extraction as input to Information Retrieval

- Questions approximated by sets of unrelated words (lexical terms)
- Similar to bag-of-word IR models: but choose nominal non-stop words and verbs

Question (from TREC QA track)	Lexical terms	
Q002: What was the monetary value of the Nobel Peace Prize in 1989?	monetary, value, Nobel, Peace, Prize	
Q003: What does the Peugeot company manufacture?	Peugeot, company, manufacture	
Q004: How much did Mercury spend on advertising in 1993?	Mercury, spend, advertising, 1993	43

# Rank candidate answers in retrieved passages



# Abductive inference

- System attempts inference to justify an answer (often following lexical chains)
- Their inference is a kind of funny middle ground between logic and pattern matching
- But guite effective: 30% improvement
- Q: When was the internal combustion engine invented?
- A: The first internal-combustion engine was built in 1867.
- invent -> create\_mentally -> create -> build 45

# Question Answering Example

- How hot does the inside of an active volcano get?
- get(TEMPERATURE, inside(volcano(active)))
- "lava fragments belched out of the mountain were as hot as 300 degrees Fahrenheit"
- fragments(lava, TEMPERATURE(degrees(300)), belched(out, mountain))
  - volcano ISA mountain

References

- lava ISPARTOF volcano
   lava inside volcano
- fragments of lava HAVEPROPERTIESOF lava
- The needed semantic information is in WordNet definitions, and was successfully translated into a form that was used for rough 'proofs'

# References

- AskMSR: Question Answering Using the Worldwide Web
  - Michele Banko, Eric Brill, Susan Dumais, Jimmy Lin
  - http://www.ai.mit.edu/people/jimmylin/publications/B
  - anko-etal-AAAI02.pdf
- In Proceedings of 2002 AAAI SYMPOSIUM on Mining Answers from Text and Knowledge Bases, March 2002 Web Question Answering: Is More Always Better?
- Susan Dumais, Michele Banko, Eric Brill, Jimmy Lin, and Andrew Ng
- http://research.microsoft.com/~sdumais/SIGIR2002-QA-Submit-Conf.pdf
- D. Ravichandran and E.H. Hovy. 2002. Learning Surface Patterns for a Question Answering System. 47 ACL conference, July 2002.

# S. Harabagiu, D. Moldovan, M. Paşca, R. Mihalcea, M. Surdeanu, R. Bunescu, R. Girju, V.Rus and P. Morărescu. FALCON: Boosting Knowledge for Answer Engines. The Ninth Text REtrieval Conference (TREC 9), 2000. Marius Pasca and Sanda Harabaglu, <u>High Performance</u> <u>Question/Answering</u>. In *Proceedings of the 24th Annual International ACL SIGIR Conference on Research and Development in Information Retrieval (SIGIR-2001)*, September 2001, New Orleans LA, pages 366–374. September 2001, New Orleans LA, pages 366-374. L. Hirschman, M. Light, E. Breck and J. Burger. Deep Read: A Reading Comprehension System. In Proceedings of the 37th Annual Meeting of the Association for Computational Linguistics, 1999. C. Kwok, O. Etzioni and D. Weld. Scaling Question Answering to the Web. ACM Transactions in Information Systems, Vol 19, No. 3, July 2001, pages 242-262. M. Light, G. Mann, E. Riloff and E. Breck. Analyses for Elucidating Current Question Answering Technology. Journal of Natural Language Engineering, Vol. 7, No. 4 (2001). 48