

18 DIMSUM

We'd like to compute entries for $A^T A$ for which $\cos(r_i, r_j) \geq s$ for some threshold s . Columns of A are vectors, and vectors can have similarities. We need the following notion of similarity of two vectors [Cosine Similarity] The *cosine similarity* between two columns c_i and c_j is defined as

$$\cos(c_i, c_j) = \frac{c_i c_j}{\|c_i\| \|c_j\|}.$$

Algorithm 1 DIMSUMMapper (r_i)

for all pairs (a_{ij}, a_{ik}) in r_i **do** With probability $\min \left\{ 1, \frac{c_j c_k}{\|c_j\| \|c_k\|} \right\}$, emit $((j, k) \rightarrow a_{ij} a_{ik})$

Algorithm 2 DIMSUMReducer ($(i, j), v_1 \dots, v_R$)

if $\frac{c_i c_j}{\|c_i\| \|c_j\|} > 1$ **then return** $b_{ij} \rightarrow \frac{1}{c_j c_k} \sum_{i=1}^R v_i$ **return** $b_{ij} \rightarrow \frac{1}{\|c_j\| \|c_k\|} \sum_{i=1}^R v_i$

The *Dimension Independent Matrix Square using MapReduce* (DIMSUM) algorithm is described in (1) and (2). The DIMSUM algorithm outputs the cosine similarities (in fact probabilistic estimates of the cosine similarities). Also note that you need to compute the norms of columns beforehand (which requires all-to-all communication).

References

- [1] MapReduce-Combiners. Retrieved from http://www.tutorialspoint.com/map_reduce/map_reduce_combiners.htm.
- [2] Broadcast Variables. Retrieved from <https://jaceklaskowski.gitbooks.io/mastering-apache-spark/content/spark-broadcast.html>.