

Canny edge detector

1. Smooth image with a Gaussian filter
2. Approximate gradient magnitude and angle (use Sobel, Prewitt . . .)

$$M[x, y] \approx \sqrt{\left(\frac{\partial f}{\partial x}\right)^2 + \left(\frac{\partial f}{\partial y}\right)^2}$$


$$\alpha[x, y] \approx \tan^{-1}\left(\frac{\partial f}{\partial y} / \frac{\partial f}{\partial x}\right)$$

3. Apply nonmaxima suppression to gradient magnitude
4. Double thresholding to detect strong and weak edge pixels
5. Reject weak edge pixels not connected with strong edge pixels

[Canny, IEEE Trans. PAMI, 1986]

Canny nonmaxima suppression

- Quantize edge normal to one of four directions: horizontal, -45° , vertical, $+45^\circ$
- If $M[x,y]$ is smaller than either of its neighbors in edge normal direction
→ suppress; else keep.



[Canny, IEEE Trans. PAMI, 1986]

Canny thresholding and suppression of weak edges

- Double-thresholding of gradient magnitude

$$\text{Strong edge: } M[x, y] \geq \theta_{high}$$

$$\text{Weak edge: } \theta_{high} > M[x, y] \geq \theta_{low}$$

- Typical setting: $\theta_{high} / \theta_{low} = 2...3$
- Region labeling of edge pixels
- Reject regions without strong edge pixels

[Canny, IEEE Trans. PAMI, 1986]


Canny edge detector



$$\sigma = \sqrt{2}$$



$$\sigma = 2\sqrt{2}$$



$$\sigma = 4\sqrt{2}$$

