

ICPSR 2295

**California Drug and Alcohol
Treatment Assessment
(CALDATA), 1991-1993**

Codebook

*California Department of Alcohol and
Drug Programs*

First ICPSR Edition
February 2004

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

Bibliographic Citation: Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications. The bibliographic citation for this data collection is:

California Department of Alcohol and Drug Programs.
CALIFORNIA DRUG AND ALCOHOL TREATMENT
ASSESSMENT (CALDATA), 1991-1993 [Computer file].
Conducted by the National Opinion Research Center at the
University of Chicago and Lewin-VHI, Inc. ICPSR ed. Ann
Arbor, MI: Inter-university Consortium for Political and Social
Research [producer and distributor], 2004.

Request for Information on Use of ICPSR Resources: To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Visit the ICPSR Web site for more information on submitting citations.

Data Disclaimer: The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for uses of this collection or for interpretations or inferences based upon such uses.

Responsible Use Statement: In preparing data for public release, ICPSR performs a number of procedures to ensure that the identity of research subjects cannot be disclosed. Any intentional identification or disclosure of a person or establishment violates the assurances of confidentiality given to the providers of the information. Therefore, users of data obtained from the ICPSR archive and/or any of its special topic archives agree:

- To use these datasets solely for statistical analysis and reporting of aggregated information, and not for investigation of specific individuals or organizations, except when identification is authorized in writing by ICPSR
- To make no use of the identity of any person or establishment discovered inadvertently, and to advise ICPSR of any such discovery
- To produce no links among ICPSR datasets or among ICPSR data and other datasets that could identify individuals or organizations

Redistribution: ICPSR data may not be redistributed or sold to other individuals, institutions, or organizations without the written agreement of ICPSR.

Data Collection Description

Principal Investigator(s): California Department of Alcohol and Drug Programs

Title: California Drug and Alcohol Treatment Assessment (CALDATA), 1991-1993

ICPSR Study Number: 2295

Funding Agency: California Department of Alcohol and Drug Programs

Grant Number: 92-00110

Summary: The California Drug and Alcohol Treatment Assessment (CALDATA) was designed to study the costs, benefits, and effectiveness of the state's alcohol and drug treatment infrastructure (recovery services) and specifically to assess (1) the effects of treatment on participant behavior, (2) the costs of treatment, and (3) the economic value of treatment to society. Data were collected on participants (clients) across four types of treatment programs, or modalities: residential, residential "social model," nonmethadone outpatient, and outpatient methadone (detoxification and maintenance). Data were collected in two phases. In Phase 1, treatment records were abstracted for clients who received treatment or were discharged between October 1, 1991, and September 30, 1992. In Phase 2, these clients were located and recruited for a follow-up interview. The CALDATA design and procedures included elements from several national treatment outcome studies including the DRUG SERVICES RESEARCH SURVEY (ICPSR 3393), SERVICES RESEARCH OUTCOMES STUDY (ICPSR 2691), NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY (ICPSR 2884), and DRUG ABUSE TREATMENT OUTCOME STUDY (ICPSR 2258). The record abstract was designed to collect identifying and locating information for interview reference during the personal interviewing phase. The abstract also collected demographic, drug, or alcohol use, and treatment and service information. The follow-up questionnaire covered time periods before, during, and after treatment and focused on topics such as ethnic and educational background, drug and alcohol use, mental and physical health, HIV and AIDS status, drug testing, illegal activities and criminal status, living arrangements and family issues, employment and income, and treatment for drug, alcohol, and mental health problems. Drugs included alcohol, barbiturates, benzodiazepines, cocaine powder, crack, downers, hallucinogens, heroin, illegal methadone, inhalants, LSD, marijuana/hashish/THC, methamphetamines and other stimulants, narcotics, over-the-counter drugs, PCP, ritalin or preludein, and sedatives/hypnotics. CALDATA was originally known as the California Outcomes Study (COS).

Universe: All clients receiving recovery services in the four treatment modalities included in the study from California-based treatment providers known to the California Alcohol and Drug Data System (CADDs) as of September 1992. The CADDs programs include all providers who (1)

received any type of public funding for treatment or recovery services, (including grants, contracts, and MediCal reimbursements) during the current or previous fiscal years, and (2) are required to report to CADDIS as a condition of state licensing.

Sample: CALDATA employed a multistage stratified sample design consisting of three stages. In the first stage, the state was stratified geographically into four regions to ensure state-wide coverage. Counties within these strata were randomly selected, with large counties being selected with certainty and small counties being clustered to provide sufficiently large sampling units. Selection chances for the non-certainty counties were weighted based on the number of participants. In the second stage of sampling, treatment providers were selected using similar principles of geographically balanced, size weighted random selection. In order to analyze each treatment modality, approximately equal numbers of facilities were selected across the modalities. As with counties, the smallest providers were clustered to provide adequately sized sampling units. In the third stage, client records were randomly chosen at each sampled facility with the number varying by the size of the provider and the extent to which the on-site listing of clients matched the number expected for that provider. Approximately 3,000 clients were selected for abstraction. Of these, 1,859 were recruited for the follow-up interview.

Date of Collection: September 1992-December 1993

Response Rates: The overall CALDATA participant response rates are approximately 50 percent for the discharge sample and approximately 46 percent for the continuing methadone maintenance (CMM) sample. Response rates by modality in cooperating providers range from 56-61 percent, with the exception of methadone maintenance (76.5 percent).

Data Collection Notes: (1) The study was conducted by the National Opinion Research Center at the University of Chicago and Lewin-VHI, Inc., Fairfax, Virginia, and Corte Madera, California. (2) The original data collection also included data on the treatment facilities. However, these data are not being released, per the data producers. (3) While 1,859 clients participated in the follow-up interview, 33 interviews were completed too late to be included in the study's final report. These cases are also excluded from the public use dataset, yielding a total of 1,826 cases. (4) The codebook, methodology report, and data collection instruments are provided by ICPSR as Portable Document Format (PDF) files. The PDF file format was developed by Adobe Systems Incorporated and can be accessed using PDF reader software, such as the Adobe Acrobat Reader. Information on how to obtain a copy of the Acrobat Reader is provided on the ICPSR and SAMHDA Web sites.

Data Source: personal interviews and record abstractions

Restrictions: Users are reminded that these data are to be used solely for statistical analysis and reporting of aggregated information and not for the investigation of specific individuals or organizations.

Extent of Collection: 1 data file + machine-readable documentation (PDF) + SAS data definition statements + SPSS data definition statements + data collection instruments (PDF)

Extent of Processing: CONCHK.PR/ CONCHK.ICPSR/ DDEF.ICPSR/ FREQ.ICPSR/ MDATA.PR/ SCAN/ REFORM.DOC/ REFORM.DATA/ UNDOCCHK.PR/ UNDOCCHK.ICPSR/ RECODE

Data Format: Logical Record Length with SAS and SPSS data definition statements

File Specifications

<i>Part No.</i>	<i>Part Name</i>	<i>File Structure</i>	<i>Case Count</i>	<i>Variable Count</i>	<i>LRECL</i>	<i>Records Per Case</i>
1	Data file	rectangular	1,826	1,205	2,551	1

Table of Contents

Methodology	1
ICPSR/SAMHDA Data Cleaning and Processing.....	1
Contents of Public Use File	2
User Responsibility.....	2
ICPSR Processor Notes.....	2
FREQUENCIES	3
IDENTIFICATION AND SURVEY ADMINISTRATION	3
LENGTH OF STAY	4
HIV/AIDS	7
PARTICIPANT ABSTRACTION RECORD	8
PARTICIPANT QUESTIONNAIRE: SECTION A. CALENDAR.....	139
PARTICIPANT QUESTIONNAIRE: SECTION B. BACKGROUND	172
PARTICIPANT QUESTIONNAIRE: SECTION C. DRUG AND ALCOHOL USE HISTORY	181
PARTICIPANT QUESTIONNAIRE: SECTION D. MENTAL AND PHYSICAL HEALTH HISTORY	222
PARTICIPANT QUESTIONNAIRE: SECTION E. ILLEGAL ACTIVITIES HISTORY	237
PARTICIPANT QUESTIONNAIRE: SECTION F. LIVING ARRANGEMENTS	248
PARTICIPANT QUESTIONNAIRE: SECTION G. EMPLOYMENT HISTORY	254
PARTICIPANT QUESTIONNAIRE: SECTION H. SEGMENT 1 (PRE-SAMPLE EPISODE SEGMENT)	260
PARTICIPANT QUESTIONNAIRE: SECTION K. SEGMENT SAMPLE EPISODE SEGMENT	379
PARTICIPANT QUESTIONNAIRE: SECTION M. SEGMENT 3 (POST-SAMPLE EPISODE SEGMENT)	470
PARTICIPANT QUESTIONNAIRE: SECTION R: INTERVIEWER REPORT	599
CONTINUING METHADONE MAINTENANCE PARTICIPANT QUESTIONNAIRE.....	603
SAMPLE WEIGHT VARIABLES.....	624

Methodology

Please refer to the *California Drug and Alcohol Treatment Assessment (CALDATA) Methodology Report* for a complete discussion of the survey methodology. The report is available for download from ICPSR as part of the documentation for this data collection (ICPSR 2295).

ICPSR/SAMHDA Data Cleaning and Processing

Several steps were taken in order to prepare the CALDATA file for public release through the Substance Abuse and Mental Health Data Archive (SAMHDA). These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies).

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys. Variable types examined and changed due to confidentiality concerns are discussed below.

Date of birth: Date of birth was deleted from the public use data file; age at admission was also on the file and was preserved.

Exact dates for events of public record: Exact dates for events of public record (e.g., marriages, divorces, and arrests) were replaced with a categorized age at the time of the event computed from the dates of birth and event.

Detailed arrest variables: Detailed arrest variables were collapsed into summary flag variables (e.g., property offenses, etc).

HIV and AIDS: Several HIV and AIDS questions (individually with low Ns) were combined into a single flag variable for each condition.

Admission and discharge dates: Exact admission and discharge dates for treatment segments were replaced with computed length of stay variables.

Verbatim responses: Verbatim responses to open-ended questions were dropped from the file

Administrative variables: Interview times and other variables related to questionnaire administration were deleted from the file.

Other variables: Other variables were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the file and other potentially identifying variables, such as date of birth being removed or recoded. “Program type” (modality) was examined and left alone because it is critical to the intent of the study and because other potentially identifying variables were removed or recoded. Remaining data items were related to subjective questions or approximate. These were not considered to pose risks to confidentiality and were left unchanged.

Contents of Public Use File

The CALDATA public use file is provided in ASCII rectangular format with SAS and SPSS data definition statements.

ICPSR Part #	Part Name	Number of Observations	Number of Variables	LRECL
1	Questionnaire and Participant Abstraction Record	1,826	1,205	2,551

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

ICPSR Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.
2. PADJ_WTD should be used as the default sampling weight for analyses.

FREQUENCIES**IDENTIFICATION AND SURVEY ADMINISTRATION****CASEID CASE IDENTIFICATION NUMBER**

ICPSR Case Identification Number

1,826 cases (Range of valid codes: 1-1,826)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1-4

EPITIME DURATION OF INDEX TREATMENT EPISODE IN MONTHS

This is a derived variable: Duration of index treatment episode in months.

1,826 cases (Range of valid codes: .5-69.5)

Data type: numeric

Decimals: 1

Missing-data codes: lowest thru -1.0

Columns: 2424-2427

POSTTIME DURATION OF FOLLOWUP PERIOD IN MONTHS

This is a derived variable: Duration of followup period in months

1,826 cases (Range of valid codes: 1.5-25.5)

Data type: numeric

Decimals: 1

Missing-data codes: lowest thru -1.0

Columns: 2428-2431

LENGTH OF STAY

LOS LENGTH OF STAY IN TREATMENT (DAYS)

Computed from admission and discharge dates.

1,826 cases (Range of valid codes: 0-2,033)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 5-8

DQ1LOS SEG 2 (SAMPLE EPISODE) LENGTH OF STAY (MONTHS)

Computed from Segment 2 admission and discharge dates.

1,826 cases (Range of valid codes: 0-154)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 542-544

DQ2LOS SEG 1 (12 MOS PRIOR TO SAMPLE EPISODE) LENGTH OF STAY (MONTHS)

Computed from Segment 1 admission and discharge dates.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	LESS THAN 1 MONTH
0.1	0.1	2	1	
0.1	0.1	1	4	
0.1	0.1	1	7	
0.2	0.2	3	9	
0.3	0.3	6	10	
95.9	95.9	1,751	11	
3.1	3.1	57	12	
0.2	0.2	4	13	
0.1	0.1	1	23	

100.0 100.0 1,826 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 545-546

DQ3LOS SEG 3 (TIME SINCE SAMPLE EPISODE) LENGTH OF STAY (MONTHS)

Computed from Segment 3 admission and discharge dates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	0	LESS THAN 1 MONTH
0.5	0.4	8	1	
0.7	0.7	12	2	
0.4	0.3	6	3	
0.5	0.5	9	4	
1.0	0.9	17	5	
2.9	2.6	47	6	
4.3	3.9	71	7	
5.8	5.2	95	8	
5.8	5.2	95	9	
7.2	6.5	119	10	
9.4	8.5	155	11	
7.5	6.8	124	12	
8.9	8.0	146	13	
7.7	7.0	127	14	
6.9	6.2	114	15	
6.5	5.9	107	16	
5.7	5.1	94	17	
4.8	4.3	79	18	
4.4	3.9	72	19	
2.8	2.5	46	20	
3.3	3.0	54	21	
1.2	1.0	19	22	
1.0	0.9	17	23	
0.5	0.4	8	24	
	10.0	183	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 547-548

MQ3LOS	SEG 3 LENGTH OF STAY (MONTHS)
---------------	--------------------------------------

Computed from Segment 3 (MQ3) admission and discharge dates:

If the methadone maintenance treatment is 18 months or longer, this segment covers the 12 months prior to the interview month, including the interview month as the 12th month: (1) enter the start and current months below. (2) draw a line through all the months in segment in row a and write segment 3 above the line. (3) draw a line that outlines all the calendar months that comprise segment 3.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	LESS THAN 1 MONTH
2.2	0.2	4	4	
4.4	0.4	8	5	
4.4	0.4	8	6	
2.2	0.2	4	7	
3.3	0.3	6	8	
7.1	0.7	13	9	
2.2	0.2	4	10	
61.7	6.2	113	11	
4.9	0.5	9	12	
3.8	0.4	7	13	
0.5	0.1	1	14	
1.6	0.2	3	15	
1.1	0.1	2	16	
0.5	0.1	1	27	
	90.0	1,643	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2440-2441

HIV/AIDS

HIV HIV-POSITIVE

Indicates a response of "HIV positive" in at least one (1) of the following original variables:

Q34 HIV STATUS AS DETERMINED FROM MED TEST
Q34_1 HIV STATUS AS REPORTED/KNOWN BY PARTICIPANT

Table with 5 columns: PCT, PCT, N, VALUE, LABEL. Rows include VALID, 99.1, 0.9, and 100.0 summary statistics.

Data type: numeric
Missing-data codes: lowest thru -1
Column: 2533

AIDS HAS AIDS

Indicates a response of "yes" in at least one (1) of the following original variables:

DD9 DR/HEALTH PROFESSIONAL DIAGNOSE AIDS
DH51 DR/HEALTH PROFESSIONAL DIAGNOSE AIDS
DK37B DR OR HEALTH PROFESSIONAL DIAGNOSE AIDS
DM50 DR/HEALTH PROFESSIONAL DIAGNOSE AIDS
Q34_1A HAS AIDS
Q34A HAS AIDS

Table with 5 columns: PCT, PCT, N, VALUE, LABEL. Rows include VALID, 97.7, 2.3, and 100.0 summary statistics.

Data type: numeric
Missing-data codes: lowest thru -1
Column: 2532

PARTICIPANT ABSTRACTION RECORD

Q3 WAITING TIME FOR ADMISSION INTO PROGRAM (IN DAYS)

Waiting time for admission into program (# of days)

1,826 cases (Range of valid codes: 0-120)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 9-11

Q4 PLANNED LENGTH OF TREATMENT SERVICES (IN DAYS)

Planned Length of treatment services mentioned in the treatment plan

1,826 cases (Range of valid codes: 1-365)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 12-14

Q5 PRIMARY REFERRAL SOURCE (CODE ONE)

Primary Referral Source

PCT VALID	PCT ALL	N	VALUE	LABEL
41.5	39.3	718	1	SELF
2.0	1.9	35	2	FAMILY
5.8	5.5	100	3	FRIEND/ACQUAINTANCE
0.1	0.1	1	4	CLERGY
0.8	0.7	13	5	SCHOOL
1.7	1.6	30	6	SOCIAL SERVICE AGENCY
0.3	0.3	5	7	EMPLOYEE ASSISTANCE PROGRAM (EAP)
0.3	0.3	5	8	EMPLOYER (OTHER THAN EAP)
17.0	16.2	295	9	CJ/LEGAL SYSTEM (JUDGE, PAROLE OFFICER, LEGAL ADVISOR)
0.6	0.6	11	10	PRIVATE PHYSICIAN
0.9	0.8	15	11	COMMUNITY MENTAL HEALTH CENTER
2.9	2.7	50	12	OTHER HEALTH PROFESSIONAL OR PROVIDER/HOSPITAL
19.6	18.6	340	13	ANOTHER ALCOHOL/DRUG ABUSE TX PROGRAM
6.6	6.2	114	14	OTHER (SPECIFY)
	5.1	94	-9	UNKNOWN/NOT MENTIONED/MISSING

100.0 100.0 1,826 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 15-16

Q6

PRIMARY SOURCE OF PAYMENT FOR THESE

Primary source of payment for these treatment services

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	7.9	145	1	NO PAYMENT; PUBLIC SUBSIDY
0.2	0.2	3	2	NO PAYMENT; PHILANTHROPY
1.9	1.8	32	3	NO PAYMENT; NOT OTHERWISE SPECIFIED
43.1	39.4	720	4	SELF-PAY
0.1	0.1	1	5	HMO OR OTHER PRE-PAID PLAN
1.0	0.9	17	6	PRIVATE HEALTH INSURANCE
11.7	10.7	196	7	MEDICAID/MEDIC-CAL
0.1	0.1	2	8	MEDICARE
0.0	0.0	0	9	DOD
0.0	0.0	0	10	CHAMPUS
1.3	1.2	22	11	VA
9.8	8.9	163	12	SOCIAL SERVICES
0.1	0.1	2	13	PUBLIC HOUSING/HOME RELIEF
22.0	20.2	368	14	OTHER (SPECIFY)
	8.5	155	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 17-18

Q7

SECONDARY SOURCE OF PAYMENT FOR THESE

Secondary source of payment for these treatment services

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	5.9	108	1	NO PAYMENT; PUBLIC SUBSIDY
1.3	0.5	10	2	NO PAYMENT; PHILANTHROPY
5.1	2.1	38	3	NO PAYMENT; NOT OTHERWISE SPECIFIED
37.7	15.4	282	4	SELF-PAY
0.0	0.0	0	5	HMO OR OTHER PRE-PAID PLAN
0.5	0.2	4	6	PRIVATE HEALTH INSURANCE
13.9	5.7	104	7	MEDICAID/MEDIC-CAL
0.1	0.1	1	8	MEDICARE
0.0	0.0	0	9	DOD
0.3	0.1	2	10	CHAMPUS
0.5	0.2	4	11	VA
11.7	4.8	88	12	SOCIAL SERVICES
0.0	0.0	0	13	PUBLIC HOUSING/HOME RELIEF
14.4	5.9	108	14	OTHER (SPECIFY)
	59.0	1,077	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 19-20

Q10 **AGE AT ADMISSION (IN YEARS), CATEGORIZED**

Age at admission in years

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	47	1	17 AND UNDER
3.3	3.2	58	2	18-20
8.4	8.1	148	3	21-24
17.9	17.3	315	4	25-29
21.7	20.8	380	5	30-34
20.4	19.6	358	6	35-39
14.4	13.8	252	7	40-44
6.0	5.8	105	8	45-49
2.9	2.8	51	9	50-54
2.3	2.2	41	10	55+
	3.9	71	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 21-22

Q12 **RACE**

Race

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	72.5	1,324	1	WHITE
18.4	18.1	330	2	BLACK (AFRICAN-AMERICAN)
1.7	1.6	30	3	NATIVE AMERICAN
0.8	0.8	15	4	ASIAN
0.6	0.6	11	5	ASIAN / PACIFIC ISLANDER
4.5	4.4	80	6	OTHER
	2.0	36	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 23-24

Q13 ETHNICITY

Ethnicity

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	26.1	476	1	HISPANIC OR LATINO
67.7	56.2	1,027	2	NOT OF HISPANIC ORIGIN
1.0	0.8	15	3	OTHER (SPECIFY)
	16.9	308	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 25-26

Q14 MARITAL STATUS AT ADMISSION

Marital Status at admission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	16.9	308	1	NEVER MARRIED
22.3	21.1	385	2	MARRIED/COMMON LAW
1.8	1.7	31	3	WIDOWED
30.4	28.7	524	4	SEPARATED/DIVORCED
26.8	25.3	462	5	SINGLE
0.8	0.8	14	6	OTHER (SPECIFY)
	5.6	102	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 27-28

Q15 RESPONDENT HAVE CHILD/CHILDREN AT ADM

Have children at admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.5	59.0	1,077	1	YES
30.5	25.8	472	2	NO (GO TO Q17)
	15.2	277	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 29-30

Q16

LIVING WITH OWN CHILD/CHILDREN AT ADMISSION

Living with own child/children at admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.0	24.9	455	1	YES
42.0	18.1	330	2	NO
	57.0	1,041	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 31-32

Q17

LIVING ARRANGEMENT AT ADMISSION

Living arrangements at admission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	11.5	210	1	NO STABLE ARRANGEMENT (INCLUDE HOMELESS, SHELTERS)
29.5	23.5	430	2	WITH PARTNER/SPOUSE (GO TO Q18)
23.9	19.1	348	3	WITH PARENT(S) (GO TO Q18)
7.7	6.1	112	4	WITH OTHER FAMILY (GO TO Q18)
7.8	6.2	113	5	WITH UNRELATED OTHER(S) (GO TO Q18)
4.4	3.5	64	6	WITH CHILDREN BUT NO OTHER ADULT (GO TO Q18)
7.5	6.0	110	7	ALONE (GO TO Q18)
3.2	2.5	46	8	CONTROLLED ENVIRONMENT (GO TO Q18)
1.6	1.3	24	9	OTHER (SPECIFY)
	20.2	369	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 33-34

Q17A PERIOD WITHOUT STABLE LIVING ARRANGEMENT

Period without stable living arrangements

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.3	5	1	LESS THAN 1 MONTH
60.0	1.0	18	2	1 MONTH TO A YEAR
23.3	0.4	7	3	1 YEAR OR MORE
	98.4	1,796	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 35-36

Q18 EDUCATION AT ADMISSION

Education at admission (highest level mentioned is coded)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	42	1	LESS THAN 8 YEARS
31.9	30.9	564	2	8-11 YEARS
2.9	2.8	51	3	LESS THAN HIGH SCHOOL GRADUATE, NOT OTHERWISE SPECIFIED
40.4	39.1	714	4	HIGH SCHOOL GRADUATE/GED
18.2	17.6	322	5	SOME COLLEGE
2.3	2.2	41	6	COLLEGE GRADUATE
0.6	0.5	10	7	POSTGRADUATE
1.2	1.2	22	8	OTHER (SPECIFY)
	3.3	60	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 37-38

Q19 STUDENT AT ADMISSION

Student at Admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	4.5	83	1	YES
92.4	55.0	1,004	2	NO
	40.5	739	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 39-40

Q20 EMPLOYMENT AT ADMISSION (CODE ONE)

Employment at admission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.0	219	1	FULL-TIME (35 HRS/WK OR MORE)
3.9	3.8	69	2	PART-TIME (LESS THAN 35 HRS/WK)
2.7	2.6	48	3	EMPLOYED, NOT OTHERWISE SPECIFIED
2.6	2.5	45	4	KEEPING HOUSE, NOT OTHERWISE SPECIFIED
0.9	0.8	15	5	UNEMPLOYED, RETIRED
7.6	7.2	132	6	UNEMPLOYED, DISABLED
64.6	61.8	1,129	7	UNEMPLOYED, NOT OTHERWISE SPECIFIED
5.2	4.9	90	8	OTHER (SPECIFY)
	4.3	79	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 41-42

Q22 **DWI/DUI PRIOR TO ADMISSION**

DWI/DUI prior to admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	19.3	353	1	YES
45.2	15.9	291	2	NO
	64.7	1,182	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 43-44

Q23 **OTHER ARRESTS PRIOR TO ADMISSION**

Other arrests prior to admission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	24.7	451	1	YES, WITHIN THE PAST YEAR
33.3	18.5	338	2	YES, MORE THAN A YEAR AGO
22.2	12.3	225	3	NO
	44.5	812	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 45-46

Q24 PRISON OR JAIL RECORD PRIOR TO ADMISSION

Prison or jail record prior to admission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	28.1	514	1	YES
36.0	15.8	289	2	NO (GO TO Q25)
	56.0	1,023	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 47-48

Q24A TOTAL LENGTH OF PRISON OR JAIL STAYS

Total length of prison or jail stays prior to admission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	3.1	57	1	LESS THAN 1 MONTH
37.6	6.5	118	2	1 MONTH TO A YEAR
44.3	7.6	139	3	1 YEAR OR MORE
	82.8	1,512	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 49-50

Q25 RECEIVING TREATMENT AS A CONDITION

Receiving drug treatment as a condition of probation or parole

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	15.9	290	1	YES
73.9	45.0	822	2	NO
	39.1	714	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 51-52

Q26 NUM OF HOSPITALIZATIONS YEAR PRIOR ADMIS

Number of acute medical hospitalizations in year prior to admission (not including psychiatric hospitalizations).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.2	25.4	464	0	
13.5	4.3	79	1	
2.6	0.8	15	2	
2.0	0.7	12	3	
0.2	0.1	1	4	
0.9	0.3	5	5	
0.3	0.1	2	10	
0.2	0.1	1	11	
0.3	0.1	2	12	
0.2	0.1	1	15	
0.5	0.2	3	20	
0.2	0.1	1	22	
	67.9	1,240	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 53-54

Q26A

TOTAL LENGTH OF ACUTE MEDICAL HOSPITALIZATION

Total length of acute medical hospitalizations in year prior to admission (not including psychiatric hospitalizations)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.1	1	0	
7.1	0.1	2	1	
10.7	0.2	3	3	
3.6	0.1	1	4	
7.1	0.1	2	5	
7.1	0.1	2	7	
7.1	0.1	2	10	
3.6	0.1	1	11	
3.6	0.1	1	14	
3.6	0.1	1	18	
3.6	0.1	1	20	
3.6	0.1	1	21	
3.6	0.1	1	27	
7.1	0.1	2	28	
14.3	0.2	4	30	
3.6	0.1	1	42	
3.6	0.1	1	62	
3.6	0.1	1	120	
	98.5	1,798	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 55-57

Q27

CHRONIC MEDICAL CONDITIONS AT ADMISSION

Chronic medical conditions at admission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	22.4	409	1	YES (ANSWER A)
62.7	37.7	688	2	NO
	39.9	729	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 58-59

Q28

HISTORY OF PSYCHOLOGICAL DISORDERS

History of psychological disorders at admission (other than drug / alcohol related problems)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	6.3	115	1	YES
88.1	46.6	851	2	NO (GO TO Q30)
	47.1	860	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 60-61

Q28A NUMBER OF LIFETIME PSYCHIATRIC HOSPITAL

Number of lifetime psychiatric hospitalizations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	0.3	6	0	
51.4	1.0	18	1	
20.0	0.4	7	2	
8.6	0.2	3	3	
2.9	0.1	1	6	
	98.1	1,791	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 62-63

Q28B TOTAL TIME SPENT IN PSYCHIATRIC HOSPITAL

Total time spent in psychiatric hospitalizations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.7	12	1	LESS THAN 1 MONTH
18.8	0.2	3	2	1 MONTH TO A YEAR
6.2	0.1	1	3	1 YEAR OR MORE
	99.1	1,810	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 64-65

Q29 SUBSTANCE ABUSE/MENTAL ILLNESS

Substance abuse/mental illness (dual diagnosis) participant at admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	2.9	53	1	YES (SPECIFY)
35.4	1.6	29	2	NO
	95.5	1,744	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 66-67

Q30 PREGNANCY STATUS AT ADMISSION AS STATED

Pregnancy status at admission as stated in record

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.6	63.8	1,165	1	NOT APPLICABLE, CLIENT IS MALE
31.0	29.7	543	2	NOT PREGNANT
2.4	2.3	42	3	PREGNANT
	4.2	76	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 68-69

Q31 PRESENTING PROBLEM AT ADMISSION

Presenting problem at admission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	34.9	638	1	SINGLE DRUG ABUSE ONLY (EXCLUDING ALCOHOL)
13.7	13.4	245	2	POLYDRUG ABUSE ONLY (EXCLUDING ALCOHOL)
15.5	15.2	278	3	ALCOHOL ABUSE ONLY
17.4	17.0	311	4	ALCOHOL ABUSE AND ABUSE OF ONE OTHER DRUG COMBINED
16.7	16.4	299	5	ALCOHOL ABUSE AND ABUSE OF TWO OR MORE OTHER DRUGS
1.0	1.0	18	6	OTHER (SPECIFY)
	2.0	37	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 70-71

Q32 PRINCIPAL TREATMENT FOCUS

Principal treatment focus

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.6	36.4	665	1	SINGLE DRUG ABUSE ONLY (EXCLUDING ALCOHOL)
9.7	8.9	163	2	POLYDRUG ABUSE ONLY (EXCLUDING ALCOHOL)
16.6	15.3	279	3	ALCOHOL ABUSE ONLY
32.0	29.4	537	4	ALCOHOL ABUSE AND ABUSE OF TWO OR MORE OTHER DRUGS
2.1	2.0	36	5	OTHER (SPECIFY)
	8.0	146	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 72-73

Q35A EVER USED COCAINE (EXCLUDE CRACK)

Drug History Table: ever used cocaine (exclude crack)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	54.3	991	1	YES
8.2	4.9	89	2	NO
	40.9	746	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 74-75

Q35B USED COCAINE IN LAST 30 DAYS

Drug History Table: used cocaine in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	17.8	325	1	YES
43.4	13.6	249	2	NO
	68.6	1,252	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 76-77

Q35C

AGE (IN YEARS) AT FIRST USE COCAINE (EXCLUDE CRACK)

Drug History Table: age (in years) at first use of cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	13.0	238	1	17 AND UNDER
20.3	7.6	139	2	18-20
15.5	5.8	106	3	21-24
13.7	5.1	94	4	25-29
8.2	3.1	56	5	30-34
5.0	1.9	34	6	35-39
2.2	0.8	15	7	40-44
0.1	0.1	1	8	45-49
0.1	0.1	1	9	50-54
0.1	0.1	1	10	55+
	62.5	1,141	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 78-79

Q36A

EVER USED CRACK

Drug History Table: ever used crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.4	13.8	252	1	YES
29.6	5.8	106	2	NO
	80.4	1,468	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 80-81

Q36B USED CRACK IN LAST 30 DAYS

Drug History Table: used crack in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	4.5	82	1	YES
47.4	4.1	74	2	NO
	91.5	1,670	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 82-83

Q36C AGE (IN YEARS) AT FIRST USE CRACK

Drug History Table: age (in years) at first use of crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	2.1	39	1	17 AND UNDER
21.3	2.0	37	2	18-20
17.2	1.6	30	3	21-24
17.2	1.6	30	4	25-29
15.5	1.5	27	5	30-34
3.4	0.3	6	6	35-39
2.3	0.2	4	7	40-44
0.0	0.0	0	8	45-49
0.6	0.1	1	9	50-54
0.0	0.0	0	10	55+
	90.5	1,652	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 84-85

Q37A EVER USED HEROIN

Drug History Table: ever used heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	49.2	898	1	YES
9.6	5.2	95	2	NO
	45.6	833	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 86-87

Q37B USED HEROIN IN LAST 30 DAYS

Drug History Table: used heroin in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	32.0	584	1	YES
17.0	6.6	120	2	NO
	61.4	1,122	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 88-89

Q37C AGE (IN YEARS) AT FIRST USE HEROIN

Drug History Table: age (in years) at first use of heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	14.1	258	1	17 AND UNDER
27.0	11.9	218	2	18-20
17.2	7.6	139	3	21-24
13.4	5.9	108	4	25-29
7.4	3.3	60	5	30-34
2.1	0.9	17	6	35-39
0.4	0.2	3	7	40-44
0.2	0.1	2	8	45-49
0.1	0.1	1	9	50-54
0.0	0.0	0	10	55+
	55.9	1,020	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 90-91

Q38A EVER USED NON-TREATMENT METHADONE

Drug History Table: ever used non-treatment methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	3.7	68	1	YES
75.9	11.7	214	2	NO
	84.6	1,544	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 92-93

Q38B**USED NON-TREATMENT METHADONE IN LAST 30 DAYS**

Drug History Table: used non-treatment methadone in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.1	1.7	31	1	YES
27.9	0.7	12	2	NO
	97.6	1,783	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 94-95

Q38C**AGE (IN YEARS) AT FIRST USE NON-TX METHADONE**

Drug History Table: age (in years) at first use of non-treatment methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.1	2	1	17 AND UNDER
14.7	0.3	5	2	18-20
14.7	0.3	5	3	21-24
29.4	0.5	10	4	25-29
11.8	0.2	4	5	30-34
11.8	0.2	4	6	35-39
5.9	0.1	2	7	40-44
0.0	0.0	0	8	45-49
5.9	0.1	2	9	50-54
0.0	0.0	0	10	55+
	98.1	1,792	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 96-97

Q39A EVER USED OTHER OPIATES/SYNTHETICS

Drug History Table: ever used other opiates/synthetics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	11.9	217	1	YES
43.0	9.0	164	2	NO
	79.1	1,445	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 98-99

Q39B USED OPIATES/SYNTHETICS IN LAST 30 DAYS

Drug History Table: used opiates/synthetics in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	4.5	82	1	YES
22.6	1.3	24	2	NO
	94.2	1,720	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 100-101

Q39C**AGE (IN YEARS) AT FIRST USE OPIATES/SYNTHETICS**

Drug History Table: age (in years) at first use of opiates/synthetics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.6	1.6	29	1	17 AND UNDER
28.1	1.4	25	2	18-20
14.6	0.7	13	3	21-24
12.4	0.6	11	4	25-29
9.0	0.4	8	5	30-34
0.0	0.0	0	6	35-39
2.2	0.1	2	7	40-44
1.1	0.1	1	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	95.1	1,737	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 102-103

Q40A**EVER USED BARBITURATES**

Drug History Table: ever used barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	8.9	163	1	YES
57.0	11.8	216	2	NO
	79.2	1,447	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 104-105

Q40B

USED BARBITURATES IN LAST 30 DAYS

Drug History Table: used barbiturates in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	0.8	14	1	YES
74.5	2.2	41	2	NO
	97.0	1,771	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 106-107

Q40C

AGE (IN YEARS) AT FIRST USE BARBITURATES

Drug History Table: age (in years) at first use of barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	3.1	57	1	17 AND UNDER
28.0	1.5	28	2	18-20
5.0	0.3	5	3	21-24
5.0	0.3	5	4	25-29
5.0	0.3	5	5	30-34
0.0	0.0	0	6	35-39
0.0	0.0	0	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	94.5	1,726	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 108-109

Q41A EVER USED BENZODIAZEPINES

Drug History Table: ever used benzodiazepines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	5.9	107	1	YES
55.6	7.3	134	2	NO
	86.8	1,585	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 110-111

Q41B USED BENZODIAZEPINES IN LAST 30 DAYS

Drug History Table: used benzodiazepines in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	0.8	14	1	YES
69.6	1.8	32	2	NO
	97.5	1,780	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 112-113

Q41C

AGE (IN YEARS) AT FIRST USE BENZODIAZEPINES

Drug History Table: age (in years) at first use benzodiazepines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	1.0	18	1	17 AND UNDER
27.5	0.8	14	2	18-20
7.8	0.2	4	3	21-24
11.8	0.3	6	4	25-29
9.8	0.3	5	5	30-34
5.9	0.2	3	6	35-39
2.0	0.1	1	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	97.2	1,775	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 114-115

Q42A

EVER USED OTHER SEDATIVES/HYPNOTIC

Drug History Table: ever used other sedatives/hypnotic

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.0	6.3	115	1	YES
62.0	10.3	188	2	NO
	83.4	1,523	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 116-117

Q42B	USED SEDATIVES/HYPNOTICS IN LAST 30 DAYS
-------------	---

Drug History Table: used sedatives/hypnotics in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	0.7	12	1	YES
64.7	1.2	22	2	NO
	98.1	1,792	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 118-119

Q42C	AGE (IN YEARS) AT FIRST USE SEDATIVES/HYPNOTICS
-------------	--

Drug History Table: age (in years) at first use
sedatives/hypnotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	1.4	25	1	17 AND UNDER
23.0	0.8	14	2	18-20
8.2	0.3	5	3	21-24
13.1	0.4	8	4	25-29
4.9	0.2	3	5	30-34
6.6	0.2	4	6	35-39
3.3	0.1	2	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	96.7	1,765	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 120-121

Q43A EVER USED METHAMPHETAMINES

Drug History Table: ever used methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	22.0	402	1	YES
22.8	6.5	119	2	NO
	71.5	1,305	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 122-123

Q43B USED METHAMPHETAMINES IN LAST 30 DAYS

Drug History Table: used methamphetamines in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	6.8	125	1	YES
47.9	6.3	115	2	NO
	86.9	1,586	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 124-125

Q43C AGE (IN YEARS) AT FIRST USE METHAMPHETAMINES

Drug History Table: age (in years) at first use of methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	7.4	135	1	17 AND UNDER
23.5	3.7	68	2	18-20
10.7	1.7	31	3	21-24
8.0	1.3	23	4	25-29
6.9	1.1	20	5	30-34
2.1	0.3	6	6	35-39
2.1	0.3	6	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	84.2	1,537	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 126-127

Q44A EVER USED OTHER AMPHETAMINES

Drug History Table: ever used other amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	9.8	179	1	YES
51.8	10.5	192	2	NO
	79.7	1,455	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 128-129

Q44B USED OTHER AMPHETAMINES IN LAST 30 DAYS

Drug History Table: used other amphetamines in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	2.0	37	1	YES
51.9	2.2	40	2	NO
	95.8	1,749	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 130-131

Q44C AGE (IN YEARS) AT FIRST USE OTHER AMPHETAMINES

Drug History Table: age (in years) at first use of amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	3.2	58	1	17 AND UNDER
18.4	1.2	21	2	18-20
12.3	0.8	14	3	21-24
8.8	0.5	10	4	25-29
6.1	0.4	7	5	30-34
1.8	0.1	2	6	35-39
1.8	0.1	2	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	93.8	1,712	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 132-133

Q45A EVER USED MARIJUANA/HASHISH/THC

Drug History Table: ever used marijuana/hashish/THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.2	46.0	840	1	YES
10.8	5.6	102	2	NO
	48.4	884	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 134-135

Q45B USED MARIJUANA/HASHISH/THC IN LAST 30 DAYS

Drug History Table: used marijuana/hashish/ THC in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.7	10.5	191	1	YES
55.3	12.9	236	2	NO
	76.6	1,399	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 136-137

Q45C

AGE (IN YEARS) AT FIRST USE MARIJUNA/HASHISH/THC

Drug History Table: age (in years) at first use
marijuana/hashish/ THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	25.7	469	1	17 AND UNDER
12.2	3.9	71	2	18-20
3.6	1.2	21	3	21-24
1.6	0.5	9	4	25-29
1.6	0.5	9	5	30-34
0.2	0.1	1	6	35-39
0.0	0.0	0	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	68.2	1,246	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 138-139

Q46A

EVER USED PCP

Drug History Table: ever used PCP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.3	8.9	162	1	YES
48.7	8.4	154	2	NO
	82.7	1,510	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 140-141

Q46B USED PCP IN LAST 30 DAYS

Drug History Table: used PCP in last 30 days PCP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	1.2	21	1	YES
76.4	3.7	68	2	NO
	95.1	1,737	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 142-143

Q46C AGE (IN YEARS) AT FIRST USE PCP

Drug History Table: age (in years) at first use PCP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	3.1	56	1	17 AND UNDER
23.2	1.3	23	2	18-20
6.1	0.3	6	3	21-24
10.1	0.5	10	4	25-29
1.0	0.1	1	5	30-34
2.0	0.1	2	6	35-39
0.0	0.0	0	7	40-44
1.0	0.1	1	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	94.6	1,727	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 144-145

Q47A EVER USED LSD OR OTHER HALLUCINOGENS

Drug History Table: ever used LSD or other hallucinogens

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.7	16.0	293	1	YES
39.3	10.4	190	2	NO
	73.5	1,343	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 146-147

Q47B USED LSD OR OTHER HALLUCINOGENS IN 30 DAYS

Drug History Table: used LSD or other hallucinogens in 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	1.1	20	1	YES
84.1	5.8	106	2	NO
	93.1	1,700	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 148-149

Q47C

AGE (IN YEARS) AT FIRST USE HALLUCINOGENS

Drug History Table: age (in years) at first use of LSD or other hallucinogens

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.9	6.1	112	1	17 AND UNDER
21.3	2.1	38	2	18-20
7.9	0.8	14	3	21-24
3.9	0.4	7	4	25-29
2.2	0.2	4	5	30-34
1.1	0.1	2	6	35-39
0.6	0.1	1	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	90.3	1,648	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 150-151

Q48A

EVER USED INHALANTS

Drug History Table: ever used inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	3.2	58	1	YES
78.8	11.8	216	2	NO
	85.0	1,552	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 152-153

Q48B USED INHALANTS IN LAST 30 DAYS

Drug History Table: used inhalants in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.2	4	1	YES
85.7	1.3	24	2	NO
	98.5	1,798	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 154-155

Q48C AGE (IN YEARS) AT FIRST USE INHALANTS

Drug History Table: age (in years) at first use of inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	1.7	31	1	17 AND UNDER
15.0	0.3	6	2	18-20
2.5	0.1	1	3	21-24
5.0	0.1	2	4	25-29
0.0	0.0	0	5	30-34
0.0	0.0	0	6	35-39
0.0	0.0	0	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	97.8	1,786	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 156-157

Q49A EVER USED OVER THE COUNTER (SPECIFY)

Drug History Table: ever used over the counter drugs (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	2.5	45	1	YES
80.6	10.2	187	2	NO
	87.3	1,594	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 158-159

Q49B USED OVER THE COUNTER DRUG (SPECIFY)

Drug History Table: used over the counter drug (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	8	1	YES
50.0	0.4	8	2	NO
	99.1	1,810	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 160-161

Q49C

AGE (IN YEARS) AT FIRST USE OVER THE COUNTER

Drug History Table: age (in years) at first use of over the counter

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	0.3	6	1	17 AND UNDER
38.5	0.3	5	2	18-20
0.0	0.0	0	3	21-24
15.4	0.1	2	4	25-29
0.0	0.0	0	5	30-34
0.0	0.0	0	6	35-39
0.0	0.0	0	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 162-163

Q50A

EVER USED ALCOHOL

Drug History Table: ever used alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	72.0	1,314	1	YES
5.2	3.9	72	2	NO
	24.1	440	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 164-165

Q50B USED ALCOHOL IN LAST 30 DAYS

Drug History Table: used alcohol in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	32.3	589	1	YES
28.0	12.5	229	2	NO
	55.2	1,008	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 166-167

Q50C AGE (IN YEARS) AT FIRST USE ALCOHOL

Drug History Table: age (in years) at first use of alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.5	46.4	847	1	17 AND UNDER
11.4	6.6	120	2	18-20
4.6	2.6	48	3	21-24
2.4	1.4	25	4	25-29
0.9	0.5	9	5	30-34
0.2	0.1	2	6	35-39
0.0	0.0	0	7	40-44
0.1	0.1	1	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	42.4	774	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 168-169

Q51A EVER USE OTHER DRUG (SPECIFY)

Drug History Table: ever use other drug (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	9.5	174	1	YES
43.9	7.4	136	2	NO
	83.0	1,516	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 170-171

Q51B USED OTHER DRUG IN LAST 30 DAYS

Drug History Table: used other drug in last 30 days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.1	4.6	84	1	YES
22.9	1.4	25	2	NO
	94.0	1,717	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 172-173

Q51C AGE (IN YEARS) AT FIRST USE OTHER DRUG

Drug History Table: age (in years) at first use of other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	3.0	54	1	17 AND UNDER
11.6	0.5	10	2	18-20
8.1	0.4	7	3	21-24
7.0	0.3	6	4	25-29
8.1	0.4	7	5	30-34
2.3	0.1	2	6	35-39
0.0	0.0	0	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	95.3	1,740	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 174-175

Q52**DRUG OF CHOICE SPECIFIED AT ADMISSION**

Drug of choice specified at admission (enter question number of drug of choice from the table above)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	18	1	NO DRUG OF CHOICE
8.4	7.9	144	35	COCAINE
2.6	2.5	45	36	CRACK
43.8	40.9	747	37	HEROIN
0.1	0.1	2	38	NON-TX METHADONE
0.5	0.4	8	39	OTHER OPIATES/SYNTHETICS
0.1	0.1	2	40	BARBITUATES
0.0	0.0	0	41	BENZODIAZEPINES
0.2	0.2	3	42	OTHER SEDATIVES/HYPNOTICS
5.6	5.2	95	43	METHAMPHETAMINES
0.5	0.5	9	44	OTHER AMPHETAMINES
3.1	2.9	53	45	MARIJUANA/HASHISH/THC
1.0	0.9	17	46	PCP
0.1	0.1	2	47	LSD OR OTHER HALLUCINOGENS
0.1	0.1	1	48	INHALANTS
0.0	0.0	0	49	OVER-THE-COUNTER (SPECIFY)
32.6	30.5	557	50	ALCOHOL
0.2	0.2	3	51	OTHER (SPECIFY)
	6.6	120	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 176-177

Q53**EVER USED NEEDLES**

Ever Use Needles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.1	51.0	931	1	YES (ANSWER A)
27.9	19.8	361	2	NO (GO TO Q54)
	29.2	534	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 178-179

Q53A INTRAVENOUS DRUG USER AT ADMISSION

Intravenous drug user at admission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	41.0	748	1	YES (ANSWER A)
9.6	4.3	79	2	NO (GO TO Q54)
	54.7	999	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 180-181

Q53B FREQUENCY OF INTRAVENOUS DRUG USE

Frequency of intravenous drug use at admission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	36.6	669	1	DAILY
4.7	1.8	33	2	REGULARLY BUT NOT DAILY
1.0	0.4	7	3	SPORADICALLY
	61.2	1,117	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 182-183

Q54 DRUG OR ALCOHOL ABUSE TESTING DURING EPISODE

Was Drug or alcohol testing provided during the sample episode?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	46.4	848	1	YES (COMPLETE TABLE BELOW)
34.4	24.3	444	2	NO (LEAVE TABLE BLANK; GO TO Q57)
	29.2	534	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 184-185

Q54_TST1 **CODE OF FIRST TEST**

Drug or alcohol testing, code of first test

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	44.0	804	1	URINE
0.2	0.1	2	2	SERUM/BLOOD
1.3	0.6	11	3	OTHER (SPECIFY)
	55.3	1,009	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 186-187

Q54_TST2 **CODE OF LAST TEST**

Drug or alcohol testing, code of last test

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	22.6	412	1	URINE
0.2	0.1	1	2	SERUM/BLOOD
0.0	0.0	0	3	OTHER (SPECIFY)
	77.4	1,413	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 188-189

Q54A1 **1ST TEST RESULT - COCAINE (INCLUDING CRACK)**

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Cocaine (including crack)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.7	196	1	POSITIVE
	89.3	1,630	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 190-191

Q54A2 LAST TEST RESULT -COCAINE (INCLUDING CRACK)

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Cocaine (including crack)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.3	79	1	POSITIVE
	95.7	1,747	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 192-193

Q54B1 1ST TEST RESULT - HEROIN

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.3	407	1	POSITIVE
	77.7	1,419	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 194-195

Q54B2 LAST TEST RESULT - HEROIN

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.4	98	1	POSITIVE
	94.6	1,728	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 196-197

Q54C1 1ST TEST RESULT - NON-TREATMENT METHADONE

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Non-treatment methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	39	1	POSITIVE
	97.9	1,787	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 198-199

Q54C2 LAST TEST RESULT - NON-TREATMENT METHADONE

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Non-treatment methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	1	POSITIVE
	99.6	1,818	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 200-201

Q54D1 1ST TEST RESULT - OTHER OPIATES/SYNTHETICS

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Other opiates/synthetics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.9	145	1	POSITIVE
	92.1	1,681	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 202-203

Q54D2

LAST TEST RESULT - OTHER OPIATES/SYNTHETICS

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Other opiates/synthetics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	39	1	POSITIVE
	97.9	1,787	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 204-205

Q54E1

1ST TEST RESULT - BARBITURATES

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	11	1	POSITIVE
	99.4	1,815	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 206-207

Q54E2

LAST TEST RESULT - BARBITURATES

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	1	POSITIVE
	99.5	1,817	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 208-209

Q54F1**1ST TEST RESULT - BENZODIAZEPINES**

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Benzodiazepines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	1	POSITIVE
	99.7	1,820	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 210-211

Q54F2**LAST TEST RESULT - BENZODIAZEPINES**

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Benzodiazepines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	POSITIVE
	99.9	1,825	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 212-213

Q54G1**1ST TEST RESULT - OTHER SEDATIVES/HYPNOTICS**

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Other sedatives/hypnotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	POSITIVE
	99.9	1,825	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 214-215

Q54G2 LAST TEST RESULT - OTHER SEDATIVES/HYPNOTICS

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Other sedatives/hypnotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	POSITIVE
	100.0	1,826	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 216-217

Q54H1 1ST TEST RESULT - METHAMPHETAMINES

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	29	1	
	98.4	1,797	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 218-219

Q54H2 LAST TEST RESULT - METHAMPHETAMINES

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	16	1	POSITIVE
	99.1	1,810	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 220-221

Q54I1**1ST TEST RESULT - OTHER AMPHETAMINES**

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Other amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	18	1	POSITIVE
	99.0	1,808	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 222-223

Q54I2**LAST TEST RESULT - OTHER AMPHETAMINES**

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Other amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	POSITIVE
	99.9	1,824	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 224-225

Q54J1**1ST TEST RESULT - MARIJUANA/HASHISH/TCP**

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Marijuana/hashish/THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	5	1	POSITIVE
	99.7	1,821	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 226-227

Q54J2 LAST TEST RESULT - MARIJUANA/HASHISH/TCP

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Marijuana/hashish/THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	POSITIVE
	99.9	1,824	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 228-229

Q54K1 1ST TEST RESULT - PCP

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... PCP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	1	POSITIVE
	99.6	1,818	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 230-231

Q54K2 LAST TEST RESULT - PCP

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... PCP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	1	POSITIVE
	99.8	1,823	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 232-233

Q54L1**1ST TEST RESULT - LSD OR OTHER HALLUCINOGENS**

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... LSD or other hallucinogens

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,826	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 234-235

Q54L2**LAST TEST RESULT - LSD OR OTHER HALLUCINOGENS**

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... LSD or other hallucinogens

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,826	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 236-237

Q54M1**1ST TEST RESULT - INHALANTS**

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,826	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 238-239

Q54M2 LAST TEST RESULT - INHALANTS

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	1,826	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 240-241

Q54N1 1ST TEST RESULT - ALCOHOL

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	POSITIVE
	99.8	1,822	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 242-243

Q54N2 LAST TEST RESULT - ALCOHOL

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	POSITIVE
	99.9	1,824	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 244-245

Q5401 1ST TEST RESULT - OTHER (SPECIFY)

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

First Test... Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	53	1	POSITIVE
	97.1	1,773	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 246-247

Q5402 LAST TEST RESULT - OTHER (SPECIFY)

Test results (only indicate drugs that tested positive, enter '1' for each drug that tested positive, leave blank if negative or not applicable).

Last Test... Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	45	1	POSITIVE
	97.5	1,781	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 248-249

Q55 TOTAL # OF TESTS WHILE IN TREATMENT

Total number of tests while in treatment services according to record

1,826 cases (Range of valid codes: 1-228)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 250-252

Q56

TOTAL NUMBER OF POSITIVE TESTS

Total (of the number reported in Q55) of positive tests according to record (positive test = positive result for one or more substances in one specimen)

1,826 cases (Range of valid codes: 0-203)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 253-255

Q57

TOTAL NUMBER OF PRIOR TREATMENT EPISODES

Total number of treatment services episodes (for any drug or alcohol abuse) prior to sample episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	19.1	348	1	
20.1	13.7	250	2	
12.9	8.8	160	3	
9.5	6.5	118	4	
6.4	4.3	79	5	
5.0	3.4	62	6	
2.2	1.5	27	7	
2.3	1.5	28	8	
9.2	6.2	114	9	
1.4	0.9	17	10	
0.5	0.3	6	11	
0.6	0.4	7	12	
0.3	0.2	4	13	
0.2	0.1	2	14	
0.2	0.2	3	15	
0.5	0.3	6	16	
0.2	0.1	2	17	
0.1	0.1	1	18	
0.1	0.1	1	20	
0.2	0.1	2	21	
0.2	0.1	2	22	
0.1	0.1	1	23	
0.1	0.1	1	25	
0.1	0.1	1	28	
	32.0	584	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 256-257

Q57A

OF YEARS OVER WHICH TREATMENT EPISODES WERE RPTD

Number of years over which treatment services episodes were reported

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	7.8	143	1	
16.4	5.4	98	2	
12.7	4.2	76	3	
11.4	3.7	68	4	
7.2	2.4	43	5	
4.2	1.4	25	6	
3.7	1.2	22	7	
2.7	0.9	16	8	
3.0	1.0	18	9	
3.5	1.2	21	10	
2.2	0.7	13	11	
1.3	0.4	8	12	
1.2	0.4	7	13	
0.7	0.2	4	14	
1.2	0.4	7	15	
0.3	0.1	2	16	
0.8	0.3	5	17	
0.7	0.2	4	18	
0.2	0.1	1	19	
1.3	0.4	8	20	
0.5	0.2	3	21	
0.3	0.1	2	22	
0.2	0.1	1	24	
0.3	0.1	2	30	
0.2	0.1	1	33	
	67.3	1,228	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 258-259

Q58

PAST TREATMENT SERVICES EPISODES

Past treatment services episodes (for any drug or alcohol substance abuse) prior to sample episode (if yes complete the table below; record additional episodes in comments).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	58.9	1,075	1	YES (COMPLETE TABLE BELOW; RECORD EPISODES IN COMMENTS)
0.6	0.4	7	2	NO (LEAVE TABLE BLANK; GO TO Q59)
	40.7	744	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 260-261

Q58_PRIA

REASON FOR TREATMENT SERVICES A - PRIMARY

Reason for treatment services (drug type) -- Primary

... 1st Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	3.0	55	1	COCAINE
1.5	0.8	14	2	CRACK
59.9	29.7	542	3	HEROIN
0.2	0.1	2	4	NON-TX METHADONE
0.6	0.3	5	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.3	0.2	3	8	OTHER SEDATIVES/HYPNOTICS
1.7	0.8	15	9	METHAMPHETAMINES
0.3	0.2	3	10	OTHER AMPHETAMINES
0.9	0.4	8	11	MARIJUANA/HASHISH/THC
0.4	0.2	4	12	PCP
0.0	0.0	0	13	LSD OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
25.2	12.5	228	15	ALCOHOL
0.6	0.3	5	16	POLYDRUG (EXCLUDING ALCOHOL)
1.7	0.8	15	17	COMBINATION ALCOHOL AND OTHER DRUG
0.1	0.1	1	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.6	0.3	5	19	OTHER
	50.4	921	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 262-263

Q58_SECA**REASON FOR TREATMENT SERVICES A - SECONDARY**

Reason for treatment services (drug type) -- Secondary

... 1st Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	4.1	74	1	COCAINE
2.4	0.3	5	2	CRACK
5.2	0.6	11	3	HEROIN
1.0	0.1	2	4	NON-TX METHADONE
3.8	0.4	8	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
1.4	0.2	3	7	BENZODIAZEPINES
3.3	0.4	7	8	OTHER SEDATIVES/HYPNOTICS
2.9	0.3	6	9	METHAMPHETAMINES
1.9	0.2	4	10	OTHER AMPHETAMINES
8.1	0.9	17	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
18.6	2.1	39	15	ALCOHOL
3.8	0.4	8	16	POLYDRUG (EXCLUDING ALCOHOL)
9.0	1.0	19	17	COMBINATION ALCOHOL AND OTHER DRUG
0.5	0.1	1	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
2.9	0.3	6	19	OTHER
	88.5	1,616	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 264-265

Q58_FACA**FACILITY CODE FOR SERVICES IN EPISODE A**

Facility in which services were provided

... 1st Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.3	26.0	475	1	HERE
55.7	32.7	597	2	ELSEWHERE
	41.3	754	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 266-267

Q58_RESA	REASON FOR DISCHARGE IN EPISODE A
----------	-----------------------------------

Reason for discharge

... 1st Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	11.0	201	1	COMPLETED PLANNED TX SERVICES
9.4	2.6	47	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
6.0	1.6	30	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
31.7	8.7	159	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
7.0	1.9	35	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
1.6	0.4	8	6	INCARCERATED
4.4	1.2	22	7	OTHER
	72.5	1,324	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 268-269

Q58_PRIB

REASON FOR TREATMENT SERVICES B - PRIMARY

Reason for treatment services (drug type) -- Primary

... 2nd Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	1.8	32	1	COCAINE
1.2	0.4	7	2	CRACK
68.9	21.2	388	3	HEROIN
0.2	0.1	1	4	NON-TX METHADONE
0.5	0.2	3	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.5	0.2	3	8	OTHER SEDATIVES/HYPNOTICS
0.5	0.2	3	9	METHAMPHETAMINES
0.4	0.1	2	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.4	0.1	2	12	PCP
0.0	0.0	0	13	LSD OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
19.7	6.1	111	15	ALCOHOL
0.2	0.1	1	16	POLYDRUG (EXCLUDING ALCOHOL)
1.2	0.4	7	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.5	0.2	3	19	OTHER
	69.2	1,263	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 270-271

Q58_SEC B

REASON FOR TREATMENT SERVICES B - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 2nd Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	3.1	57	1	COCAINE
2.7	0.2	4	2	CRACK
6.1	0.5	9	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
6.1	0.5	9	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
1.4	0.1	2	7	BENZODIAZEPINES
3.4	0.3	5	8	OTHER SEDATIVES/HYPNOTICS
0.7	0.1	1	9	METHAMPHETAMINES
0.7	0.1	1	10	OTHER AMPHETAMINES
5.4	0.4	8	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
17.6	1.4	26	15	ALCOHOL
2.7	0.2	4	16	POLYDRUG (EXCLUDING ALCOHOL)
12.2	1.0	18	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
2.7	0.2	4	19	OTHER
	91.9	1,678	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 272-273

Q58_FAC B

FACILITY CODES IN EPISODE B

Facility in which services were provided

... 2nd Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	17.5	319	1	HERE
52.0	18.9	345	2	ELSEWHERE
	63.6	1,162	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 274-275

Q58_RESB

REASON FOR DISCHARGE IN EPISODE B

Reason for discharge

... 2nd Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	5.8	105	1	COMPLETED PLANNED TX SERVICES
9.6	1.5	27	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
3.9	0.6	11	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
39.0	6.0	110	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
7.8	1.2	22	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
1.4	0.2	4	6	INCARCERATED
1.1	0.2	3	7	OTHER
	84.6	1,544	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 276-277

Q58_PRIC

REASON FOR TREATMENT SERVICES C - PRIMARY

Reason for treatment services (drug type) -- Primary

... 3rd Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	1.0	18	1	COCAINE
0.5	0.1	2	2	CRACK
76.8	16.1	294	3	HEROIN
0.3	0.1	1	4	NON-TX METHADONE
0.8	0.2	3	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.8	0.2	3	8	OTHER SEDATIVES/HYPNOTICS
0.3	0.1	1	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSD OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
15.4	3.2	59	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.3	0.1	1	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.3	0.1	1	19	OTHER
	79.0	1,443	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 278-279

Q58_SECC

REASON FOR TREATMENT SERVICES C - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 3rd Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	1.9	35	1	COCAINE
0.0	0.0	0	2	CRACK
2.0	0.1	2	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
8.0	0.4	8	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
2.0	0.1	2	7	BENZODIAZEPINES
4.0	0.2	4	8	OTHER SEDATIVES/HYPNOTICS
1.0	0.1	1	9	METHAMPHETAMINES
1.0	0.1	1	10	OTHER AMPHETAMINES
6.0	0.3	6	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSD OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
16.0	0.9	16	15	ALCOHOL
3.0	0.2	3	16	POLYDRUG (EXCLUDING ALCOHOL)
18.0	1.0	18	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
4.0	0.2	4	19	OTHER
	94.5	1,726	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 280-281

Q58_FACC FACILITY CODES IN EPISODE C

Facility in which services were provided for

... 3rd Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
55.6	12.9	235	1	HERE
44.4	10.3	188	2	ELSEWHERE
	76.8	1,403	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 282-283

Q58_RESC REASON FOR DISCHARGE IN EPISODE C

Reason for discharge

... 3rd Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
33.5	3.3	60	1	COMPLETED PLANNED TX SERVICES
8.4	0.8	15	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
5.6	0.5	10	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
44.7	4.4	80	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
5.6	0.5	10	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
1.1	0.1	2	6	INCARCERATED
1.1	0.1	2	7	OTHER
	90.2	1,647	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 284-285

Q58_PRID REASON FOR TREATMENT SERVICES D - PRIMARY

Reason for treatment services (drug type) -- Primary

... 4th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
4.7	0.7	12	1	COCAINE
0.0	0.0	0	2	CRACK
82.8	11.6	212	3	HEROIN
0.8	0.1	2	4	NON-TX METHADONE
0.8	0.1	2	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.8	0.1	2	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
10.2	1.4	26	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	86.0	1,570	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 286-287

Q58_SECD

REASON FOR TREATMENT SERVICES D - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 4th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
29.6	1.2	21	1	COCAINE
0.0	0.0	0	2	CRACK
2.8	0.1	2	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
5.6	0.2	4	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
1.4	0.1	1	7	BENZODIAZEPINES
4.2	0.2	3	8	OTHER SEDATIVES/HYPNOTICS
1.4	0.1	1	9	METHAMPHETAMINES
1.4	0.1	1	10	OTHER AMPHETAMINES
4.2	0.2	3	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSD OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
19.7	0.8	14	15	ALCOHOL
4.2	0.2	3	16	POLYDRUG (EXCLUDING ALCOHOL)
19.7	0.8	14	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
5.6	0.2	4	19	OTHER
	96.1	1,755	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 288-289

Q58_FACD FACILITY CODES IN EPISODE D

Facility in which services were provided for

... 4th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	9.7	177	1	HERE
35.2	5.3	96	2	ELSEWHERE
	85.0	1,553	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 290-291

Q58_RESB REASON FOR DISCHARGE IN EPISODE D

Reason for discharge

... 4th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	2.3	42	1	COMPLETED PLANNED TX SERVICES
10.2	0.7	13	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
4.7	0.3	6	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
37.0	2.6	47	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
13.4	0.9	17	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
0.0	0.0	0	6	INCARCERATED
1.6	0.1	2	7	OTHER
	93.0	1,699	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 292-293

Q58_PRIE

REASON FOR TREATMENT SERVICES E - PRIMARY

Reason for treatment services (drug type) -- Primary

... 5th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
4.8	0.4	8	1	COCAINE
0.0	0.0	0	2	CRACK
87.3	7.9	144	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
1.2	0.1	2	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
1.2	0.1	2	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
5.5	0.5	9	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	91.0	1,661	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 294-295

Q58_SECE

REASON FOR TREATMENT SERVICES E - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 5th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
26.0	0.7	13	1	COCAINE
0.0	0.0	0	2	CRACK
2.0	0.1	1	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
6.0	0.2	3	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
2.0	0.1	1	7	BENZODIAZEPINES
6.0	0.2	3	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
2.0	0.1	1	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
22.0	0.6	11	15	ALCOHOL
4.0	0.1	2	16	POLYDRUG (EXCLUDING ALCOHOL)
24.0	0.7	12	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
6.0	0.2	3	19	OTHER
	97.3	1,776	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 296-297

Q58_FACE FACILITY CODES IN EPISODE E

Facility in which services were provided for

... 5th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.1	6.2	113	1	HERE
33.9	3.2	58	2	ELSEWHERE
	90.6	1,655	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 298-299

Q58_RESE REASON FOR DISCHARGE IN EPISODE E

Reason for discharge

... 5th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	1.8	32	1	COMPLETED PLANNED TX SERVICES
10.2	0.5	9	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
2.3	0.1	2	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
37.5	1.8	33	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
11.4	0.5	10	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
0.0	0.0	0	6	INCARCERATED
2.3	0.1	2	7	OTHER
	95.2	1,738	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 300-301

Q58_PRIF

REASON FOR TREATMENT SERVICES F - PRIMARY

Reason for treatment services (drug type) -- Primary

... 6th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
3.9	0.3	5	1	COCAINE
0.0	0.0	0	2	CRACK
90.6	6.3	115	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.8	0.1	1	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.8	0.1	1	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
3.9	0.3	5	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	93.0	1,699	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 302-303

Q58_SECF

REASON FOR TREATMENT SERVICES F - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 6th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
26.3	0.5	10	1	COCAINE
0.0	0.0	0	2	CRACK
2.6	0.1	1	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
2.6	0.1	1	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
7.9	0.2	3	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
2.6	0.1	1	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
18.4	0.4	7	15	ALCOHOL
5.3	0.1	2	16	POLYDRUG (EXCLUDING ALCOHOL)
26.3	0.5	10	17	COMBINATION ALCOHOL AND OTHER DRUG
7.9	0.2	3	19	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
	97.9	1,788	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 304-305

Q58_FACF FACILITY CODES IN EPISODE F

Facility in which services were provided for

... 6th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	4.9	90	1	HERE
29.7	2.1	38	2	ELSEWHERE
	93.0	1,698	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 306-307

Q58_RESF REASON FOR DISCHARGE IN EPISODE F

Reason for discharge

... 6th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	1.2	21	1	COMPLETED PLANNED TX SERVICES
15.4	0.5	10	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
4.6	0.2	3	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
35.4	1.3	23	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
9.2	0.3	6	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
1.5	0.1	1	6	INCARCERATED
1.5	0.1	1	7	OTHER
	96.4	1,761	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 308-309

Q58_PRIG

REASON FOR TREATMENT SERVICES - G - PRIMARY

Reason for treatment services (drug type) -- Primary

... 7th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
3.4	0.2	3	1	COCAINE
0.0	0.0	0	2	CRACK
93.2	4.5	82	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
1.1	0.1	1	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
2.3	0.1	2	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	95.2	1,738	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 310-311

Q58_SECG REASON FOR TREATMENT SERVICES - G - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 7th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
25.8	0.4	8	1	COCAINE
3.2	0.1	1	2	CRACK
3.2	0.1	1	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
3.2	0.1	1	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
3.2	0.1	1	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
22.6	0.4	7	15	ALCOHOL
3.2	0.1	1	16	POLYDRUG (EXCLUDING ALCOHOL)
29.0	0.5	9	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
6.5	0.1	2	19	OTHER
	98.3	1,795	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 312-313

Q58_FACG FACILITY CODES IN EPISODE G

Facility in which services were provided for

... 7th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	3.3	60	1	HERE
32.6	1.6	29	2	ELSEWHERE
	95.1	1,737	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 314-315

Q58_RESG REASON FOR DISCHARGE IN EPISODE G

Reason for discharge

... 7th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.8	0.8	14	1	COMPLETED PLANNED TX SERVICES
6.8	0.2	3	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
9.1	0.2	4	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
38.6	0.9	17	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
13.6	0.3	6	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
0.0	0.0	0	6	INCARCERATED
0.0	0.0	0	7	OTHER
	97.6	1,782	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 316-317

Q58_PRIH

REASON FOR TREATMENT SERVICES - H - PRIMARY

Reason for treatment services (drug type) -- Primary

... 8th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
3.9	0.2	3	1	COCAINE
0.0	0.0	0	2	CRACK
93.4	3.9	71	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.0	0.0	0	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
2.6	0.1	2	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	95.8	1,750	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 318-319

Q58_SECH

REASON FOR TREATMENT SERVICES - H - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 8th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
29.2	0.4	7	1	COCAINE
0.0	0.0	0	2	CRACK
0.0	0.0	0	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
4.2	0.1	1	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
20.8	0.3	5	15	ALCOHOL
4.2	0.1	1	16	POLYDRUG (EXCLUDING ALCOHOL)
33.3	0.4	8	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
8.3	0.1	2	19	OTHER
	98.7	1,802	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 320-321

Q58_FACH FACILITY CODES IN EPISODE H

Facility in which services were provided for

... 8th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	3.0	54	1	HERE
28.0	1.2	21	2	ELSEWHERE
	95.9	1,751	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 322-323

Q58_RESH REASON FOR DISCHARGE IN EPISODE H

Reason for discharge

... 8th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	0.5	10	1	COMPLETED PLANNED TX SERVICES
7.7	0.2	3	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
7.7	0.2	3	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
38.5	0.8	15	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
17.9	0.4	7	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
0.0	0.0	0	6	INCARCERATED
2.6	0.1	1	7	OTHER
	97.9	1,787	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 324-325

Q58_PRII

REASON FOR TREATMENT SERVICES - I - PRIMARY

Reason for treatment services (drug type) -- Primary

... 9th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
3.3	0.1	2	1	COCAINE
0.0	0.0	0	2	CRACK
93.4	3.1	57	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.0	0.0	0	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
3.3	0.1	2	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	96.7	1,765	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 326-327

Q58_SECI REASON FOR TREATMENT SERVICES - I - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 9th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
29.4	0.3	5	1	COCAINE
0.0	0.0	0	2	CRACK
0.0	0.0	0	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
5.9	0.1	1	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSD OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
29.4	0.3	5	15	ALCOHOL
5.9	0.1	1	16	POLYDRUG (EXCLUDING ALCOHOL)
23.5	0.2	4	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
5.9	0.1	1	19	OTHER
	99.1	1,809	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 328-329

Q58_FACI FACILITY CODES IN EPISODE I

Facility in which services were provided for

... 9th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	2.6	48	1	HERE
18.6	0.6	11	2	ELSEWHERE
	96.8	1,767	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 330-331

Q58_RESI REASON FOR DISCHARGE IN EPISODE I

Reason for discharge

... 9th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	0.5	9	1	COMPLETED PLANNED TX SERVICES
6.9	0.1	2	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
3.4	0.1	1	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
41.4	0.7	12	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
17.2	0.3	5	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
0.0	0.0	0	6	INCARCERATED
0.0	0.0	0	7	OTHER
	98.4	1,797	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 332-333

Q58_PRIJ

REASON FOR TREATMENT SERVICES - J - PRIMARY

Reason for treatment services (drug type) -- Primary

... 10th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	COCAINE
0.0	0.0	0	2	CRACK
95.2	2.2	40	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.0	0.0	0	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
4.8	0.1	2	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	97.7	1,784	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 334-335

Q58_SECJ REASON FOR TREATMENT SERVICES - J - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 10th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
30.0	0.2	3	1	COCAINE
0.0	0.0	0	2	CRACK
0.0	0.0	0	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.0	0.0	0	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
10.0	0.1	1	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
30.0	0.2	3	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
20.0	0.1	2	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
10.0	0.1	1	19	OTHER
	99.5	1,816	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 336-337

Q58_FACJ FACILITY CODES IN EPISODE J

Facility in which services were provided for

... 10th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.5	1.8	33	1	HERE
19.5	0.4	8	2	ELSEWHERE
	97.8	1,785	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 338-339

Q58_RESJ REASON FOR DISCHARGE IN EPISODE J

Reason for discharge

... 10th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	0.3	5	1	COMPLETED PLANNED TX SERVICES
8.7	0.1	2	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
4.3	0.1	1	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
39.1	0.5	9	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
26.1	0.3	6	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
0.0	0.0	0	6	INCARCERATED
0.0	0.0	0	7	OTHER
	98.7	1,803	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 340-341

Q58_PRIK

REASON FOR TREATMENT SERVICES - K - PRIMARY

Reason for treatment services (drug type) -- Primary

... 11th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	COCAINE
0.0	0.0	0	2	CRACK
97.1	1.8	33	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.0	0.0	0	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
2.9	0.1	1	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	98.1	1,792	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 342-343

Q58_SECK REASON FOR TREATMENT SERVICES - K - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 11th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
14.3	0.1	1	1	COCAINE
0.0	0.0	0	2	CRACK
0.0	0.0	0	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
14.3	0.1	1	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
42.9	0.2	3	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
14.3	0.1	1	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
14.3	0.1	1	19	OTHER
	99.6	1,819	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 344-345

Q58_FACK FACILITY CODES IN EPISODE K

Facility in which services were provided for

... 11th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.4	1.5	28	1	HERE
17.6	0.3	6	2	ELSEWHERE
	98.1	1,792	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 346-347

Q58_RESK REASON FOR DISCHARGE IN EPISODE K

Reason for discharge

... 11th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	4	1	COMPLETED PLANNED TX SERVICES
10.0	0.1	2	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
5.0	0.1	1	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
40.0	0.4	8	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
25.0	0.3	5	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
0.0	0.0	0	6	INCARCERATED
0.0	0.0	0	7	OTHER
	98.9	1,806	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 348-349

Q58_PRIL

REASON FOR TREATMENT SERVICES - L - PRIMARY

Reason for treatment services (drug type) -- Primary

... 12th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	COCAINE
0.0	0.0	0	2	CRACK
96.6	1.5	28	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.0	0.0	0	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
3.4	0.1	1	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	98.4	1,797	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 350-351

Q58_SECL REASON FOR TREATMENT SERVICES - L - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 12th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
50.0	0.1	2	1	COCAINE
0.0	0.0	0	2	CRACK
0.0	0.0	0	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.0	0.0	0	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
25.0	0.1	1	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
25.0	0.1	1	19	OTHER
	99.8	1,822	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 352-353

Q58_FACL FACILITY CODES IN EPISODE L

Facility in which services were provided for

... 12th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	1.3	23	1	HERE
17.9	0.3	5	2	ELSEWHERE
	98.5	1,798	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 354-355

Q58_RESL REASON FOR DISCHARGE IN EPISODE L

Reason for discharge

... 12th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	0.3	5	1	COMPLETED PLANNED TX SERVICES
12.5	0.1	2	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
0.0	0.0	0	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
37.5	0.3	6	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
18.8	0.2	3	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
0.0	0.0	0	6	INCARCERATED
0.0	0.0	0	7	OTHER
	99.1	1,810	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 356-357

Q58_PRIM

REASON FOR TREATMENT SERVICES - M - PRIMARY

Reason for treatment services (drug type) -- Primary

... 13th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	COCAINE
0.0	0.0	0	2	CRACK
100.0	1.3	23	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.0	0.0	0	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
0.0	0.0	0	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	98.7	1,803	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 358-359

Q58_SECM REASON FOR TREATMENT SERVICES - M - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 13th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
40.0	0.1	2	1	COCAINE
0.0	0.0	0	2	CRACK
0.0	0.0	0	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
20.0	0.1	1	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
20.0	0.1	1	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
20.0	0.1	1	19	OTHER
	99.7	1,821	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 360-361

Q58_FACM FACILITY CODES IN EPISODE M

Facility in which services were provided for

... 13th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	1.0	19	1	HERE
13.6	0.2	3	2	ELSEWHERE
	98.8	1,804	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 362-363

Q58_RESM REASON FOR DISCHARGE IN EPISODE M

Reason for discharge

... 13th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	0.2	3	1	COMPLETED PLANNED TX SERVICES
21.4	0.2	3	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
0.0	0.0	0	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
35.7	0.3	5	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
21.4	0.2	3	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
0.0	0.0	0	6	INCARCERATED
0.0	0.0	0	7	OTHER
	99.2	1,812	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 364-365

Q58_PRIN

REASON FOR TREATMENT SERVICES - N - PRIMARY

Reason for treatment services (drug type) -- Primary

... 14th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	COCAINE
0.0	0.0	0	2	CRACK
100.0	1.1	20	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.0	0.0	0	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
0.0	0.0	0	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	98.9	1,806	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 366-367

Q58_SECN	REASON FOR TREATMENT SERVICES - N - SECONDARY
----------	---

Reason for treatment services (drug type) -- Secondary

... 14th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	0.1	2	1	COCAINE
0.0	0.0	0	2	CRACK
0.0	0.0	0	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.0	0.0	0	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSD OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
0.0	0.0	0	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
33.3	0.1	1	19	OTHER
	99.8	1,823	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 368-369

Q58_FACN FACILITY CODES IN EPISODE N

Facility in which services were provided for

... 14th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	1.0	18	1	HERE
5.3	0.1	1	2	ELSEWHERE
	99.0	1,807	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 370-371

Q58_RESN REASON FOR DISCHARGE IN EPISODE N

Reason for discharge

... 14th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	0.2	4	1	COMPLETED PLANNED TX SERVICES
15.4	0.1	2	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
0.0	0.0	0	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
30.8	0.2	4	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
23.1	0.2	3	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
0.0	0.0	0	6	INCARCERATED
0.0	0.0	0	7	OTHER
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 372-373

Q58_PRI0

REASON FOR TREATMENT SERVICES - O - PRIMARY

Reason for treatment services (drug type) -- Primary

... 15th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	COCAINE
0.0	0.0	0	2	CRACK
100.0	1.0	18	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
0.0	0.0	0	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
0.0	0.0	0	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
0.0	0.0	0	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
0.0	0.0	0	19	OTHER
	99.0	1,808	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 374-375

Q58_SECO REASON FOR TREATMENT SERVICES - O - SECONDARY

Reason for treatment services (drug type) -- Secondary

... 15th Episode listed

PCT VALID	PCT ALL	N	VALUE	LABEL
40.0	0.1	2	1	COCAINE
0.0	0.0	0	2	CRACK
0.0	0.0	0	3	HEROIN
0.0	0.0	0	4	NON-TX METHADONE
20.0	0.1	1	5	OTHER OPIATES/SYNTHETICS
0.0	0.0	0	6	BARBITUATES
0.0	0.0	0	7	BENZODIAZEPINES
0.0	0.0	0	8	OTHER SEDATIVES/HYPNOTICS
0.0	0.0	0	9	METHAMPHETAMINES
20.0	0.1	1	10	OTHER AMPHETAMINES
0.0	0.0	0	11	MARIJUANA/HASHISH/THC
0.0	0.0	0	12	PCP
0.0	0.0	0	13	LSA OR OTHER HALLUCINOGENS
0.0	0.0	0	14	INHALANTS
0.0	0.0	0	15	ALCOHOL
0.0	0.0	0	16	POLYDRUG (EXCLUDING ALCOHOL)
0.0	0.0	0	17	COMBINATION ALCOHOL AND OTHER DRUG
0.0	0.0	0	18	SUBSTANCE ABUSE/MENTAL ILLNESS (DUAL DIAGNOSIS)
20.0	0.1	1	19	OTHER
	99.7	1,821	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 376-377

Q58_FACO FACILITY CODES IN EPISODE N

Facility in which services were provided for

... 15th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	0.8	15	1	HERE
11.8	0.1	2	2	ELSEWHERE
	99.1	1,809	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 378-379

Q58_RESO REASON FOR DISCHARGE IN EPISODE N

Reason for discharge

... 15th Episode listed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	0.3	5	1	COMPLETED PLANNED TX SERVICES
7.7	0.1	1	2	DID NOT COMPLETE TX SERVICES, REFERRED TO ANOTHER PROGRAM
7.7	0.1	1	3	DID NOT COMPLETE TX SERVICES BY ADMINISTRATION CHOICE
15.4	0.1	2	4	DID NOT COMPLETE TX SERVICES, BY CLIENT CHOICE
23.1	0.2	3	5	DID NOT COMPLETE TX SERVICES, NOT MENTIONED BY WHOSE CHOICE
7.7	0.1	1	6	INCARCERATED
0.0	0.0	0	7	OTHER
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 380-381

Q59_SER INDIVIDUAL COUNSELING PROVIDED

Individual counseling provided in the sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.9	53	1	NOT GIVEN
53.9	49.8	910	2	ACTUALLY GIVEN, COMPLETED
9.3	8.6	157	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMINISTRATION CHOICE
23.4	21.6	395	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
5.4	5.0	91	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
4.8	4.4	81	6	PLANNED OR RECOMMENDED, CAN'T CONFIRM IF ACTUALLY GIVEN
	7.6	139	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 382-383

Q59_FAC FACILITY PROVIDING INDIVIDUAL COUNSELING

Facility in which individual counseling was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	84.2	1,537	1	HERE
0.4	0.3	6	2	ELSEWHERE
	15.5	283	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 384-385

Q59_NO NUMBER OF INDIVIDUAL COUNSELING ENCOUNTERS

Number of individual counseling encounters

1,826 cases (Range of valid codes: 1-167)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 386-388

Q60_SER GROUP COUNSELING PROVIDED

Group counseling provided in the sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	21.7	397	1	NOT GIVEN
41.5	33.1	604	2	ACTUALLY GIVEN, COMPLETED
7.5	6.0	110	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
13.5	10.7	196	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
2.2	1.8	32	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
8.1	6.5	118	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	20.2	369	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 389-390

Q60_FAC FACILITY PROVIDING GROUP COUNSELING

Facility in which group counseling was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	50.3	919	1	HERE
0.5	0.3	5	2	ELSEWHERE
	49.4	902	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 391-392

Q60_NO NUMBER OF GROUP COUNSELING ENCOUNTERS

Number of group counseling encounters

1,826 cases (Range of valid codes: 1-253)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 393-395

Q61_SER FAMILY COUNSELING PROVIDED

Family counseling provided in the sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.4	36.1	659	1	NOT GIVEN
21.5	12.0	220	2	ACTUALLY GIVEN, COMPLETED
3.8	2.1	39	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
5.8	3.2	59	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
0.7	0.4	7	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
3.8	2.1	39	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	44.0	803	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 396-397

Q61_FAC FACILITY PROVIDING FAMILY COUNSELING

Facility in which group counseling was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	17.5	319	1	HERE
0.3	0.1	1	2	ELSEWHERE
	82.5	1,506	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 398-399

Q61_NO	NUMBER OF FAMILY COUNSELING ENCOUNTERS
--------	--

Number of group counseling encounters

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	1.0	19	1	
3.7	0.2	3	2	
12.2	0.5	10	3	
7.3	0.3	6	4	
12.2	0.5	10	5	
8.5	0.4	7	6	
3.7	0.2	3	7	
1.2	0.1	1	9	
2.4	0.1	2	10	
2.4	0.1	2	11	
1.2	0.1	1	12	
1.2	0.1	1	13	
6.1	0.3	5	15	
1.2	0.1	1	17	
3.7	0.2	3	20	
1.2	0.1	1	28	
2.4	0.1	2	29	
1.2	0.1	1	30	
1.2	0.1	1	31	
2.4	0.1	2	90	
1.2	0.1	1	95	
	95.5	1,744	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 400-401

Q62_SER DRUG/ALCOHOL/EDUCATION COUNSELING PROVIDED

Drug/Alcohol education/counseling provided in the sampled episode.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	10.6	194	1	NOT GIVEN
49.9	37.0	676	2	ACTUALLY GIVEN, COMPLETED
6.2	4.6	84	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
19.8	14.7	268	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
1.7	1.3	23	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
8.1	6.0	109	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	25.8	472	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 402-403

Q62_FAC FACILITY PROVIDING DRUG/ALC/EDUC COUNSELING

Facility in which Drug/Alcohol education/counseling was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	56.2	1,027	1	HERE
0.3	0.2	3	2	ELSEWHERE
	43.6	796	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 404-405

Q62_NO NUMBER OF DRUG/ALC/EDUC COUNSELING ENCOUNTERS

Number of Drug/Alcohol education/counseling encounters

1,826 cases (Range of valid codes: 1-411)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 406-408

Q63_SER EMPLOYMENT COUNSELING PROVIDED

Employment counseling provided in the sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.4	35.8	653	1	NOT GIVEN
14.3	7.4	135	2	ACTUALLY GIVEN, COMPLETED
2.2	1.2	21	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
3.7	1.9	35	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
0.3	0.2	3	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
10.0	5.1	94	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	48.5	885	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826 cases		

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 409-410

Q63_FAC FACILITY PROVIDING EMPLOYMENT COUNSELING

Facility in which employment counseling was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	8.8	161	1	HERE
12.5	1.3	23	2	ELSEWHERE
	89.9	1,642	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826 cases		

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 411-412

Q64_SER JOB TRAINING PROVIDED

Job training provided in sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	44.6	815	1	NOT GIVEN
3.7	1.8	33	2	ACTUALLY GIVEN, COMPLETED
1.3	0.7	12	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
1.6	0.8	14	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
0.2	0.1	2	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
2.0	1.0	18	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	51.0	932	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 413-414

Q64_FAC FACILITY PROVIDING JOB TRAINING

Facility in which job training was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	2.0	36	1	HERE
33.3	1.0	18	2	ELSEWHERE
	97.0	1,772	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 415-416

Q65_SER EDUCATIONAL CLASSES PROVIDED

Educational classes provided in sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	39.2	715	1	NOT GIVEN
19.7	10.9	199	2	ACTUALLY GIVEN, COMPLETED
1.7	0.9	17	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
5.3	3.0	54	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
0.6	0.3	6	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
2.1	1.2	21	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	44.6	814	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 417-418

Q65_FAC FACILITY PROVIDING EDUCATIONAL CLASSES

Facility in which educational classes were provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	13.3	243	1	HERE
10.0	1.5	27	2	ELSEWHERE
	85.2	1,556	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 419-420

Q66_SER DETOXIFICATION - RESIDENTIAL PROVIDED

Detoxification - residential, provided in sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	47.2	861	1	NOT GIVEN
15.7	9.7	177	2	ACTUALLY GIVEN, COMPLETED
2.0	1.3	23	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
3.6	2.2	41	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
0.3	0.2	3	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
2.2	1.4	25	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	38.1	696	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 421-422

Q66_FAC FACILITY PROVIDING DETOX - RESIDENTIAL

Facility in which detoxification - residential was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	12.1	221	1	HERE
7.5	1.0	18	2	ELSEWHERE
	86.9	1,587	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 423-424

Q661_SER DETOXIFICATION - AMBULATORY PROVIDED

Detoxification - ambulatory, provided in the sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	41.2	753	1	NOT GIVEN
14.8	8.8	160	2	ACTUALLY GIVEN, COMPLETED
1.9	1.2	21	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
11.4	6.7	123	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
0.3	0.2	3	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
1.9	1.1	20	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	40.9	746	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 425-426

Q661_FAC FACILITY PROVIDING DETOX - AMBULATORY

Facility in which detoxification - ambulatory was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	16.1	294	1	HERE
0.7	0.1	2	2	ELSEWHERE
	83.8	1,530	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 427-428

Q67_SER ACTIVITY GROUPS PROVIDED

Activity groups provided in the sample episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.3	26.4	482	1	NOT GIVEN
32.4	19.3	352	2	ACTUALLY GIVEN, COMPLETED
5.7	3.4	62	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
8.6	5.1	94	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
1.2	0.7	13	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
7.7	4.6	84	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	40.5	739	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 429-430

Q67_FAC FACILITY PROVIDING ACTIVITY GROUPS

Facility in which activity groups were provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	26.9	491	1	HERE
3.3	0.9	17	2	ELSEWHERE
	72.2	1,318	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 431-432

Q68_SER SELF-HELP GROUPS (INCLUDE AA AND NA) PROVIDED

Self help groups (include AA and NA) provided in the sample episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	21.3	389	1	NOT GIVEN
36.3	26.7	487	2	ACTUALLY GIVEN, COMPLETED
4.9	3.6	66	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
9.1	6.7	122	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
1.3	1.0	18	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
19.4	14.3	261	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	26.5	483	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 433-434

Q68_FAC FACILITY PROVIDING SELF-HELP GROUPS

Facility in which Self help groups (include AA and NA) were provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	29.8	545	1	HERE
17.0	6.1	112	2	ELSEWHERE
	64.0	1,169	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 435-436

Q69_SER DAY CARE FOR CHILDREN PROVIDED

Day care for children provided in the sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	49.2	899	1	NOT GIVEN
4.1	2.1	39	2	ACTUALLY GIVEN, COMPLETED
0.0	0.0	0	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
0.5	0.3	5	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
0.1	0.1	1	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
0.4	0.2	4	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	48.1	878	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 437-438

Q69_FAC FACILITY PROVIDING DAY CARE FOR CHILDREN

Facility in which Day care for children was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	1.3	24	1	HERE
11.1	0.2	3	2	ELSEWHERE
	98.5	1,799	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 439-440

Q691_SER DAY TREATMENT PROVIDED

Day Treatment provided in the sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	43.2	788	1	NOT GIVEN
6.4	3.3	60	2	ACTUALLY GIVEN, COMPLETED
2.1	1.1	20	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
4.9	2.5	46	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
0.1	0.1	1	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
2.0	1.0	19	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	48.8	892	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 441-442

Q691_FAC FACILITY PROVIDING DAY TREATMENT

Facility in which Day Treatment was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	5.9	108	1	HERE
5.3	0.3	6	2	ELSEWHERE
	93.8	1,712	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 443-444

Q692_SER CASE MANAGEMENT PROVIDED

Case management provided in the sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	37.5	684	1	NOT GIVEN
16.4	8.5	155	2	ACTUALLY GIVEN, COMPLETED
3.6	1.9	34	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
5.1	2.6	48	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
0.2	0.1	2	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
2.5	1.3	24	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	48.1	879	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 445-446

Q692_FAC FACILITY PROVIDING CASE MANAGEMENT

Facility in which case management was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	12.4	227	1	HERE
1.7	0.2	4	2	ELSEWHERE
	87.3	1,595	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 447-448

Q693_SER ACUPUNCTURE PROVIDED

Acupuncture provided in the sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	49.4	902	1	NOT GIVEN
0.7	0.4	7	2	ACTUALLY GIVEN, COMPLETED
0.2	0.1	2	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
0.6	0.3	6	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
0.1	0.1	1	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
3.4	1.8	32	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	48.0	876	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 449-450

Q693_FAC FACILITY PROVIDING ACUPUNCTURE

Facility in which Acupuncture was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	16	1	HERE
0.0	0.0	0	2	ELSEWHERE
	99.1	1,810	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 451-452

Q694_SER SOBER LIVING PROVIDED

Sober living provided in the sampled episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	42.9	784	1	NOT GIVEN
14.8	8.9	163	2	ACTUALLY GIVEN, COMPLETED
2.8	1.7	31	3	ACTUALLY GIVEN, NOT COMPLETED BY ADMIN CHOICE
5.7	3.5	63	4	ACTUALLY GIVEN, NOT COMPLETED BY CLIENT CHOICE
0.5	0.3	6	5	ACTUALLY GIVEN, NOT COMPLETE, WHOSE CHOICE NOT MENTIONED
5.0	3.0	55	6	PLANNED/RECOMMENDED, CAN'T CONFIRM ACTUALLY GIVEN
	39.6	724	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 453-454

Q694_FAC FACILITY PROVIDING SOBER LIVING

Facility in which sober living was provided

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	13.4	245	1	HERE
3.9	0.5	10	2	ELSEWHERE
	86.0	1,571	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 455-456

Q70

MEDICATIONS PRESCRIBED DURING TREATMENT

Any medications prescribed during treatment services
(excluding methadone)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	19.5	356	1	YES (ANSWER A)
73.0	52.8	964	2	NO (GO TO Q71)
	27.7	506	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 457-458

Q71

ANY PHYSICIAN NOTES AT ADMISSION

Any physician notes at admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	47.9	875	1	YES
46.5	41.6	760	2	NO
	10.5	191	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 459-460

Q72

PHYSICIAN NOTES AT DISCHARGE

Physician notes at discharge

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	16.8	306	1	YES
78.6	61.4	1,121	2	NO
	21.9	399	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 461-462

Q73**ANY PHYSICIAN NOTES AT ANY OTHER TIME**

Any physician notes at any other time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	40.3	735	1	YES
54.7	48.7	889	2	NO
	11.1	202	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 463-464

Q74**METHADONE GIVEN DURING THIS TREATMENT**

Methadone given during this treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	20.3	371	1	YES, MORE THAN 30 DAYS (COMPLETE 74A-E)
18.0	17.3	316	2	YES, 30 DAYS OR LESS (SKIP TO Q75)
60.9	58.7	1,072	3	NO (SKIP TO Q76)
	3.7	67	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 465-466

Q74A_D**DAYS METHADONE RECEIVED**

Computed from date first methadone received and date last methadone received.

1,826 cases (Range of valid codes: 1-12,452)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 467-471

Q74B

HIGHEST DAILY METHADONE DOSE RECEIVED DURING 1ST 30 DAYS

Highest daily methadone dose received DURING the first 30 days (in milligrams per day)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	7	
0.3	0.1	1	10	
0.3	0.1	1	12	
0.3	0.1	1	15	
0.3	0.1	1	19	
0.9	0.2	3	20	
0.3	0.1	1	24	
0.6	0.1	2	25	
0.3	0.1	1	27	
10.5	2.0	36	30	
0.3	0.1	1	33	
2.9	0.5	10	35	
0.3	0.1	1	38	
20.1	3.8	69	40	
0.6	0.1	2	42	
0.3	0.1	1	43	
6.1	1.2	21	45	
0.3	0.1	1	47	
17.8	3.3	61	50	
0.3	0.1	1	52	
4.7	0.9	16	55	
0.3	0.1	1	59	
11.1	2.1	38	60	
0.3	0.1	1	63	
4.4	0.8	15	65	
5.8	1.1	20	70	
1.7	0.3	6	75	
5.8	1.1	20	80	
0.6	0.1	2	85	
0.3	0.1	1	90	
0.3	0.1	1	95	
0.6	0.1	2	100	
0.3	0.1	1	110	
0.3	0.1	1	130	
0.3	0.1	1	155	
0.3	0.1	1	204	
	81.2	1,483	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 472-474

Q74C

HIGHEST DAILY METHADONE DOSE AFTER 1ST 30 DAYS

Highest daily methadone dose received AFTER first 30 days (in milligrams per day)

1,826 cases (Range of valid codes: 3-160)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 475-477

Q74E

DOSE OF LAST METHADONE RECEIVED

Dose of LAST methadone received (in milligrams per day)

1,826 cases (Range of valid codes: 1-203)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 478-480

Q75

METHADONE SUPPLY TAKEN HOME DURING TREAT

Methadone supply taken home during this treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	3.8	70	1	YES
88.7	30.0	547	2	NO
	66.2	1,209	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 481-482

Q76

REASON FOR DISCHARGE

Reason for discharge

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PARTICIPANT DECEASED
37.2	33.2	607	2	COMPLETED PLANNED TX SERVICES
5.0	4.4	81	3	DID NOT COMPLETE TX SERVICES; REFERRED ELSEWHERE
14.0	12.5	228	4	DID NOT COMPLETE TX SERVICES BY ADMIN CHOICE
31.6	28.3	516	5	DID NOT COMPLETE TX BY PARTICIPANT CHOICE
4.1	3.7	67	6	DID NOT COMPLETE TX SERVICE, NOT MENTIONED BY WHOSE CHOICE
1.8	1.6	30	7	INCARCERATED
6.3	5.6	102	8	OTHER
	10.7	195	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 483-484

Q76C

SPECIFY REASON TREATMENT SERVICE DISCHARGE

If the participant did not complete treatment services and was not referred to another program, specify the reason

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.2	3	1	COMPLETED TX PLAN/GRADUATED FROM PROGRAM
17.6	7.1	129	2	KICKED OUT OF PROGRAM BY STAFF/INVOLUNTARY DISCHARGE
3.3	1.3	24	3	DID NOT WANT TO BE THERE IN THE FIRST PLACE
16.8	6.7	123	4	TX NOT SUCCESSFUL/KEPT DOING DRUGS/DISCOURAGED
0.5	0.2	4	5	TRANSFERRED TO ANOTHER PROG BECAUSE DISSATISFIED
0.0	0.0	0	6	CHANGES IN ELIGIBILITY/PROGRAM HAD TO REDUCE SIZE
0.3	0.1	2	7	BECAME INCARCERATED
0.8	0.3	6	8	LOGISTICAL PROBLEMS
3.3	1.3	24	9	COULDN'T AFFORD IT
0.4	0.2	3	10	PRESSURE FROM FAMILY AND FRIENDS TO END TX
2.7	1.1	20	11	LEFT THE AREA
53.8	21.5	393	12	OTHER (SPECIFY)
	60.0	1,095	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 485-486

Q79**DRUG OR ALC ABUSE/MENTAL ILLNESS (DUAL DIAG) AT D/C**

Drug or alcohol abuse/mental illness (dual diagnosis)
participant at discharge (e.g., depression, schizophrenia)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	4.2	76	1	YES (SPECIFY)
90.2	38.3	700	2	NO
	57.5	1,050	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 487-488

Q80**AFTER-CARE PLAN STATED IN RECORD**

After-care plan stated in record

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	33.9	619	1	YES
50.2	34.1	623	2	NO (GO TO Q82)
	32.0	584	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 489-490

Q81**SERVICES IN AFTER-CARE PLAN**

Services specified in after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	31.1	567	1	SERVICES SPECIFIED (CODE LIST BELOW)
	68.9	1,259	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 491-492

Q81A INDIVIDUAL COUNSELING IN AFTERCARE PLAN

Individual counseling specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	8.4	154	1	YES
33.6	4.3	78	2	NO
	87.3	1,594	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 493-494

Q81B GROUP COUNSELING IN AFTERCARE PLAN

Group counseling specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.8	6.2	113	1	YES
40.2	4.2	76	2	NO
	89.6	1,637	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 495-496

Q81C FAMILY COUNSELING IN AFTERCARE PLAN

Group counseling specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	1.5	28	1	YES
77.4	5.3	96	2	NO
	93.2	1,702	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 497-498

Q81D**DRUG/ALCOHOL EDUCATION/COUNSELING IN AFTERCARE PLAN**

Family counseling specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.2	5.4	99	1	YES
42.8	4.1	74	2	NO
	90.5	1,653	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 499-500

Q81E**EMPLOYMENT COUNSELING IN AFTERCARE PLAN**

Drug/alcohol education/counseling specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.1	2.8	52	1	YES
64.9	5.3	96	2	NO
	91.9	1,678	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 501-502

Q81F**JOB TRAINING IN AFTERCARE PLAN**

Job training specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	2.8	52	1	YES
66.5	5.6	103	2	NO
	91.5	1,671	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 503-504

Q81G

EDUCATIONAL CLASSES IN AFTERCARE PLAN

Educational classes specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	2.5	45	1	YES
69.4	5.6	102	2	NO
	91.9	1,679	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 505-506

Q81H

ACTIVITY GROUPS IN AFTERCARE PLAN

Activity groups specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	1.8	33	1	YES
74.0	5.1	94	2	NO
	93.0	1,699	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 507-508

Q81I

SELF HELP GOUPS (INCLUDE AA AND NA) IN AFTERCARE PLAN

Self-help groups (include AA and NA) specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	23.2	424	1	YES
1.6	0.4	7	2	NO
	76.4	1,395	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 509-510

Q81J ALUMNI GROUP/REUNION IN AFTERCARE PLAN

Alumni group/reunion specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	1.4	25	1	YES
78.4	5.0	91	2	NO
	93.6	1,710	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 511-512

Q81K DAY TREATMENT IN AFTERCARE PLAN

Day treatment specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	1.3	24	1	YES
80.2	5.3	97	2	NO
	93.4	1,705	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 513-514

Q81L CASE MANAGEMENT IN AFTERCARE PLAN

Case Management specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	0.9	17	1	YES
84.8	5.2	95	2	NO
	93.9	1,714	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 515-516

Q81M ACUPUNCTURE IN AFTERCARE PLAN

Acupuncture specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.2	4	1	YES
96.5	6.1	111	2	NO
	93.7	1,711	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 517-518

Q81N SOBER LIVING IN AFTERCARE PLAN

Sober living specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	5.3	96	1	YES
50.3	5.3	97	2	NO
	89.4	1,633	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 519-520

Q81O DETOXIFICATION - RESIDENTIAL IN AFTERCARE PLAN

Detoxification - residential specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	1.0	19	1	YES
84.8	5.8	106	2	NO
	93.2	1,701	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 521-522

Q81P**DETOXIFICATION - AMBULATORY IN AFTERCARE PLAN**

Detoxification - ambulatory specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	1.6	29	1	YES
77.9	5.6	102	2	NO
	92.8	1,695	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 523-524

Q81Q**OTHER (SPECIFY) IN AFTERCARE PLAN**

Other specified in the after-care plan

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	11.3	207	1	YES
30.8	5.0	92	2	NO
	83.6	1,527	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 525-526

Q82**FURTHER TREATMENT SRVS PX WAS REFERRED AFTER D/C**

Further treatment services to which the participant was referred after discharge

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	27.5	503	1	NO TX SERVICES
1.8	1.0	19	2	HOSPITAL INPATIENT
7.6	4.5	82	3	RESIDENTIAL
6.2	3.7	67	4	OUTPATIENT/METHADONE MAINTENANCE
7.9	4.7	85	5	OTHER OUTPATIENT
29.8	17.6	321	6	OTHER (SPECIFY)
	41.0	749	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 527-528

Q83

BILLED CHARGES FOR THIS TREATMENT SERVIC

Billed charges for this treatment service episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	70.8	1,292	1	YES (SPECIFY DOLLAR AMOUNT AND CHARGE CODE IN A)
16.2	14.3	261	2	NO (ANSWER B)
3.4	3.0	55	3	OTHER (SPECIFY) (ANSWER B)
	11.9	218	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 529-530

Q83A

DOLLAR AMOUNT OF BILLED CHARGES

Dollar amount of billed charges for this treatment service episode

1,826 cases (Range of valid codes: 4-45,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 531-535

Q83CODE

CHARGE CODE: FOR BILLED CHARGES

Charge code for billed charges for this treatment service episode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	26.2	478	1	FULL AMOUNT BILLED
38.7	21.0	384	2	SLIDING FEE AMOUNT
0.4	0.2	4	3	REDUCED AMOUNT: % OF FULL BILL CHARGED
12.6	6.8	125	4	OTHER (SPECIFY)
	45.7	835	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 536-537

Q83PC PERCENT OF FULL BILL CHARGED

If charges were a reduced amount, what percent of the full charges were billed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	28	
25.0	0.1	1	38	
50.0	0.1	2	50	
	99.8	1,822	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 538-539

Q83B WAS THIS A FUNDED SLOT

Was this treatment service episode a funded slot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	47.6	870	1	YES (SPECIFY: FUNDED BY?)
40.6	32.6	595	2	NO
	19.8	361	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 540-541

PARTICIPANT QUESTIONNAIRE: SECTION A. CALENDAR

DQA4 EVER MARRIED

The first questions are about whether you've been married, widowed, separated or divorced, or if you've lived with someone in a marriage-like relationship. First, have you ever been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.6	60.4	1,103	1	YES
39.4	39.3	717	2	NO
	0.3	6	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 549-550

DQA4A EVER LIVE WITH SOMEONE

Have you ever lived with someone in a marriage-like relationship?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	27.7	505	1	YES
29.2	11.4	208	2	NO
	61.0	1,113	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 551-552

DA5_AGE AGE AT MARRIAGE MARR-LIKE RELATION

Computed from birthdate and:

When did you first (get married/start living with someone in a marriage-like relationship)? Just give me the month and year.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	11.2	205	1	17 AND UNDER
29.2	25.5	465	2	18-20
29.8	26.1	476	3	21-24
17.6	15.4	281	4	25-29
7.3	6.4	116	5	30-34
2.6	2.2	41	6	35-39
0.4	0.4	7	7	40-44
0.2	0.2	3	8	45-49
0.1	0.1	1	9	50-54
0.0	0.0	0	10	55+
	12.7	231	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 553-554

DA6_1 FIRST CHANGE IN MARITAL STATUS

What was the first change in your marital status after that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	16.3	297	1	NO CHANGE
5.0	4.4	81	2	MARRIED
3.2	2.8	52	3	LIVING W/SOMEONE IN A MARRIAGE-LIKE RELATIONSHIP
2.5	2.2	40	4	WIDOWED
45.7	40.2	734	5	SEPARATED
25.1	22.1	403	6	DIVORCED
	12.0	219	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 555-556

DA6_2 SECOND CHANGE IN MARITAL STATUS

What was the next (2nd) change in your marital status after that?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.2	24.7	451	1	NO CHANGE
14.4	10.4	190	2	MARRIED
35.4	25.5	466	3	LIVING W/SOMEONE IN A MARRIAGE-LIKE RELATIONSHIP
0.3	0.2	4	4	WIDOWED
4.3	3.1	57	5	SEPARATED
11.3	8.2	149	6	DIVORCED
	27.9	509	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 559-560

DA6_3 THIRD CHANGE IN MARITAL STATUS

What was the next (3rd) change in your marital status after that?

PCT VALID	PCT ALL	N	VALUE	LABEL
27.4	13.0	237	1	NO CHANGE
9.4	4.4	81	2	MARRIED
8.8	4.2	76	3	LIVING W/SOMEONE IN A MARRIAGE-LIKE RELATIONSHIP
2.2	1.0	19	4	WIDOWED
37.3	17.7	323	5	SEPARATED
15.0	7.1	130	6	DIVORCED
	52.6	960	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 563-564

DA6_4**FOURTH CHANGE IN MARITAL STATUS**

What was the next (4th) change in your marital status after that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	14.0	255	1	NO CHANGE
9.9	3.4	62	2	MARRIED
32.3	11.1	203	3	LIVING W/SOMEONE IN A MARRIAGE-LIKE RELATIONSHIP
0.6	0.2	4	4	WIDOWED
11.5	3.9	72	5	SEPARATED
5.1	1.8	32	6	DIVORCED
	65.6	1,198	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 567-568

DA6_5**FIFTH CHANGE IN MARITAL STATUS**

What was the next (5th) change in your marital status after that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	6.0	110	1	NO CHANGE
7.5	1.5	28	2	MARRIED
15.2	3.1	57	3	LIVING W/SOMEONE IN A MARRIAGE-LIKE RELATIONSHIP
1.3	0.3	5	4	WIDOWED
33.4	6.8	125	5	SEPARATED
13.1	2.7	49	6	DIVORCED
	79.5	1,452	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 571-572

DA6_6 SIXTH CHANGE IN MARITAL STATUS

What was the next (6th) change in your marital status after that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	5.3	97	1	NO CHANGE
11.8	1.7	31	2	MARRIED
31.2	4.5	82	3	LIVING W/SOMEONE IN A MARRIAGE-LIKE RELATIONSHIP
0.0	0.0	0	4	WIDOWED
14.4	2.1	38	5	SEPARATED
5.7	0.8	15	6	DIVORCED
	85.6	1,563	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 575-576

DA6_7 SEVENTH CHANGE IN MARITAL STATUS

What was the next (7th) change in your marital status after that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	2.8	51	1	NO CHANGE
6.6	0.6	11	2	MARRIED
15.7	1.4	26	3	LIVING W/SOMEONE IN A MARRIAGE-LIKE RELATIONSHIP
0.0	0.0	0	4	WIDOWED
38.6	3.5	64	5	SEPARATED
8.4	0.8	14	6	DIVORCED
	90.9	1,660	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 579-580

DA6_8	EIGHTH CHANGE IN MARITAL STATUS
--------------	--

What was the next (8th) change in your marital status after that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	2.6	48	1	NO CHANGE
5.2	0.3	6	2	MARRIED
33.0	2.1	38	3	LIVING W/SOMEONE IN A MARRIAGE-LIKE RELATIONSHIP
0.0	0.0	0	4	WIDOWED
16.5	1.0	19	5	SEPARATED
3.5	0.2	4	6	DIVORCED
	93.7	1,711	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 583-584

DA6_9	NINTH CHANGE IN MARITAL STATUS
--------------	---------------------------------------

What was the next (9th) change in your marital status after that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	0.9	16	1	NO CHANGE
4.5	0.2	3	2	MARRIED
20.9	0.8	14	3	LIVING W/SOMEONE IN A MARRIAGE-LIKE RELATIONSHIP
0.0	0.0	0	4	WIDOWED
44.8	1.6	30	5	SEPARATED
6.0	0.2	4	6	DIVORCED
	96.3	1,759	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 587-588

DA6_10 TENTH CHANGE IN MARITAL STATUS

What was the next (10th) change in your marital status after that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	1.0	18	1	NO CHANGE
11.8	0.3	6	2	MARRIED
25.5	0.7	13	3	LIVING W/SOMEONE IN A MARRIAGE-LIKE RELATIONSHIP
0.0	0.0	0	4	WIDOWED
19.6	0.5	10	5	SEPARATED
7.8	0.2	4	6	DIVORCED
	97.2	1,775	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 591-592

DA7_10AG AGE AT TENTH CHANGE

Computed from birthdate and:

In what month and year (were you married/widowed/separated/divorced) (did you begin living with someone in a marriage-like relationship) (that time)?

(corresponds to DA6_10)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	17 AND UNDER
0.0	0.0	0	2	18-20
3.1	0.1	1	3	21-24
6.2	0.1	2	4	25-29
28.1	0.5	9	5	30-34
34.4	0.6	11	6	35-39
15.6	0.3	5	7	40-44
6.2	0.1	2	8	45-49
6.2	0.1	2	9	50-54
0.0	0.0	0	10	55+
	98.2	1,794	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 593-594

DA7_1AGE AGE AT FIRST CHANGE

Computed from birthdate and:

In what month and year (were you married/widowed/separated/divorced) (did you begin living with someone in a marriage-like relationship) (that time)?

(corresponds to DA6_1)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	2.5	46	1	17 AND UNDER
13.0	9.3	169	2	18-20
28.4	20.2	369	3	21-24
29.0	20.6	377	4	25-29
14.0	10.0	182	5	30-34
7.0	5.0	91	6	35-39
3.5	2.5	45	7	40-44
1.2	0.8	15	8	45-49
0.4	0.3	5	9	50-54
0.1	0.1	1	10	55+
	28.8	526	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 557-558

DA7_2AGE

AGE AT SECOND CHANGE

Computed from birthdate and:

In what month and year (were you married/widowed/separated/divorced) (did you begin living with someone in a marriage-like relationship) (that time)?

(corresponds to DA6_2)

PCT VALID	PCT ALL	N	VALUE	LABEL
1.2	0.5	10	1	17 AND UNDER
5.5	2.6	47	2	18-20
23.8	11.2	205	3	21-24
32.0	15.1	276	4	25-29
20.6	9.7	178	5	30-34
11.3	5.3	97	6	35-39
3.0	1.4	26	7	40-44
2.1	1.0	18	8	45-49
0.6	0.3	5	9	50-54
0.0	0.0	0	10	55+
	52.8	964	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 561-562

DA7_3AGE	AGE AT THIRD CHANGE
-----------------	----------------------------

Computed from birthdate and:

In what month and year (were you married/widowed/separated/divorced) (did you begin living with someone in a marriage-like relationship) (that time)?

(corresponds to DA6_3)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.2	3	1	17 AND UNDER
2.7	0.9	17	2	18-20
14.1	4.8	88	3	21-24
30.8	10.6	193	4	25-29
23.5	8.1	147	5	30-34
17.6	6.0	110	6	35-39
6.4	2.2	40	7	40-44
2.4	0.8	15	8	45-49
1.1	0.4	7	9	50-54
1.0	0.3	6	10	55+
	65.7	1,200	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 565-566

DA7_4AGE

AGE AT FOURTH CHANGE

Computed from birthdate and:

In what month and year (were you married/widowed/separated/divorced) (did you begin living with someone in a marriage-like relationship) (that time)?

(corresponds to DA6_4)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	1	17 AND UNDER
1.9	0.4	7	2	18-20
12.7	2.6	47	3	21-24
25.2	5.1	93	4	25-29
30.1	6.1	111	5	30-34
16.3	3.3	60	6	35-39
8.1	1.6	30	7	40-44
4.1	0.8	15	8	45-49
0.5	0.1	2	9	50-54
0.8	0.2	3	10	55+
	79.8	1,457	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 569-570

DA7_5AGE	AGE AT FIFTH CHANGE
-----------------	----------------------------

Computed from birthdate and:

In what month and year (were you married/widowed/separated/divorced) (did you begin living with someone in a marriage-like relationship) (that time)?

(corresponds to DA6_5)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	17 AND UNDER
1.5	0.2	4	2	18-20
9.2	1.3	24	3	21-24
19.5	2.8	51	4	25-29
27.6	3.9	72	5	30-34
23.0	3.3	60	6	35-39
12.3	1.8	32	7	40-44
4.6	0.7	12	8	45-49
1.1	0.2	3	9	50-54
1.1	0.2	3	10	55+
	85.7	1,565	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 573-574

DA7_6AGE

AGE AT SIXTH CHANGE

Computed from birthdate and:

In what month and year (were you married/widowed/separated/divorced) (did you begin living with someone in a marriage-like relationship) (that time)?

(corresponds to DA6_6)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	17 AND UNDER
1.8	0.2	3	2	18-20
8.5	0.8	14	3	21-24
17.1	1.5	28	4	25-29
25.0	2.2	41	5	30-34
26.2	2.4	43	6	35-39
12.8	1.2	21	7	40-44
4.9	0.4	8	8	45-49
1.2	0.1	2	9	50-54
2.4	0.2	4	10	55+
	91.0	1,662	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 577-578

DA7_7AGE	AGE AT SEVENTH CHANGE
----------	-----------------------

Computed from birthdate and:

In what month and year (were you married/widowed/separated/divorced) (did you begin living with someone in a marriage-like relationship) (that time)?

(corresponds to DA6_7)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	17 AND UNDER
2.7	0.2	3	2	18-20
4.4	0.3	5	3	21-24
15.9	1.0	18	4	25-29
24.8	1.5	28	5	30-34
24.8	1.5	28	6	35-39
15.0	0.9	17	7	40-44
4.4	0.3	5	8	45-49
5.3	0.3	6	9	50-54
2.7	0.2	3	10	55+
	93.8	1,713	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 581-582

DA7_8AGE	AGE AT EIGHTH CHANGE
-----------------	-----------------------------

Computed from birthdate and:

In what month and year (were you married/widowed/separated/divorced) (did you begin living with someone in a marriage-like relationship) (that time)?

(corresponds to DA6_8)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	17 AND UNDER
1.5	0.1	1	2	18-20
3.1	0.1	2	3	21-24
15.4	0.5	10	4	25-29
35.4	1.3	23	5	30-34
21.5	0.8	14	6	35-39
13.8	0.5	9	7	40-44
6.2	0.2	4	8	45-49
1.5	0.1	1	9	50-54
1.5	0.1	1	10	55+
	96.4	1,761	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 585-586

DA7_9AGE AGE AT NINTH CHANGE

Computed from birthdate and:

In what month and year (were you married/widowed/separated/divorced) (did you begin living with someone in a marriage-like relationship) (that time)?

(corresponds to DA6_9)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	17 AND UNDER
2.0	0.1	1	2	18-20
0.0	0.0	0	3	21-24
14.0	0.4	7	4	25-29
26.0	0.7	13	5	30-34
36.0	1.0	18	6	35-39
12.0	0.3	6	7	40-44
6.0	0.2	3	8	45-49
2.0	0.1	1	9	50-54
2.0	0.1	1	10	55+
	97.3	1,776	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 589-590

DA_10

PROBATION, DETENTION, PAROLE

The next questions are about being under supervision by the court, the sheriff, or the department of corrections, that is, prison, jail, probation, detention, or parole.

During (START MONTH SEGMENT ...2 months prior to tx episode), were you on probation, detention, parole, (in prison), or in jail including California Youth Authority Supervision or Facility for more than one day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.0	38.8	709	1	YES
61.0	60.7	1,108	2	NO
	0.5	9	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 595-596

DA_10A

CODE FOR TYPE OF SUPERVISION

What kind of supervision (by the court, the sheriff, or the department of corrections), were you under during (MONTHS)? RECORD VERBATIM AND CODE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	11.8	216	1	INCARCERATION
20.7	8.0	146	2	PAROLE
47.6	18.3	335	3	PROBATION
0.0	0.0	0	5	ELECTRONIC SURVEILLANCE
1.0	0.4	7	6	OTHER SUPERVISION
	61.4	1,122	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 597-598

DA11_AG AGE AT WHICH STATUS BEGAN

Computed from birthdate and:

When did (STATUS, from DA_10) begin? Just give me the month and year.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	1.0	19	1	17 AND UNDER
4.9	1.9	34	2	18-20
11.7	4.4	81	3	21-24
24.3	9.2	168	4	25-29
23.5	8.9	162	5	30-34
16.5	6.2	114	6	35-39
9.4	3.6	65	7	40-44
4.2	1.6	29	8	45-49
1.4	0.5	10	9	50-54
1.2	0.4	8	10	55+
	62.2	1,136	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 599-600

DA12_1 FIRST STATUS CHANGE (1)

Did your situation [status from DA_10] change after that?
 PROBE FOR CHANGES OF MORE THAN 1 DAY. [1ST]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	55.1	1,006	1	YES
44.8	44.6	815	2	NO
	0.3	5	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 601-602

DA13_1 FIRST CHANGE OF STATUS

What was that change? [from DA10]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	9.3	169	1	NO SUPERVISION
54.5	29.4	536	2	INCARCERATION
11.0	5.9	108	3	PAROLE
14.9	8.1	147	4	PROBATION
0.1	0.1	1	6	ELECTRONIC SURVEILLANCE
2.3	1.3	23	7	OTHER SUPERVISION
	46.1	842	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 603-604

DA12_2 SECOND STATUS CHANGE (2)

Did your situation [status from DA12_1] change after that?
 PROBE FOR CHANGES OF MORE THAN 1 DAY. [2ND]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	41.0	748	1	YES
25.6	14.1	258	2	NO
	44.9	820	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 607-608

DA13_2 SECOND CHANGE OF STATUS

What was that change? [from DA12_1]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	9.3	169	1	NO SUPERVISION
23.2	9.3	170	2	INCARCERATION
11.6	4.7	85	3	PAROLE
39.4	15.8	289	4	PROBATION
0.0	0.0	0	6	ELECTRONIC SURVEILLANCE
2.7	1.1	20	7	OTHER SUPERVISION
	59.9	1,093	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 609-610

DA12_3 THIRD STATUS CHANGE (3)

Did your situation [status from DA12_2] change after that?
 PROBE FOR CHANGES OF MORE THAN 1 DAY. [3RD]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.2	24.2	442	1	YES
40.8	16.7	305	2	NO
	59.1	1,079	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 613-614

DA13_3 **THIRD CHANGE OF STATUS**

What was that change? [from DA12_2]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	4.0	73	1	NO SUPERVISION
56.1	13.3	242	2	INCARCERATION
11.1	2.6	48	3	PAROLE
13.9	3.3	60	4	PROBATION
0.0	0.0	0	6	ELECTRONIC SURVEILLANCE
1.9	0.4	8	7	OTHER SUPERVISION
	76.4	1,395	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 615-616

DA12_4 **FOURTH STATUS CHANGE (4)**

Did your situation [status from DA12_3] change after that?
 PROBE FOR CHANGES OF MORE THAN 1 DAY. [4TH]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.4	15.1	276	1	YES
37.6	9.1	166	2	NO
	75.8	1,384	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 619-620

DA13_4 FOURTH CHANGE OF STATUS

What was that change? [from DA12_3]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	2.2	41	1	NO SUPERVISION
30.0	4.4	81	2	INCARCERATION
13.7	2.0	37	3	PAROLE
37.4	5.5	101	4	PROBATION
0.4	0.1	1	6	ELECTRONIC SURVEILLANCE
3.3	0.5	9	7	OTHER SUPERVISION
	85.2	1,556	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 621-622

DA12_5 FIFTH STATUS CHANGE (5)

Did your situation [status from DA12_4] change after that?
 PROBE FOR CHANGES OF MORE THAN 1 DAY. [5TH]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	8.2	150	1	YES
45.7	6.9	126	2	NO
	84.9	1,550	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 625-626

DA13_5 FIFTH CHANGE OF STATUS

What was that change? [from DA12_4]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.7	12	1	NO SUPERVISION
57.2	4.5	83	2	INCARCERATION
15.2	1.2	22	3	PAROLE
17.2	1.4	25	4	PROBATION
0.0	0.0	0	6	ELECTRONIC SURVEILLANCE
2.1	0.2	3	7	OTHER SUPERVISION
	92.1	1,681	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 627-628

DA12_6 SIXTH STATUS CHANGE (6)

Did your situation [status from DA12_5] change after that?
 PROBE FOR CHANGES OF MORE THAN 1 DAY. [6TH]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.3	5.5	101	1	YES
32.7	2.7	49	2	NO
	91.8	1,676	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 631-632

DA13_6 SIXTH CHANGE OF STATUS

What was that change? [from DA12_5]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	0.5	9	1	NO SUPERVISION
42.0	2.3	42	2	INCARCERATION
12.0	0.7	12	3	PAROLE
35.0	1.9	35	4	PROBATION
0.0	0.0	0	6	ELECTRONIC SURVEILLANCE
2.0	0.1	2	7	OTHER SUPERVISION
	94.5	1,726	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 633-634

DA12_7 SEVENTH STATUS CHANGE (7)

Did your situation [status from DA12_6] change after that?
 PROBE FOR CHANGES OF MORE THAN 1 DAY. [7TH]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	3.3	60	1	YES
40.6	2.2	41	2	NO
	94.5	1,725	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 637-638

DA13_7 SEVENTH CHANGE OF STATUS

What was that change? [from DA12_6]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	0.4	8	1	NO SUPERVISION
59.6	1.9	34	2	INCARCERATION
10.5	0.3	6	3	PAROLE
15.8	0.5	9	4	PROBATION
0.0	0.0	0	6	ELECTRONIC SURVEILLANCE
0.0	0.0	0	7	OTHER SUPERVISION
	96.9	1,769	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 639-640

DA12_8 EIGHTH STATUS CHANGE (8)

Did your situation [status from DA12_7] change after that?
 PROBE FOR CHANGES OF MORE THAN 1 DAY. [8TH]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	1.7	31	1	YES
48.3	1.6	29	2	NO
	96.7	1,766	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 643-644

DA13_8 EIGHTH CHANGE OF STATUS

What was that change? [from DA12_7]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.2	4	1	NO SUPERVISION
36.7	0.6	11	2	INCARCERATION
16.7	0.3	5	3	PAROLE
33.3	0.5	10	4	PROBATION
0.0	0.0	0	6	ELECTRONIC SURVEILLANCE
0.0	0.0	0	7	OTHER SUPERVISION
	98.4	1,796	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 645-646

DA12_9 NINTH STATUS CHANGE (9)

Did your situation [status from DA12_8] change after that?
 PROBE FOR CHANGES OF MORE THAN 1 DAY. [9TH]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	0.9	17	1	YES
45.2	0.8	14	2	NO
	98.3	1,795	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 649-650

DA13_9 NINTH CHANGE OF STATUS

What was that change? [from DA12_8]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	NO SUPERVISION
68.8	0.6	11	2	INCARCERATION
12.5	0.1	2	3	PAROLE
18.8	0.2	3	4	PROBATION
0.0	0.0	0	6	ELECTRONIC SURVEILLANCE
0.0	0.0	0	7	OTHER SUPERVISION
	99.1	1,810	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 651-652

DA12_10 TENTH STATUS CHANGE (10)

Did your situation [status from DA12_9] change after that?
 PROBE FOR CHANGES OF MORE THAN 1 DAY. [10TH]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	0.5	10	1	YES
41.2	0.4	7	2	NO
	99.1	1,809	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 655-656

DA13_10	TENTH CHANGE OF STATUS
----------------	-------------------------------

What was that change? [from DA12_9]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.2	3	1	NO SUPERVISION
30.0	0.2	3	2	INCARCERATION
20.0	0.1	2	3	PAROLE
20.0	0.1	2	4	PROBATION
0.0	0.0	0	6	ELECTRONIC SURVEILLANCE
0.0	0.0	0	7	OTHER SUPERVISION
	99.5	1,816	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 657-658

DA14_AG1	AGE AT FIRST CHANGE
-----------------	----------------------------

Computed from birthdate and:

In what month and year did that (STATUS) [change from DA10] begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.2	21	1	17 AND UNDER
3.4	1.9	34	2	18-20
8.9	4.8	88	3	21-24
18.9	10.3	188	4	25-29
24.2	13.2	241	5	30-34
19.2	10.5	191	6	35-39
14.9	8.1	148	7	40-44
4.5	2.5	45	8	45-49
2.4	1.3	24	9	50-54
1.4	0.8	14	10	55+
	45.6	832	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 605-606

DA14_AG2 AGE AT SECOND CHANGE

Computed from birthdate and:

In what month and year did that (STATUS) [change from DA13_1] begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.7	12	1	17 AND UNDER
3.7	1.5	27	2	18-20
8.4	3.4	62	3	21-24
19.9	8.1	147	4	25-29
24.8	10.0	183	5	30-34
18.8	7.6	139	6	35-39
15.4	6.2	114	7	40-44
3.5	1.4	26	8	45-49
2.3	0.9	17	9	50-54
1.6	0.7	12	10	55+
	59.5	1,087	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 611-612

DA14_AG3 AGE AT THIRD CHANGE

Computed from birthdate and:

In what month and year did that (STATUS) [change from DA13_2] begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.3	6	1	17 AND UNDER
3.9	0.9	17	2	18-20
8.8	2.1	38	3	21-24
19.2	4.5	83	4	25-29
21.7	5.1	94	5	30-34
21.2	5.0	92	6	35-39
15.7	3.7	68	7	40-44
4.4	1.0	19	8	45-49
2.5	0.6	11	9	50-54
1.2	0.3	5	10	55+
	76.3	1,393	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 617-618

DA14_AG4 AGE AT FOURTH CHANGE

Computed from birthdate and:

In what month and year did that (STATUS) [change from DA13_3] begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.2	4	1	17 AND UNDER
4.1	0.6	11	2	18-20
11.1	1.6	30	3	21-24
21.0	3.1	57	4	25-29
19.6	2.9	53	5	30-34
20.3	3.0	55	6	35-39
15.5	2.3	42	7	40-44
4.1	0.6	11	8	45-49
1.8	0.3	5	9	50-54
1.1	0.2	3	10	55+
	85.2	1,555	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 623-624

DA14_AG5 AGE AT FIFTH CHANGE

Computed from birthdate and:

In what month and year did that (STATUS) [change from DA13_4] begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.2	3	1	17 AND UNDER
4.1	0.3	6	2	18-20
12.8	1.0	19	3	21-24
22.3	1.8	33	4	25-29
20.9	1.7	31	5	30-34
16.9	1.4	25	6	35-39
14.2	1.2	21	7	40-44
4.1	0.3	6	8	45-49
2.0	0.2	3	9	50-54
0.7	0.1	1	10	55+
	91.9	1,678	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 629-630

DA14_AG6 AGE AT SIXTH CHANGE

Computed from birthdate and:

In what month and year did that (STATUS) [change from DA13_5] begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	1	1	17 AND UNDER
5.0	0.3	5	2	18-20
10.0	0.5	10	3	21-24
22.0	1.2	22	4	25-29
21.0	1.2	21	5	30-34
16.0	0.9	16	6	35-39
17.0	0.9	17	7	40-44
6.0	0.3	6	8	45-49
2.0	0.1	2	9	50-54
0.0	0.0	0	10	55+
	94.5	1,726	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 635-636

DA14_AG7 AGE AT SEVENTH CHANGE

Computed from birthdate and:

In what month and year did that (STATUS) [change from DA13_6] begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.1	1	1	17 AND UNDER
5.2	0.2	3	2	18-20
13.8	0.4	8	3	21-24
20.7	0.7	12	4	25-29
22.4	0.7	13	5	30-34
13.8	0.4	8	6	35-39
13.8	0.4	8	7	40-44
5.2	0.2	3	8	45-49
3.4	0.1	2	9	50-54
0.0	0.0	0	10	55+
	96.8	1,768	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 641-642

DA14_AG8**AGE AT EIGHTH CHANGE**

Computed from birthdate and:

In what month and year did that (STATUS) [change from DA13_7] begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	17 AND UNDER
3.2	0.1	1	2	18-20
19.4	0.3	6	3	21-24
19.4	0.3	6	4	25-29
22.6	0.4	7	5	30-34
22.6	0.4	7	6	35-39
0.0	0.0	0	7	40-44
9.7	0.2	3	8	45-49
3.2	0.1	1	9	50-54
0.0	0.0	0	10	55+
	98.3	1,795	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 647-648

DA14_AG9**AGE AT NINTH CHANGE**

Computed from birthdate and:

In what month and year did that (STATUS) [change from DA13_8] begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	17 AND UNDER
0.0	0.0	0	2	18-20
29.4	0.3	5	3	21-24
17.6	0.2	3	4	25-29
17.6	0.2	3	5	30-34
29.4	0.3	5	6	35-39
0.0	0.0	0	7	40-44
5.9	0.1	1	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	99.1	1,809	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 653-654

DA14AG10

AGE AT TENTH CHANGE

Computed from birthdate and:

In what month and year did that (STATUS) [change from DA13_9] begin?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	17 AND UNDER
0.0	0.0	0	2	18-20
20.0	0.1	2	3	21-24
10.0	0.1	1	4	25-29
10.0	0.1	1	5	30-34
50.0	0.3	5	6	35-39
0.0	0.0	0	7	40-44
10.0	0.1	1	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	99.5	1,816	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 659-660

PARTICIPANT QUESTIONNAIRE: SECTION B. BACKGROUND

DB1 GENDER

B1. CODE WITHOUT ASKING. VERIFY, IF NEEDED, BY ASKING:
I am required to ask--are you male or female"?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	63.6	1,162	1	MALE
36.4	36.4	664	2	FEMALE
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Column: 661

DB3 VERIFY AGE COMPUTED FROM DB2 (BIRTHDATE)

So you are (AGE COMPUTED FROM B2) years old?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	99.0	1,808	1	YES
0.0	0.0	0	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 662-663

DB3_AGE AGE ON DAY OF INTERVIEW, CATEGORIZED

This is a derived variable. ICPSR staff calculated the Age at Interview by dividing the total number of days between the interview and the respondent's self reported birthdate by 365.25. The date variables were then removed from the file to protect confidentiality.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	26	1	17 AND UNDER
2.2	2.2	40	2	18-20
7.0	7.0	128	3	21-24
15.9	15.8	289	4	25-29
21.2	21.1	386	5	30-34
21.4	21.4	391	6	35-39
16.8	16.8	306	7	40-44
7.4	7.3	134	8	45-49
3.8	3.8	69	9	50-54
3.0	3.0	54	10	55+
	0.2	3	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 664-665

DB4 BORN IN THE UNITED STATES

Were you born in the United States?
Respondents born on U.S. Military Bases were coded "1"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	93.1	1,700	1	YES
6.8	6.8	125	2	NO
	0.1	1	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 666-667

DB4A COUNTRY BORN IN

Which country were you born in? RECORD VERBATIM.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.4	7	1	CANADA
53.6	3.3	60	2	MEXICO
8.0	0.5	9	3	OTHER LATIN AMERICAN COUNTRY
15.2	0.9	17	4	ASIAN/PACIFIC ISLAND/PACIFIC RIM
17.0	1.0	19	5	EUROPEAN COUNTRY
0.0	0.0	0	6	AFRICAN COUNTRY
	93.9	1,714	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 668-669

DB5 NATURAL MOTHER BORN IN THE U.S.

Was your natural mother born in the United States?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	85.0	1,553	1	YES
13.9	13.7	250	2	NO
	1.3	23	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 670-671

DB6 NATURAL FATHER BORN IN THE U.S.

Was your natural father born in the United States?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	81.8	1,493	1	YES
15.3	14.7	269	2	NO
	3.5	64	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 672-673

DB7 MEXICAN, CUBAN, OTHER LATIN DESCENT

Are you of Mexican, Puerto Rican, Cuban or any other Spanish-speaking background?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	27.8	507	1	YES
72.0	71.4	1,304	2	NO
	0.8	15	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 674-675

DB8 RACE

What best describes you? Are you...READ CATEGORIES AND CODE ONE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	ALASKAN NATIVE
4.6	4.5	83	2	NATIVE AMERICAN
1.4	1.4	26	3	ASIAN OR PACIFIC ISLANDER
17.9	17.8	325	4	BLACK, OR AFRICAN AMERICAN
61.2	60.9	1,112	5	WHITE
4.8	4.8	88	6	MIXTURE
10.0	10.0	182	7	OTHER
	0.4	8	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 676-677

DB9 LANGUAGES BESIDES ENGLISH SPOKEN

(As you were growing up, did/Do) you speak any language besides English with the people you (lived/live) with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	28.1	513	1	YES
71.9	71.8	1,311	2	NO
	0.1	2	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 678-679

DB9A OTHER LANGUAGE SPOKEN WHILE GROWING UP

If spoke a language besides English with the people you (lived/live) what language (was/is) that? CODE ONE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.5	18.2	332	1	SPANISH ONLY
9.5	2.6	48	2	OTHER LANGUAGE(S) ONLY
25.0	7.0	127	3	BOTH SPANISH AND OTHER LANGUAGE(S)
	72.2	1,319	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 680-681

DB10 ABILITY TO READ ENGLISH

Would you say your ability to read (English) is ... READ CATEGORIES AND CODE ONE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	44.6	815	1	EXCELLENT
34.4	34.3	626	2	GOOD
15.7	15.7	286	3	FAIR
5.1	5.1	93	4	POOR
	0.3	6	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 682-683

DB11 IN SCHOOL OR RECEIVING JOB TRAINING

Are you now in school, or receiving any job or skills training? (This includes vocational or technical schools, colleges, or working for your high school diploma).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	13.1	239	1	YES
86.8	86.6	1,582	2	NO
0.1	0.1	2	3	NEVER ATTENDED SCHOOL
	0.2	3	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 684-685

DB12 HIGH SCHOOL DIPLOMA OR GED

Do you have a high school diploma or a GED? (CODE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	45.3	827	1	YES, DIPLOMA
18.9	18.7	342	2	YES, GED
35.4	35.2	642	3	NO
0.1	0.1	2	4	NEVER ATTENDED SCHOOL
	0.7	13	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 686-687

DB12A YEAR RECEIVED DIPLOMA OR GED

In what year did you receive your (high school diploma/GED)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.2	22	1	1955 OR EARLIER
1.9	1.2	22	2	1956-1960
6.2	3.9	71	3	1961-1965
16.5	10.4	190	4	1966-1970
21.0	13.2	241	5	1971-1975
20.7	13.0	238	6	1976-1980
16.1	10.1	185	7	1981-1985
8.1	5.1	93	8	1986-1989
7.6	4.8	87	9	1990-1993
	37.1	677	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 688-689

DB13 HIGHEST GRADE OF SCHOOL ATTENDED

What is the highest grade or year of school you ever attended, even if you did not complete that grade? CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	1ST GRADE
0.0	0.0	0	2	2ND GRADE
0.0	0.0	0	3	3RD GRADE
0.0	0.0	0	4	4TH GRADE
0.0	0.0	0	5	5TH GRADE
1.2	1.2	22	6	6TH GRADE OR LESS
0.9	0.9	16	7	7TH GRADE
2.5	2.5	46	8	8TH GRADE
5.8	5.8	105	9	9TH GRADE
10.8	10.7	196	10	10TH GRADE
17.8	17.7	323	11	11TH GRADE
27.7	27.5	503	12	12TH GRADE
12.9	12.8	234	13	1 YEAR COLLEGE - TECHNICAL SCHOOL
11.8	11.8	215	14	2 YEARS COLLEGE - TECHNICAL SCHOOL
3.5	3.5	64	15	3 YEARS COLLEGE - TECHNICAL SCHOOL
3.4	3.3	61	16	4 YEARS COLLEGE - TECHNICAL SCHOOL
1.7	1.7	31	17	GRADUATE - PROFESSIONAL SCHOOL
0.1	0.1	1	18	NEVER ATTENDED SCHOOL
	0.5	9	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 690-691

DB14**EXPELLED OR SUSPENDED FROM SCHOOL**

(Were you ever/Have you ever been) expelled or suspended from school for more than a day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.6	51.3	936	1	YES
48.4	48.0	877	2	NO
	0.7	13	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 692-693

DB14A**EXPELLED MORE THAN ONE TIME**

Were you expelled or suspended from school more than one time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	38.3	700	1	YES
25.1	12.8	234	2	NO
	48.8	892	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 694-695

DB15**EVER BELONGED TO A STREET GANG**

Have you ever belonged to a street gang?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	16.1	294	1	YES
83.9	83.6	1,527	2	NO
	0.3	5	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 696-697

PARTICIPANT QUESTIONNAIRE: SECTION C. DRUG AND ALCOHOL USE HISTORY

DC1A USE INHALANTS 5 TIMES OR MORE

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use Inhalants five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	25.2	461	1	YES
74.7	74.6	1,363	2	NO
	0.1	2	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 698-699

DC1B USE MARIJUANA HASHISH 5 TIMES OR MORE

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use Marijuana/Hashish five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.1	83.1	1,517	1	YES
16.9	16.9	309	2	NO
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 700

DC3B AGE FIRST USED MARIJUANA HASHISH

About how old were you the first time you tried Marijuana/Hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	71.0	1,296	1	17 AND UNDER
9.6	7.9	145	2	18-20
2.3	1.9	35	3	21-24
1.5	1.2	22	4	25-29
0.7	0.6	11	5	30-34
0.3	0.3	5	6	35-39
0.1	0.1	2	7	40-44
0.1	0.1	1	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	16.9	309	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 701-702

DC1C USE CRACK 5 TIMES OR MORE

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use Crack five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	37.0	675	1	YES
63.0	63.0	1,150	2	NO
	0.1	1	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 703-704

DC3C AGE FIRST USED CRACK

About how old were you the first time you tried Crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	5.5	100	1	17 AND UNDER
13.8	5.1	93	2	18-20
17.7	6.5	119	3	21-24
21.7	8.0	146	4	25-29
14.9	5.5	100	5	30-34
10.5	3.9	71	6	35-39
4.3	1.6	29	7	40-44
1.6	0.6	11	8	45-49
0.4	0.2	3	9	50-54
0.1	0.1	1	10	55+
	63.1	1,153	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 705-706

DC1D USE COCAINE POWDER 5 TIMES OR MORE

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use Cocaine Powder five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	68.5	1,251	1	YES
31.5	31.5	575	2	NO
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 707

DC3D	AGE FIRST USED COCAINE POWDER
-------------	--------------------------------------

About how old were you the first time you tried Cocaine powder?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.8	21.7	396	1	17 AND UNDER
25.1	17.1	313	2	18-20
18.1	12.3	225	3	21-24
12.3	8.4	153	4	25-29
6.7	4.5	83	5	30-34
3.9	2.7	49	6	35-39
1.2	0.8	15	7	40-44
0.8	0.5	10	8	45-49
0.1	0.1	1	9	50-54
0.1	0.1	1	10	55+
	31.8	580	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 708-709

DC1E	USE PCP OR ANGEL DUST 5 TIMES OR MORE
-------------	--

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use PCP or angel dust five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	30.7	561	1	YES
69.2	69.2	1,263	2	NO
	0.1	2	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 710-711

DC1F USE HALLUCINOGEN/PSYCHED 5 TIMES OR MORE

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use Hallucinogens or Psychedelics/LSD etc five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	48.5	886	1	YES
51.4	51.3	936	2	NO
	0.2	4	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 712-713

DC1G USE HEROIN 5 TIMES OR MORE

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use Heroin five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	52.2	954	1	YES
47.8	47.8	872	2	NO
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Column: 714

DC3G

AGE FIRST USED HEROIN

About how old were you the first time you tried Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	17.3	316	1	17 AND UNDER
25.2	13.1	240	2	18-20
18.2	9.5	173	3	21-24
14.3	7.4	136	4	25-29
5.9	3.1	56	5	30-34
2.7	1.4	26	6	35-39
0.2	0.1	2	7	40-44
0.1	0.1	1	8	45-49
0.0	0.0	0	9	50-54
0.1	0.1	1	10	55+
	47.9	875	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 715-716

DC1H

USE ILLEGAL METHADONE 5 TIMES OR MORE

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use Illegal Methadone five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	11.8	216	1	YES
88.1	87.9	1,605	2	NO
	0.3	5	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 717-718

DC1I USE OTHER NARCOTICS FIVE TIMES OR MORE

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use Other Narcotics five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	31.8	580	1	YES
68.1	67.9	1,239	2	NO
	0.4	7	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 719-720

DC1J USE METHAMPHETAMINES FIVE TIMES OR MORE

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use Methamphetamines five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	53.5	977	1	YES
46.5	46.5	849	2	NO
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 721

DC3J AGE FIRST USED METHAMPHETAMINES

About how old were you the first time you tried Methamphetamines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.8	25.4	464	1	17 AND UNDER
21.3	11.3	207	2	18-20
11.9	6.3	115	3	21-24
11.8	6.2	114	4	25-29
4.6	2.5	45	5	30-34
2.1	1.1	20	6	35-39
0.2	0.1	2	7	40-44
0.2	0.1	2	8	45-49
0.0	0.0	0	9	50-54
0.1	0.1	1	10	55+
	46.9	856	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 722-723

DC1K USE DOWNERS 5 TIMES OR MORE

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use Downers five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	47.0	859	1	YES
53.0	53.0	967	2	NO
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Column: 724

DC3K AGE FIRST USED DOWNERS

About how old were you the first time you tried Downers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.5	29.3	535	1	17 AND UNDER
21.5	9.9	181	2	18-20
8.3	3.8	70	3	21-24
3.7	1.7	31	4	25-29
2.1	1.0	18	5	30-34
0.7	0.3	6	6	35-39
0.1	0.1	1	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	53.9	984	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 725-726

DC1L USED OTHER DRUGS 5 TIMES OR MORE

Next, I would like to ask you about your past use of street drugs, and your use of prescribed medicines to get high or for other nonmedical effects. Before (START MONTH SEGMENT 1), did you ever use Other Drugs five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	16.5	302	1	YES
83.3	82.7	1,510	2	NO
	0.8	14	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 727-728

DC3L AGE FIRST USED OTHER DRUGS

About how old were you the first time you tried
Other Drug?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.2	12.7	232	1	17 AND UNDER
9.9	1.6	29	2	18-20
6.8	1.1	20	3	21-24
2.0	0.3	6	4	25-29
0.7	0.1	2	5	30-34
1.0	0.2	3	6	35-39
0.3	0.1	1	7	40-44
0.0	0.0	0	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	84.0	1,533	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 729-730

DC2 HELP BOX/ AT LEAST ONE DRUG TYPE CODED

WAS AT LEAST ONE DRUG TYPE CODED "1" AT C1?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	95.7	1,748	1	YES
4.3	4.3	78	2	NO
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Column: 731

DC4_A # DAYS INHALANTS USED

Before (START DATE SEGMENT 1), in the month you used Inhalants the most, about how many days did you use Inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	2.2	41	1	1 DAY
33.7	7.0	128	2	2-5 DAYS
20.8	4.3	79	3	6-10 DAYS
13.7	2.8	52	4	11-20 DAYS
21.1	4.4	80	5	MORE THAN 20 DAYS
	79.2	1,446	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 732-733

DC4_B # DAYS MARIJUANA/HASH USED

Before (START DATE SEGMENT 1), in the month you used Marijuana/Hashish the most, about how many days did you use Marijuana/Hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.0	73	1	1 DAY
16.0	13.1	239	2	2-5 DAYS
10.0	8.2	149	3	6-10 DAYS
9.5	7.8	142	4	11-20 DAYS
59.7	49.0	894	5	MORE THAN 20 DAYS
	18.0	329	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 734-735

DC4_C	# DAYS CRACK USED
--------------	--------------------------

Before (START DATE SEGMENT 1), in the month you used Crack the most, about how many days did you use Crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	2.9	53	1	1 DAY
21.7	7.9	144	2	2-5 DAYS
15.0	5.5	100	3	6-10 DAYS
12.3	4.5	82	4	11-20 DAYS
43.0	15.7	286	5	MORE THAN 20 DAYS
	63.6	1,161	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 736-737

DC4_D	# DAYS COCAINE USED
--------------	----------------------------

Before (START DATE SEGMENT 1), in the month you used Cocaine powder the most, about how many days did you use Cocaine powder?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	6.6	120	1	1 DAY
24.9	16.9	308	2	2-5 DAYS
14.2	9.6	176	3	6-10 DAYS
11.4	7.7	141	4	11-20 DAYS
39.8	27.0	493	5	MORE THAN 20 DAYS
	32.2	588	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 738-739

DC4_E # DAYS PCP OR ANGEL DUST USED

Before (START DATE SEGMENT 1), in the month you used PCP or Angel Dust the most, about how many days did you use PCP or Angel Dust?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	6.1	111	1	1 DAY
32.9	9.2	168	2	2-5 DAYS
16.4	4.6	84	3	6-10 DAYS
9.8	2.7	50	4	11-20 DAYS
19.2	5.4	98	5	MORE THAN 20 DAYS
	72.0	1,315	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 740-741

DC4_F # DAYS HALLUCINOGEN/PSYCHED USED

Before (START DATE SEGMENT 1), in the month you used Hallucinogens or Psychedelics/LSD etc the most, about how many days did you use Hallucinogens or Psychedelics/LSD etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	9.5	173	1	1 DAY
40.6	17.6	321	2	2-5 DAYS
14.6	6.3	115	3	6-10 DAYS
10.1	4.4	80	4	11-20 DAYS
12.8	5.5	101	5	MORE THAN 20 DAYS
	56.7	1,036	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 742-743

DC4_G	# DAYS HEROIN USED
--------------	---------------------------

Before (START DATE SEGMENT 1), in the month you used Heroin the most, about how many days did you use Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	1.6	30	1	1 DAY
10.6	5.5	100	2	2-5 DAYS
5.6	2.9	53	3	6-10 DAYS
4.0	2.1	38	4	11-20 DAYS
76.5	39.4	720	5	MORE THAN 20 DAYS
	48.5	885	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 744-745

DC4_H	# DAYS ILLEGAL METHADONE USED
--------------	--------------------------------------

Before (START DATE SEGMENT 1), in the month you used Illegal Methadone the most, about how many days did you use Illegal Methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	1.7	31	1	1 DAY
38.7	3.8	70	2	2-5 DAYS
17.7	1.8	32	3	6-10 DAYS
3.3	0.3	6	4	11-20 DAYS
23.2	2.3	42	5	MORE THAN 20 DAYS
	90.1	1,645	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 746-747

DC4_I # DAYS OTHER NARCOTICS USED

Before (START DATE SEGMENT 1), in the month you used Other Narcotics the most, about how many days did you use Other Narcotics?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.8	2.8	51	1	1 DAY
25.6	7.3	133	2	2-5 DAYS
16.6	4.7	86	3	6-10 DAYS
11.8	3.3	61	4	11-20 DAYS
36.2	10.3	188	5	MORE THAN 20 DAYS
	71.6	1,307	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 748-749

DC4_J # DAYS METHAMPHETAMINE USED

Before (START DATE SEGMENT 1), in the month you used Methamphetamines the most, about how many days did you use Methamphetamines?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.0	3.7	67	1	1 DAY
24.0	12.6	230	2	2-5 DAYS
11.6	6.1	111	3	6-10 DAYS
11.8	6.2	113	4	11-20 DAYS
45.7	24.0	438	5	MORE THAN 20 DAYS
	47.5	867	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 750-751

DC4_K	# DAYS DOWNERS USED
--------------	----------------------------

Before (START DATE SEGMENT 1), in the month you used Downers the most, about how many days did you use Downers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	3.5	64	1	1 DAY
29.9	13.7	250	2	2-5 DAYS
16.0	7.3	134	3	6-10 DAYS
11.7	5.4	98	4	11-20 DAYS
34.8	15.9	291	5	MORE THAN 20 DAYS
	54.2	989	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 752-753

DC4_L	# DAYS OTHER DRUGS USED
--------------	--------------------------------

Before (START DATE SEGMENT 1), in the month you used Other Drugs the most, about how many days did you use Other Drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.5	10	1	1 DAY
15.1	2.4	44	2	2-5 DAYS
14.8	2.4	43	3	6-10 DAYS
13.7	2.2	40	4	11-20 DAYS
52.9	8.4	154	5	MORE THAN 20 DAYS
	84.1	1,535	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 754-755

DC5M1 INHALANT MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

... Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	9	1	YES
99.5	98.5	1,799	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 756-757

DC5M2 MARIJUANA/HASHISH MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

... Marijuana/Hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	26.5	484	1	YES
73.2	72.5	1,324	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 758-759

DC5M3 CRACK MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

... Crack

PCT VALID	PCT ALL	N	VALUE	LABEL
11.3	11.2	204	1	YES
88.7	87.8	1,604	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 760-761

DC5M4 COCAINE POWDER MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

... Cocaine Powder

PCT VALID	PCT ALL	N	VALUE	LABEL
22.6	22.3	408	1	YES
77.4	76.7	1,400	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 762-763

DC5M5 PCP OR ANGEL DUST MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?
 PCP or angel dust

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	44	1	YES
97.6	96.6	1,764	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 764-765

DC5M6 HALLUCINOGEN/PSYCHED MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?
 Hallucinogens or Psychedelics, LSD, etc

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	37	1	YES
98.0	97.0	1,771	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 766-767

DC5M7 HEROIN MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

.... Heroin

PCT VALID	PCT ALL	N	VALUE	LABEL
40.2	39.8	727	1	YES
59.8	59.2	1,081	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 768-769

DC5M8 ILLEGAL METHADONE MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

.... Illegal methadone

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.3	6	1	YES
99.7	98.7	1,802	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 770-771

DC5M9 OTHER NARCOTICS MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

.... Other narcotics

PCT VALID	PCT ALL	N	VALUE	LABEL
1.4	1.4	25	1	YES
98.6	97.6	1,783	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 772-773

DC5M10 METHAMPHETAMINES MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

.... Methamphetamines

PCT VALID	PCT ALL	N	VALUE	LABEL
15.3	15.1	276	1	YES
84.7	83.9	1,532	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 774-775

DC5M11 DOWNERS MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

.... Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	54	1	YES
97.0	96.1	1,754	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 776-777

DC5M12 OTHER DRUGS MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

.... Other Drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	28	1	YES
98.5	97.5	1,780	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 778-779

DC5M13 ALCOHOL MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

.... Alcohol

PCT VALID	PCT ALL	N	VALUE	LABEL
41.9	41.5	757	1	YES
58.1	57.6	1,051	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 780-781

DC5M14 RITALIN OR PRELUDIN MAIN DRUG USED

Before (START MONTH SEGMENT 1), what was the main drug or drug combination, including alcohol, that you used?

.... Ritalin or Preludin

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	1	1	YES
99.9	99.0	1,807	2	NO
	1.0	18	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 782-783

DC6_A**WITH FRIENDS THE FIRST TIME TRYING**

The first time you tried (DRUGS CODED AT C5), were you with
...Friends, not including a boyfriend or a girlfriend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	78.8	1,439	1	YES
20.1	19.8	361	2	NO
	1.4	26	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 784-785

DC6_B**WITH BOY/GIRLFRIEND FIRST TIME TRYING**

The first time you tried (DRUGS CODED AT C5), were you with
...Boyfriend or girlfriend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	25.4	463	1	YES
74.1	72.6	1,326	2	NO
	2.0	37	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 786-787

DC6_C WITH SPOUSE/PARTNER FIRST TIME TRYING

The first time you tried (DRUGS CODED AT C5), were you with ...Spouse or partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	11.7	213	1	YES
88.1	86.2	1,574	2	NO
	2.1	39	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 788-789

DC6_D WITH BROTHERS AND/OR SISTERS FIRST TIME

The first time you tried (DRUGS CODED AT C5), were you with ...Brothers and/or sisters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	15.9	291	1	YES
83.8	82.4	1,504	2	NO
	1.7	31	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 790-791

DC6_E	WITH PARENTS FIRST TIME TRYING
--------------	---------------------------------------

The first time you tried (DRUGS CODED AT C5), were you with ...Parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.1	93	1	YES
94.8	93.1	1,700	2	NO
	1.8	33	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 792-793

DC6_F	WITH OTHER FAMILY MEMBERS FIRST TIME
--------------	---

The first time you tried (DRUGS CODED AT C5), were you with ...Other family members?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.7	195	1	YES
89.1	87.6	1,599	2	NO
	1.8	32	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 794-795

DC6_G WITH SOMEONE ELSE FIRST TIME TRYING

The first time you tried (DRUGS CODED AT C5), were you with ... Someone else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	9.6	176	1	YES
90.1	88.1	1,609	2	NO
	2.2	41	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 796-797

DC6_H WITH NO ONE THE FIRST TIME TRYING

The first time you tried (DRUGS CODED AT C5), were you with ...NO ONE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.7	67	1	YES
	96.3	1,759	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 798-799

DC7 **EVER GO TO HOSPITAL BECAUSE OF OVERDOSE**

Before (START MONTH SEGMENT 1), did you ever go to the hospital because of a drug overdose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	22.9	418	1	YES
77.1	76.9	1,405	2	NO
	0.2	3	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 800-801

DC8 **SEEK PROFESSIONAL HELP OR TREATMENT**

Before (START MONTH SEGMENT 1) did you ever go to anyone for professional help or treatment for using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	54.2	989	1	YES
45.7	45.7	834	2	NO
	0.2	3	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 802-803

DC8_A **# TIMES GO FOR PROFESSIONAL HELP**

How many times did you go for professional help or treatment for using drugs before (START MONTH SEGMENT 1)?

1,826 cases (Range of valid codes: 1-365)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 804-806

DC9 **EVER USE NEEDLE TO INJECT DRUGS**

Before (START MONTH SEGMENT 1), did you ever, even one time, use a needle to inject drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.0	57.8	1,056	1	YES
42.0	41.8	764	2	NO
	0.3	6	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 807-808

DC9_A **SOMEONE ELSE EVER USE NEEDLE TO INJECT**

Did someone else ever use a needle to inject you with drugs for you to get high or for other non-medical effects before (START MONTH SEGMENT)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	1.0	18	1	YES
97.6	40.4	738	2	NO
	58.6	1,070	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 809-810

DC10 EVER HAVE A DRINK OF ALCOHOL

Now I would like to ask about your use of alcoholic beverages. By alcoholic beverages I mean beer, malt liquors, wine, wine coolers and hard liquor, such as vodka and mixed drinks. Before (START MONTH SEGMENT 1), did you ever have a drink of alcohol? By a drink, I mean either a can of beer, a glass of wine or a wine cooler, a shot of hard liquor, or a single mixed drink.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	93.3	1,703	1	YES
6.5	6.5	118	2	NO
	0.3	5	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 811-812

DC10_A # DAYS DRINK THAT MONTH

Before (START MONTH SEGMENT 1), think about the month you were drinking the most. How many days did you drink that month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.3	96	2	ONE DAY
13.8	12.9	235	3	2-5 DAYS
12.1	11.2	205	4	6-10 DAYS
11.9	11.1	202	5	11-20 DAYS
56.6	52.6	961	6	MORE THAN 20 DAYS
	7.0	127	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 813-814

DC11_1 DRINK BEER/MALT LIQUOR ON A TYPICAL DAY

Still think about the month you were drinking the most. On a typical drinking day, did you drink any Beer / Malt Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.5	75.7	1,382	1	YES
18.5	17.2	314	2	NO
	7.1	130	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 815-816

DC12_1	AMOUNT OF BEER/MALT LIQUOR CONSUMED
--------	-------------------------------------

C12. On a typical drinking day, about how much Beer / Malt Liquor did you usually drink? (quantity)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	17.4	317	1	
26.0	19.4	355	2	
9.5	7.1	130	3	
9.8	7.3	134	4	
1.9	1.4	26	5	
8.0	6.0	109	6	
0.7	0.5	10	7	
3.2	2.4	43	8	
1.0	0.7	13	9	
2.1	1.6	29	10	
0.1	0.1	1	11	
8.3	6.2	113	12	
0.2	0.2	3	13	
0.1	0.1	2	14	
0.3	0.2	4	15	
0.2	0.2	3	16	
0.1	0.1	1	17	
0.9	0.7	12	18	
0.5	0.4	7	20	
2.9	2.1	39	24	
0.1	0.1	1	27	
0.1	0.1	2	30	
0.2	0.2	3	36	
0.4	0.3	6	48	
0.1	0.1	1	50	
	25.3	462	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 817-818

DC12_A1 STANDARD MEASURE FOR AMOUNT CONSUMED

C12. On a typical drinking day, about how much Beer / Malt Liquor did you usually drink? (Code... Bottles, Cans, Pints, etc)

PCT VALID	PCT ALL	N	VALUE	LABEL
13.9	10.2	187	1	BOTTLES
38.3	28.2	515	2	CANS
0.9	0.7	12	3	GLASSES
38.6	28.5	520	4	SIX PACKS
0.1	0.1	1	5	1/2 PINTS
0.2	0.2	3	6	PINTS
6.0	4.4	81	7	QUARTS
0.0	0.0	0	8	FIFTHS
0.0	0.0	0	9	DRINKS
0.0	0.0	0	10	SHOTS
2.0	1.5	27	11	OTHER
	26.3	480	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 819-820

DC11_2 DRINK WINE/WINE COOLERS ON A TYPICAL DAY

Still think about the month you were drinking the most. On a typical drinking day, did you drink any Wine/ Wine Coolers?

PCT VALID	PCT ALL	N	VALUE	LABEL
39.6	36.6	669	1	YES
60.4	56.0	1,022	2	NO
	7.4	135	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 821-822

DC12_2	AMOUNT OF WINE/WINE COOLERS CONSUMED
--------	--------------------------------------

C12. On a typical drinking day, about how much Wine/ Wine Coolers did you usually drink? (quantity)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	13.4	244	1	
26.1	9.4	171	2	
10.7	3.8	70	3	
13.7	4.9	90	4	
2.6	0.9	17	5	
3.7	1.3	24	6	
0.5	0.2	3	7	
3.5	1.3	23	8	
0.2	0.1	1	9	
0.6	0.2	4	10	
0.6	0.2	4	12	
0.2	0.1	1	15	
0.3	0.1	2	16	
0.2	0.1	1	30	
	64.1	1,171	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 823-824

DC12_A2 STANDARD MEASURE FOR AMOUNT CONSUMED

C12. On a typical drinking day, about how much Wine/ Wine Coolers did you usually drink? (Code... Bottles, Cans, Pints, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.6	18.2	333	1	BOTTLES
0.2	0.1	1	2	CANS
15.7	5.6	103	3	GLASSES
0.9	0.3	6	4	SIX PACKS
0.0	0.0	0	5	1/2 PINTS
1.4	0.5	9	6	PINTS
12.6	4.5	83	7	QUARTS
15.3	5.5	101	8	FIFTHS
0.0	0.0	0	9	DRINKS
0.0	0.0	0	10	SHOTS
3.3	1.2	22	11	OTHER
	64.0	1,168	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 825-826

DC11_3 DRINK LIQUOR ON A TYPICAL DAY

Still think about the month you were drinking the most. On a typical drinking day, did you drink any Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	60.2	1,099	1	YES
35.1	32.5	594	2	NO
	7.3	133	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 827-828

DC12_3 AMOUNT OF LIQUOR CONSUMED

C12. On a typical drinking day, about how much Liquor did you usually drink? (quantity)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	35.7	651	1	
16.6	9.6	176	2	
7.8	4.5	83	3	
4.1	2.4	44	4	
3.0	1.8	32	5	
1.8	1.0	19	6	
1.0	0.6	11	7	
0.8	0.5	9	8	
0.1	0.1	1	9	
1.6	0.9	17	10	
0.2	0.1	2	11	
0.5	0.3	5	12	
0.1	0.1	1	13	
0.1	0.1	1	14	
0.2	0.1	2	15	
0.1	0.1	1	18	
0.4	0.2	4	20	
0.1	0.1	1	23	
0.1	0.1	1	30	
0.1	0.1	1	55	
	41.8	764	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 829-830

DC12_A3 STANDARD MEASURE FOR AMOUNT CONSUMED

C12. On a typical drinking day, about how much Liquor did you usually drink? (Code... Bottles, Cans, Pints, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BOTTLES
0.0	0.0	0	2	CANS
0.0	0.0	0	3	GLASSES
0.0	0.0	0	4	SIX PACKS
16.0	9.5	174	5	1/2 PINTS
27.2	16.2	296	6	PINTS
10.0	6.0	109	7	QUARTS
16.4	9.7	178	8	FIFTHS
18.8	11.2	204	9	DRINKS
11.7	7.0	127	10	SHOTS
	40.4	738	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 831-832

DC14 EVER IN HOSPITAL BECAUSE OF DRINKING

Before (START MONTH SEGMENT 1), did you ever go to the hospital because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	17.0	311	1	YES
81.8	76.4	1,395	2	NO
	6.6	120	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 833-834

DC15

GO FOR PROFESSIONAL HELP FOR DRINKING

Before, (START MONTH SEGMENT 1), did you ever go to anyone for professional help for your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	22.3	408	1	YES
76.1	71.1	1,299	2	NO
	6.5	119	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 835-836

DC15A # TIMES GO FOR PROFESSIONAL HELP

How many times did you go for professional help for your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	6.4	116	1	
17.0	3.7	67	2	
11.9	2.6	47	3	
8.6	1.9	34	4	
10.4	2.2	41	5	
2.8	0.6	11	6	
2.3	0.5	9	7	
2.0	0.4	8	8	
0.3	0.1	1	9	
3.8	0.8	15	10	
1.8	0.4	7	12	
0.3	0.1	1	14	
1.0	0.2	4	15	
0.3	0.1	1	16	
1.8	0.4	7	20	
0.3	0.1	1	21	
0.3	0.1	1	24	
0.3	0.1	1	25	
0.3	0.1	1	26	
1.3	0.3	5	30	
0.3	0.1	1	36	
0.3	0.1	1	40	
0.3	0.1	1	48	
0.3	0.1	1	50	
1.3	0.3	5	52	
0.3	0.1	1	90	
0.3	0.1	1	96	
1.0	0.2	4	100	
0.3	0.1	1	104	
0.3	0.1	1	300	
	78.4	1,431	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 837-839

DC16A	EVER ATTEND ALCOHOLIC ANONYMOUS
--------------	--

Before (START MONTH SEGMENT 1), did you ever attend any ...
Alcoholics Anonymous meetings

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	48.0	877	1	YES
48.6	45.3	828	2	NO
	6.6	121	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 840-841

DC16B	EVER ATTEND NARCOTICS ANONYMOUS
--------------	--

Before (START MONTH SEGMENT 1), did you ever attend any ...
Narcotics Anonymous meetings

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	35.9	656	1	YES
61.3	57.0	1,040	2	NO
	7.1	130	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 842-843

DC16C EVER ATTEND COCAINE ANONYMOUS

Before (START MONTH SEGMENT 1), did you ever attend any ...
Cocaine Anonymous meetings

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	12.2	222	1	YES
86.9	80.7	1,473	2	NO
	7.2	131	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 844-845

DC17 HELP BOX/ ANY MEETINGS CODED YES

(Interviewer Checkpoint) IS ANY ITEM CODED "1" AT C16?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.4	54.7	998	1	YES
41.6	38.9	710	2	NO
	6.5	118	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 846-847

DC17A ATTEND FIVE OR MORE MEETINGS

Before (START MONTH SEGMENT 1), did you attend five or more
of any of these meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	45.8	836	1	YES
16.0	8.7	159	2	NO
	45.5	831	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 848-849

PARTICIPANT QUESTIONNAIRE: SECTION D. MENTAL AND PHYSICAL HEALTH HISTORY

DD1 SAD, DEPRESSED FOR AT LEAST 2 WKS

Before (START MONTH/YEAR OF SEGMENT 1), did you ever have at least 2 weeks when you felt very sad, blue or depressed, and you lost interest or pleasure in things you usually cared about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	76.8	1,402	1	YES
23.0	22.9	419	2	NO
	0.3	5	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 850-851

DD1A ALL/SOME/NONE RESULT OF DRUG/ALCOHOL

Were all, some, or none of these times [feeling very sad, very blue, or depressed] a direct result of your alcohol/drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	30.2	552	1	ALL
42.4	32.4	592	2	SOME
18.1	13.9	253	3	NONE
	23.5	429	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 852-853

DD1B AGE DEPRESSION FELT BUT NOT FROM ALCOHOL

How old were you when you first felt like this [feeling very sad, very blue, or depressed] when it was not the result of alcohol or drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	22.3	408	1	17 AND UNDER
15.3	6.5	119	2	18-20
10.1	4.3	79	3	21-24
10.0	4.3	78	4	25-29
6.2	2.6	48	5	30-34
2.8	1.2	22	6	35-39
2.6	1.1	20	7	40-44
0.3	0.1	2	8	45-49
0.1	0.1	1	9	50-54
0.4	0.2	3	10	55+
	57.3	1,046	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 854-855

DD2 EVER ATTEMPT SUICIDE

Before (START MONTH SEGMENT 1), did you ever attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	23.9	436	1	YES
76.0	75.8	1,384	2	NO
	0.3	6	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 856-857

DD2A	# OF TIMES ATTEMPTED SUICIDE
-------------	-------------------------------------

How many times did you attempt suicide before (START MONTH SEGMENT 1)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	9.9	181	1	
27.6	6.5	118	2	
11.0	2.6	47	3	
6.6	1.5	28	4	
3.5	0.8	15	5	
0.9	0.2	4	6	
1.2	0.3	5	7	
0.5	0.1	2	8	
0.2	0.1	1	9	
1.9	0.4	8	10	
0.2	0.1	1	11	
0.2	0.1	1	13	
1.2	0.3	5	15	
0.2	0.1	1	17	
1.2	0.3	5	20	
0.2	0.1	1	21	
0.5	0.1	2	30	
0.2	0.1	1	42	
0.2	0.1	1	82	
	76.6	1,399	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 858-859

DD2B SUICIDE ATTEMPTS THE RESULT OF DRUGS

Were all, some, or none of those [suicide] attempts the result of the effects of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	11.0	200	1	ALL
23.6	5.6	102	2	SOME
30.3	7.2	131	3	NONE
	76.3	1,393	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 860-861

DD3 EVER HAVE TROUBLE CONTROLLING TEMPER

Before (START MONTH SEGMENT 1), did you ever have trouble controlling your temper or violent behavior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	55.9	1,020	1	YES
44.0	43.8	800	2	NO
	0.3	6	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 862-863

DD3A TROUBLE CONTROL TEMPER RESULT OF USAGE

Were all, some, or none of the times you had trouble controlling your temper or violent behavior the result of alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	23.0	420	1	ALL
43.0	24.0	438	2	SOME
15.7	8.8	160	3	NONE
	44.2	808	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 864-865

DD4 HAVE HALLUCINATIONS OR DELUSIONS

Before (START MONTH SEGMENT 1), did you have hallucinations or delusions, that is, did you see or hear things that no one else could see or hear or did you think that someone else controlled your thoughts?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	33.8	617	1	YES
66.1	65.9	1,203	2	NO
	0.3	6	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 866-867

DD4A HALLUCINATIONS/DELUSIONS RESULT OF USAGE

Were all, some, or none of these hallucinations a direct result of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.7	25.8	471	1	ALL
16.9	5.7	104	2	SOME
6.4	2.1	39	3	NONE
	66.4	1,212	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 868-869

DD5 OVERNIGHT STAY IN HOSPITAL FOR EMOTION

Before (START MONTH SEGMENT 1), did you ever stay overnight in a hospital or clinic for treatment of your emotions, nerves, or mental health that wasn't the result of drugs or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.1	221	1	YES
87.9	87.6	1,600	2	NO
	0.3	5	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 870-871

DD5A

AGE FIRST STAYED OVERNIGHT IN HOSPITAL

How old were you the first time you stayed overnight in a hospital or clinic somewhere for treatment of these [emotions, nerves, or mental health] problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	4.1	75	1	17 AND UNDER
13.0	1.5	28	2	18-20
13.4	1.6	29	3	21-24
19.9	2.4	43	4	25-29
10.2	1.2	22	5	30-34
6.0	0.7	13	6	35-39
2.3	0.3	5	7	40-44
0.5	0.1	1	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	88.2	1,610	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 872-873

DD6	# OF TIMES IN HOSPITAL OVERNIGHT
-----	----------------------------------

Before (START MONTH SEGMENT 1), how many times did you ever stay overnight in a hospital or clinic for treatment of your emotions, nerves, or your mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	5.9	107	0	
35.3	6.4	116	1	
9.4	1.7	31	2	
6.1	1.1	20	3	
3.3	0.6	11	4	
3.0	0.5	10	5	
1.2	0.2	4	6	
0.3	0.1	1	7	
1.2	0.2	4	8	
0.3	0.1	1	9	
1.2	0.2	4	10	
1.5	0.3	5	12	
0.6	0.1	2	15	
1.5	0.3	5	20	
0.9	0.2	3	21	
0.3	0.1	1	22	
0.3	0.1	1	25	
0.3	0.1	1	28	
0.6	0.1	2	30	
	82.0	1,497	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 874-875

DD7A

PROBLEM WITH SERIOUS BREATHING CONDITION

Next, I want to ask you some questions about some physical health problems you may have had. I'm going to read a list of illnesses or conditions that can cause a person pain, limit a person's activities, or cause other health problems. Before (START MONTH SEGMENT 1), did you have any problems with

... serious breathing condition, such as bronchitis or tuberculosis ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	22.9	419	1	YES
77.0	76.8	1,403	2	NO
	0.2	4	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 876-877

DD7B

PROBLEM WITH SERIOUS HEART/BLOOD COND

Next, I want to ask you some questions about some physical health problems you may have had. I'm going to read a list of illnesses or conditions that can cause a person pain, limit a person's activities, or cause other health problems. Before (START MONTH SEGMENT 1), did you have any problems with

... serious heart or blood condition, including high blood pressure, or anemia?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	17.9	326	1	YES
82.1	81.8	1,493	2	NO
	0.4	7	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 878-879

DD7C

PROBLEM WITH HEPATITIS/YELLOW JAUNDICE

Next, I want to ask you some questions about some physical health problems you may have had. I'm going to read a list of illnesses or conditions that can cause a person pain, limit a person's activities, or cause other health problems. Before (START MONTH SEGMENT 1), did you have any problems with

...hepatitis or yellow jaundice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	23.2	423	1	YES
76.8	76.6	1,399	2	NO
	0.2	4	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 880-881

DD7D

PROBLEM WITH SERIOUS INTERNAL CONDITION

Next, I want to ask you some questions about some physical health problems you may have had. I'm going to read a list of illnesses or conditions that can cause a person pain, limit a person's activities, or cause other health problems. Before (START MONTH SEGMENT 1), did you have any problems with

... serious internal condition, such as stomach ulcers, sugar diabetes, or kidney or liver problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	24.4	445	1	YES
75.5	75.3	1,375	2	NO
	0.3	6	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 882-883

DD7E PROBLEM WITH SERIOUS BONE/MUSCLE COND

Next, I want to ask you some questions about some physical health problems you may have had. I'm going to read a list of illnesses or conditions that can cause a person pain, limit a person's activities, or cause other health problems. Before (START MONTH SEGMENT 1), did you have any problems with

... serious bone or muscle condition, such as being paralyzed, bad arthritis, limping, or bursitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	18.6	340	1	YES
81.3	81.2	1,483	2	NO
	0.2	3	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 884-885

DD7F

PROBLEM WITH SERIOUS NERVE CONDITION

Next, I want to ask you some questions about some physical health problems you may have had. I'm going to read a list of illnesses or conditions that can cause a person pain, limit a person's activities, or cause other health problems. Before (START MONTH SEGMENT 1), did you have any problems with

... serious nerve condition, such as convulsions, epilepsy, or migraine headaches? Please do not include any mental health problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	23.8	434	1	YES
76.2	75.9	1,386	2	NO
	0.3	6	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 886-887

DD7G

PROBLEM WITH FEMALE CONDITION

Next, I want to ask you some questions about some physical health problems you may have had. I'm going to read a list of illnesses or conditions that can cause a person pain, limit a person's activities, or cause other health problems. Before (START MONTH SEGMENT 1), did you have any problems with

...FEMALE R ONLY: Miscarriage, Toxemia, bad Pap smear, or other serious female condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	13.8	252	1	YES
61.8	22.3	407	2	NO
	63.9	1,167	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 888-889

DD7H

PROBLEM WITH ANY STD OTHER THAN AIDS

Next, I want to ask you some questions about some physical health problems you may have had. I'm going to read a list of illnesses or conditions that can cause a person pain, limit a person's activities, or cause other health problems. Before (START MONTH SEGMENT 1), did you have any problems with

...syphilis, gonorrhea, or genital herpes, or any other sexually transmitted disease other than AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	24.4	446	1	YES
74.8	72.7	1,327	2	NO
	2.9	53	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 890-891

DD8 BLOOD TEST FOR AIDS

Before (START MONTH SEGMENT 1), did you ever have a blood test for the AIDS virus?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	50.7	925	1	YES
49.2	49.0	895	2	NO
	0.3	6	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 892-893

DD8A RESULTS OF TEST FOR AIDS

Do you know the results of that (last) test [for the AIDS virus]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	48.2	880	1	YES
4.8	2.4	44	2	NO
	49.4	902	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 894-895

DD10 EVER HOSPITALIZED FOR PHYSICAL HEALTH

Before (START MONTH SEGMENT 1), were you ever hospitalized for physical health problems? Do not include a normal pregnancy, treatment for alcohol or drug use, or detox.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	48.1	878	1	YES
51.5	51.1	933	2	NO
	0.8	15	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 896-897

DD10A

OF TIMES HOSPITALIZED FOR HEALTH

How many times [Hospitalized for physical health probs]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.7	19.4	354	1	
23.0	11.0	200	2	
12.4	5.9	108	3	
6.3	3.0	55	4	
6.1	2.9	53	5	
3.0	1.4	26	6	
2.1	1.0	18	7	
1.1	0.5	10	8	
0.3	0.2	3	9	
1.4	0.7	12	10	
0.1	0.1	1	11	
0.3	0.2	3	12	
0.7	0.3	6	15	
0.1	0.1	1	16	
0.1	0.1	1	18	
0.8	0.4	7	20	
0.1	0.1	1	22	
0.1	0.1	1	26	
0.3	0.2	3	30	
0.2	0.1	2	36	
0.1	0.1	1	40	
0.2	0.1	2	60	
0.1	0.1	1	70	
0.1	0.1	1	75	
	52.4	956	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 898-899

PARTICIPANT QUESTIONNAIRE: SECTION E. ILLEGAL ACTIVITIES HISTORY

DE1 EVER ARRESTED

Before (START MONTH SEGMENT 1), were you ever arrested?

PCT VALID	PCT ALL	N	VALUE	LABEL
82.0	81.8	1,493	1	YES
18.0	18.0	328	2	NO
	0.3	5	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 900-901

DE1A # TIMES ARRESTED

About how many times were you arrested before (START MONTH SEGMENT 1)?

1,826 cases (Range of valid codes: 1-85)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 902-903

DE1B	AGE AT FIRST ARREST
-------------	----------------------------

How old were you the first time you were arrested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.4	36.9	673	1	17 AND UNDER
22.4	18.2	332	2	18-20
11.5	9.4	171	3	21-24
10.7	8.7	159	4	25-29
5.9	4.8	87	5	30-34
2.8	2.3	42	6	35-39
0.9	0.8	14	7	40-44
0.3	0.2	4	8	45-49
0.1	0.1	1	9	50-54
0.0	0.0	0	10	55+
	18.8	343	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 904-905

DE1CMDRG	MAIN CHARGE: DRUG LAW VIOLATIONS
-----------------	---

Indicates a response of "yes" in at least one (1) of the following original variables:

What was/were the main charge(s) you were arrested for?

DE1CM1 DRUG POSSESSION

DE1CM2 DRUG SALE OR MANUFACTURING

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	24.3	443	1	YES
70.2	57.2	1,044	2	NO
	18.6	339	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric

Missing-data code: -9

Columns: 910-911

DE1CMPER MAIN CHARGE: CRIMES AGAINST PERSONS

Indicates a response of "yes" in at least one (1) of the following original variables:

What was/were the main charge(s) you were arrested for?

- DE1CM3 ARMED/FORCED ROBBERY MAIN CHARGE
- DE1CM4 AGGRAVATED ASSAULT
- DE1CM5 FORCIBLE RAPE, SEXUAL ASSAULT
- DE1CM6 MURDER, MANSLAUGHTER, HOMICIDE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	15.5	283	1	YES
81.0	65.9	1,204	2	NO
	18.6	339	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data code: -9
 Columns: 906-907

DE1CMPRO MAIN CHARGE: CRIMES AGAINST PROPERTY

Indicates a response of "yes" in at least one (1) of the following original variables:

What was/were the main charge(s) you were arrested for?

- DE1CM8 FORGERY, PASSING BAD CHECKS
- DE1CM9 MOTOR VEHICLE THEFT
- DE1CM10 BREAKING AND ENTERING, BURGLARY
- DE1CM12 OTHER THEFT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	30.6	559	1	YES
62.4	50.8	928	2	NO
	18.6	339	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data code: -9
 Columns: 908-909

DE1CMPUB MAIN CHARGE: OFFENSES AGAINST PUBLIC ORDER

Indicates a response of "yes" in at least one (1) of the following original variables:

What was/were the main charge(s) you were arrested for?

- DE1CM11 PIMPING, PROCURING
- DE1CM14 PROSTITUTION, SOLICITATION
- DE1CM15 VIOLATION OF PAROLE
- DE1CM16 OTHER PUBLIC ORDER OFFENSES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	27.9	509	1	YES
65.8	53.6	978	2	NO
	18.6	339	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data code: -9
 Columns: 912-913

DE1CM13 MAIN CHARGE: DRIVING WHILE INTOXICATED

What was/were the main charge(s) you were arrested for?

... Driving while intoxicated (DWI), Driving under the influence (DUI)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	20.3	371	1	YES
75.1	61.1	1,116	2	NO
	18.6	339	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data code: -9
 Columns: 914-915

DE1CM17 MAIN CHARGE: CHARGE UNABLE TO BE CODED

What was/were the main charge(s) you were arrested for?

... CANNOT CODE CHARGE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	7.3	133	1	YES
91.1	74.2	1,354	2	NO
	18.6	339	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 916-917

DE2DRG ILLEGAL INVOLVEMENT: DRUG LAW VIOLATIONS

Indicates a response of "yes" or a coded drug law violation in at least one (1) of the following original variables:

DE2C SELL DRUGS OR HELP SOMEONE SELL DRUGS
 DE2NCODE CODE FOR ANYTHING ELSE AGAINST LAW

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.7	58.5	1,068	1	YES
41.3	41.1	750	2	NO
	0.4	8	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 922-923

DE2DWI ILLEGAL INVOLVEMENT: DRIVING WHILE INTOXICATED

Indicates a response of "Driving while intoxicated" in the following original variable:

DE2NCODE CODE FOR ANYTHING ELSE AGAINST LAW

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.8	14	1	YES
92.6	9.6	176	2	NO
	89.6	1,636	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 926-927

DE2OTH ILLEGAL INVOLVEMENT: CANNOT CHARGE CODE

Indicates a response of "Cannot code charge" in the following original variable:

DE2NCODE CODE FOR ANYTHING ELSE AGAINST LAW

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	1.4	26	1	YES
86.3	9.0	164	2	NO
	89.6	1,636	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 928-929

DE2PER

ILLEGAL INVOLVEMENT: CRIMES AGAINST PERSONS

Indicates a response of "yes" or a coded crime against persons in at least one (1) of the following original variables:

- DE2H EVER USE A WEAPON OR PHYSICAL FORCE
- DE2J THREATEN OR ATTACK SOMEONE WITH WEAPON
- DE2K FORCE SOMEONE TO HAVE SEX AGAINST WILL
- DE2L KILL SOMEONE, OTHER THAN BY ACCIDENT
- DE2NCODE CODE FOR ANYTHING ELSE AGAINST LAW

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	30.0	548	1	YES
69.9	69.8	1,274	2	NO
	0.2	4	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data code: -9
 Columns: 918-919

DE2PRO

ILLEGAL INVOLVEMENT: CRIMES AGAINST PROPERTY

Indicates a response of "yes" or a coded crime against property in at least one (1) of the following original variables:

- DE2B STEAL A VEHICLE
- DE2F PASS/FORGE CHECKS/USE STOLEN CARD
- DE2G BREAK IN HOUSE, BUSINESS OR VEHICLE
- DE2I SET FIRE TO HOUSE/BLDG/VEHICLE
- DE2NCODE CODE FOR ANYTHING ELSE AGAINST LAW

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	55.6	1,015	1	YES
44.4	44.3	809	2	NO
	0.1	2	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data code: -9
 Columns: 920-921

DE2PUB ILLEGAL INVOLVEMENT: OFFENSES AGAINST PUBLIC ORDER

Indicates a response of "yes" or a coded offense against public order in at least one (1) of the following original variables:

DE2D HAVE SEX FOR MONEY OR DRUGS
 DE2NCODE CODE FOR ANYTHING ELSE AGAINST LAW

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	19.9	364	1	YES
80.0	79.7	1,456	2	NO
	0.3	6	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 924-925

DE3DRG AGE FIRST INVOLVED IN DRUG LAW VIOLATIONS

About how old were you when you first did this?

(Drug Law Violations)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	27.2	496	1	17 AND UNDER
22.2	12.9	235	2	18-20
12.6	7.3	133	3	21-24
9.9	5.8	105	4	25-29
5.2	3.0	55	5	30-34
2.2	1.3	23	6	35-39
0.7	0.4	7	7	40-44
0.3	0.2	3	8	45-49
0.0	0.0	0	9	50-54
0.1	0.1	1	10	55+
	42.1	768	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 934-935

DE3PER AGE FIRST COMMITTED CRIME AGAINST PERSON

About how old were you when you first did this?

(Crimes Against Persons)

PCT VALID	PCT ALL	N	VALUE	LABEL
51.8	14.5	265	1	17 AND UNDER
18.8	5.3	96	2	18-20
8.8	2.5	45	3	21-24
11.1	3.1	57	4	25-29
5.7	1.6	29	5	30-34
2.1	0.6	11	6	35-39
1.4	0.4	7	7	40-44
0.0	0.0	0	8	45-49
0.2	0.1	1	9	50-54
0.2	0.1	1	10	55+
	72.0	1,314	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 930-931

DE3PRO AGE FIRST COMMITTED OFFENSE AGAINST PROPERTY

About how old were you when you first did this?

(Crimes Against Property)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.5	19.8	361	1	17 AND UNDER
15.2	5.1	94	2	18-20
9.9	3.3	61	3	21-24
9.2	3.1	57	4	25-29
4.7	1.6	29	5	30-34
1.9	0.7	12	6	35-39
0.3	0.1	2	7	40-44
0.2	0.1	1	8	45-49
0.0	0.0	0	9	50-54
0.0	0.0	0	10	55+
	66.2	1,209	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 932-933

DE4 SUPPORT SELF FROM ILLEGAL ACTIVITY

Did you ever support yourself mainly from illegal activity (hustling, dealing, fraud, etc.) for a least one year before (START MONTH SEGMENT 1)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	43.8	799	1	YES
56.1	55.8	1,019	2	NO
	0.4	8	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 936-937

DE5 EVER ATTACKED WITH A WEAPON

The next questions are about any times you may have been attacked with a weapon or seriously hit or beaten. Before (START MONTH SEGMENT 1) were you ever attacked with a weapon such as a knife or a gun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	51.0	931	1	YES
48.9	48.8	892	2	NO
	0.2	3	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 938-939

DE6 EVER HIT OR SERIOUSLY BEATEN

Before (START MONTH SEGMENT 1), were you ever hit or beaten so seriously that you were badly bruised, had to see a doctor, or had to stay in bed for one day or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	46.2	844	1	YES
53.7	53.6	979	2	NO
	0.2	3	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 940-941

PARTICIPANT QUESTIONNAIRE: SECTION F. LIVING ARRANGEMENTS

DF1 AGE LAST LIVED WITH MOTHER

Before (START MONTH OF SEGMENT 1), how old were you when you last lived with your mother, including your natural mother, stepmother, foster mother, or adoptive mother? RECORD "0" IF NEVER LIVED WITH MOTHER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	32.8	599	1	17 AND UNDER
22.1	21.9	399	2	18-20
13.4	13.2	241	3	21-24
12.1	11.9	218	4	25-29
8.6	8.5	155	5	30-34
6.4	6.3	115	6	35-39
2.7	2.7	49	7	40-44
0.9	0.9	17	8	45-49
0.2	0.2	4	9	50-54
0.4	0.4	7	10	55+
	1.2	22	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 942-943

DF2 AGE LAST LIVED WITH FATHER

Before (START MONTH OF SEGMENT 1), how old were you when you last lived with your father, including your natural father, stepfather, foster father, or adoptive father? RECORD "0" IF NEVER LIVED WITH FATHER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.2	49.5	904	1	17 AND UNDER
18.5	18.3	334	2	18-20
10.3	10.2	186	3	21-24
8.3	8.2	149	4	25-29
6.6	6.5	118	5	30-34
3.7	3.6	66	6	35-39
1.7	1.6	30	7	40-44
0.5	0.5	9	8	45-49
0.2	0.2	3	9	50-54
0.1	0.1	2	10	55+
	1.4	25	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 944-945

DF3 COURTS/SOCIAL SERV FIND PLACE TO LIVE

(Before you were 18 years old, did/Have) the courts or a social service agency ever (arrange/arranged) a place for you to live?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	14.5	264	1	YES
85.5	85.4	1,559	2	NO
	0.2	3	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 946-947

DF4

EVER RUN AWAY FROM HOME

(Before you were 18 years old, did/Have) you ever run away from home or the place you usually (lived/live)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	43.3	790	1	YES
56.7	56.7	1,036	2	NO
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Column: 948

DF4A	# TIMES RUN AWAY
-------------	-------------------------

Altogether, how many times did you run away?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	14.1	258	1	
20.4	8.5	155	2	
12.4	5.1	94	3	
6.6	2.7	50	4	
6.7	2.8	51	5	
2.9	1.2	22	6	
1.6	0.7	12	7	
0.9	0.4	7	8	
0.4	0.2	3	9	
5.8	2.4	44	10	
0.3	0.1	2	11	
0.8	0.3	6	12	
0.3	0.1	2	14	
2.0	0.8	15	15	
0.1	0.1	1	16	
2.6	1.1	20	20	
0.5	0.2	4	25	
0.1	0.1	1	29	
1.1	0.4	8	30	
0.1	0.1	1	35	
0.1	0.1	1	36	
0.3	0.1	2	50	
0.1	0.1	1	60	
	58.4	1,066	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 949-950

DF5

ASKED BY PARENT/GUARDIAN TO LEAVE

(At any time before you were 18 years old, were you/Have you ever been) asked to leave home by a parent or guardian?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	25.6	467	1	YES
74.4	74.2	1,355	2	NO
	0.2	4	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 951-952

DF6

OF NATURAL CHILDREN

Altogether, how many natural children did you have before (START MONTH OF SEGMENT 1)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	30.0	548	0	
23.0	22.2	405	1	
21.0	20.3	370	2	
12.3	11.8	216	3	
6.7	6.5	118	4	
3.4	3.3	60	5	
1.2	1.2	21	6	
0.4	0.4	7	7	
0.4	0.4	7	8	
0.1	0.1	2	9	
0.1	0.1	1	10	
0.1	0.1	2	11	
0.1	0.1	1	13	
	3.7	68	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 953-954

DF7

LOSE CUSTODY OF ANY CHILDREN

At anytime before (START MONTH SEGMENT 1) did you lose custody (of any of your natural children under age 18, or) of any (other) children you were raising, including adopted children and foster children? By custody, I mean being legally in charge of a child. .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	19.1	349	1	YES
79.3	73.2	1,336	2	NO
	7.7	141	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 955-956

PARTICIPANT QUESTIONNAIRE: SECTION G. EMPLOYMENT HISTORY

DG1 EMPLOYED FULL-TIME

The next questions are about your employment. Before (START MONTH SEGMENT 1), were you ever employed full-time, that is, did you ever work 35 hours or more a week? (Do not count any job that involved illegal activity.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	84.8	1,548	1	YES
15.0	15.0	273	2	NO
	0.3	5	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 957-958

DG2 LONGEST HAD A FULL-TIME JOB

Before (START MONTH SEGMENT 1), what was the longest time you had any one job where you worked 35 hours a week or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	15.4	281	1	LESS THAN ONE YEAR
21.2	17.9	327	2	1-2 YEARS
26.1	22.0	402	3	MORE THAN 2 YEARS BUT LESS THEN 5 YEARS
34.5	29.1	532	4	FIVE YEARS OR MORE
	15.6	284	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 959-960

DG3

KIND OF WORK AT LONGEST FULL-TIME JOB

What kind of work did you do at the full-time job that you had the longest? That is, what was your job title or what was your job called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	9.4	171	1	CLERICAL WORKER (SEE TABLE IN CODEBOOK)
8.2	7.0	127	2	SALES WORKER (SEE TABLE IN CODEBOOK)
19.0	16.1	294	3	SERVICE WORKER (SEE TABLE IN CODEBOOK)
1.2	1.0	18	4	PRIVATE HH WORKER (SEE TABLE IN CODEBOOK)
15.6	13.2	241	5	SKILLED WORKER/CRAFTSMAN (SEE TABLE IN CODEBOOK)
14.9	12.6	230	6	LABORER (SEE TABLE IN CODEBOOK)
8.2	6.9	126	7	OPERATOR/MACHINE OPERATOR (SEE TABLE IN CODEBOOK)
7.1	6.0	109	8	TRANSPORT. EQUIP. OPERATOR (SEE TABLE IN CODEBOOK)
1.1	0.9	17	9	FARM LABORER (SEE TABLE IN CODEBOOK)
0.1	0.1	2	10	FARMER OR FARM MANAGER (SEE TABLE IN CODEBOOK)
5.4	4.6	84	11	MANAGER/ADMINISTRATOR (SEE TABLE IN CODEBOOK)
0.4	0.3	6	12	LAY COUNSELOR (SEE TABLE IN CODEBOOK)
5.2	4.4	80	13	PROFESSIONAL/TECHNICAL
0.6	0.5	10	14	OTHER (SEE TABLE IN CODEBOOK)
0.8	0.7	12	15	UNABLE TO CODE (SEE TABLE IN CODEBOOK)
1.2	1.0	19	16	MILITARY (SEE TABLE IN CODEBOOK)
	15.3	280	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 961-962

DG4

HIGHEST SALARY AT FULL-TIME JOB

Before taxes, what was your highest wage, salary, or rate of pay at that full-time job?

1,826 cases (Range of valid codes: 1.00-85,000.00)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 963-970

DG4A**PAY CODE FOR HIGHEST SALARY AT JOB**

Unit of time for compensatoin in DG4 (e.g., Hour, Week, Month, etc).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.8	51.3	936	1	PER HOUR
12.8	10.6	194	2	EVERY WEEK
2.2	1.8	33	3	EVERY TWO WEEKS
10.8	8.9	163	4	PER MONTH
11.6	9.6	176	5	PER YEAR
0.0	0.0	0	6	OTHER (SPECIFY)
0.6	0.5	9	7	DAY
0.1	0.1	2	8	UNIT/PRODUCT
0.1	0.1	1	9	UNIT/SERVICE
0.0	0.0	0	10	ROOM & BOARD
	17.1	312	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 971-972

DG5**EVER HAVE PART-TIME JOB**

Before (START MONTH SEGMENT 1), did you ever have a part-time job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	58.3	1,064	1	YES
41.4	41.2	753	2	NO
	0.5	9	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 973-974

DG5A

LONGEST ANY ONE PART-TIME JOB

Before (START MONTH SEGMENT 1), what was the longest time you had any one part-time job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.4	36.5	666	1	LESS THAN ONE YEAR
21.7	12.5	228	2	1-2 YEARS
10.6	6.1	111	3	MORE THAN 2 YEARS BUT LESS THAN 5 YEARS
4.3	2.5	45	4	FIVE YEARS OR MORE
	42.5	776	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 975-976

DG6**KIND OF WORK AT LONGEST HELD PT-TIME JOB**

What kind of work did you do at the part-time job that you had the longest? That is, what was your job title or what was your job called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	4.7	86	1	CLERICAL WORKER (SEE TABLE IN CODEBOOK)
16.2	9.4	172	2	SALES WORKER (SEE TABLE IN CODEBOOK)
37.8	22.0	401	3	SERVICE WORKER (SEE TABLE IN CODEBOOK)
3.1	1.8	33	4	PRIVATE HH WORKER (SEE TABLE IN CODEBOOK)
5.1	3.0	54	5	SKILLED WORKER/CRAFTSMAN (SEE TABLE IN CODEBOOK)
15.3	8.9	163	6	LABORER (SEE TABLE IN CODEBOOK)
3.1	1.8	33	7	OPERATOR/MACHINE OPERATOR (SEE TABLE IN CODEBOOK)
4.1	2.4	44	8	TRANSPORT. EQUIP. OPERATOR (SEE TABLE IN CODEBOOK)
1.4	0.8	15	9	FARM LABORER (SEE TABLE IN CODEBOOK)
0.2	0.1	2	10	FARMER OR FARM MANAGER (SEE TABLE IN CODEBOOK)
1.1	0.7	12	11	MANAGER/ADMINISTRATOR (SEE TABLE IN CODEBOOK)
0.8	0.5	9	12	LAY COUNSELOR (SEE TABLE IN CODEBOOK)
2.0	1.2	21	13	PROFESSIONAL/TECHNICAL
0.9	0.5	10	14	OTHER (SEE TABLE IN CODEBOOK)
0.6	0.3	6	15	UNABLE TO CODE (SEE TABLE IN CODEBOOK)
0.1	0.1	1	16	MILITARY (SEE TABLE IN CODEBOOK)
	41.8	764	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 977-978

DG7**HIGHEST SALARY AT PART-TIME JOB**

Before taxes, what was your highest wage, salary, or rate of pay at that part-time job?

1,826 cases (Range of valid codes: .00-50,000.00)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 979-986

DG7A PAY CODE FOR HIGHEST SALARY AT JOB

Unit of time for compensatoin in DG7 (e.g., Hour, Week, Month, etc).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.4	44.2	807	1	PER HOUR
10.5	5.9	108	2	EVERY WEEK
1.1	0.6	11	3	EVERY TWO WEEKS
4.8	2.7	49	4	PER MONTH
2.2	1.3	23	5	PER YEAR
0.0	0.0	0	6	OTHER (SPECIFY)
1.7	1.0	18	7	DAY
0.2	0.1	2	8	UNIT/PRODUCT
1.0	0.5	10	9	UNIT/SERVICE
0.1	0.1	1	10	ROOM & BOARD
	43.6	797	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 987-988

DG8 LONGEST PERIOD OF TIME UNEMPLOYED

Before (START MONTH OF SEGMENT 1), what is the longest period of time that you were unemployed, not counting years when you were in school full-time (or in jail)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.0	35.5	648	1	LESS THAN ONE YEAR
22.2	21.9	399	2	1-2 YEARS
14.2	14.0	255	3	MORE THAN 2 YEARS BUT LESS THAN 5 YEARS
21.6	21.2	388	4	FIVE YEARS OR MORE
6.1	6.0	109	5	NEVER WORKED
	1.5	27	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 989-990

PARTICIPANT QUESTIONNAIRE: SECTION H. SEGMENT 1 (PRE-SAMPLE EPISODE SEGMENT)

DH1A HELP BOX/ ANY INCARCERATIONS ON CALENDAR

WERE THERE ANY INCARCERATIONS DURING THE SEGMENT 1 PERIOD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	33.1	605	1	YES
66.8	66.8	1,220	2	NO
	0.1	1	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 991-992

DH1B HELP BOX/ # INCARCERATIONS ON CALENDAR

HOW MANY INCARCERATIONS ARE ON THE CALENDAR FOR SEGMENT 1?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.7	24.4	446	1	
18.9	6.2	113	2	
3.9	1.3	23	3	
1.7	0.5	10	4	
0.2	0.1	1	5	
0.2	0.1	1	7	
0.5	0.2	3	10	
	67.3	1,229	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 993-994

DH2_1 TYPE OF 1ST PLACE OF INCARCERATION

The next questions are about (PLACE/ PRISON/JAIL) you told me about earlier. CODE WITHOUT ASKING IF KNOWN FROM CALENDAR. OTHERWISE ASK: Was (PLACE NAME) the place you went to in

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	0.8	15	1	JUVENILE HALL OR COUNTY CAMP,
0.8	0.3	5	2	A YOUTH AUTHORITY FACILITY
71.5	23.2	423	3	A JAIL,
23.5	7.6	139	4	A PRISON, OR
1.7	0.5	10	5	SOME OTHER PLACE?
	67.6	1,234	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 995-996

DH3_1 MAIN CHARGE SENTENCED FOR THEN

What was the main charge that you were sentenced for then? RECORD VERBATIM AND CODE FROM CODE LIST. PROBE AS NEEDED

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	3.0	54	1	CRIMES AGAINST PERSONS
23.4	7.6	138	2	CRIMES AGAINST PROPERTY
23.9	7.7	141	3	DRUG LAW VIOLATIONS
24.1	7.8	142	4	OFFENSES AGAINST PUBLIC ORDER
13.2	4.3	78	5	DUI/DWI
6.3	2.0	37	6	CANNOT CODE CHARGE
	67.7	1,236	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 997-998

DH4_1 DRUG/ALCHOL TREATMENT PROGRAMS OFFERED 1

During the time when you were in (PLACE 1), were any drug or alcohol treatment programs offered there, not counting Narcotics Anonymous, Cocaine Anonymous, or Alcoholics Anonymous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	7.4	135	1	YES
77.1	24.9	455	2	NO
	67.7	1,236	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 999-1000

DH5_1 PARTICIPATE IN DRUG/ALCOHOL TX PROGRAM 1

Did you participate in any of the drug or alcohol treatment programs offered, not counting NA, CA, or AA? [Place 1]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	4.0	73	1	YES
45.5	3.3	61	2	NO
	92.7	1,692	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1001-1002

DH2_2 SECOND TYPE OF PLACE OF INCARCERATION

The next questions are about (PLACE/ PRISON/JAIL) you told me about earlier. CODE WITHOUT ASKING IF KNOWN FROM CALENDAR. OTHERWISE ASK: Was (PLACE NAME) the place you went to in

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.3	6	1	JUVENILE HALL OR COUNTY CAMP,
0.7	0.1	1	2	A YOUTH AUTHORITY FACILITY
73.8	5.9	107	3	A JAIL,
17.2	1.4	25	4	A PRISON, OR
4.1	0.3	6	5	SOME OTHER PLACE?
	92.1	1,681	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1003-1004

DH3_2 MAIN CHARGE SENTENCED FOR THEN

What was the main charge that you were sentenced for then?
 RECORD VERBATIM AND CODE FROM CODE LIST. PROBE AS NEEDED

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.7	12	1	CRIMES AGAINST PERSONS
19.4	1.5	28	2	CRIMES AGAINST PROPERTY
20.8	1.6	30	3	DRUG LAW VIOLATIONS
34.0	2.7	49	4	OFFENSES AGAINST PUBLIC ORDER
9.0	0.7	13	5	DUI/DWI
8.3	0.7	12	6	CANNOT CODE CHARGE
	92.1	1,682	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1005-1006

DH4_2

DRUG/ALCHOL TREATMENT PROGRAMS OFFERED 2

During the time when you were in (PLACE 2), were any drug or alcohol treatment programs offered there, not counting Narcotics Anonymous, Cocaine Anonymous, or Alcoholics Anonymous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	1.7	31	1	YES
78.0	6.0	110	2	NO
	92.3	1,685	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1007-1008

DH5_2

PARTICIPATE IN DRUG/ALCOHOL TX PROGRAM 2

Did you participate in any of the drug or alcohol treatment programs offered, not counting NA, CA, or AA? [Place 2]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.6	1.4	25	1	YES
19.4	0.3	6	2	NO
	98.3	1,795	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1009-1010

DH6 HELP BOX/ PAROLE/PROB STATUS ON CALENDAR

[Interviewer Instruction] CHECK ROW C OF THE CALENDAR. WAS PAROLE OR PROBATION STATUS NOTED DURING SEGMENT 1 PERIOD?

IF MORE THAN ONE, ASK H7 ABOUT THE LAST ONE. IF ON PAROLE AND PROBATION SIMULTANEOUSLY ASK ABOUT THE ONE WITH THE HIGHEST NUMBER OF CONTACTS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.8	43.8	800	1	YES
56.2	56.1	1,025	2	NO
	0.1	1	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1011-1012

DH7 REPORT/HAVE CONTACT WITH PROB OFFICER

During (MONTHS) did you report to or have any contact with your (probation/parole) officer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	29.6	540	1	YES
31.5	13.6	248	2	NO
	56.8	1,038	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1013-1014

DH7A # TIMES CONTACTED PROBATION OFFICER

During (MONTHS) how often did you have contact with or report to your (probation/parole) officer?

DH7a

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.1	2	0	
46.3	13.4	245	1	
18.9	5.5	100	2	
3.0	0.9	16	3	
24.0	7.0	127	4	
0.8	0.2	4	5	
0.4	0.1	2	6	
2.1	0.6	11	8	
0.2	0.1	1	9	
1.9	0.5	10	12	
0.2	0.1	1	14	
0.2	0.1	1	15	
0.2	0.1	1	23	
0.2	0.1	1	24	
0.8	0.2	4	30	
0.2	0.1	1	48	
0.4	0.1	2	52	
	71.0	1,297	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1015-1016

DH8A # TIMES URINE TESTS REQ'D PER MONTH

How many times per month were these tests required?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.3	5	0	
34.9	7.4	135	1	
25.8	5.5	100	2	
3.4	0.7	13	3	
26.9	5.7	104	4	
1.6	0.3	6	5	
0.3	0.1	1	6	
3.4	0.7	13	8	
0.3	0.1	1	9	
0.3	0.1	1	10	
1.8	0.4	7	12	
0.3	0.1	1	15	
	78.8	1,439	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1021-1022

DH9 HELP BOX/ # OF MONTHS INCARCERATED

[Interviewer Instruction] CHECK ROW C OF THE CALENDAR. HOW MANY MONTHS WAS R INCARCERATED DURING SEGMENT 1?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	96.4	1,760	1	0-9 MONTHS INCARCERATED
3.6	3.6	65	2	10-12 MONTHS INCARCERATED
	0.1	1	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1023-1024

DH10A USE INHALANTS 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... a. Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.7	50	1	YES
97.1	93.3	1,703	2	NO
	4.0	73	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1025-1026

DH10B USE MARIJUANA HASHISH 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... b. Marijuana/Hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	44.1	805	1	YES
54.2	52.1	951	2	NO
	3.8	70	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1027-1028

DH10C USE CRACK 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... c. Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.9	26.8	490	1	YES
72.1	69.3	1,265	2	NO
	3.9	71	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1029-1030

DH10D USE COCAINE POWDER 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... d. Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	39.5	721	1	YES
59.0	56.7	1,036	2	NO
	3.8	69	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1031-1032

DH10E USE PCP/ ANGEL DUST 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... e. PCP or angel dust

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.1	74	1	YES
95.8	92.0	1,680	2	NO
	3.9	72	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1033-1034

DH10F USE HALLUCINOGENS/PSYCHEDELIC 5 OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... f. Hallucinogens or Psychedelics/LSD etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.4	117	1	YES
93.3	89.7	1,638	2	NO
	3.9	71	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1035-1036

DH10G	USE HEROIN 5 TIMES OR MORE
--------------	-----------------------------------

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... g. Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	42.7	780	1	YES
55.6	53.5	976	2	NO
	3.8	70	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1037-1038

DH10H	USE ILLEGAL METHADONE 5 TIMES OR MORE
--------------	--

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... h. Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.5	82	1	YES
95.3	91.6	1,672	2	NO
	3.9	72	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1039-1040

DH10I USE OTHER NARCOTICS 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... i. Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	12.9	236	1	YES
86.5	83.1	1,517	2	NO
	4.0	73	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1041-1042

DH10J USE METHAMPHETAMINES 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... j. Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	22.8	416	1	YES
76.3	73.3	1,339	2	NO
	3.9	71	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1043-1044

DH10K	USE DOWNERS 5 TIMES OR MORE
--------------	------------------------------------

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... k. Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	13.0	237	1	YES
86.5	82.9	1,514	2	NO
	4.1	75	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1045-1046

DH10L	USE OTHER DRUGS 5 TIMES OR MORE
--------------	--

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... l. Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	28	1	YES
98.4	93.5	1,707	2	NO
	5.0	91	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1047-1048

DH10M USE ALCOHOL 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high or for other non-medical effects, and your use of alcohol. (SHOWCARD) During (MONTHS) did you use (DRUG) five times or more?

... m. Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.5	68.9	1,258	1	YES
28.5	27.4	501	2	NO
	3.7	67	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1049-1050

DH11A HOW OFTEN INHALANTS USED

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... a. Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.2	3	1	1 DAY
37.5	1.0	18	2	2-5 DAYS
18.8	0.5	9	3	6-10 DAYS
8.3	0.2	4	4	11-20 DAYS
29.2	0.8	14	5	MORE THAN 20
	97.4	1,778	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1051-1052

DH12A	# MONTHS INHALANTS NOT USED
--------------	------------------------------------

During (MONTHS), how many months were you not using

... a. Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	0.8	14	1	USED EVERY MONTH
34.8	0.9	16	2	1-3 MONTHS
8.7	0.2	4	3	4-6 MONTHS
10.9	0.3	5	4	7-9 MONTHS
15.2	0.4	7	5	OVER 9 MONTHS
	97.5	1,780	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1053-1054

DH11B	HOW OFTEN MARIJUANA/HASHISH USED
--------------	---

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... b. Marijuana/Hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	3.0	54	1	1 DAY
27.1	11.8	216	2	2-5 DAYS
14.6	6.4	116	3	6-10 DAYS
12.8	5.6	102	4	11-20 DAYS
38.8	16.9	309	5	MORE THAN 20
	56.4	1,029	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1055-1056

DH12B # MONTHS MARIJUANA/HASHISH NOT USED

During (MONTHS), how many months were you not using

... b. Marijuana/Hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	18.8	343	1	USED EVERY MONTH
19.0	8.2	150	2	1-3 MONTHS
16.5	7.1	130	3	4-6 MONTHS
10.3	4.4	81	4	7-9 MONTHS
10.7	4.6	84	5	OVER 9 MONTHS
	56.8	1,038	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1057-1058

DH11C HOW OFTEN CRACK USED

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... c. Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	1.2	21	1	1 DAY
20.7	5.5	100	2	2-5 DAYS
14.7	3.9	71	3	6-10 DAYS
15.1	4.0	73	4	11-20 DAYS
45.1	11.9	218	5	MORE THAN 20
	73.5	1,343	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1059-1060

DH12C # MONTHS CRACK NOT USED

During (MONTHS), how many months were you not using

... c. Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	10.2	187	1	USED EVERY MONTH
19.2	5.0	91	2	1-3 MONTHS
19.0	4.9	90	3	4-6 MONTHS
9.7	2.5	46	4	7-9 MONTHS
12.5	3.2	59	5	OVER 9 MONTHS
	74.1	1,353	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1061-1062

DH11D HOW OFTEN COCAINE POWDER USED

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... d. Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	2.4	44	1	1 DAY
24.4	9.6	175	2	2-5 DAYS
16.9	6.6	121	3	6-10 DAYS
13.0	5.1	93	4	11-20 DAYS
39.6	15.6	284	5	MORE THAN 20
	60.7	1,109	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1063-1064

DH12D # MONTHS COCAINE POWDER NOT USED

During (MONTHS), how many months were you not using

... d. Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	14.2	259	1	USED EVERY MONTH
16.6	6.4	117	2	1-3 MONTHS
19.2	7.4	135	3	4-6 MONTHS
10.7	4.1	75	4	7-9 MONTHS
16.6	6.4	117	5	OVER 9 MONTHS
	61.5	1,123	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1065-1066

DH11E HOW OFTEN PCP OR ANGEL DUST USED

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... e. PCP or angel dust

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	0.8	14	1	1 DAY
39.7	1.6	29	2	2-5 DAYS
16.4	0.7	12	3	6-10 DAYS
9.6	0.4	7	4	11-20 DAYS
15.1	0.6	11	5	MORE THAN 20
	96.0	1,753	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1067-1068

DH12E	# MONTHS PCP OR ANGEL DUST NOT USED
--------------	--

During (MONTHS), how many months were you not using

... e. PCP or angel dust

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	1.0	19	1	USED EVERY MONTH
12.7	0.5	9	2	1-3 MONTHS
18.3	0.7	13	3	4-6 MONTHS
14.1	0.5	10	4	7-9 MONTHS
28.2	1.1	20	5	OVER 9 MONTHS
	96.1	1,755	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1069-1070

DH11F	HOW OFTEN HALLUCINOGEN/PSYCHEDELIC USED
--------------	--

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... f. Hallucinogens or Psychedelics/LSD etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	1.6	30	1	1 DAY
40.9	2.6	47	2	2-5 DAYS
15.7	1.0	18	3	6-10 DAYS
6.1	0.4	7	4	11-20 DAYS
11.3	0.7	13	5	MORE THAN 20
	93.7	1,711	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1071-1072

DH12F # MONTHS HALLUCINOGEN/PSYCHED NOT USED

During (MONTHS), how many months were you not using

... f. Hallucinogens or Psychedelics/LSD etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	1.4	25	1	USED EVERY MONTH
13.9	0.9	16	2	1-3 MONTHS
24.3	1.5	28	3	4-6 MONTHS
9.6	0.6	11	4	7-9 MONTHS
30.4	1.9	35	5	OVER 9 MONTHS
	93.7	1,711	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1073-1074

DH11G HOW OFTEN HEROIN USED

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... g. Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	1.0	19	1	1 DAY
6.0	2.6	47	2	2-5 DAYS
4.2	1.8	33	3	6-10 DAYS
5.3	2.2	41	4	11-20 DAYS
82.0	35.0	639	5	MORE THAN 20
	57.3	1,047	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1075-1076

DH12G # MONTHS HEROIN NOT USED

During (MONTHS), how many months were you not using

... g. Heroin

PCT VALID	PCT ALL	N	VALUE	LABEL
55.9	23.7	433	1	USED EVERY MONTH
13.2	5.6	102	2	1-3 MONTHS
13.7	5.8	106	3	4-6 MONTHS
7.1	3.0	55	4	7-9 MONTHS
10.2	4.3	79	5	OVER 9 MONTHS
	57.6	1,051	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1077-1078

DH11H HOW OFTEN ILLEGAL METHADONE USED

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... h. Illegal Methadone

PCT VALID	PCT ALL	N	VALUE	LABEL
10.1	0.4	8	1	1 DAY
40.5	1.8	32	2	2-5 DAYS
21.5	0.9	17	3	6-10 DAYS
8.9	0.4	7	4	11-20 DAYS
19.0	0.8	15	5	MORE THAN 20
	95.7	1,747	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1079-1080

DH12H # MONTHS ILLEGAL METHADONE NOT USED

During (MONTHS), how many months were you not using

... h. Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	0.8	15	1	USED EVERY MONTH
17.6	0.7	13	2	1-3 MONTHS
17.6	0.7	13	3	4-6 MONTHS
13.5	0.5	10	4	7-9 MONTHS
31.1	1.3	23	5	OVER 9 MONTHS
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1081-1082

DH11I HOW OFTEN OTHER NARCOTICS USED

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... i. Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	1.0	19	1	1 DAY
35.1	4.3	79	2	2-5 DAYS
19.1	2.4	43	3	6-10 DAYS
12.9	1.6	29	4	11-20 DAYS
24.4	3.0	55	5	MORE THAN 20
	87.7	1,601	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1083-1084

DH12I # MONTHS OTHER NARCOTICS NOT USED

During (MONTHS), how many months were you not using

... i. Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	3.7	67	1	USED EVERY MONTH
14.0	1.7	31	2	1-3 MONTHS
18.9	2.3	42	3	4-6 MONTHS
8.6	1.0	19	4	7-9 MONTHS
28.4	3.5	63	5	OVER 9 MONTHS
	87.8	1,604	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1085-1086

DH11J HOW OFTEN METHAMPHETAMINES USED

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... j. Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	1.5	27	1	1 DAY
23.5	5.3	97	2	2-5 DAYS
11.9	2.7	49	3	6-10 DAYS
16.0	3.6	66	4	11-20 DAYS
42.1	9.5	174	5	MORE THAN 20
	77.4	1,413	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1087-1088

DH12J # MONTHS METHAMPHETAMINES NOT USED

During (MONTHS), how many months were you not using

... j. Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	8.5	155	1	USED EVERY MONTH
15.5	3.5	63	2	1-3 MONTHS
20.4	4.5	83	3	4-6 MONTHS
12.3	2.7	50	4	7-9 MONTHS
13.5	3.0	55	5	OVER 9 MONTHS
	77.8	1,420	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1089-1090

DH11K HOW OFTEN DOWNERS USED

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... k. Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	0.9	16	1	1 DAY
29.1	3.6	66	2	2-5 DAYS
24.7	3.1	56	3	6-10 DAYS
16.3	2.0	37	4	11-20 DAYS
22.9	2.8	52	5	MORE THAN 20
	87.6	1,599	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1091-1092

DH12K	# MONTHS DOWNERS NOT USED
--------------	----------------------------------

During (MONTHS), how many months were you not using

... k. Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	3.8	70	1	USED EVERY MONTH
13.7	1.7	31	2	1-3 MONTHS
21.7	2.7	49	3	4-6 MONTHS
12.4	1.5	28	4	7-9 MONTHS
21.2	2.6	48	5	OVER 9 MONTHS
	87.6	1,600	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1093-1094

DH11L	HOW OFTEN OTHER DRUGS USED
--------------	-----------------------------------

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... l. Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.2	3	1	1 DAY
18.5	0.3	5	2	2-5 DAYS
18.5	0.3	5	3	6-10 DAYS
18.5	0.3	5	4	11-20 DAYS
33.3	0.5	9	5	MORE THAN 20
	98.5	1,799	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1095-1096

DH12L # MONTHS OTHER DRUGS NOT USED

During (MONTHS), how many months were you not using

... 1. Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.5	9	1	USED EVERY MONTH
11.1	0.2	3	2	1-3 MONTHS
18.5	0.3	5	3	4-6 MONTHS
11.1	0.2	3	4	7-9 MONTHS
25.9	0.4	7	5	OVER 9 MONTHS
	98.5	1,799	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1097-1098

DH11M HOW OFTEN ALCOHOL USED

Now, please look at the calendar and think about the month when you used (DRUG) the most during (MONTHS). About how many days did you use (DRUG) then?

... m. Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.0	36	1	1 DAY
16.5	11.2	205	2	2-5 DAYS
11.7	7.9	145	3	6-10 DAYS
13.3	9.0	165	4	11-20 DAYS
55.7	38.0	693	5	MORE THAN 20
	31.9	582	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1099-1100

DH12M # MONTHS ALCOHOL NOT USED

During (MONTHS), how many months were you not using

... m. Alcohol

PCT VALID	PCT ALL	N	VALUE	LABEL
55.4	37.6	686	1	USED EVERY MONTH
14.6	9.9	181	2	1-3 MONTHS
13.5	9.1	167	3	4-6 MONTHS
6.9	4.7	86	4	7-9 MONTHS
9.5	6.5	118	5	OVER 9 MONTHS
	32.2	588	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1101-1102

DH13 EVER GO TO HOSP BECAUSE OF OVERDOSE

During (MONTHS), did you ever go to a hospital because of a drug overdose?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.3	6.1	111	1	YES
93.7	90.0	1,644	2	NO
	3.9	71	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1103-1104

DH14 NEEDLE USED ONE TIME TO INJECT DRUGS

During (MONTHS), did you even one time, use a needle to inject drugs to get high or for other non-medical effects?

PCT VALID	PCT ALL	N	VALUE	LABEL
49.0	47.1	860	1	YES
51.0	49.1	896	2	NO
	3.8	70	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1105-1106

DH15 SOMEONE ELSE EVER USE NEEDLE TO INJECT

During (MONTHS), did someone else ever use a needle to inject you with drugs for you to get high or for other non-medical effects?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.5	0.7	13	1	YES
98.5	48.2	881	2	NO
	51.0	932	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1107-1108

DH16**HOW OFTEN NEEDLE USED AFTER SOMEONE**

During (MONTHS), when you used a needle to inject drugs to get high, about how often did you use it after someone else? Was that ... (READ CHOICES AND CODE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	22.9	418	1	NEVER,
33.1	15.6	285	2	LESS THAN HALF OF THE TIME,
7.7	3.6	66	3	HALF OF THE TIME,
4.5	2.1	39	4	MORE THAN HALF OF THE TIME, OR
6.0	2.8	52	5	EVERY TIME?
	52.9	966	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1109-1110

DH16A**HOW OFTEN NEEDLE CLEANED WITH BLEACH**

During (MONTHS), when you used a needle after someone else, about how often did you clean it with bleach before you used it? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	6.8	125	1	NEVER,
24.4	5.9	107	2	LESS THAN HALF OF THE TIME,
8.9	2.1	39	3	HALF OF THE TIME,
11.8	2.8	52	4	MORE THAN HALF OF THE TIME, OR
26.4	6.4	116	5	EVERY TIME?
	76.0	1,387	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1111-1112

DH17 HELP BOX/ WAS ALCOHOL CODED YES

[Interviewer checkpoint] WAS ALCOHOL CODED "1" AT H10?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.5	68.9	1,258	1	YES
28.5	27.4	501	2	NO
	3.7	67	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1113-1114

DH18 EVER HAVE A DRINK OF ALCOHOL

Now I would like to ask about your use of alcoholic beverages. (By alcoholic beverages I mean beer, malt liquors, wine, wine coolers and hard liquor, such as vodka and mixed drinks.) During (MONTHS), did you ever have a drink of alcohol? (By a drink, I mean either a can of beer, a glass of wine or a wine cooler, a shot of hard liquor, or a single mixed drink.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	5.8	105	1	YES
78.7	21.2	388	2	NO
	73.0	1,333	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1115-1116

DH19	# DAYS DRINK IN THAT MONTH
-------------	-----------------------------------

During (MONTHS), think about the month you were drinking the most. How many days did you drink during that month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	4.9	89	1	ONE DAY
17.5	13.0	237	2	2-5 DAYS
11.6	8.7	158	3	6-10 DAYS
13.3	9.9	180	4	11-20 DAYS
51.1	38.0	693	5	MORE THAN 20 DAYS
	25.7	469	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1117-1118

DH20_1	DRINK BEER/MALT LIQUOR ON A TYPICAL DAY
---------------	--

Still think about the month you were drinking the most. On a typical drinking day, did you drink any (TYPE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	61.8	1,129	1	YES
17.2	12.9	235	2	NO
	25.3	462	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1119-1120

DH21_1 AMOUNT OF BEER/MALT LIQUOR CONSUMED

On a typical drinking day, about how much (TYPE) did you usually drink?

...

PCT VALID	PCT ALL	N	VALUE	LABEL
25.4	15.5	283	1	
28.3	17.3	315	2	
10.6	6.5	118	3	
9.5	5.8	106	4	
2.3	1.4	26	5	
6.9	4.2	77	6	
1.3	0.8	15	7	
2.9	1.8	32	8	
0.8	0.5	9	9	
1.3	0.8	15	10	
0.1	0.1	1	11	
5.8	3.6	65	12	
0.3	0.2	3	13	
0.1	0.1	1	14	
0.2	0.1	2	15	
0.1	0.1	1	16	
0.1	0.1	1	17	
0.4	0.3	5	18	
0.4	0.3	5	20	
2.2	1.3	24	24	
0.1	0.1	1	25	
0.3	0.2	3	30	
0.1	0.1	1	34	
0.1	0.1	1	36	
0.2	0.1	2	48	
	39.1	714	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1121-1122

DH21_A1	STANDARD MEASURE FOR AMOUNT CONSUMED
---------	--------------------------------------

Unit for DH21_1 (Bottles, Cans, Glasses, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	9.5	173	1	BOTTLES
40.6	24.5	448	2	CANS
0.8	0.5	9	3	GLASSES
33.4	20.2	368	4	SIX PACKS
0.0	0.0	0	5	1/2 PINTS
0.1	0.1	1	6	PINTS
7.2	4.3	79	7	QUARTS
0.0	0.0	0	8	FIFTHS
0.0	0.0	0	9	DRINKS
0.0	0.0	0	10	SHOTS
2.3	1.4	25	11	OTHER (SPECIFY)
	39.6	723	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1123-1124

DH21_2	AMOUNT OF WINE/WINE COOLERS CONSUMED
--------	--------------------------------------

On a typical drinking day, about how much (TYPE) did you usually drink?

...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	7.9	144	1	
26.5	5.8	105	2	
10.9	2.4	43	3	
14.6	3.2	58	4	
2.3	0.5	9	5	
4.3	0.9	17	6	
0.5	0.1	2	7	
3.0	0.7	12	8	
0.8	0.2	3	12	
0.3	0.1	1	14	
0.3	0.1	1	20	
0.3	0.1	1	30	
	78.3	1,430	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1129-1130

DH21_A2	STANDARD MEASURE FOR AMOUNT CONSUMED
----------------	---

Unit for DH21_2 (Bottles, Cans, Glassess, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	12.3	225	1	BOTTLES
0.3	0.1	1	2	CANS
16.0	3.5	64	3	GLASSES
1.0	0.2	4	4	SIX PACKS
0.0	0.0	0	5	1/2 PINTS
2.0	0.4	8	6	PINTS
7.5	1.6	30	7	QUARTS
13.5	3.0	54	8	FIFTHS
0.0	0.0	0	9	DRINKS
0.0	0.0	0	10	SHOTS
3.3	0.7	13	11	OTHER (SPECIFY)
	78.1	1,427	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1131-1132

DH22_2	SIZE OF BOTTLE OR CAN
---------------	------------------------------

What size (bottle/can) was that (in ounces)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	1	6	
0.5	0.1	1	7	
7.3	0.8	14	8	
0.5	0.1	1	9	
0.5	0.1	1	10	
72.9	7.7	140	12	
7.8	0.8	15	16	
1.0	0.1	2	24	
0.5	0.1	1	30	
6.8	0.7	13	32	
1.0	0.1	2	33	
0.5	0.1	1	40	
	89.5	1,634	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1133-1134

DH20_3 DRINK LIQUOR ON A TYPICAL DAY

Still think about the month you were drinking the most. On a typical drinking day, did you drink any (TYPE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	39.2	715	1	YES
47.3	35.2	642	2	NO
	25.7	469	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1135-1136

DH21_3 AMOUNT OF LIQUOR CONSUMED

On a typical drinking day, about how much (TYPE) did you usually drink?

...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	23.4	427	1	
22.0	8.3	152	2	
5.4	2.0	37	3	
4.1	1.5	28	4	
1.3	0.5	9	5	
0.7	0.3	5	6	
0.9	0.3	6	7	
1.0	0.4	7	8	
1.4	0.5	10	10	
0.1	0.1	1	11	
0.4	0.2	3	12	
0.1	0.1	1	14	
0.1	0.1	1	16	
0.1	0.1	1	20	
0.1	0.1	1	30	
0.1	0.1	1	45	
	62.2	1,136	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1137-1138

DH21_A3 STANDARD MEASURE FOR AMOUNT CONSUMED

Unit for DH21_3 (Bottles, Cans, Glassess, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	BOTTLES
0.0	0.0	0	2	CANS
0.1	0.1	1	3	GLASSES
0.1	0.1	1	4	SIX PACKS
18.0	7.0	127	5	1/2 PINTS
27.2	10.5	192	6	PINTS
8.4	3.2	59	7	QUARTS
15.7	6.1	111	8	FIFTHS
20.4	7.9	144	9	DRINKS
9.9	3.8	70	10	SHOTS
0.0	0.0	0	11	OTHER (SPECIFY)
	61.3	1,120	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1139-1140

DH23 EVER IN HOSPITAL BECAUSE OF DRINKING

During (MONTHS), were you ever in a hospital because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	6.6	120	1	YES
90.8	64.7	1,181	2	NO
	28.8	525	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1141-1142

DH24 TWO NIGHTS WITH NO PLACE TO STAY

Now I have some questions about your past living arrangements. During (MONTHS), did you ever for at least two nights in a row have no place to stay except for a homeless shelter or street?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	27.9	509	1	YES
71.0	68.3	1,248	2	NO
	3.8	69	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1143-1144

DH25 HOW LONG IN SHELTER OR ON STREET

How long were you in a shelter or on the street during (months)? code r's response.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.6	11.9	217	1	LESS THAN 1 MONTH
29.5	8.2	150	2	1-3 MONTHS
11.0	3.1	56	3	4-6 MONTHS
5.7	1.6	29	4	7-9 MONTHS
4.1	1.2	21	5	10-12 MONTHS
7.1	2.0	36	6	HOMELESS/ON THE STREET THE ENTIRE TIME
	72.1	1,317	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1145-1146

DH26 LIVE IN OWN APARTMENT OR HOUSE

During (MONTHS), did you live in your own apartment or house at any time, either renting or buying, including living with parents or guardians?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	84.1	1,536	1	YES
10.5	9.9	180	2	NO
	6.0	110	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1147-1148

DH26A LENGTH OF TIME IN OWN APT/HOUSE

During (MONTHS) [living in own apartment or house], how long did you live there?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	14	1	LESS THAN 1 MONTH
6.7	5.6	102	2	1-3 MONTHS
10.4	8.8	160	3	4-6 MONTHS
10.4	8.8	160	4	7-9 MONTHS
71.5	60.0	1,096	5	10-12 MONTHS
	16.1	294	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1149-1150

DH27A LIVE WITH PERSON LIKE SPOUSE OR PARTNER

During (MONTHS), please tell me if you lived with any of the following people at any time. Did you live with ...

... Your (wife/husband) or someone who was like a spouse or partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.2	50.1	914	1	YES
46.8	44.0	804	2	NO
	5.9	108	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1151-1152

DH28A LONGEST TIME LIVED WITH PERSON

During (MONTHS), what is the longest time you lived with

... Your (wife/husband) or someone who was like a spouse or partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.7	13	1	LESS THAN 1 MONTH
9.5	4.7	86	2	1-3 MONTHS
16.2	8.1	147	3	4-6 MONTHS
9.8	4.9	89	4	7-9 MONTHS
63.2	31.5	575	5	10-12 MONTHS
	50.2	916	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1153-1154

DH27B LIVE WITH NATURAL/STEP/ADOP/FOST MOTHER

During (MONTHS), please tell me if you lived with any of the following people at any time. Did you live with ...

... Your mother, including your natural mother, stepmother, foster mother, or adoptive mother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	26.4	482	1	YES
72.0	67.7	1,237	2	NO
	5.9	107	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1155-1156

DH28B LONGEST TIME LIVED WITH MOTHER

During (MONTHS), what is the longest time you lived with

... Your mother, including your natural mother, stepmother, foster mother, or adoptive mother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	1.5	28	1	LESS THAN 1 MONTH
19.9	5.2	95	2	1-3 MONTHS
16.7	4.4	80	3	4-6 MONTHS
10.0	2.6	48	4	7-9 MONTHS
47.5	12.4	227	5	10-12 MONTHS
	73.8	1,348	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1157-1158

DH27C LIVE WITH NATURAL/STEP/ADOP/FOST FATHER

During (MONTHS), please tell me if you lived with any of the following people at any time. Did you live with ...

... Your father, including your natural father, stepfather, foster father, or adoptive father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	15.6	284	1	YES
83.5	78.5	1,434	2	NO
	5.9	108	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1159-1160

DH28C LONGEST TIME LIVED WITH FATHER

During (MONTHS), what is the longest time you lived with

... Your father, including your natural father, stepfather, foster father, or adoptive father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	1.0	18	1	LESS THAN 1 MONTH
19.1	3.0	54	2	1-3 MONTHS
16.6	2.6	47	3	4-6 MONTHS
12.7	2.0	36	4	7-9 MONTHS
45.2	7.0	128	5	10-12 MONTHS
	84.5	1,543	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1161-1162

DH27D LIVE WITH OWN CHILDREN 18 OR OLDER

During (MONTHS), please tell me if you lived with any of the following people at any time. Did you live with ...

... Children of yours who were 18 years or older?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.2	77	1	YES
75.1	68.5	1,250	2	NO
20.3	18.5	338	3	R HAD NO CHILDREN
	8.8	161	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1163-1164

DH28D LONGEST TIME LIVED WITH CHILDREN

During (MONTHS), what is the longest time you lived with

... Children of yours who were 18 years or older?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.1	2	1	LESS THAN 1 MONTH
26.3	1.1	20	2	1-3 MONTHS
11.8	0.5	9	3	4-6 MONTHS
5.3	0.2	4	4	7-9 MONTHS
53.9	2.2	41	5	10-12 MONTHS
	95.8	1,750	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1165-1166

DH27E**LIVE WITH CHILDREN UNDER 18 YEARS OLD**

During (MONTHS), please tell me if you lived with any of the following people at any time. Did you live with ...

... Children under 18 years old who were your natural children or who you were raising as your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	34.0	621	1	YES
52.8	39.4	719	2	NO
1.7	1.3	23	3	R HAD NO CHILDREN
	25.4	463	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1167-1168

DH28E**LONGEST TIME LIVED WITH CHILDREN**

During (MONTHS), what is the longest time you lived with

... Children under 18 years old who were your natural children or who you were raising as your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.3	5	1	LESS THAN 1 MONTH
6.1	2.0	37	2	1-3 MONTHS
11.6	3.8	70	3	4-6 MONTHS
9.5	3.1	57	4	7-9 MONTHS
72.0	23.8	434	5	10-12 MONTHS
	67.0	1,223	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1169-1170

DH29 # OF CHILDREN UNDER 18 BEING RAISED

During (MONTHS), how many children under 18 years old were you raising and living with, including natural children, adopted children, and foster children?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.8	1.0	18	0	
40.8	14.2	260	1	
30.1	10.5	192	2	
14.4	5.0	92	3	
6.9	2.4	44	4	
4.9	1.7	31	5	5 OR MORE
	65.1	1,189	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1171-1172

DH30 LOSE CUSTODY OF CHILDREN BEING RAISED

During (MONTHS), did you lose custody of any children you were raising? By custody, I mean being legally in charge of a child.

PCT VALID	PCT ALL	N	VALUE	LABEL
9.5	3.2	59	1	YES
90.5	30.6	559	2	NO
	66.2	1,208	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1173-1174

DH31**RECEIVE ALCOHOL OR DRUG TREATMENT**

Now, I am going to ask about types of alcohol or drug treatment that include professional help such as doctors or counselors. During (MONTHS), did you receive treatment or counseling for drinking or using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.3	45.3	827	1	YES
52.7	50.4	920	2	NO
	4.3	79	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1175-1176

DH31A**KIND OF TREATMENT RECEIVED**

What kind of treatment was that [that R received for drinking of using drugs]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	9.4	172	1	INPATIENT
14.5	6.1	112	2	RESIDENTIAL
28.6	12.2	222	3	OUTPATIENT (NON-METHADONE)
34.7	14.7	269	4	METHADONE
	57.6	1,051	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1177-1178

DH32A EVER ATTEND ALCOHOLICS ANONYMOUS

During (MONTHS), did you ever attend any

... a. Alcoholics Anonymous meetings?

PCT VALID	PCT ALL	N	VALUE	LABEL
43.0	41.1	750	1	YES
57.0	54.5	995	2	NO
	4.4	81	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1179-1180

DH32B EVER ATTEND NARCOTICS ANONYMOUS

During (MONTHS), did you ever attend any

... b. Narcotics Anonymous meetings?

PCT VALID	PCT ALL	N	VALUE	LABEL
33.0	31.4	574	1	YES
67.0	63.9	1,167	2	NO
	4.7	85	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1181-1182

DH32C **EVER ATTEND COCAINE ANONYMOUS**

During (MONTHS), did you ever attend any

... c. Cocaine Anonymous meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	11.3	206	1	YES
88.1	83.8	1,531	2	NO
	4.9	89	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1183-1184

DH32A_1 **HELP BOX/ ANY MEETINGS CODED YES**

[Interviewer checkpoint] IS ANY ITEM CODED "1" AT H32?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	47.0	858	1	YES
51.3	49.5	903	2	NO
	3.6	65	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1185-1186

DH32B_1 ATTEND FIVE OR MORE MEETINGS

During (MONTHS), did you attend five or more of any of these meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	40.9	747	1	YES
12.5	5.9	107	2	NO
	53.2	972	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1187-1188

DH33 SAD, DEPRESSED TIMES FOR AT LEAST 2 WKS

During (MONTHS), did you ever have at least two weeks when you felt very sad, blue, or depressed, and you lost interest or pleasure in things you usually cared about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	66.9	1,222	1	YES
30.3	29.1	531	2	NO
	4.0	73	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1189-1190

DH33A WERE SAD TIMES RESULT OF ALCOHOL/DRUG USE

During (MONTHS), were all, some, or none of these times [feeling very sad, blue, or depressed] caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.1	26.8	489	1	ALL OF THE TIMES
44.1	29.4	537	2	SOME OF THE TIMES
15.8	10.5	192	3	NONE OF THE TIMES
	33.3	608	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1191-1192

DH33B SAD TIMES NOT CAUSED BY DRUGS/ALCOHOL

During (MONTHS), did you have any times like this [feeling very sad, blue, or depressed] that were not caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	31.2	570	1	YES
43.8	24.4	445	2	NO
	44.4	811	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1193-1194

DH34 **EVER ATTEMPT SUICIDE**

During (MONTHS) did you ever attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	7.7	141	1	YES
92.0	88.4	1,614	2	NO
	3.9	71	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1195-1196

DH34A **THINK ABOUT COMMITTING SUICIDE**

During those 12 months, did you ever think seriously about committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	22.2	406	1	YES
74.5	65.1	1,188	2	NO
	12.7	232	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1197-1198

DH35 TALK DR/NURSE/SOCIAL WORKER ABOUT EMOTIONS

During (MONTHS), did you see a doctor, nurse, counselor or social worker for problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	25.2	461	1	YES
73.7	70.9	1,295	2	NO
	3.8	70	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1199-1200

DH35A # TIMES SEE DR/NURSE/SOCIAL WORKER

How many times was that? [see a doctor, nurse, counselor or social worker for problems with your emotions, nerves, or mental health?]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	11.8	215	1	1-5 TIMES
15.2	3.8	70	2	6-10 TIMES
17.6	4.4	81	3	11-30 TIMES
20.6	5.2	95	4	31 TIMES OR MORE
	74.8	1,365	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1201-1202

DH36 OVERNIGHT STAY IN HOSPITAL FOR EMOTION

During (MONTHS), did you stay overnight in a hospital or clinic for treatment of problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	7.9	144	1	YES
91.8	88.3	1,613	2	NO
	3.8	69	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1203-1204

DH37A DRIVE VEHICLE WHILE DRUNK OR HIGH

Now I would like to ask about your involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... Drive a vehicle (car, truck, van or motorcycle) while you were drunk or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	57.2	1,044	1	YES
40.4	38.8	708	2	NO
	4.1	74	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1205-1206

DH38A # TIMES VEHICLE DRIVEN DRUNK OR HIGH

During (MONTHS), how many different times did you do that?

... Drive a vehicle (car, truck, van or motorcycle) while you were drunk or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	2.0	36	1	1 TIME
15.8	9.0	164	2	2-5 TIMES
21.5	12.2	223	3	6-20 TIMES
21.7	12.3	225	4	21-100 TIMES
37.5	21.3	389	5	MORE THAN 100
	43.2	789	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1207-1208

DH37B STEAL A VEHICLE

Now I would like to ask about your involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... Steal a vehicle (car, truck, van or motorcycle)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.1	57	1	YES
96.7	92.8	1,695	2	NO
	4.1	74	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1209-1210

DH38B # TIMES VEHICLE STOLEN

During (MONTHS), how many different times did you do that?

... Steal a vehicle (car, truck, van or motorcycle)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	1.0	18	1	1 TIME
47.3	1.4	26	2	2-5 TIMES
9.1	0.3	5	3	6-20 TIMES
7.3	0.2	4	4	21-100 TIMES
3.6	0.1	2	5	MORE THAN 100
	97.0	1,771	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1211-1212

DH37C SELL DRUGS OR HELP SOMEONE SELL DRUGS

Now I would like to ask about your involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... Sell drugs or help someone else sell drugs, including cutting, weighing, packaging or making drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.1	30.7	560	1	YES
67.9	64.8	1,184	2	NO
	4.5	82	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1213-1214

DH38C

TIMES SOLD OR HELPED SELL DRUGS

During (MONTHS), how many different times did you do that?

... Sell drugs or help someone else sell drugs, including cutting, weighing, packaging or making drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.3	5	1	1 TIME
15.0	4.4	81	2	2-5 TIMES
18.2	5.4	98	3	6-20 TIMES
28.9	8.5	156	4	21-100 TIMES
36.9	10.9	199	5	MORE THAN 100
	70.5	1,287	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1215-1216

DH39CM1

DEALING OR SELLING INHALANTS

What drugs were you dealing or selling during (MONTHS)?

... Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	30.0	548	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1217-1218

DH39CM2 DEALING OR SELLING MARIJUANA/HASHISH

What drugs were you dealing or selling during (MONTHS)?

... Marijuana/Hash

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	6.8	124	1	YES
77.4	23.2	424	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1219-1220

DH39CM3 DEALING OR SELLING CRACK

What drugs were you dealing or selling during (MONTHS)?

... Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	5.9	108	1	YES
80.3	24.1	440	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1221-1222

DH39CM4

DEALING OR SELLING COCAINE POWDER

What drugs were you dealing or selling during (MONTHS)?

... Cocaine powder

PCT VALID	PCT ALL	N	VALUE	LABEL
33.6	10.1	184	1	YES
66.4	19.9	364	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1223-1224

DH39CM5

DEALING OR SELLING PCP OR ANGEL DUST

What drugs were you dealing or selling during (MONTHS)?

... PCP/angel dust

PCT VALID	PCT ALL	N	VALUE	LABEL
1.5	0.4	8	1	YES
98.5	29.6	540	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1225-1226

DH39CM6 DEALING OR SELLING HALLUCINOGEN/PSYCHED

What drugs were you dealing or selling during (MONTHS)?

... Hallucinogen or Psychedelics/LSD

PCT VALID	PCT ALL	N	VALUE	LABEL
3.3	1.0	18	1	YES
96.7	29.0	530	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1227-1228

DH39CM7 DEALING OR SELLING HEROIN

What drugs were you dealing or selling during (MONTHS)?

... Heroin

PCT VALID	PCT ALL	N	VALUE	LABEL
39.8	11.9	218	1	YES
60.2	18.1	330	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1229-1230

DH39CM8**DEALING OR SELLING ILLEGAL METHADONE**

What drugs were you dealing or selling during (MONTHS)?

... Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.2	3	1	YES
99.5	29.8	545	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1231-1232

DH39CM9**DEALING OR SELLING OTHER NARCOTICS**

What drugs were you dealing or selling during (MONTHS)?

... Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.2	4	1	YES
99.3	29.8	544	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1233-1234

DH39CM10 DEALING OR SELLING METHAMPHETAMINES

What drugs were you dealing or selling during (MONTHS)?

... Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	7.8	143	1	YES
73.9	22.2	405	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1235-1236

DH39CM11 DEALING OR SELLING DOWNERS

What drugs were you dealing or selling during (MONTHS)?

... Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.3	5	1	YES
99.1	29.7	543	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1237-1238

DH39CM12 DEALING OR SELLING OTHER DRUGS

What drugs were you dealing or selling during (MONTHS)?

... Other drug

PCT VALID	PCT ALL	N	VALUE	LABEL
2.4	0.7	13	1	YES
97.6	29.3	535	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1239-1240

DH39CM13 DEALING OR SELLING ALCOHOL

What drugs were you dealing or selling during (MONTHS)?

... Alcohol

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	YES
100.0	30.0	548	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1241-1242

DH39CM14 DEALING OR SELLING RITALIN OR PRELUDIN

What drugs were you dealing or selling during (MONTHS)?

... Ritalin or Preludin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	1	YES
99.8	30.0	547	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1243-1244

DH37D HAVE SEX FOR MONEY OR DRUGS

Now I would like to ask about your involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... Have sex for money or drugs (prostitution)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	9.9	180	1	YES
89.7	86.1	1,572	2	NO
	4.1	74	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1245-1246

DH38D	# TIMES HAD SEX FOR MONEY OR DRUGS
--------------	---

During (MONTHS), how many different times did you do that?

... Have sex for money or drugs (prostitution)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.3	6	1	1 TIME
22.0	2.1	38	2	2-5 TIMES
32.4	3.1	56	3	6-20 TIMES
21.4	2.0	37	4	21-100 TIMES
20.8	2.0	36	5	MORE THAN 100
	90.5	1,653	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1247-1248

DH37E	TAKE SOMETHING FROM STORE/SHOPLIFTED
--------------	---

Now I would like to ask about your involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... Take something from a store without paying for it, that is, shoplifted?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	27.8	507	1	YES
71.1	68.2	1,245	2	NO
	4.1	74	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1249-1250

DH38E # TIMES SHOPLIFTED

During (MONTHS), how many different times did you do that?

... Take something from a store without paying for it, that is, shoplifted?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	2.0	36	1	1 TIME
34.8	9.5	174	2	2-5 TIMES
27.6	7.6	138	3	6-20 TIMES
13.8	3.8	69	4	21-100 TIMES
16.6	4.5	83	5	MORE THAN 100
	72.6	1,326	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1251-1252

DH37G BREAK INTO HOUSE/BUSINESS

Now I would like to ask about your involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... Break into a house, a business, or a vehicle to take someone else's money or property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.4	135	1	YES
92.3	88.6	1,617	2	NO
	4.1	74	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1253-1254

DH38G # TIMES BREAK INTO HOUSE/BUSINESS

During (MONTHS), how many different times did you do that?

... Break into a house, a business, or a vehicle to take someone else's money or property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	1.5	28	1	1 TIME
45.1	3.3	60	2	2-5 TIMES
18.0	1.3	24	3	6-20 TIMES
12.0	0.9	16	4	21-100 TIMES
3.8	0.3	5	5	MORE THAN 100
	92.7	1,693	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1255-1256

DH37H WEAPON/PHYSICAL FORCE USED TO STEAL

Now I would like to ask about your involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... Use a weapon or physical force against someone to steal money or property from them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.0	91	1	YES
94.8	91.0	1,661	2	NO
	4.1	74	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1257-1258

DH38H # TIMES WEAPON/PHYSICAL FORCE USED

During (MONTHS), how many different times did you do that?

... Use a weapon or physical force against someone to steal money or property from them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.9	16	1	1 TIME
45.5	2.2	40	2	2-5 TIMES
25.0	1.2	22	3	6-20 TIMES
10.2	0.5	9	4	21-100 TIMES
1.1	0.1	1	5	MORE THAN 100
	95.2	1,738	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1259-1260

DH37M OTHER THINGS AGAINST LAW TO MAKE MONEY

Now I would like to ask about your involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... Do any other things to make money that are against the law?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	10.7	196	1	YES
88.8	85.2	1,555	2	NO
	4.1	75	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1261-1262

DH38M # TIMES BROKE LAW TO MAKE MONEY

During (MONTHS), how many different times did you do that?

... Do any other things to make money that are against the law?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	0.7	13	1	1 TIME
28.1	2.8	52	2	2-5 TIMES
31.9	3.2	59	3	6-20 TIMES
21.1	2.1	39	4	21-100 TIMES
11.9	1.2	22	5	MORE THAN 100
	89.9	1,641	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1263-1264

DH37N ANYTHING ELSE AGAINST THE LAW

Now I would like to ask about your involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... Do any thing else against the law that I didn't ask about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	60	1	YES
96.6	92.1	1,682	2	NO
	4.6	84	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1265-1266

DH38N # TIMES ANYTHING ELSE DONE AGAINST LAW

During (MONTHS), how many different times did you do that?

... Do any thing else against the law that I didn't ask about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	0.6	11	1	1 TIME
14.8	0.4	8	2	2-5 TIMES
27.8	0.8	15	3	6-20 TIMES
18.5	0.5	10	4	21-100 TIMES
18.5	0.5	10	5	MORE THAN 100
	97.0	1,772	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1267-1268

DH40 HELP BOX/ YES TO ANY ILLEGAL ACTIVITIES

[Interviewer Checkpoint] WAS ANY ACTIVITY CODED "1" AT H37?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	71.9	1,313	1	YES
25.4	24.5	448	2	NO
	3.6	65	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1269-1270

DH41 # MONTHS INVOLVED IN ILLEGAL ACTIVITIES

During (MONTHS), how many months were you doing any of the activities [crime] we just talked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.4	7	0	
9.6	6.6	121	1	
9.2	6.4	116	2	
7.5	5.1	94	3	
3.8	2.6	48	4	
3.3	2.2	41	5	
9.5	6.6	120	6	
3.2	2.2	40	7	
3.7	2.6	47	8	
2.4	1.6	30	9	
3.3	2.2	41	10	
1.7	1.2	21	11	
42.4	29.2	534	12	
	31.0	566	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1271-1272

DH41A AMOUNT EARNED FROM ILLEGAL ACTIVITIES

In a typical week, during (MONTHS), about how much money would you say you earned from these activities?

1,826 cases (Range of valid codes: 0-80,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1273-1277

DH42 ARRESTED/BOOKED OR TAKEN INTO CUSTODY

During (MONTHS), were you ever arrested and booked or taken into custody?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	32.6	595	1	YES
54.1	38.4	702	2	NO
	29.0	529	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1278-1279

DH42A # TIMES ARRESTED/BOOKED/CUSTODY

About how many times were you arrested and booked (or taken into custody) during (MONTHS)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	18.8	343	1	
26.1	8.4	154	2	
7.8	2.5	46	3	
2.9	0.9	17	4	
1.9	0.6	11	5	
1.2	0.4	7	6	
0.5	0.2	3	7	
0.3	0.1	2	8	
0.2	0.1	1	9	
0.2	0.1	1	10	
0.2	0.1	1	12	
0.3	0.1	2	15	
0.2	0.1	1	40	
	67.7	1,237	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1280-1281

DH42_DRG ARREST FOR DRUG LAW VIOLATIONS

Indicates a response of "yes" in at least one (1) of the following original variables:

What was/were the main charge(s) [from arrests during (MONTHS)?

- DH42BM1 ARREST FOR DRUG POSSESSION
- DH42BM2 ARREST FOR DRUG SALE OR MANUFACTURING

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	8.3	152	1	YES
74.1	23.8	435	2	NO
	67.9	1,239	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 1286-1287

DH42_PER ARREST FOR CRIMES AGAINST PERSONS

Indicates a response of "yes" in at least one (1) of the following original variables:

What was/were the main charge(s) [from arrests during (MONTHS)?

- DH42BM3 ARREST FOR ARMED/FORCED ROBBERY
- DH42BM4 ARREST FOR AGGRAVATED ASSAULT
- DH42BM5 ARREST FOR FORCIBLE RAPE, SEXUAL ASSAULT
- DH42BM6 ARREST FOR MURDER, MANSLAUGHTER, HOMICIDE
- DH42BM7 ARREST FOR OTHER VIOLENT OFFENSES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	2.4	43	1	YES
92.7	29.8	544	2	NO
	67.9	1,239	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 1282-1283

DH42_PRO	ARREST FOR CRIMES AGAINST PROPERTY
----------	------------------------------------

Indicates a response of "yes" in at least one (1) of the following original variables:

What was/were the main charge(s) [from arrests during (MONTHS)]?

- DH42BM8 ARREST FOR FORGERY, PASSING BAD CHECKS
- DH42BM9 ARREST FOR MOTOR VEHICLE THEFT
- DH42BM10 ARREST FOR BREAKING AND ENTERING, BURGLARY
- DH42BM12 ARREST FOR OTHER THEFT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	7.1	130	1	YES
77.9	25.0	457	2	NO
	67.9	1,239	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 1284-1285

DH42_PUB ARREST FOR OFFENSES AGAINST PUBLIC ORDER

Indicates a response of "yes" in at least one (1) of the following original variables:

What was/were the main charge(s) [from arrests during (MONTHS)]?

- DH42BM11 ARREST FOR PIMPING, PROCURING
- DH42BM14 ARREST FOR PROSTITUTION, SOLICITATION
- DH42BM15 ARREST FOR VIOLATION OF PAROLE
- DH42BM16 ARREST FOR OTHER PUBLIC ORDER OFFENSES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	11.6	211	1	YES
64.1	20.6	376	2	NO
	67.9	1,239	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 1288-1289

DH42BM13 ARREST FOR DRIVING WHILE INTOXICATED

What was/were the main charge(s) [from arrests during (MONTHS)]?

... Driving while intoxicated (DWI), Driving under the influence (DUI)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	6.8	125	1	YES
78.7	25.3	462	2	NO
	67.9	1,239	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 1290-1291

DH42BM17 CHARGE UNABLE TO BE CODED

What was/were the main charge(s) [from arrests during (MONTHS)]?

... CANNOT CODE CHARGE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	3.0	54	1	YES
90.8	29.2	533	2	NO
	67.9	1,239	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 1292-1293

DH43 EVER ATTACKED WITH WEAPON

During (MONTHS), were you ever attacked with a weapon such as a knife or a gun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	16.3	297	1	YES
83.6	82.6	1,509	2	NO
	1.1	20	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1294-1295

DH44 EVER HIT OR BEATEN

During (MONTHS), were you ever hit or beaten so seriously that you were badly bruised, had to see a doctor, or had to stay in bed for one day or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	14.7	269	1	YES
85.2	84.9	1,551	2	NO
	0.3	6	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1296-1297

DH45 HELP BOX/ ATTACKED OR HIT CODED YES

[Interviewer Checkpoint] IS "1" CODED AT H43 OR H44?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	23.2	423	1	YES
76.8	76.8	1,403	2	NO
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 1298

DH46 # TIMES ATTACKED/HIT OR BEATEN

During (MONTHS), how many times were you attacked with a weapon or seriously hit or beaten?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	10.6	193	1	ONE TIME
41.1	9.2	168	2	2-5 TIMES
6.1	1.4	25	3	6-10 TIMES
2.2	0.5	9	4	11-20 TIMES
2.0	0.4	8	5	21-100 TIMES
1.5	0.3	6	6	MORE THAN 100 TIMES
	77.6	1,417	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1299-1300

DH47 OPINION OF PHYSICAL HEALTH

The next questions are about your physical health. During (MONTHS), would you say your health was ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	12.9	236	1	EXCELLENT
36.7	36.5	667	2	GOOD
30.3	30.2	552	3	FAIR, OR
20.0	19.9	364	4	POOR
	0.4	7	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1301-1302

DH48 ILLNESS CAUSE PAIN/LIMIT ACTIVITIES

During (MONTHS), did you have any illness or condition that caused you pain, limited your activities, or caused you problems at work (or in school)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	36.9	674	1	YES
62.9	62.6	1,143	2	NO
	0.5	9	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1303-1304

DH49B PROBLEM WITH HEART OR BLOOD CONDITION

During (MONTHS), did you have any problems with
 ... b. a heart or blood condition

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	8.1	147	1	YES
78.2	28.9	527	2	NO
	63.1	1,152	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1305-1306

DH49C PROBLEM WITH HEPATITIS/YELLOW JAUNDICE

During (MONTHS), did you have any problems with
 ... c. hepatitis or yellow jaundice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	3.6	65	1	YES
90.3	33.2	607	2	NO
	63.2	1,154	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1307-1308

DH49D PROBLEM WITH AN INTERNAL CONDITION

During (MONTHS), did you have any problems with
 ... d. an internal condition, such as ulcers, diabetes,
 or kidney or liver problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	11.8	215	1	YES
68.1	25.1	458	2	NO
	63.1	1,153	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1309-1310

DH49E PROBLEM WITH BONE OR MUSCLE CONDITION

During (MONTHS), did you have any problems with
 ... e. a bone or muscle condition,

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.6	14.6	266	1	YES
60.4	22.2	406	2	NO
	63.2	1,154	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1311-1312

DH49F PROBLEM WITH NERVE CONDITION

During (MONTHS), did you have any problems with
 ... f. a nerve condition, such as convulsions,
 or migraines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.6	12.0	220	1	YES
67.4	24.9	454	2	NO
	63.1	1,152	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1313-1314

DH49I HELP BOX/ YES TO 'A' NOTED ON CALENDAR

[Interviewer Checkpoint] CHECK ROW D OF THE CALENDAR. HAVE YOU ALREADY ENTERED "A" ON ROW D?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	25	1	YES
98.6	98.6	1,801	2	NO
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 1319

DH49J PROBLEM WITH AIDS RELATED CONDITION

During (MONTHS), did you have any problems with ... j. any AIDS-related condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	0.7	13	1	YES
35.0	0.4	7	2	NO
	98.9	1,806	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1320-1321

DH50 BLOOD TEST FOR AIDS

During (MONTHS), did you have a blood test for AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	49.6	906	1	YES
49.0	47.8	872	2	NO
	2.6	48	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1322-1323

DH50A RESULTS OF BLOOD TEST FOR AIDS

Did you find out the results of that test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	46.1	842	1	YES
7.0	3.5	63	2	NO
	50.4	921	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1324-1325

DH52 # TIMES DR SEEN FOR ILLNESS/CONDITION

During (MONTHS), about how many times did you see a doctor for a physical illness, condition or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	16.5	301	1	ONCE,
27.8	27.7	505	2	2-9 TIMES, OR
11.2	11.1	203	3	10 OR MORE TIMES?
44.4	44.2	807	4	NEVER SAW A DOCTOR
	0.5	10	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1326-1327

DH53 # TIMES TO EMERGENCY ROOM

During (MONTHS), how many times did you go to a hospital emergency room but did not stay overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	16.9	308	1	ONCE,
15.9	15.8	289	2	2-9 TIMES, OR
1.9	1.9	35	3	10 OR MORE TIMES?
65.2	65.0	1,186	4	NEVER SAW A DOCTOR
	0.4	8	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1328-1329

DH54

GO TO HOSPITAL FOR 24 HRS FOR ILLNESS

During (MONTHS), did you ever go to a hospital for at least 24 hours for a physical illness, condition or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	15.8	288	1	YES
84.2	83.8	1,530	2	NO
	0.4	8	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1330-1331

DH54A # NIGHTS SPENT IN HOSPITAL FOR ILLNESS

During (MONTHS), about how many nights did you spend in the hospital for a physical illness, condition, or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.3	6	0	
21.9	3.4	62	1	
14.8	2.3	42	2	
11.7	1.8	33	3	
4.2	0.7	12	4	
5.3	0.8	15	5	
3.2	0.5	9	6	
8.5	1.3	24	7	
1.4	0.2	4	8	
1.4	0.2	4	9	
2.5	0.4	7	10	
0.7	0.1	2	11	
1.8	0.3	5	12	
6.4	1.0	18	14	
0.7	0.1	2	15	
0.4	0.1	1	17	
0.4	0.1	1	18	
0.4	0.1	1	19	
1.1	0.2	3	20	
1.1	0.2	3	21	
0.7	0.1	2	22	
0.7	0.1	2	24	
0.4	0.1	1	27	
0.4	0.1	1	28	
0.4	0.1	1	29	
3.5	0.5	10	30	
0.4	0.1	1	31	
0.4	0.1	1	32	
1.1	0.2	3	40	
0.4	0.1	1	42	
0.4	0.1	1	48	
0.4	0.1	1	50	
0.4	0.1	1	52	
1.1	0.2	3	60	
	84.5	1,543	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1332-1333

DH55 PREGNANT AT ANY TIME

FEMALE R ONLY: Now, I am going to ask about pregnancy and giving birth. During (MONTHS), were you pregnant at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	8.8	161	1	YES
75.6	27.3	498	2	NO
	63.9	1,167	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1334-1335

DH55A GIVE BIRTH TO A LIVE BABY

[If Female R was Pregnant] Did you give birth to a live baby?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	5.3	96	1	YES
40.4	3.6	65	2	NO
	91.2	1,665	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1336-1337

DH56 # OF DIFFERENT SEXUAL PARTNERS

During (MONTHS), about how many different people did you have sex with, even if only one time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.9	180	1	NONE
44.7	44.1	805	2	ONE
33.8	33.3	608	3	2-9
6.6	6.5	118	4	10-25
2.8	2.8	51	5	26-100
2.1	2.0	37	6	MORE THAN 100
	1.5	27	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1338-1339

DH56A SEX FOR MONEY/DRUGS/CLOTHES

During those 12 months, did you have sex with someone so they would give you money, drugs, clothes or a place to sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	12.6	230	1	YES
85.8	75.8	1,385	2	NO
	11.6	211	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1340-1341

DH57 HELP BOX/ # OF MONTHS INCARCERATED

[Interviewer Checkpoint] CHECK ROW C OF THE CALENDAR. HOW MANY MONTHS WAS R INCARCERATED DURING SEGMENT 1?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	96.3	1,758	1	0-9 MONTHS
3.7	3.7	68	2	10-12 MONTHS
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Column: 1342

DH58 MAJORITY SUPPORT FROM ILLEGAL ACTIVITY

Next, I would like to ask about how you supported yourself during (MONTHS), that is, how you got the money that you used to live on. During (MONTHS), did you get most of your support from illegal activities that you did?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	25.7	470	1	YES
73.1	69.9	1,277	2	NO
	4.3	79	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1343-1344

DH58DRG DRUG LAW VIOLATIONS TO GET MONEY

Indicates a response of "yes" to at least one (1) illegal activity involving drug law violations:

During (MONTHS), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	15.6	284	1	YES
39.1	10.0	182	2	NO
	74.5	1,360	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1349-1350

DH58OTH OTHER ILLEGAL ACTIVITY TO GET MONEY

Indicates a response of "yes" to at least one (1) other illegal activity:

During (MONTHS), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	1.2	22	1	YES
95.3	24.3	444	2	NO
	74.5	1,360	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1353-1354

DH58PER CRIMES AGAINST PERSONS TO GET MONEY

Indicates a response of "yes" to at least one (1) illegal activity involving crimes against persons:

During (MONTHS), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	1.4	25	1	YES
94.6	24.2	441	2	NO
	74.5	1,360	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 1345-1346

DH58PRO PROPERTY CRIMES TO GET MONEY

Indicates a response of "yes" to at least one (1) illegal activity involving property crimes:

During (MONTHS), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	10.5	192	1	YES
58.8	15.0	274	2	NO
	74.5	1,360	-9	UNKNOWN/NOT MENTIONED
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data code: -9
 Columns: 1347-1348

DH60 # MONTHS WORKED FULL-TIME

During (MONTHS), how many months did you work full-time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	1.4	26	1	
4.4	1.7	31	2	
8.2	3.1	57	3	
5.4	2.1	38	4	
4.9	1.9	34	5	
11.7	4.5	82	6	
4.6	1.8	32	7	
5.6	2.1	39	8	
3.9	1.5	27	9	
5.6	2.1	39	10	
2.7	1.0	19	11	
39.3	15.1	275	12	
	61.7	1,127	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1357-1358

DH61**KIND OF WORK AT LONGEST FULL-TIME JOB**

What kind of work did you do at your longest full-time job?
That is, what was your job title or what was your job called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	4.0	73	1	CLERICAL WORKER (SEE TABLE IN CODEBOOK)
7.3	2.8	52	2	SALES WORKER (SEE TABLE IN CODEBOOK)
18.8	7.3	133	3	SERVICE WORKER (SEE TABLE IN CODEBOOK)
1.4	0.5	10	4	PRIVATE HH WORKER (SEE TABLE IN CODEBOOK)
16.7	6.5	118	5	SKILLED WORKER/CRAFTSMAN (SEE TABLE IN CODEBOOK)
17.4	6.7	123	6	LABORER (SEE TABLE IN CODEBOOK)
5.2	2.0	37	7	OPERATOR/MACHINE OPERATOR (SEE TABLE IN CODEBOOK)
7.6	3.0	54	8	TRANSPORT. EQUIP. OPERATOR (SEE TABLE IN CODEBOOK)
0.8	0.3	6	9	FARM LABORER (SEE TABLE IN CODEBOOK)
0.4	0.2	3	10	FARMER OR FARM MANAGER (SEE TABLE IN CODEBOOK)
6.1	2.4	43	11	MANAGER/ADMINISTRATOR (SEE TABLE IN CODEBOOK)
0.8	0.3	6	12	LAY COUNSELOR (SEE TABLE IN CODEBOOK)
5.9	2.3	42	13	PROFESSIONAL/TECHNICAL
0.6	0.2	4	14	OTHER (SEE TABLE IN CODEBOOK)
0.1	0.1	1	15	UNABLE TO CODE (SEE TABLE IN CODEBOOK)
0.4	0.2	3	16	MILITARY (SEE TABLE IN CODEBOOK)
	61.2	1,118	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1359-1360

DH62**HIGHEST SALARY AT FULL-TIME JOB**

Before taxes, what was your highest wage, salary, or rate of pay at that full-time job?

1,826 cases (Range of valid codes: .00-90,000.00)

Data type: numeric
Decimals: 2
Missing-data codes: lowest thru -1.00
Columns: 1361-1368

DH62A PAY CODE FOR HIGHEST SALARY AT JOB

Payment Rate Code for DH62 (Per Hour, Day, Week, Month, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.5	22.3	408	1	PER HOUR
12.5	4.8	87	2	EVERY WEEK
1.6	0.6	11	3	EVERY TWO WEEKS
12.9	4.9	90	4	PER MONTH
13.5	5.1	94	5	PER YEAR
0.0	0.0	0	6	OTHER (SPECIFY)
0.7	0.3	5	7	DAY
0.0	0.0	0	8	UNIT/PRODUCT
0.1	0.1	1	9	UNIT/SERVICE
0.3	0.1	2	10	ROOM & BOARD
	61.8	1,128	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1369-1370

DH63 EVER HAVE PART-TIME JOB

During (MONTHS), did you have a part-time job at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	20.2	368	1	YES
78.9	75.5	1,379	2	NO
	4.3	79	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1371-1372

DH64 # MONTHS WORKED PART-TIME

During (MONTHS), how many months did you work part-time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	2.3	42	1	
17.2	3.5	63	2	
14.2	2.8	52	3	
9.0	1.8	33	4	
4.9	1.0	18	5	
13.1	2.6	48	6	
3.8	0.8	14	7	
4.1	0.8	15	8	
3.6	0.7	13	9	
2.2	0.4	8	10	
1.1	0.2	4	11	
15.3	3.1	56	12	
	80.0	1,460	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1373-1374

DH65 HIGHEST SALARY AT PART-TIME JOB

Before taxes, what was your highest wage, salary, or rate of pay at the part-time job you had the longest during (MONTHS)? RECORD DOLLARS AND CENTS AND CODE.

1,826 cases (Range of valid codes: .00-20,000.00)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 1375-1382

DH65A PAY CODE FOR HIGHEST SALARY AT JOB

Payment Rate Code for DH65 (Per Hour, Day, Week, Month, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	13.3	243	1	PER HOUR
14.2	2.7	50	2	EVERY WEEK
1.7	0.3	6	3	EVERY TWO WEEKS
7.4	1.4	26	4	PER MONTH
2.3	0.4	8	5	PER YEAR
0.0	0.0	0	6	OTHER (SPECIFY)
3.4	0.7	12	7	DAY
0.0	0.0	0	8	UNIT/PRODUCT
2.0	0.4	7	9	UNIT/SERVICE
0.0	0.0	0	10	ROOM & BOARD
	80.7	1,474	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1383-1384

DH66 ANYONE HELP OR PAY EXPENSES

During (MONTHS), did anyone you lived with (help with/pay your) expenses, such as housing, food, clothing, medical costs, (and/or) transportation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.0	56.2	1,027	1	YES
41.0	39.0	713	2	NO
	4.7	86	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1385-1386

DH66A AMOUNT OF HELP WITH EXPENSES

During (MONTHS), would you say that this help with your living expenses paid for less than half, half or more, or all of your living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	17.3	315	1	LESS THAN HALF
46.0	25.8	472	2	HALF OR MORE
23.4	13.1	240	3	ALL
	43.8	799	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1387-1388

DH67A WAGES OR SALARY INCLUDING TIPS

Now, I will ask about (other) sources of income you may have had during (MONTHS). (Please do not include income from illegal activities) (or help you received with living expenses from someone you lived with.)

... Your wages or salary, including tips, (from all jobs or businesses)? [Yes or No]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	51.1	933	1	YES
46.5	44.4	810	2	NO
	4.5	83	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1389-1390

DH68AA AMOUNT OF WAGES OR SALARY/WK/MO

During (MONTHS), before taxes, about how much income did you personally get from (INCOME SOURCE).

... Your wages or salary, including tips, (from all jobs or businesses)? Dollar amount rounded to nearest dollar.

1,826 cases (Range of valid codes: 11-80,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1391-1395

DH68A1 INCOME PER WK/MO FROM WAGES/SALARY

Was the income reported in DH68AA, per week, per month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	21.7	397	1	PER WEEK
51.4	23.0	420	2	PER MONTH
0.0	0.0	0	3	TOTAL
	55.3	1,009	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1396-1397

DH68A2WK	NUMBER OF WEEKS - WAGES/SALARY
----------	--------------------------------

Duration of time income was received from DH68A

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.2	4	1	
3.4	0.7	13	2	
4.2	0.9	16	3	
6.6	1.4	25	4	
3.4	0.7	13	5	
6.6	1.4	25	6	
2.4	0.5	9	7	
6.6	1.4	25	8	
1.6	0.3	6	9	
2.9	0.6	11	10	
1.3	0.3	5	11	
17.5	3.6	66	12	
0.5	0.1	2	13	
0.3	0.1	1	14	
0.3	0.1	1	15	
2.9	0.6	11	16	
0.5	0.1	2	17	
2.1	0.4	8	20	
0.3	0.1	1	21	
4.0	0.8	15	24	
0.5	0.1	2	25	
1.3	0.3	5	26	
0.3	0.1	1	27	
0.5	0.1	2	28	
0.8	0.2	3	30	
2.4	0.5	9	32	
0.3	0.1	1	33	
0.3	0.1	1	34	
1.1	0.2	4	36	
1.6	0.3	6	40	
0.3	0.1	1	42	
0.3	0.1	1	43	
0.8	0.2	3	44	
0.3	0.1	1	46	
0.8	0.2	3	48	
0.3	0.1	1	49	
1.3	0.3	5	50	
18.3	3.8	69	52	
	79.4	1,449	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1398-1399

DH68A2MO NUMBER OF MONTHS- WAGES/SALARY

Duration of time income was received from DH68A

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.7	13	1	
6.9	1.5	28	2	
6.5	1.4	26	3	
7.4	1.6	30	4	
4.5	1.0	18	5	
12.2	2.7	49	6	
2.7	0.6	11	7	
4.5	1.0	18	8	
5.2	1.2	21	9	
4.7	1.0	19	10	
2.2	0.5	9	11	
40.0	8.8	161	12	
	77.9	1,423	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1400-1401

DH67B

RECEIVE MONEY FROM SPOUSE/PARTNER

During (MONTHS), before taxes, about how much income did you personally get from (INCOME SOURCE).

...(Money/Other money) from a (spouse, partner, or other) family member who was not living with you?
(Not including the help we've already talked about)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	15.8	288	1	YES
83.4	79.3	1,448	2	NO
	4.9	90	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1402-1403

DH68BB

AMOUNT RECEIVED FROM SPOUSE/PARTNER

During (MONTHS), before taxes, about how much income did you personally get from (INCOME SOURCE).

...(Money/Other money) from a (spouse, partner, or other) family member who was not living with you?
(Not including the help we've already talked about)

1,826 cases (Range of valid codes: 5-50,000)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1404-1408

DH68B1 INCOME PER WK/MO - FROM SPOUSE/PARTNER

Was the income reported in DH68BB, per week, per month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	2.6	48	1	PER WEEK
73.8	7.6	138	2	PER MONTH
0.5	0.1	1	3	TOTAL
	89.8	1,639	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1409-1410

DH68B2WK NUMBER OF WEEKS - FROM SPOUSE/PARTNER

Duration of time income was received from DH68B

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	0.5	10	1	
6.2	0.2	3	3	
4.2	0.1	2	4	
8.3	0.2	4	6	
2.1	0.1	1	8	
4.2	0.1	2	9	
4.2	0.1	2	10	
20.8	0.5	10	12	
2.1	0.1	1	13	
2.1	0.1	1	15	
2.1	0.1	1	20	
6.2	0.2	3	26	
2.1	0.1	1	30	
2.1	0.1	1	33	
12.5	0.3	6	52	
	97.4	1,778	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1411-1412

DH68B2MO NUMBER OF MONTHS - FROM SPOUSE/PARTNER

Duration of time income was received from DH68B

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	1.2	21	1	
3.8	0.3	5	2	
11.5	0.8	15	3	
3.1	0.2	4	4	
1.5	0.1	2	5	
4.6	0.3	6	6	
1.5	0.1	2	7	
2.3	0.2	3	8	
3.1	0.2	4	9	
1.5	0.1	2	10	
0.8	0.1	1	11	
50.4	3.6	66	12	
	92.8	1,695	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1413-1414

DH67C RECEIVE MONEY FROM WELFARE/RELIEF

Now, I will ask about (other) sources of income you may have had during (MONTHS). (Please do not include income from illegal activities) (or help you received with living expenses from someone you lived with.)

... Welfare, including General Assistance, or Relief or Aid to Dependent Children or to Families with Dependent Children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	26.8	489	1	YES
71.9	68.4	1,249	2	NO
	4.8	88	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1415-1416

DH68CC AMOUNT RECEIVED FROM WELFARE/RELIEF

During (MONTHS), before taxes, about how much income did you personally get from (INCOME SOURCE).

... Welfare, including General Assistance, or Relief or Aid to Dependent Children or to Families with Dependent Children?

1,826 cases (Range of valid codes: 50-13,020)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1417-1421

DH68C1 INCOME PER WK/MO FROM WELFARE/RELIEF

Was the income reported in DH68CC, per week, per month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.8	15	1	PER WEEK
96.6	24.6	450	2	PER MONTH
0.2	0.1	1	3	TOTAL
	74.5	1,360	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1422-1423

DH68C2WK NUMBER OF WEEKS FROM WELFARE/RELIEF

Duration of time income was received from DH68C

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	0.2	4	1	
13.3	0.1	2	2	
6.7	0.1	1	8	
6.7	0.1	1	9	
6.7	0.1	1	12	
6.7	0.1	1	26	
6.7	0.1	1	40	
26.7	0.2	4	52	
	99.2	1,811	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1424-1425

DH68C2MO NUMBER OF MONTHS FROM WELFARE/RELIEF

Duration of time income was received from DH68C

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	1.0	18	1	
6.0	1.4	25	2	
8.4	1.9	35	3	
4.3	1.0	18	4	
3.3	0.8	14	5	
8.4	1.9	35	6	
2.4	0.5	10	7	
3.1	0.7	13	8	
2.4	0.5	10	9	
2.4	0.5	10	10	
1.0	0.2	4	11	
54.2	12.4	227	12	
	77.1	1,407	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1426-1427

DH67D RECEIVE MONEY FROM UNEMPLOYMENT COMP

Now, I will ask about (other) sources of income you may have had during (MONTHS). (Please do not include income from illegal activities) (or help you received with living expenses from someone you lived with.)

... Unemployment compensation, disability pay, or SSI?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	21.4	391	1	YES
77.5	73.8	1,348	2	NO
	4.8	87	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1428-1429

DH68DD AMOUNT RECEIVED FROM UNEMPLOYMENT COMP

During (MONTHS), before taxes, about how much income did you personally get from (INCOME SOURCE).

... Unemployment compensation, disability pay, or SSI?

1,826 cases (Range of valid codes: 30-22,420)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1430-1434

DH68D1 INCOME PER WK/MO FROM UNEMP COMP

Was the income reported in DH68DD, per week, per month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	4.6	84	1	PER WEEK
77.2	15.8	288	2	PER MONTH
0.3	0.1	1	3	TOTAL
	79.6	1,453	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1435-1436

DH68D2WK	NUMBER OF WEEKS FROM UNEMP COMP
----------	---------------------------------

Duration of time income was received from DH68C

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	1	1	
6.2	0.3	5	2	
3.7	0.2	3	3	
2.5	0.1	2	4	
2.5	0.1	2	5	
7.4	0.3	6	6	
1.2	0.1	1	7	
7.4	0.3	6	8	
3.7	0.2	3	10	
21.0	0.9	17	12	
1.2	0.1	1	13	
2.5	0.1	2	14	
13.6	0.6	11	16	
1.2	0.1	1	20	
3.7	0.2	3	24	
6.2	0.3	5	26	
3.7	0.2	3	32	
1.2	0.1	1	35	
1.2	0.1	1	39	
2.5	0.1	2	48	
6.2	0.3	5	52	
	95.6	1,745	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1437-1438

DH68D2MO NUMBER OF MONTHS FROM UNEMP COMP

Duration of time income was received from DH68D

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.9	17	1	
7.0	1.0	19	2	
4.8	0.7	13	3	
6.2	0.9	17	4	
3.7	0.5	10	5	
7.0	1.0	19	6	
4.0	0.6	11	7	
0.7	0.1	2	8	
0.7	0.1	2	9	
2.2	0.3	6	10	
1.1	0.2	3	11	
56.4	8.4	154	12	
	85.0	1,553	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1439-1440

DH67E RECEIVE MONEY FROM SOCIAL SECURITY

Now, I will ask about (other) sources of income you may have had during (MONTHS). (Please do not include income from illegal activities) (or help you received with living expenses from someone you lived with.)

... Social Security, pension, annuity, or interest from savings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.5	64	1	YES
96.3	91.8	1,676	2	NO
	4.7	86	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1441-1442

DH68EE AMOUNT RECEIVED FROM SOCIAL SECURITY

During (MONTHS), before taxes, about how much income did you personally get from (INCOME SOURCE).

... Social Security, pension, annuity, or interest from savings?

1,826 cases (Range of valid codes: 75-12,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1443-1447

DH68E1 INCOME PER WK/MO FROM SOC SECURITY

Was the income reported in DH68EE, per week, per month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.1	1	1	PER WEEK
98.1	2.8	51	2	PER MONTH
0.0	0.0	0	3	TOTAL
	97.2	1,774	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1448-1449

DH68E2WK NUMBER OF WEEKS FROM SOC SECURITY

Duration of time income was received from DH68E

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	25	
	99.9	1,825	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1450-1451

DH68E2MO NUMBER OF MONTHS FROM SOC SECURITY

Duration of time income was received from DH68E

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.1	1	1	
2.2	0.1	1	4	
2.2	0.1	1	6	
4.4	0.1	2	7	
4.4	0.1	2	8	
84.4	2.1	38	12	
	97.5	1,781	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1452-1453

DH67F RECEIVE MONEY FROM ALIMONY/CHILD SUPP

Now, I will ask about (other) sources of income you may have had during (MONTHS). (Please do not include income from illegal activities) (or help you received with living expenses from someone you lived with.)

... Alimony or child support?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.8	33	1	YES
98.1	93.6	1,709	2	NO
	4.6	84	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1454-1455

DH68FF

AMOUNT RECEIVED FROM ALIMONY/CHILD SUPP

During (MONTHS), before taxes, about how much income did you personally get from (INCOME SOURCE).

... Alimony or child support?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.1	1	20	
31.0	0.5	9	50	
10.3	0.2	3	100	
3.4	0.1	1	125	
3.4	0.1	1	198	
6.9	0.1	2	200	
3.4	0.1	1	250	
3.4	0.1	1	295	
10.3	0.2	3	300	
3.4	0.1	1	350	
3.4	0.1	1	500	
3.4	0.1	1	700	
3.4	0.1	1	1500	
3.4	0.1	1	2000	
3.4	0.1	1	2300	
3.4	0.1	1	6600	
	98.4	1,797	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1456-1459

DH68F1 INCOME PER WK/MO FROM ALIMONY/CHILD SUP

Was the income reported in DH68FF, per week, per month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.1	1	1	PER WEEK
96.4	1.5	27	2	PER MONTH
0.0	0.0	0	3	TOTAL
	98.5	1,798	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1460-1461

DH68F2WK NUMBER OF WEEKS FROM ALIMONY/CHILD SUP

Duration of time income was received from DH68F

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	16	
	99.9	1,825	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1462-1463

DH68F2MO NUMBER OF MONTHS FROM ALIMONY/CHILD SUP

Duration of time income was received from DH68F

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.1	1	2	
8.0	0.1	2	3	
4.0	0.1	1	4	
20.0	0.3	5	6	
4.0	0.1	1	8	
8.0	0.1	2	10	
52.0	0.7	13	12	
	98.6	1,801	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1464-1465

DH67G RECEIVE MONEY FROM ANY OTHER SOURCE

Now, I will ask about (other) sources of income you may have had during (MONTHS). (Please do not include income from illegal activities) (or help you received with living expenses from someone you lived with.)

... Any other sources I haven't asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.6	103	1	YES
93.9	86.9	1,586	2	NO
	7.5	137	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1466-1467

DH68GG

AMOUNT RECEIVED FROM OTHER SOURCE

During (MONTHS), before taxes, about how much income did you personally get from (INCOME SOURCE).

... Any other sources I haven't asked about?

1,826 cases (Range of valid codes: 10-71,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1468-1472

DH68G1

INCOME PER WK/MO - OTHER SOURCE

Was the income reported in DH68GG, per week, per month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	0.4	8	1	PER WEEK
88.1	3.2	59	2	PER MONTH
0.0	0.0	0	3	TOTAL
	96.3	1,759	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1473-1474

DH68G2WK NUMBER OF WEEKS - OTHER SOURCE

Duration of time income was received from DH68G

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	2	
20.0	0.1	1	12	
20.0	0.1	1	16	
40.0	0.1	2	52	
	99.7	1,821	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1475-1476

DH68G2MO NUMBER OF MONTHS - OTHER SOURCE

Duration of time income was received from DH68G

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	0.2	3	1	
14.5	0.4	8	2	
9.1	0.3	5	3	
9.1	0.3	5	4	
7.3	0.2	4	6	
3.6	0.1	2	7	
1.8	0.1	1	9	
9.1	0.3	5	10	
40.0	1.2	22	12	
	97.0	1,771	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1477-1478

PARTICIPANT QUESTIONNAIRE: SECTION K. SEGMENT SAMPLE EPISODE SEGMENT

DK1 HELP BOX/ PAROLE/PROB STATUS ON CALENDAR

[Interviewer Checkpoint] CHECK ROW C OF THE CALENDAR. WAS PAROLE OR PROBATION STATUS NOTED DURING SEGMENT 2 PERIOD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	42.4	774	1	YES
57.5	57.3	1,046	2	NO
	0.3	6	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1479-1480

DK2 REPORT/CONTACT WITH PROBATION OFFICER

During (MONTHS) did you report to or have any contact with your (probation/parole) officer ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	25.1	458	1	YES
40.6	17.1	313	2	NO
	57.8	1,055	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1481-1482

DK2A # TIMES CONTACT/REPORT TO OFFICER

During (MONTHS), how often did you have contact with or report to your (probation/parole) officer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	0	
46.9	11.6	211	1	
19.1	4.7	86	2	
4.2	1.0	19	3	
22.4	5.5	101	4	
0.7	0.2	3	5	
0.4	0.1	2	6	
0.2	0.1	1	7	
1.1	0.3	5	8	
0.2	0.1	1	9	
0.4	0.1	2	11	
3.1	0.8	14	12	
0.2	0.1	1	14	
0.2	0.1	1	20	
0.2	0.1	1	30	
0.2	0.1	1	100	
	75.4	1,376	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1483-1485

DK2B CONTACT WITH OFFICER PER MONTH/YEAR

Code for contact with probation / parole officer (per month or year)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	20.8	379	1	PER MONTH
5.5	1.2	22	2	PER YEAR
	78.0	1,425	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1486-1487

DK3 URINE TESTS REQ'D AS COND OF PROBATION

During (MONTHS), were urine tests required as a condition of probation/parole?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	21.9	400	1	YES
47.6	19.9	363	2	NO
	58.2	1,063	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1488-1489

DK3A # TIMES PER MONTH REQUIRED

How many times per month were these (urine tests) required?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.6	11	0	
39.8	7.9	145	1	
17.9	3.6	65	2	
3.6	0.7	13	3	
28.0	5.6	102	4	
0.8	0.2	3	5	
0.8	0.2	3	6	
0.3	0.1	1	7	
1.9	0.4	7	8	
0.3	0.1	1	9	
0.5	0.1	2	10	
2.7	0.5	10	12	
0.3	0.1	1	14	
	80.1	1,462	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1490-1491

DK4M1 INHALANT REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	5	1	YES
99.7	98.8	1,804	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1492-1493

DK4M2 MARIJUANA/HASHISH REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Marijuana/hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.2	168	1	YES
90.7	89.9	1,641	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1494-1495

DK4M3 CRACK REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.5	264	1	YES
85.4	84.6	1,545	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1496-1497

DK4M4 COCAINE POWDER REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	18.3	334	1	YES
81.5	80.8	1,475	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1498-1499

DK4M5 PCP OR ANGEL DUST REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... PCP or angel dust

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.6	30	1	YES
98.3	97.4	1,779	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1500-1501

DK4M6 HALLUCINOGEN/PSYCHE REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Hallucinogens or Psychedelics/LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	16	1	YES
99.1	98.2	1,793	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1502-1503

DK4M7 HEROIN REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	43.6	796	1	YES
56.0	55.5	1,013	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1504-1505

DK4M8 ILLEGAL METHADONE REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	6	1	YES
99.7	98.7	1,803	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1506-1507

DK4M9 OTHER NARCOTICS REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	19	1	YES
98.9	98.0	1,790	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1508-1509

DK4M10 METHAMPHETAMINES REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	12.9	235	1	YES
87.0	86.2	1,574	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1510-1511

DK4M11 DOWNERS REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	21	1	YES
98.8	97.9	1,788	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1512-1513

DK4M12 OTHER DRUG REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	18	1	YES
99.0	98.1	1,791	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1514-1515

DK4M13	ALCOHOL REASON FOR TREATMENT
---------------	-------------------------------------

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	38.3	699	1	YES
61.4	60.8	1,110	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1516-1517

DK4M14	RITALIN/PRELUDIN REASON FOR TREATMENT
---------------	--

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... Ritalin or Preludin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	YES
99.9	99.0	1,807	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1518-1519

DK4M15 NO DRUG AS REASON FOR TREATMENT

During (MONTHS) when you went to (PROGRAM), which drug or drug combination, including alcohol, was the reason you went there?

... No Drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	19	1	YES
98.9	98.0	1,790	2	NO
	0.9	17	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1520-1521

DK5A IMPORTANCE OF FAMILY MEMBER TO TREATMENT

During (MONTHS) how important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was (your/a) ... very important, somewhat important, or not important (in getting you to go there)?

... a. Wife/husband or other family member

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	50.1	914	1	VERY IMPORTANT
11.3	11.1	203	2	SOMEWHAT IMPORTANT
38.0	37.5	685	3	NOT IMPORTANT
	1.3	24	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1522-1523

DK5B

IMPORTANCE OF FRIENDS TO TREATMENT

During (MONTHS) how important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was (your/a) ... very important, somewhat important, or not important (in getting you to go there)?

... b. Friend or associate (co-worker)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	18.3	334	1	VERY IMPORTANT
10.3	10.2	186	2	SOMEWHAT IMPORTANT
71.1	70.0	1,278	3	NOT IMPORTANT
	1.5	28	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1524-1525

DK5C

IMPORTANCE OF EMPLOYER TO TREATMENT

During (MONTHS) how important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was (your/a) ... very important, somewhat important, or not important (in getting you to go there)?

... c. Employer

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.4	98	1	VERY IMPORTANT
3.2	3.1	57	2	SOMEWHAT IMPORTANT
91.3	88.8	1,622	3	NOT IMPORTANT
	2.7	49	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1526-1527

DK5D IMPORTANCE OF TEACHER TO TREATMENT

During (MONTHS) how important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was (your/a) ... very important, somewhat important, or not important (in getting you to go there)?

... d. UNDER AGE 18 R ONLY:
Teacher, School counselor, or someone else at school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	0.2	4	1	VERY IMPORTANT
16.1	0.3	5	2	SOMEWHAT IMPORTANT
71.0	1.2	22	3	NOT IMPORTANT
	98.3	1,795	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1528-1529

DK5E IMPORTANCE OF NURSE/DR TO TREATMENT

During (MONTHS) how important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was (your/a) ... very important, somewhat important, or not important (in getting you to go there)?

... e. Nurse, doctor, social worker, or somebody like that

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.8	215	1	VERY IMPORTANT
5.4	5.3	97	2	SOMEWHAT IMPORTANT
82.7	81.4	1,487	3	NOT IMPORTANT
	1.5	27	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1530-1531

DK5F IMPORTANCE OF PROB OFFICER TO TREATMENT

During (MONTHS) how important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was (your/a) ... very important, somewhat important, or not important (in getting you to go there)?

... f. Probation or parole officer, judge, attorney, or somebody like that

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	22.1	403	1	VERY IMPORTANT
4.6	4.5	83	2	SOMEWHAT IMPORTANT
72.9	71.7	1,310	3	NOT IMPORTANT
	1.6	30	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1532-1533

DK5G IMPORTANCE OF ANYONE ELSE TO TREATMENT

During (MONTHS) how important would you say each of the following people was in getting you to go to treatment or counseling at (PROGRAM). Was (your/a) ... very important, somewhat important, or not important (in getting you to go there)?

... g. Anyone else

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	17.0	310	1	VERY IMPORTANT
0.6	0.6	11	2	SOMEWHAT IMPORTANT
81.9	79.6	1,454	3	NOT IMPORTANT
	2.8	51	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1534-1535

DK6M1 DRUG AVAILABILITY REASON FOR TREATMENT

What were the most important reasons you had for going to treatment or counseling at (PROGRAM NAME), during (MONTHS).

... DRUG AVAILABILITY -- difficulties obtaining drugs or "good" drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.1	57	1	YES
96.9	96.3	1,758	2	NO
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1536-1537

DK6M2 FINANCIAL REASON FOR TREATMENT

What were the most important reasons you had for going to treatment or counseling at (PROGRAM NAME), during (MONTHS).

... FINANCIAL -- couldn't afford to stay on drugs, lost an income source

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.7	213	1	YES
88.3	87.7	1,602	2	NO
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1538-1539

DK6M3 JUSTICE SYSTEM REASON FOR TREATMENT

What were the most important reasons you had for going to treatment or counseling at (PROGRAM NAME), during (MONTHS).

... PRESSURE FROM criminal justice system, attorney, etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	20.5	375	1	YES
79.3	78.9	1,440	2	NO
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1540-1541

DK6M4 RELATIONSHIPS REASON FOR TREATMENT

What were the most important reasons you had for going to treatment or counseling at (PROGRAM NAME), during (MONTHS).

... PRESSURE TO improve/save close relationship, with spouse, partner, parent

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	22.7	414	1	YES
77.2	76.7	1,401	2	NO
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1542-1543

DK6M5 TEACHER/MINISTER REASON FOR TREATMENT

What were the most important reasons you had for going to treatment or counseling at (PROGRAM NAME), during (MONTHS).

... PRESSURE FROM school teacher, minister, coach, etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	12	1	YES
99.3	98.7	1,803	2	NO
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1544-1545

DK6M6 GET/KEEP JOB REASON FOR TREATMENT

What were the most important reasons you had for going to treatment or counseling at (PROGRAM NAME), during (MONTHS).

... JOB -- to get, keep or improve job situation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	7.0	127	1	YES
93.0	92.4	1,688	2	NO
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1546-1547

DK6M7 PARENTING ISSUES REASON FOR TREATMENT

What were the most important reasons you had for going to treatment or counseling at (PROGRAM NAME), during (MONTHS).

... PARENTING ISSUES -- get or keep custody or become better parent

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	16.4	300	1	YES
83.5	83.0	1,515	2	NO
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1548-1549

DK6M8 HEALTH ISSUES REASON FOR TREATMENT

What were the most important reasons you had for going to treatment or counseling at (PROGRAM NAME), during (MONTHS).

... HEALTH ISSUES -- too ill to continue; drugs or related diseases are hurting or threaten own health, unborn baby, others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	15.8	289	1	YES
84.1	83.6	1,526	2	NO
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1550-1551

DK6M9 DESIRE FOR SERVICES REASON FOR TREATMENT

What were the most important reasons you had for going to treatment or counseling at (PROGRAM NAME), during (MONTHS).

... DESIRE FOR SERVICES -- want to become eligible for some type of services

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	81	1	YES
95.5	95.0	1,734	2	NO
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1552-1553

DK6M10 PERSONAL MOTIVE REASON FOR TREATMENT

What were the most important reasons you had for going to treatment or counseling at (PROGRAM NAME), during (MONTHS).

... GENERAL PERSONAL MOTIVE -- "tired", "disgusted", "want to change", improve lifestyle, "save" self

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	77.7	1,419	1	YES
21.8	21.7	396	2	NO
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1554-1555

DK6M11 OTHER GIVEN AS REASON FOR TREATMENT

What were the most important reasons you had for going to treatment or counseling at (PROGRAM NAME), during (MONTHS).

... OTHER REASON

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	7.1	129	1	YES
92.9	92.3	1,686	2	NO
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1556-1557

DK7 AGREEMENT WITH COUNSELOR FOR CHANGE

Next I'm going to ask about staff persons that you usually saw for counseling or treatment at (PROGRAM) during (MONTHS). Think about the staff person that you talked to the most: In general, how much did you and that person agree about things you might need to change in your life in order to stay drug free or alcohol free, such as changing the place you lived, changing your friends, going back to school or getting a new job? Would you say you agreed ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	54.4	993	1	VERY MUCH
30.3	29.5	539	2	SOMEWHAT
13.8	13.5	246	3	NOT AT ALL
	2.6	48	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1558-1559

DK7A PERSON UNDERSTOOD PROBLEMS WITH DRUGS

In general, how well do you feel that person (you usually saw for counseling or treatment at (PROGRAM) during (MONTHS) understood the problems you might have had with alcohol or drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.0	59.5	1,086	1	VERY MUCH
25.5	24.9	455	2	SOMEWHAT
13.5	13.1	240	3	NOT AT ALL
	2.5	45	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1560-1561

DK8M1 COMPLETED TREATMENT PLAN

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Completed treatment plan, graduated from program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	36.1	660	1	YES
59.6	53.3	973	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1562-1563

DK8M2 DROPPED FROM PROGRAM

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Dropped from program by staff, involuntary discharge

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	9.9	181	1	YES
88.9	79.5	1,452	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1564-1565

DK8M3 DID NOT WANT TO BE THERE IN 1ST PLACE

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Did not want to be there in first place

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.0	73	1	YES
95.5	85.4	1,560	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1566-1567

DK8M4 TREATMENT NOT SUCCESSFUL

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Treatment not successful, kept doing drugs, discouraged

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	14.7	268	1	YES
83.6	74.8	1,365	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1568-1569

DK8M5 TRANSFERRED TO ANOTHER PROGRAM

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Transferred to another program because dissatisfied

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.7	67	1	YES
95.9	85.8	1,566	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1570-1571

DK8M6 CHANGES IN ELIGIBILITY

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Changes in eligibility, program had to reduce size

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	15	1	YES
99.1	88.6	1,618	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1572-1573

DK8M7 BECAME INCARCERATED

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Became incarcerated

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	3.8	69	1	YES
95.8	85.7	1,564	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1574-1575

DK8M8

LOGISTICAL PROBLEMS

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Logistical problems, too difficult to get there, child care, conflict on job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	8.0	146	1	YES
91.1	81.4	1,487	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1576-1577

DK8M9

COULDN'T AFFORD IT

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Couldn't afford it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	8.0	146	1	YES
91.1	81.4	1,487	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1578-1579

DK8M10 PRESSURE FROM FAMILY/FRIENDS

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Pressure from family and friends to end treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.7	31	1	YES
98.1	87.7	1,602	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1580-1581

DK8M11 LEFT THE AREA

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Left the area

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	2.8	52	1	YES
96.8	86.6	1,581	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1582-1583

DK8M12 OTHER REASON TO END TREATMENT

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	7.7	140	1	YES
91.4	81.8	1,493	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1584-1585

DK8M13 NO REASON GIVEN

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... NO REASON GIVEN

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	YES
99.6	89.1	1,627	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1586-1587

DK8M14 NEEDED HOSPITALIZATION

What is the main reason or reasons you stopped treatment in (END MONTH)? [Interviewer Probe:] What other reason did you have?

... Needed hospitalization

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.4	8	1	YES
99.5	89.0	1,625	2	NO
	10.6	193	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1588-1589

DK9 HELP BOX/ WAS TREATMENT 1 MONTH OR LESS

WAS TREATMENT 1 MONTH OR LESS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	36.0	657	1	YES
63.8	63.5	1,160	2	NO
	0.5	9	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1590-1591

DK10 HOW HELPFUL WAS TREATMENT OR COUNSEL

During (MONTHS), how helpful to you was the treatment or counseling you received at (PROGRAM)? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	15.0	274	1	VERY HELPFUL
36.1	12.5	229	2	SOMEWHAT HELPFUL
20.8	7.2	132	3	NOT AT ALL HELPFUL
	65.2	1,191	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1592-1593

DK11A COUNSELING PROG HELP GET OFF DRUGS

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... a. Get off drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	17.1	313	1	YES
50.1	17.2	314	2	NO
	65.7	1,199	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1594-1595

DK11B COUNSELING PROG HELP STOP DRINKING

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... b. Stop drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	12.7	232	1	YES
62.1	20.8	380	2	NO
	66.5	1,214	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1596-1597

DK11C COUNSELING PROG IMPROVE HEALTH

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... c. Improve your health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	18.9	346	1	YES
44.7	15.3	280	2	NO
	65.7	1,200	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1598-1599

DK11D COUNSELING PROG HELP WITH EMOTIONS

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... d. Get help with emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	14.5	264	1	YES
57.7	19.7	360	2	NO
	65.8	1,202	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1600-1601

DK11E COUNSELING PROG HELP GET A JOB

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... e. Get a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	3.6	66	1	YES
89.4	30.6	558	2	NO
	65.8	1,202	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1602-1603

DK11F COUNSELING PROG HELP FINANCIAL PROBLEM

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... f. With financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	7.1	130	1	YES
79.2	27.2	496	2	NO
	65.7	1,200	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1604-1605

DK11G COUNSELING PROG HELP GET HOUSING

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... g. Get housing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	3.5	64	1	YES
89.7	30.7	560	2	NO
	65.8	1,202	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1606-1607

DK11H COUNSELING PROG HELP GET TRAINING

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... h. Get training and education?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	2.6	47	1	YES
92.5	31.6	577	2	NO
	65.8	1,202	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1608-1609

DK11I COUNSELING PROG HELP STOP CRIME

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... i. Stop committing crimes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	10.0	183	1	YES
70.3	23.8	434	2	NO
	66.2	1,209	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1610-1611

DK11J COUNSELING PROG HELP WITH LEGAL PROB

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... j. With legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	5.0	91	1	YES
85.3	29.0	529	2	NO
	66.0	1,206	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1612-1613

DK11K COUNSELING PROG HELP FAMILY RELATIONS

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... k. Improve your family relationships?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	16.9	309	1	YES
50.6	17.4	317	2	NO
	65.7	1,200	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1614-1615

DK11L COUNSELING PROG HELP WITH ANYTHING ELSE

During (MONTHS), did the treatment or counseling you received at (PROGRAM) help you

... 1. With anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	1.6	29	1	YES
95.3	32.1	587	2	NO
	66.3	1,210	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1616-1617

DK12 ATTEND CLASSES TO HELP PLAN FUTURE

uring (MONTHS), did you receive any counseling or attend any classes at (or arranged by) (PROGRAM) to help you plan your future; including how to handle problems after you left treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	16.9	309	1	YES
62.1	27.8	507	2	NO
	55.3	1,010	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1618-1619

DK13 ALCOHOL OR DRUGS USED DURING SEGMENT

During (MONTHS), did you use any alcohol or any drugs, including injecting drugs, even one time to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	22.9	418	1	YES
64.1	40.8	745	2	NO
	36.3	663	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1620-1621

DK13AM1 INHALANTS USED MOST OFTEN

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.2	3	1	YES
99.2	21.2	388	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1622-1623

DK13AM2

MARIJUANA/HASHISH USED MOST OFTEN

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Marijuana/Hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	4.1	75	1	YES
80.8	17.3	316	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1624-1625

DK13AM3

CRACK USED MOST OFTEN

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	2.2	40	1	YES
89.8	19.2	351	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1626-1627

DK13AM4	COCAINE POWDER USED MOST OFTEN
----------------	---------------------------------------

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Cocaine Powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	5.4	98	1	YES
74.9	16.0	293	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1628-1629

DK13AM5	PCP OR ANGEL DUST USED MOST OFTEN
----------------	--

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... PCP or angel dust

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.2	3	1	YES
99.2	21.2	388	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1630-1631

DK13AM6 HALLUCINOGEN/PSYCHED USED MOST OFTEN

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Hallucinogen or Psychedelics/LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.2	3	1	YES
99.2	21.2	388	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1632-1633

DK13AM7 HEROIN USED MOST OFTEN

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.7	9.1	167	1	YES
57.3	12.3	224	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1634-1635

DK13AM8

ILLEGAL METHADONE USED MOST OFTEN

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	1	YES
99.7	21.4	390	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1636-1637

DK13AM9

OTHER NARCOTICS USED MOST OFTEN

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.2	3	1	YES
99.2	21.2	388	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1638-1639

DK13AM10 METHAMPHETAMINES USED MOST OFTEN

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Methamphetamines

PCT VALID	PCT ALL	N	VALUE	LABEL
14.3	3.1	56	1	YES
85.7	18.3	335	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1640-1641

DK13AM11 DOWNERS USED MOST OFTEN

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Downers

PCT VALID	PCT ALL	N	VALUE	LABEL
1.3	0.3	5	1	YES
98.7	21.1	386	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1642-1643

DK13AM12	OTHER DRUGS USED MOST OFTEN
-----------------	------------------------------------

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Other drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.2	3	1	YES
99.2	21.2	388	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1644-1645

DK13AM13	ALCOHOL USED MOST OFTEN
-----------------	--------------------------------

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	9.9	180	1	YES
54.0	11.6	211	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1646-1647

DK13AM14 RITALIN OR PRELUDIN USED MOST OFTEN

During (MONTHS), which drug or drug combination, including alcohol, did you use most often?

... Ritalin or Preludin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	21.4	391	2	NO
	78.6	1,435	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1648-1649

DK13B # DAYS IN MONTH USE DRUGS/ALCOHOL

Looking at the calendar, during (MONTHS), about how many days in a typical month did you use (drugs) (or) (alcohol) to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.5	6.4	117	1	ONE OR TWO DAYS
30.2	6.4	116	2	3-10 DAYS
13.3	2.8	51	3	11-20 DAYS
26.0	5.5	100	4	21 DAYS OR MORE
	79.0	1,442	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1650-1651

DK14	NEEDLE USED TO INJECT DRUGS
-------------	------------------------------------

During (MONTHS), did you ever use a needle to inject drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	10.8	198	1	YES
49.2	10.5	192	2	NO
	78.6	1,436	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1652-1653

DK14A	# DAYS DRUGS INJECTED FOR HIGH
--------------	---------------------------------------

Looking at the calendar, during (MONTHS), about how many days did you inject drugs to get high or for other non-medical effects in a typical month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	2.2	41	1	ONE OR TWO DAYS
35.9	3.9	71	2	3-10 DAYS
13.6	1.5	27	3	11-20 DAYS
29.8	3.2	59	4	21 DAYS OR MORE
	89.2	1,628	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1654-1655

DK15 COUNSELING/CLASSES FOR SAFE NEEDLE USE

Did you receive any counseling or classes for safe needle use, or dangers of needle sharing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.5	6.8	125	1	YES
36.5	3.9	72	2	NO
	89.2	1,629	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1656-1657

DK16 HELP BOX/ WAS ALCOHOL CODED AT K13A?

[Interviewer Checkpoint] WAS ALCOHOL CODED AT K13a?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	9.9	180	1	YES
56.3	12.7	232	2	NO
	77.4	1,414	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1658-1659

DK17	EVER HAVE A DRINK OF ALCOHOL
-------------	-------------------------------------

Now I would like to ask about your use of alcoholic beverages. (By alcoholic beverages I mean beer, malt liquors, wine, wine coolers and hard liquor, such as vodka and mixed drinks.) During (MONTHS), did you ever have a drink of alcohol? (By a drink, I mean either a can of beer, a glass of wine or a wine cooler, a shot of hard liquor, or a single mixed drink.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	4.5	82	1	YES
60.6	6.9	126	2	NO
	88.6	1,618	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1660-1661

DK18	# DAYS DRINK THAT MONTH
-------------	--------------------------------

During (MONTHS), think about the month you were drinking the most. How many days did you drink during that month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	2.7	49	1	ONE DAY
31.2	4.5	82	2	2-5 DAYS
15.6	2.2	41	3	6-10 DAYS
12.2	1.8	32	4	11-20 DAYS
22.4	3.2	59	5	MORE THAN 20 DAYS
	85.6	1,563	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1662-1663

DK19_1 DRINK BEER/MALT LIQUOR ON A TYPICAL DAY

Still think about the month you were drinking the most. On a
 ... Beer/Malt Liquor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	11.1	203	1	YES
23.1	3.3	61	2	NO
	85.5	1,562	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1664-1665

DK20_1 AMOUNT OF BEER/MALT LIQUOR CONSUMED

In the month you were drinking the most then, on a typical
 day, when you were drinking, about how much (Beer/Malt
 Liquor) did you usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	4.1	74	1	
24.8	2.7	50	2	
11.4	1.3	23	3	
6.4	0.7	13	4	
5.0	0.5	10	5	
8.4	0.9	17	6	
1.5	0.2	3	7	
2.0	0.2	4	8	
0.5	0.1	1	10	
2.5	0.3	5	12	
0.5	0.1	1	14	
0.5	0.1	1	24	
	88.9	1,624	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1666-1667

DK20A_1 STANDARD MEASURE FOR AMOUNT CONSUMED

Unit of consumption for DK20_1 (i.e., Can, Bottle, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	1.7	31	1	BOTTLES
43.7	4.8	87	2	CANS
0.5	0.1	1	3	GLASSES
30.2	3.3	60	4	SIX PACKS
0.0	0.0	0	5	1/2 PINTS
0.0	0.0	0	6	PINTS
9.5	1.0	19	7	QUARTS
0.0	0.0	0	8	FIFTHS
0.0	0.0	0	9	DRINKS
0.0	0.0	0	10	SHOTS
0.5	0.1	1	11	OTHER (SPECIFY)
	89.1	1,627	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1668-1669

DK21_1 SIZE OF BOTTLE OR CAN

If DK20A_1 is bottle/Can... What size (bottle/can) was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	1	6	6 OUNCES
1.8	0.1	2	10	10 OUNCES
76.3	4.8	87	12	12 OUNCES
11.4	0.7	13	16	16 OUNCES
9.6	0.6	11	40	40 OUNCES
	93.8	1,712	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1670-1671

DK19_2 DRINK WINE/WINE COOLERS ON A TYPICAL DAY

Still think about the month you were drinking the most. On a
 ... Wine / Wine Coolers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	2.6	47	1	YES
81.9	11.7	213	2	NO
	85.8	1,566	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1672-1673

DK20_2 AMOUNT OF WINE/WINE COOLERS CONSUMED

In the month you were drinking the most then, on a typical
 day, when you were drinking, about how much (Wine/Wine
 Coolers) did you usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	1.1	20	1	
31.8	0.8	14	2	
13.6	0.3	6	3	
9.1	0.2	4	4	
	97.6	1,782	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1674-1675

DK20_A2 STANDARD MEASURE FOR AMOUNT CONSUMED

Unit of consumption for DK20_2 (i.e., Can, Bottle, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	1.5	27	1	BOTTLES
2.1	0.1	1	2	CANS
10.6	0.3	5	3	GLASSES
0.0	0.0	0	4	SIX PACKS
0.0	0.0	0	5	1/2 PINTS
6.4	0.2	3	6	PINTS
4.3	0.1	2	7	QUARTS
17.0	0.4	8	8	FIFTHS
0.0	0.0	0	9	DRINKS
0.0	0.0	0	10	SHOTS
2.1	0.1	1	11	OTHER (SPECIFY)
	97.4	1,779	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1676-1677

DK21_2 SIZE OF BOTTLE OR CAN

If DK20A_2 is bottle/Can... What size (bottle/can) was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.1	1	8	
4.5	0.1	1	9	
59.1	0.7	13	12	
18.2	0.2	4	16	
4.5	0.1	1	24	
9.1	0.1	2	32	
	98.8	1,804	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1678-1679

DK19_3 DRINK LIQUOR ON A TYPICAL DAY

Still think about the month you were drinking the most. On a
 ... Liquor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	5.1	94	1	YES
63.8	9.1	166	2	NO
	85.8	1,566	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1680-1681

DK20_3 AMOUNT OF LIQUOR CONSUMED

In the month you were drinking the most then, on a typical
 day, when you were drinking, about how much (Liquor) did you
 usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.4	3.0	54	1	
19.3	0.9	17	2	
4.5	0.2	4	3	
5.7	0.3	5	4	
4.5	0.2	4	5	
2.3	0.1	2	6	
1.1	0.1	1	10	
1.1	0.1	1	14	
	95.2	1,738	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1682-1683

DK20_A3 STANDARD MEASURE FOR AMOUNT CONSUMED

Unit of consumption for DK20_3 (i.e., Can, Bottle, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BOTTLES
0.0	0.0	0	2	CANS
0.0	0.0	0	3	GLASSES
0.0	0.0	0	4	SIX PACKS
18.7	0.9	17	5	1/2 PINTS
26.4	1.3	24	6	PINTS
4.4	0.2	4	7	QUARTS
16.5	0.8	15	8	FIFTHS
28.6	1.4	26	9	DRINKS
5.5	0.3	5	10	SHOTS
	95.0	1,735	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1684-1685

DK22 PRESCRIBED MEDICINE FOR DRUG PROBLEMS

During (MONTHS), did you take any medicines prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	7.8	142	1	YES
85.5	45.7	834	2	NO
	46.5	850	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1686-1687

DK22AM1 ALCOHOL PRESCRIBED FOR DRUG PROBLEMS

What prescription medicines did you take for drug or alcohol problems?

... Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.2	3	1	YES
97.9	7.6	139	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1688-1689

DK22AM2 ANALGESICS PRESCRIBED FOR DRUG PROBLEMS

What prescription medicines did you take for drug or alcohol problems?

... Analgesics [Propoxyphene-N (Darvon-N), propoxyphene (Darvon), oxycodone (Percodan), codeine or other pain medications]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	0.9	16	1	YES
88.7	6.9	126	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1690-1691

DK22AM3 ANTABUSE PRESCRIBED FOR DRUG PROBLEMS

What prescription medicines did you take for drug or alcohol problems?

... Antabuse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	1.1	20	1	YES
85.9	6.7	122	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1692-1693

DK22AM4 ANTACIDS PRESCRIBED FOR DRUG PROBLEMS

What prescription medicines did you take for drug or alcohol problems?

... Antacids

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.2	3	1	YES
97.9	7.6	139	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1694-1695

DK22AM5

ANTIANKXIETY MEDICINE FOR DRUG PROBLEMS

What prescription medicines did you take for drug or alcohol problems?

... Antianxiety Medications[Chlordiazepoxide (Librium), diazepam (Valium), alprazolam (Xanax), flurazepam (Dalmene), or other benzodiazepines;] [Chlorpromazine (Thorazine), trifluoperazine (Stelazine) thioridazine (Mellaril), or other anti-psychotics]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	1.5	27	1	YES
81.0	6.3	115	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1696-1697

DK22AM6

ANTICONVULSANT MEDICINE FOR DRUG PROBLEM

What prescription medicines did you take for drug or alcohol problems?

... Anticonvulsants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.3	5	1	YES
96.5	7.5	137	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1698-1699

DK22AM7**ANTIDEPRESSANT MEDICINE FOR DRUG PROBLEM**

What prescription medicines did you take for drug or alcohol problems?

... Antidepressants [Amtriptyline (Elavil), Desipramine, or any other antidepressants]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	0.9	16	1	YES
88.7	6.9	126	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1700-1701

DK22AM8**ANTIMANICS PRESCRIBED FOR DRUG PROBLEMS**

What prescription medicines did you take for drug or alcohol problems?

... Antimanics [Lithium carbonate (Lithium), carbamazepine (Tegretol), valproic acid (Valproate), or other anti-manics]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.3	6	1	YES
95.8	7.4	136	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1702-1703

DK22AM9 METHADONE PRESCRIBED FOR DRUG PROBLEMS

What prescription medicines did you take for drug or alcohol problems?

... Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	3.1	56	1	YES
60.6	4.7	86	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1704-1705

DK22AM10 MULTIVITAMINS TAKEN FOR DRUG PROBLEMS

What prescription medicines did you take for drug or alcohol problems?

... Multivitamins

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	0.5	9	1	YES
93.7	7.3	133	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1706-1707

DK22AM11

NARCOTIC ANTAGONISTS FOR DRUG PROBLEMS

What prescription medicines did you take for drug or alcohol problems?

... Narcotic Antagonists [Buprenorphine (Buprenex), Naltrexone (Trexan), Naloxone, or other narcotic antagonists]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	2	1	YES
98.6	7.7	140	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1708-1709

DK22AM12

SEDATIVES PRESCRIBED FOR DRUG PROBLEMS

What prescription medicines did you take for drug or alcohol problems?

... Sedatives [Pentobarbital (Nembutal), secobarbital (Seconal), Tuinal, or other barbiturates; Chloral hydrate or other sedatives or hypnotics]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.3	6	1	YES
95.8	7.4	136	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1710-1711

DK22AM13 OTHER PRESCRIPTION FOR DRUG PROBLEMS

What prescription medicines did you take for drug or alcohol problems?

... Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	1.4	26	1	YES
81.7	6.4	116	2	NO
	92.2	1,684	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1712-1713

DK22B HELP BOX/WAS SAMPLE SEG A METHADONE PROG

[Interviewer Checkpoint] WAS SAMPLE SEGMENT A METHADONE PROGRAM?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	3.7	68	1	YES
54.1	4.4	80	2	NO
	91.9	1,678	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1714-1715

DK22C	DOSE LEVELS OF METHADONE PRESCRIBED
--------------	--

During (MONTHS), in general, would you say that the doses of methadone you were prescribed were too high, the right amount, or too low?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	0.4	8	1	TOO HIGH
58.2	2.1	39	2	THE RIGHT AMOUNT
29.9	1.1	20	3	TOO LOW
	96.3	1,759	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1716-1717

DK23A	EVER ATTEND ALCOHOLICS ANONYMOUS
--------------	---

During (MONTHS), did you ever attend any ...

... a. Alcoholics Anonymous Meetings

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	36.4	665	1	YES
31.8	17.0	310	2	NO
	46.6	851	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1718-1719

DK23B EVER ATTEND NARCOTICS ANONYMOUS

During (MONTHS), did you ever attend any ...

... b. Narcotics Anonymous Meetings

PCT VALID	PCT ALL	N	VALUE	LABEL
53.0	28.2	515	1	YES
47.0	25.0	457	2	NO
	46.8	854	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1720-1721

DK23C EVER ATTEND COCAINE ANONYMOUS

During (MONTHS), did you ever attend any ...

... c. Cocaine Anonymous Meetings

PCT VALID	PCT ALL	N	VALUE	LABEL
23.1	12.3	224	1	YES
76.9	40.8	745	2	NO
	46.9	857	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1722-1723

DK23A1 HELP BOX/ ANY MEETINGS CODED YES

[Interviewer Checkpoint] IS ANY ITEM CODED "1" AT K23?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	39.9	728	1	YES
27.6	15.2	278	2	NO
	44.9	820	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1724-1725

DK23B1 ATTEND FIVE OR MORE MEETINGS

During (MONTHS), did you attend five or more of any of these [AA, NA, or CA] meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	36.7	671	1	YES
7.6	3.0	55	2	NO
	60.2	1,100	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1726-1727

DK26CM1 DEALING OR SELLING INHALANTS

What drugs were you dealing or selling during (MONTHS)?

... Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	4.1	74	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1732-1733

DK26CM2 DEALING OR SELLING MARIJUANA/HASHISH

What drugs were you dealing or selling during (MONTHS)?

... Marijuana/Hash

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	0.7	12	1	YES
83.8	3.4	62	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1734-1735

DK26CM3 DEALING OR SELLING CRACK

What drugs were you dealing or selling during (MONTHS)?

... Crack

PCT VALID	PCT ALL	N	VALUE	LABEL
8.1	0.3	6	1	YES
91.9	3.7	68	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1736-1737

DK26CM4 DEALING OR SELLING COCAINE POWDER

What drugs were you dealing or selling during (MONTHS)?

... Cocaine powder

PCT VALID	PCT ALL	N	VALUE	LABEL
29.7	1.2	22	1	YES
70.3	2.8	52	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1738-1739

DK26CM5 DEALING OR SELLING PCP OR ANGEL DUST

What drugs were you dealing or selling during (MONTHS)?

... PCP/angel dust

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	4.1	74	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1740-1741

DK26CM6 DEALING OR SELLING HALLUCINOGEN/PSYCHED

What drugs were you dealing or selling during (MONTHS)?

... Hallucinogen or Psychedelics/LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	1	1	YES
98.6	4.0	73	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1742-1743

DK26CM7 DEALING OR SELLING HEROIN

What drugs were you dealing or selling during (MONTHS)?

... Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	2.0	36	1	YES
51.4	2.1	38	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1744-1745

DK26CM8 DEALING OR SELLING ILLEGAL METHADONE

What drugs were you dealing or selling during (MONTHS)?

... Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	4.1	74	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1746-1747

DK26CM9**DEALING OR SELLING OTHER NARCOTICS**

What drugs were you dealing or selling during (MONTHS)?

... Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	1	1	YES
98.6	4.0	73	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1748-1749

DK26CM10**DEALING OR SELLING METHAMPHETAMINES**

What drugs were you dealing or selling during (MONTHS)?

... Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	1.0	18	1	YES
75.7	3.1	56	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1750-1751

DK26CM11 DEALING OR SELLING DOWNERS

What drugs were you dealing or selling during (MONTHS)?

... Downers

PCT VALID	PCT ALL	N	VALUE	LABEL
1.4	0.1	1	1	YES
98.6	4.0	73	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1752-1753

DK26CM12 DEALING OR SELLING OTHER DRUGS

What drugs were you dealing or selling during (MONTHS)?

... Other drug

PCT VALID	PCT ALL	N	VALUE	LABEL
4.1	0.2	3	1	YES
95.9	3.9	71	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1754-1755

DK26CM13	DEALING OR SELLING ALCOHOL
-----------------	-----------------------------------

What drugs were you dealing or selling during (MONTHS)?

... Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	4.1	74	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1756-1757

DK26CM14	DEALING OR SELLING PRELUDIN OR RITALIN
-----------------	---

What drugs were you dealing or selling during (MONTHS)?

... Ritalin or Preludin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	4.1	74	2	NO
	95.9	1,752	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1758-1759

DK24D HAVE SEX FOR MONEY OR DRUGS

Now I would like to ask about any involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... d. Have sex for money or drugs (prostitution)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	1.5	28	1	YES
97.2	52.4	957	2	NO
	46.1	841	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1760-1761

DK25D # TIMES SEX FOR MONEY OR DRUGS

During (MONTHS), how many different times did you do that?

... d. Have sex for money or drugs (prostitution)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	1	1	1 TIME
22.2	0.3	6	2	2-5 TIMES
33.3	0.5	9	3	6-20 TIMES
22.2	0.3	6	4	21-100 TIMES
18.5	0.3	5	5	MORE THAN 100
	98.5	1,799	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1762-1763

DK24G	BREAK INTO HOUSE/BUSINESS
--------------	----------------------------------

Now I would like to ask about any involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... g. Break into a house, a business, or a vehicle to take someone else's money or property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.0	18	1	YES
98.2	52.9	966	2	NO
	46.1	842	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1764-1765

DK25G	# TIMES BREAK INTO HOUSE/BUSINESS
--------------	--

During (MONTHS), how many different times did you do that?

... g. Break into a house, a business, or a vehicle to take someone else's money or property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	0.3	5	1	1 TIME
44.4	0.4	8	2	2-5 TIMES
16.7	0.2	3	3	6-20 TIMES
0.0	0.0	0	4	21-100 TIMES
11.1	0.1	2	5	MORE THAN 100
	99.0	1,808	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1766-1767

DK24H WEAPON/PHYSICAL FORCE USED TO STEAL

Now I would like to ask about any involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... h. Use a weapon or physical force against someone to steal money or property from them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.6	11	1	YES
98.9	53.3	973	2	NO
	46.1	842	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1768-1769

DK25H # TIMES WEAPON/PHYSICAL FORCE USED

During (MONTHS), how many different times did you do that?

... h. Use a weapon or physical force against someone to steal money or property from them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	0.3	6	1	1 TIME
45.5	0.3	5	2	2-5 TIMES
0.0	0.0	0	3	6-20 TIMES
0.0	0.0	0	4	21-100 TIMES
0.0	0.0	0	5	MORE THAN 100
	99.4	1,815	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1770-1771

DK24N ANYTHING ELSE AGAINST THE LAW

Now I would like to ask about any involvement with the police, the courts, and illegal activities. During (MONTHS), did you ever

... n. Do anything else against the law?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	2.5	46	1	YES
95.3	51.4	938	2	NO
	46.1	842	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1772-1773

DK25N # TIMES ANYTHING ELSE AGAINST THE LAW

During (MONTHS), how many different times did you do that?

... n. Do anything else against the law?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	0.3	5	1	1 TIME
23.3	0.5	10	2	2-5 TIMES
18.6	0.4	8	3	6-20 TIMES
30.2	0.7	13	4	21-100 TIMES
16.3	0.4	7	5	MORE THAN 100
	97.6	1,783	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1774-1775

DK29	HELP FROM PROGRAM WITH CHARGES
-------------	---------------------------------------

During (MONTHS), did you get help from or arranged by (PROGRAM) with any criminal charges against you, such as seeing a lawyer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	4.5	83	1	YES
91.6	49.3	901	2	NO
	46.1	842	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1780-1781

DK30	EVER ATTACKED WITH WEAPON
-------------	----------------------------------

During (MONTHS), were you ever attacked with a weapon such as a knife or a gun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	2.0	37	1	YES
96.2	51.8	945	2	NO
	46.2	844	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1782-1783

DK31 EVER HIT OR BEATEN

During (MONTHS), were you ever hit or beaten so seriously that you were badly bruised, had to see a doctor, or had to stay in bed for one day or more?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.2	1.7	31	1	YES
96.8	52.2	953	2	NO
	46.1	842	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1784-1785

DK32 OPINION OF PHYSICAL HEALTH

During (MONTHS), in general, was your health excellent, good, fair, or poor?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.9	11.8	216	1	EXCELLENT
48.8	26.3	481	2	GOOD
21.6	11.7	213	3	FAIR
7.6	4.1	75	4	POOR
	46.1	841	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1786-1787

DK33	GO TO HOSPITAL FOR 24 HRS FOR ILLNESS
-------------	--

During (MONTHS), did you go to a hospital for more than 24 hours for a physical illness, condition or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	4.3	79	1	YES
92.0	49.5	904	2	NO
	46.2	843	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1788-1789

DK34	PROG PROVIDE MED CARE BESIDES PHYSICAL
-------------	---

During (MONTHS), did (PROGRAM) itself provide any medical care besides an admission physical?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	7.6	139	1	YES
85.9	46.2	844	2	NO
	46.2	843	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1790-1791

DK35 RECEIVE ANY COUNSELING FOR EMOTION PROB

During (MONTHS), did you receive any counseling or treatment at (or arranged by) (PROGRAM) for problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.5	22.3	408	1	YES
58.5	31.5	576	2	NO
	46.1	842	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1792-1793

DK36 HELP BOX/ YES TO 'A' NOTED ON CALENDAR

[Interviewer Checkpoint] CHECK ROW D OF THE CALENDAR. HAVE YOU ALREADY ENTERED "A" ON ROW D?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.8	14	1	YES
98.6	54.3	992	2	NO
	44.9	820	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1794-1795

DK36A ANY CONDITION THAT WAS AIDS RELATED

K36a. During (MONTHS), did you have any condition that was an AIDS-related problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	6	1	YES
50.0	0.3	6	2	NO
	99.3	1,814	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1796-1797

DK37 BLOOD TEST FOR AIDS

During (MONTHS), did you have a blood test for AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	26.7	488	1	YES
49.0	25.6	468	2	NO
	47.6	870	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1798-1799

DK37A RESULTS OF BLOOD TEST FOR AIDS

Did you find out the results of that test [for AIDS]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	24.9	455	1	YES
6.8	1.8	33	2	NO
	73.3	1,338	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1800-1801

DK38 ANY COUNSELING/CLASSES TO PREVENT AIDS

During (MONTHS), did you receive any counseling or attend any classes at (arranged by) (PROGRAM) to learn about ways not to get or spread AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.5	34.7	633	1	YES
35.5	19.1	349	2	NO
	46.2	844	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1802-1803

DK39	# OF PEOPLE HAD SEX WITH
-------------	---------------------------------

The next questions I will be asking are about having sex. During (MONTHS), about how many different people did you have sex with, even if only one time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.1	18.9	345	1	NONE
46.1	24.8	453	2	ONE
16.3	8.8	160	3	2-9
1.0	0.5	10	4	10-25
0.9	0.5	9	5	26-100
0.5	0.3	5	6	MORE THAN 100
	46.2	844	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1804-1805

DK39A	SEX FOR MONEY, DRUGS, CLOTHES
--------------	--------------------------------------

During (MONTHS), did you have sex with someone so they would give you money, drugs, clothes, or a place to sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	2.1	39	1	YES
93.8	32.6	595	2	NO
	65.3	1,192	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1806-1807

DK40 PREGNANT AT ANY TIME DURING (MONTHS)

FEMALE R ONLY: Now, I am going to ask about pregnancy and giving birth. During (MONTHS), were you pregnant at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	2.7	50	1	YES
85.4	16.0	292	2	NO
	81.3	1,484	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1808-1809

DK40A GIVE BIRTH DURING (MONTHS)

During (MONTHS), did you ever give birth to a live baby?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	1.3	24	1	YES
52.0	1.4	26	2	NO
	97.3	1,776	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1810-1811

DK41	# CHILDREN UNDER 18 BEING RAISED
-------------	---

During (MONTHS), how many children under 18 years old were you raising and living with including natural children, adopted children, foster children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	39.0	712	0	NONE
12.6	6.8	124	1	
9.0	4.9	89	2	
2.8	1.5	28	3	
1.9	1.0	19	4	
1.2	0.7	12	5	5 OR MORE
	46.1	842	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1812-1813

DK41A	LOSE CUSTODY OF CHILDREN BEING RAISED
--------------	--

During (MONTHS), did you lose custody of any children you were raising?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.6	11	1	YES
96.0	14.3	262	2	NO
	85.0	1,553	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1814-1815

DK41B REGAIN CUSTODY OF ANY CHILDREN

Did you get custody back during (MONTHS)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.1	1	1	YES
90.9	0.5	10	2	NO
	99.4	1,815	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1816-1817

DK42 RECEIVE PARENTING COUNSELING/CLASSES

During (MONTHS), did you receive any kind of counseling or attend any classes at (or arranged by) (PROGRAM) for problems you may have had raising children or to help you to become a better parent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.2	4	1	YES
63.6	0.4	7	2	NO
	99.4	1,815	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1818-1819

DK43	ATTEND SCHOOL/CLASSES FOR DIPLOMA/GED
-------------	--

Now I have some questions about education and employment.
 During (MONTHS), did you attend school or take any classes
 (or lessons to get a GED or a high school, technical school,
 or college diploma)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	7.6	138	1	YES
86.0	46.3	846	2	NO
	46.1	842	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1820-1821

DK44	EMPLOYED FULL-TIME DURING (MONTHS)
-------------	---

During (MONTHS), were you employed full-time at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	12.3	225	1	YES
77.1	41.5	758	2	NO
	46.2	843	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1822-1823

DK44A	# MONTHS EMPLOYED FULL-TIME
-------	-----------------------------

K44a. How many months of that period were you working full-time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	1	0	
10.4	1.3	23	1	
19.4	2.4	43	2	
23.0	2.8	51	3	
13.1	1.6	29	4	
5.9	0.7	13	5	
5.9	0.7	13	6	
4.5	0.5	10	7	
2.7	0.3	6	8	
3.6	0.4	8	9	
1.4	0.2	3	10	
1.8	0.2	4	11	
4.1	0.5	9	12	
0.9	0.1	2	13	
0.5	0.1	1	14	
0.5	0.1	1	15	
0.5	0.1	1	18	
0.5	0.1	1	23	
0.5	0.1	1	24	
0.5	0.1	1	36	
0.5	0.1	1	50	
	87.8	1,604	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1824-1825

DK45

KIND OF WORK AT LONGEST FULL-TIME JOB

What kind of work did you do at your longest full-time job during (MONTHS)? That is, what was your job title or what was your job called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	0.9	16	1	CLERICAL WORKER (SEE TABLE IN CODEBOOK)
12.2	1.5	27	2	SALES WORKER (SEE TABLE IN CODEBOOK)
15.3	1.9	34	3	SERVICE WORKER (SEE TABLE IN CODEBOOK)
1.8	0.2	4	4	PRIVATE HH WORKER (SEE TABLE IN CODEBOOK)
18.5	2.2	41	5	SKILLED WORKER/CRAFTSMAN (SEE TABLE IN CODEBOOK)
14.9	1.8	33	6	LABORER (SEE TABLE IN CODEBOOK)
5.9	0.7	13	7	OPERATOR/MACHINE OPERATOR (SEE TABLE IN CODEBOOK)
7.7	0.9	17	8	TRANSPORT. EQUIP. OPERATOR (SEE TABLE IN CODEBOOK)
0.9	0.1	2	9	FARM LABORER (SEE TABLE IN CODEBOOK)
0.5	0.1	1	10	FARMER OR FARM MANAGER (SEE TABLE IN CODEBOOK)
5.9	0.7	13	11	MANAGER/ADMINISTRATOR (SEE TABLE IN CODEBOOK)
2.3	0.3	5	12	LAY COUNSELOR (SEE TABLE IN CODEBOOK)
6.8	0.8	15	13	PROFESSIONAL/TECHNICAL
0.5	0.1	1	14	OTHER (SEE TABLE IN CODEBOOK)
0.0	0.0	0	15	UNABLE TO CODE (SEE TABLE IN CODEBOOK)
0.0	0.0	0	16	MILITARY (SEE TABLE IN CODEBOOK)
	87.8	1,604	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1826-1827

DK46

HIGHEST SALARY AT FULL-TIME JOB

Before taxes, what was your highest wage, salary, or rate of pay at that full-time job?

1,826 cases (Range of valid codes: .00-68,000.00)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 1828-1835

DK46A PAY CODE FOR HIGHEST SALARY AT JOB

Unit of time for DK46 (Per Hour, week, two weeks, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	6.8	125	1	PER HOUR
10.0	1.2	22	2	EVERY WEEK
1.8	0.2	4	3	EVERY TWO WEEKS
15.5	1.9	34	4	PER MONTH
14.2	1.7	31	5	PER YEAR
0.9	0.1	2	6	OTHER (SPECIFY)
0.5	0.1	1	7	DAY
0.0	0.0	0	8	UNIT/PRODUCT
0.0	0.0	0	9	UNIT/SERVICE
0.0	0.0	0	10	ROOM & BOARD
	88.0	1,607	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1836-1837

DK47 EVER HAVE PART-TIME JOB

During (MONTHS), did you have a part-time job at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	8.2	149	1	YES
84.9	45.7	835	2	NO
	46.1	842	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1838-1839

DK47A # MONTHS WORKED PART-TIME

How many months were you working part-time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	1.5	27	1	
23.3	1.9	34	2	
19.9	1.6	29	3	
13.7	1.1	20	4	
6.2	0.5	9	5	
7.5	0.6	11	6	
2.7	0.2	4	7	
2.1	0.2	3	8	
1.4	0.1	2	9	
0.7	0.1	1	10	
0.7	0.1	1	11	
2.1	0.2	3	12	
0.7	0.1	1	14	
0.7	0.1	1	36	
	92.0	1,680	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1840-1841

DK48 HIGHEST SALARY AT PART-TIME JOB

Before taxes, what was your highest wage, salary, or rate of pay at the part-time job you had the longest during (MONTHS)?

1,826 cases (Range of valid codes: .00-15,000.00)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 1842-1849

DK48A SALARY CODE FOR HIGHEST SALARY AT JOB

Unit of time for DK46 (Per Hour, week, two weeks, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	5.2	95	1	PER HOUR
12.6	1.0	18	2	EVERY WEEK
2.1	0.2	3	3	EVERY TWO WEEKS
14.0	1.1	20	4	PER MONTH
0.7	0.1	1	5	PER YEAR
0.0	0.0	0	6	OTHER (SPECIFY)
2.1	0.2	3	7	DAY
0.0	0.0	0	8	UNIT/PRODUCT
1.4	0.1	2	9	UNIT/SERVICE
0.7	0.1	1	10	ROOM & BOARD
	92.2	1,683	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1850-1851

DK49 ATTEND CLASSES TO HELP GET JOB

During (MONTHS), did you get any classes or lessons at (or arranged by) (PROGRAM) to help you get a job, hold a job, or improve your job skills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	8.3	151	1	YES
84.4	44.9	820	2	NO
	46.8	855	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1852-1853

DM2_1 TYPE OF 1ST PLACE OF INCARCERATION

The next questions are about (PLACE/PRISON/ JAIL) you told me about earlier. Was (PLACE NAME) the place you went to in (MONTH/YEAR) ...Place 1]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.4	7	1	JUVENILE HALL OR COUNTY CAMP
1.0	0.3	5	2	A YOUTH AUTHORITY FACILITY
69.0	19.3	352	3	A JAIL
24.9	7.0	127	4	A PRISON
3.7	1.0	19	5	SOME OTHER PLACE
	72.1	1,316	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1858-1859

DM3_1 MAIN CHARGE SENTENCED FOR THEN

What was the main charge that you were sentenced for then?
 [At Place 1]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	2.5	45	1	CRIMES AGAINST PERSONS
25.3	7.1	129	2	CRIMES AGAINST PROPERTY
19.0	5.3	97	3	DRUG LAW VIOLATIONS
31.6	8.8	161	4	OFFENSES AGAINST PUBLIC ORDER
8.0	2.2	41	5	DUI/DWI
7.3	2.0	37	6	CANNOT CODE CHARGE
	72.1	1,316	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1860-1861

DM4_1**ANY DRUG/ALCOHOL TREATMENT PROGRAMS**

During the time when you were in (PLACE 1), were any drug or alcohol treatment programs offered there, not counting Narcotics Anonymous, Cocaine Anonymous, or Alcoholics Anonymous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	8.3	152	1	YES
70.5	19.9	363	2	NO
	71.8	1,311	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1862-1863

DM5_1**PARTICIPATE IN ANY PROGRAM**

Did you participate in any of the drug or alcohol treatment programs offered, not counting NA, CA, or AA [At Place 1]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	4.1	74	1	YES
50.7	4.2	76	2	NO
	91.8	1,676	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1864-1865

DM2_2

SECOND TYPE OF PLACE OF INCARCERATION

The next questions are about (PLACE/PRISON/ JAIL) you told me about earlier. Was (PLACE NAME) the place you went to in (MONTH/YEAR) ..Place 2]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.3	5	1	JUVENILE HALL OR COUNTY CAMP
0.0	0.0	0	2	A YOUTH AUTHORITY FACILITY
62.7	5.5	101	3	A JAIL
31.1	2.7	50	4	A PRISON
3.1	0.3	5	5	SOME OTHER PLACE
	91.2	1,665	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1866-1867

DM3_2

MAIN CHARGE SENTENCED FOR THEN

What was the main charge that you were sentenced for then?
 [At Place 2]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	0.5	10	1	CRIMES AGAINST PERSONS
25.2	2.2	40	2	CRIMES AGAINST PROPERTY
16.4	1.4	26	3	DRUG LAW VIOLATIONS
41.5	3.6	66	4	OFFENSES AGAINST PUBLIC ORDER
4.4	0.4	7	5	DUI/DWI
6.3	0.5	10	6	CANNOT CODE CHARGE
	91.3	1,667	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1868-1869

DM4_2**ANY DRUG/ALCOHOL TREATMENT PROGRAMS**

During the time when you were in (PLACE 2), were any drug or alcohol treatment programs offered there, not counting Narcotics Anonymous, Cocaine Anonymous, or Alcoholics Anonymous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	3.0	54	1	YES
66.9	6.0	109	2	NO
	91.1	1,663	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1870-1871

DM5_2**PARTICIPATE IN ANY PROGRAM**

Did you participate in any of the drug or alcohol treatment programs offered, not counting NA, CA, or AA [At Place 1]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.1	1.8	33	1	YES
38.9	1.2	21	2	NO
	97.0	1,772	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1872-1873

DM6**HELP BOX/ PAROLE/PROB STATUS ON CALENDAR**

[Interviewer Checkpoint] CHECK ROW C OF THE CALENDAR. WAS PAROLE OR PROBATION STATUS NOTED DURING SEGMENT 3 PERIOD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	40.9	746	1	YES
54.5	48.8	892	2	NO
	10.3	188	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1874-1875

DM7

REPORT/HAVE CONTACT WITH PROB OFFICER

M7. Did you report to or have any contact with your (probation/parole) officer since (MONTH)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.5	24.6	450	1	YES
39.5	16.1	294	2	NO
	59.3	1,082	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1876-1877

DM7A

TIMES CONTACTED PROBATION OFFICER

How often did you have contact with or report to your (probation/parole) officer since (MONTH)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	0	
49.4	12.0	219	1	
21.0	5.1	93	2	
2.7	0.7	12	3	
19.2	4.7	85	4	
0.5	0.1	2	5	
1.4	0.3	6	6	
1.6	0.4	7	8	
0.2	0.1	1	10	
2.3	0.5	10	12	
0.2	0.1	1	13	
0.2	0.1	1	15	
0.5	0.1	2	18	
0.2	0.1	1	20	
0.2	0.1	1	24	
0.2	0.1	1	68	
	75.7	1,383	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1878-1879

DM7B

TIMES PER MO/YR CONTACT WITH PROB OFF

Number in DM7A is per Month or Year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	19.9	364	1	PER MONTH
8.3	1.8	33	2	PER YEAR
	78.3	1,429	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1880-1881

DM8

URINE TESTS REQ'D AS PAR/PROB CONDITION

Were urine tests required as a condition of probation/parole since (MONTH)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	17.5	320	1	YES
28.1	6.8	125	2	NO
	75.6	1,381	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1882-1883

DM8A	# TIMES URINE TESTS REQ'D
-------------	----------------------------------

How many times per month were these (urine) tests required
(By probation/parole)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.3	5	0	
41.2	6.6	120	1	
22.7	3.6	66	2	
3.8	0.6	11	3	
23.7	3.8	69	4	
0.7	0.1	2	5	
2.7	0.4	8	8	
3.1	0.5	9	12	
0.3	0.1	1	15	
	84.1	1,535	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1884-1885

DM9

HELP BOX/ LIVING IN COMMUNITY FOR 3 MON

[Interviewer Checkpoint] CHECK ROW C OF THE CALENDAR. WAS R LIVING IN THE COMMUNITY (NOT INCARCERATED) FOR 3 MONTHS OR MORE OF SEGMENT 3?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	82.8	1,512	1	YES
7.7	6.9	126	2	NO
	10.3	188	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1886-1887

DM10A

USE INHALANTS 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... a. Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.5	28	1	YES
98.3	89.7	1,638	2	NO
	8.8	160	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1888-1889

DM11A HOW OFTEN INHALANTS USED

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... a. Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	0.2	4	1	1 DAY
34.8	0.4	8	2	2-5 DAYS
21.7	0.3	5	3	6-10 DAYS
0.0	0.0	0	4	11-20 DAYS
26.1	0.3	6	5	MORE THAN 20
	98.7	1,803	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1890-1891

DM10B USE MARIJUANA/HASH 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... b. Marijuana/Hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	26.2	478	1	YES
71.4	65.4	1,195	2	NO
	8.4	153	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1892-1893

DM11B	HOW OFTEN MARIJUANA/HASHISH USED
--------------	---

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... b. Marijuana/Hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	2.4	43	1	1 DAY
33.0	8.3	152	2	2-5 DAYS
14.8	3.7	68	3	6-10 DAYS
14.1	3.6	65	4	11-20 DAYS
28.7	7.2	132	5	MORE THAN 20
	74.8	1,366	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1894-1895

DM10C	USE CRACK 5 TIMES OR MORE
--------------	----------------------------------

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... c. Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	14.2	259	1	YES
84.5	77.1	1,408	2	NO
	8.7	159	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1896-1897

DM11C HOW OFTEN CRACK USED

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... c. Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	1.1	20	1	1 DAY
30.0	4.1	75	2	2-5 DAYS
11.2	1.5	28	3	6-10 DAYS
12.0	1.6	30	4	11-20 DAYS
38.8	5.3	97	5	MORE THAN 20
	86.3	1,576	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1898-1899

DM10D USE COCAINE POWDER 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... d. Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	20.8	380	1	YES
77.3	70.9	1,294	2	NO
	8.3	152	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1900-1901

DM11D	HOW OFTEN COCAINE POWDER USED
--------------	--------------------------------------

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... d. Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	1.7	31	1	1 DAY
32.4	6.6	120	2	2-5 DAYS
14.9	3.0	55	3	6-10 DAYS
8.1	1.6	30	4	11-20 DAYS
36.2	7.3	134	5	MORE THAN 20
	79.7	1,456	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1902-1903

DM10E	USE PCP/ANGEL DUST 5 TIMES OR MORE
--------------	---

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... e. PCP or angel dust

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.6	29	1	YES
98.3	89.7	1,638	2	NO
	8.7	159	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1904-1905

DM11E HOW OFTEN PCP OR ANGEL DUST USED

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... e. PCP or angel dust

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	0.4	7	1	1 DAY
37.0	0.5	10	2	2-5 DAYS
11.1	0.2	3	3	6-10 DAYS
14.8	0.2	4	4	11-20 DAYS
11.1	0.2	3	5	MORE THAN 20
	98.5	1,799	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1906-1907

DM10F USE HALLUCINOGENS 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... f. Hallucinogens or Psychedelics/LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.6	30	1	YES
98.2	89.5	1,635	2	NO
	8.8	161	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1908-1909

DM11F HOW OFTEN HALLUCINOGENS/PSYCHED USED

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... f. Hallucinogens or Psychedelics/LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.5	9	1	1 DAY
51.9	0.8	14	2	2-5 DAYS
3.7	0.1	1	3	6-10 DAYS
7.4	0.1	2	4	11-20 DAYS
3.7	0.1	1	5	MORE THAN 20
	98.5	1,799	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1910-1911

DM10G USE HEROIN 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... g. Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	31.4	574	1	YES
65.7	60.3	1,101	2	NO
	8.3	151	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1912-1913

DM11G HOW OFTEN HEROIN USED

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... g. Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	1.7	31	1	1 DAY
14.2	4.3	79	2	2-5 DAYS
8.1	2.5	45	3	6-10 DAYS
8.2	2.5	46	4	11-20 DAYS
64.0	19.6	357	5	MORE THAN 20
	69.4	1,268	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1914-1915

DM10H USE ILLEGAL METHADONE 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... h. Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.0	37	1	YES
97.8	89.3	1,630	2	NO
	8.7	159	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1916-1917

DM11H HOW OFTEN ILLEGAL METHADONE USED

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... h. Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	0.4	7	1	1 DAY
35.3	0.7	12	2	2-5 DAYS
17.6	0.3	6	3	6-10 DAYS
14.7	0.3	5	4	11-20 DAYS
11.8	0.2	4	5	MORE THAN 20
	98.1	1,792	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1918-1919

DM10I USE OTHER NARCOTICS 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... i. Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.8	87	1	YES
94.8	86.6	1,582	2	NO
	8.6	157	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1920-1921

DM11I HOW OFTEN OTHER NARCOTICS USED

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... i. Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.3	5	1	1 DAY
39.5	1.8	32	2	2-5 DAYS
18.5	0.8	15	3	6-10 DAYS
16.0	0.7	13	4	11-20 DAYS
19.8	0.9	16	5	MORE THAN 20
	95.6	1,745	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1922-1923

DM10J USE METHAMPHETAMINES 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... j. Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	11.7	213	1	YES
87.2	79.8	1,457	2	NO
	8.5	156	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1924-1925

DM11J	HOW OFTEN METHAMPHETAMINES USED
--------------	--

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... j. Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	1.0	19	1	1 DAY
34.5	3.9	71	2	2-5 DAYS
9.7	1.1	20	3	6-10 DAYS
15.5	1.8	32	4	11-20 DAYS
31.1	3.5	64	5	MORE THAN 20
	88.7	1,620	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1926-1927

DM10K	USE DOWNERS 5 TIMES OR MORE
--------------	------------------------------------

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... k. Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.0	91	1	YES
94.5	86.3	1,576	2	NO
	8.7	159	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1928-1929

DM11K HOW OFTEN DOWNERS USED

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... k. Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.5	9	1	1 DAY
34.6	1.5	28	2	2-5 DAYS
21.0	0.9	17	3	6-10 DAYS
12.3	0.5	10	4	11-20 DAYS
21.0	0.9	17	5	MORE THAN 20
	95.6	1,745	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1930-1931

DM10L USE OTHER DRUG 5 TIMES OR MORE

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... l. Other drug (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.5	10	1	YES
99.4	90.0	1,643	2	NO
	9.5	173	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1932-1933

DM11L	HOW OFTEN OTHER DRUG USED
--------------	----------------------------------

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... l. Other drug (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	2	1	1 DAY
12.5	0.1	1	2	2-5 DAYS
12.5	0.1	1	3	6-10 DAYS
12.5	0.1	1	4	11-20 DAYS
37.5	0.2	3	5	MORE THAN 20
	99.6	1,818	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1934-1935

DM10M	USE ALCOHOL 5 TIMES OR MORE
--------------	------------------------------------

Next, I would like to ask some questions about your use of drugs from the street and your use of prescription drugs to get high for non-medical effects, and your use of alcohol since (MONTH). Since (MONTH), did you use (DRUG TYPE) five times or more?

... m. Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.5	48.5	885	1	YES
47.5	43.9	801	2	NO
	7.7	140	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1936-1937

DM11M HOW OFTEN ALCOHOL USED

Now, please look at the calendar. Since (MONTH). In the month you used (DRUG) the most, about how many days did you use it?

... m. Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	3.6	65	1	1 DAY
26.6	12.3	224	2	2-5 DAYS
14.6	6.7	123	3	6-10 DAYS
13.6	6.3	115	4	11-20 DAYS
37.5	17.3	316	5	MORE THAN 20
	53.8	983	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1938-1939

DM10A1 HELP BOX/ WAS AT LEAST 1 DRUG TYPE CODED

[Interviewer Checkpoint] WAS AT LEAST ONE DRUG TYPE CODED "1" AT M10?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	69.9	1,277	1	YES
24.9	23.2	423	2	NO
	6.9	126	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1940-1941

DM12A	# MONTHS INHALANTS NOT USED
--------------	------------------------------------

Since (MONTH), how many months were you not using (DRUG)?

... a. Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	2	1	USED EVERY MONTH
12.5	0.2	3	2	1-3 MONTHS
12.5	0.2	3	3	4-6 MONTHS
25.0	0.3	6	4	7-9 MONTHS
41.7	0.5	10	5	OVER 9 MONTHS
	98.7	1,802	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1942-1943

DM13A	# DAYS INHALANTS USED
--------------	------------------------------

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... a. Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.8	15	1	0 DAYS
4.2	0.1	1	2	1 DAY
8.3	0.1	2	3	2-5 DAYS
4.2	0.1	1	4	6-10 DAYS
4.2	0.1	1	5	11-20 DAYS
16.7	0.2	4	6	MORE THAN 20
	98.7	1,802	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1944-1945

DM12B # MONTHS MARIJUANA/HASHISH NOT USED

Since (MONTH), how many months were you not using (DRUG)?

... b. Marijuana/Hashish

PCT VALID	PCT ALL	N	VALUE	LABEL
25.4	6.5	119	1	USED EVERY MONTH
17.9	4.6	84	2	1-3 MONTHS
20.7	5.3	97	3	4-6 MONTHS
13.0	3.3	61	4	7-9 MONTHS
23.0	5.9	108	5	OVER 9 MONTHS
	74.3	1,357	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1946-1947

DM13B # DAYS MARIJUANA USED

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... b. Marijuana/Hashish

PCT VALID	PCT ALL	N	VALUE	LABEL
40.3	10.4	190	1	0 DAYS
9.1	2.4	43	2	1 DAY
22.9	5.9	108	3	2-5 DAYS
9.1	2.4	43	4	6-10 DAYS
4.5	1.2	21	5	11-20 DAYS
14.0	3.6	66	6	MORE THAN 20
	74.2	1,355	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1948-1949

DM12C	# MONTHS CRACK NOT USED
--------------	--------------------------------

Since (MONTH), how many months were you not using (DRUG)?

... c. Crack

PCT VALID	PCT ALL	N	VALUE	LABEL
15.1	2.1	38	1	USED EVERY MONTH
20.2	2.8	51	2	1-3 MONTHS
23.4	3.2	59	3	4-6 MONTHS
11.1	1.5	28	4	7-9 MONTHS
30.2	4.2	76	5	OVER 9 MONTHS
	86.2	1,574	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1950-1951

DM13C	# DAYS CRACK USED
--------------	--------------------------

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... c. Crack

PCT VALID	PCT ALL	N	VALUE	LABEL
59.4	8.3	151	1	0 DAYS
7.9	1.1	20	2	1 DAY
12.6	1.8	32	3	2-5 DAYS
5.1	0.7	13	4	6-10 DAYS
4.3	0.6	11	5	11-20 DAYS
10.6	1.5	27	6	MORE THAN 20
	86.1	1,572	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1952-1953

DM12D # MONTHS COCAINE POWDER NOT USED

Since (MONTH), how many months were you not using (DRUG)?

... d. Cocaine powder

PCT VALID	PCT ALL	N	VALUE	LABEL
18.1	3.7	67	1	USED EVERY MONTH
17.0	3.5	63	2	1-3 MONTHS
22.4	4.5	83	3	4-6 MONTHS
14.0	2.8	52	4	7-9 MONTHS
28.6	5.8	106	5	OVER 9 MONTHS
	79.7	1,455	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1954-1955

DM13D # DAYS COCAINE POWDER USED

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... d. Cocaine powder

PCT VALID	PCT ALL	N	VALUE	LABEL
56.1	11.5	210	1	0 DAYS
4.8	1.0	18	2	1 DAY
15.5	3.2	58	3	2-5 DAYS
5.6	1.2	21	4	6-10 DAYS
6.1	1.3	23	5	11-20 DAYS
11.8	2.4	44	6	MORE THAN 20
	79.5	1,452	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1956-1957

DM12E # MONTHS PCP OR ANGEL DUST NOT USED

Since (MONTH), how many months were you not using (DRUG)?

... e. PCP or angel dust

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	USED EVERY MONTH
18.5	0.3	5	2	1-3 MONTHS
14.8	0.2	4	3	4-6 MONTHS
11.1	0.2	3	4	7-9 MONTHS
55.6	0.8	15	5	OVER 9 MONTHS
	98.5	1,799	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1958-1959

DM13E # DAYS PCP OR ANGEL DUST USED

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... e. PCP or angel dust

PCT VALID	PCT ALL	N	VALUE	LABEL
88.5	1.3	23	1	0 DAYS
7.7	0.1	2	2	1 DAY
0.0	0.0	0	3	2-5 DAYS
0.0	0.0	0	4	6-10 DAYS
3.8	0.1	1	5	11-20 DAYS
0.0	0.0	0	6	MORE THAN 20
	98.6	1,800	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1960-1961

DM12F # MONTHS HALLUCINOGEN/PSYCHED NOT USED

Since (MONTH), how many months were you not using (DRUG)?

... f. Hallucinogens or Psychedelics/LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.1	2	1	USED EVERY MONTH
6.9	0.1	2	2	1-3 MONTHS
17.2	0.3	5	3	4-6 MONTHS
17.2	0.3	5	4	7-9 MONTHS
51.7	0.8	15	5	OVER 9 MONTHS
	98.4	1,797	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1962-1963

DM13F # DAYS HALLUCINOGEN/PSYCHED USED

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... f. Hallucinogens or Psychedelics/LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	1.2	22	1	0 DAYS
13.8	0.2	4	2	1 DAY
0.0	0.0	0	3	2-5 DAYS
3.4	0.1	1	4	6-10 DAYS
0.0	0.0	0	5	11-20 DAYS
6.9	0.1	2	6	MORE THAN 20
	98.4	1,797	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1964-1965

DM12G	# MONTHS HEROIN NOT USED
--------------	---------------------------------

Since (MONTH), how many months were you not using (DRUG)?

... g. Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	9.5	174	1	USED EVERY MONTH
15.5	4.8	88	2	1-3 MONTHS
20.1	6.2	114	3	4-6 MONTHS
12.5	3.9	71	4	7-9 MONTHS
21.2	6.6	120	5	OVER 9 MONTHS
	68.9	1,259	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1966-1967

DM13G	# DAYS HEROIN USED
--------------	---------------------------

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... g. Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.8	11.7	213	1	0 DAYS
5.0	1.5	28	2	1 DAY
15.6	4.8	88	3	2-5 DAYS
4.8	1.5	27	4	6-10 DAYS
11.5	3.6	65	5	11-20 DAYS
25.4	7.8	143	6	MORE THAN 20
	69.1	1,262	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1968-1969

DM12H # MONTHS ILLEGAL METHADONE NOT USED

Since (MONTH), how many months were you not using (DRUG)?

... h. Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	0.3	6	1	USED EVERY MONTH
12.5	0.2	4	2	1-3 MONTHS
25.0	0.4	8	3	4-6 MONTHS
6.2	0.1	2	4	7-9 MONTHS
37.5	0.7	12	5	OVER 9 MONTHS
	98.2	1,794	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1970-1971

DM13H # DAYS ILLEGAL METHADONE USED

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... h. Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.3	1.0	19	1	0 DAYS
6.7	0.1	2	2	1 DAY
6.7	0.1	2	3	2-5 DAYS
10.0	0.2	3	4	6-10 DAYS
0.0	0.0	0	5	11-20 DAYS
13.3	0.2	4	6	MORE THAN 20
	98.4	1,796	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1972-1973

DM12I**# MONTHS OTHER NARCOTICS NOT USED**

Since (MONTH), how many months were you not using (DRUG)?

... i. Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	0.4	8	1	USED EVERY MONTH
12.0	0.5	10	2	1-3 MONTHS
30.1	1.4	25	3	4-6 MONTHS
10.8	0.5	9	4	7-9 MONTHS
37.3	1.7	31	5	OVER 9 MONTHS
	95.5	1,743	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1974-1975

DM13I**# DAYS OTHER NARCOTICS USED**

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... i. Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	2.4	44	1	0 DAYS
3.8	0.2	3	2	1 DAY
21.2	0.9	17	3	2-5 DAYS
11.2	0.5	9	4	6-10 DAYS
5.0	0.2	4	5	11-20 DAYS
3.8	0.2	3	6	MORE THAN 20
	95.6	1,746	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1976-1977

DM12J # MONTHS METHAMPHETAMINES NOT USED

Since (MONTH), how many months were you not using (DRUG)?

... j. Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	1.6	30	1	USED EVERY MONTH
18.7	2.1	39	2	1-3 MONTHS
26.3	3.0	55	3	4-6 MONTHS
16.3	1.9	34	4	7-9 MONTHS
24.4	2.8	51	5	OVER 9 MONTHS
	88.6	1,617	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1978-1979

DM13J # DAYS METHAMPHETAMINES USED

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... j. Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	6.1	112	1	0 DAYS
7.7	0.9	16	2	1 DAY
15.9	1.8	33	3	2-5 DAYS
5.3	0.6	11	4	6-10 DAYS
9.6	1.1	20	5	11-20 DAYS
7.7	0.9	16	6	MORE THAN 20
	88.6	1,618	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1980-1981

DM12K	# MONTHS DOWNERS NOT USED
--------------	----------------------------------

Since (MONTH), how many months were you not using (DRUG)?

... k. Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	0.5	10	1	USED EVERY MONTH
19.0	0.9	16	2	1-3 MONTHS
20.2	0.9	17	3	4-6 MONTHS
17.9	0.8	15	4	7-9 MONTHS
31.0	1.4	26	5	OVER 9 MONTHS
	95.4	1,742	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1982-1983

DM13K	# DAYS DOWNERS USED
--------------	----------------------------

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... k. Downers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.8	2.4	43	1	0 DAYS
9.6	0.4	8	2	1 DAY
21.7	1.0	18	3	2-5 DAYS
7.2	0.3	6	4	6-10 DAYS
6.0	0.3	5	5	11-20 DAYS
3.6	0.2	3	6	MORE THAN 20
	95.5	1,743	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1984-1985

DM12L # MONTHS OTHER DRUGS NOT USED

Since (MONTH), how many months were you not using (DRUG)?

... 1. Other drug (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	2	1	USED EVERY MONTH
25.0	0.1	2	2	1-3 MONTHS
0.0	0.0	0	3	4-6 MONTHS
12.5	0.1	1	4	7-9 MONTHS
37.5	0.2	3	5	OVER 9 MONTHS
	99.6	1,818	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1986-1987

DM13L # DAYS OTHER DRUGS USED

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... 1. Other drug (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.3	5	1	0 DAYS
12.5	0.1	1	2	1 DAY
0.0	0.0	0	3	2-5 DAYS
0.0	0.0	0	4	6-10 DAYS
0.0	0.0	0	5	11-20 DAYS
25.0	0.1	2	6	MORE THAN 20
	99.6	1,818	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1988-1989

DM12M	# MONTHS ALCOHOL NOT USED
--------------	----------------------------------

Since (MONTH), how many months were you not using (DRUG)?

... m. Alcohol

PCT VALID	PCT ALL	N	VALUE	LABEL
33.8	16.1	294	1	USED EVERY MONTH
15.9	7.6	138	2	1-3 MONTHS
18.2	8.7	158	3	4-6 MONTHS
11.6	5.5	101	4	7-9 MONTHS
20.5	9.7	178	5	OVER 9 MONTHS
	52.4	957	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1990-1991

DM13M	# DAYS ALCOHOL USED
--------------	----------------------------

Again, looking at the calendar, since (DATE 30 DAYS AGO), about how many days did you use (DRUG)?

... m. Alcohol

PCT VALID	PCT ALL	N	VALUE	LABEL
29.4	14.0	256	1	0 DAYS
9.4	4.5	82	2	1 DAY
19.9	9.5	173	3	2-5 DAYS
9.8	4.7	85	4	6-10 DAYS
9.0	4.3	78	5	11-20 DAYS
22.5	10.7	196	6	MORE THAN 20
	52.4	956	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1992-1993

DM14A HELP BOX/ IS ALCOHOL THE ONLY '1' CODE

[Interviewer Checkpoint] IS ALCOHOL THE ONLY "1" CODE AT M10)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	12.9	236	1	YES
81.5	57.0	1,041	2	NO
	30.1	549	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1994-1995

DM14B HOW MUCH MONEY SPENT ON DRUGS

M14b. During the last 30 days, how much money would you say you spent on the drugs you used to get high or for other non-medical effects? [Rounded to nearest dollar]

1,826 cases (Range of valid codes: 0-30,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1996-2000

DM15 GO TO HOSPITAL BECAUSE OF OVERDOSE

Since (MONTH), did you ever go to the hospital because of a drug overdose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.3	61	1	YES
96.4	89.3	1,630	2	NO
	7.4	135	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2001-2002

DM15A	# TIMES TO HOSPITAL FOR OVERDOSE
--------------	---

Since (MONTH), how many times did you to go to the hospital because of a drug overdose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	2.2	40	1	ONE TIME
26.7	0.9	16	2	2-3 TIMES
6.7	0.2	4	3	4-10 TIMES
0.0	0.0	0	4	MORE THAN 10 TIMES
	96.7	1,766	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2003-2004

DM16	NEEDLE USED TO INJECT DRUGS
-------------	------------------------------------

Since (MONTH), did you ever, even one time, use a needle to inject drugs to get high or for other non-medical effects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	33.4	609	1	YES
63.9	59.1	1,080	2	NO
	7.5	137	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2005-2006

DM16A INJECTED WITH NEEDLE BY SOMEONE ELSE

Did someone else use a needle to inject you with drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	1	YES
99.8	59.1	1,079	2	NO
	40.8	745	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2007-2008

DM17 # DAYS DRUGS INJECTED TO GET HIGH

Since (MONTH), during the month you used needles the most, about how many days did you inject drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	2.6	48	1	ONE DAY
17.5	5.7	104	2	2-5 DAYS
7.1	2.3	42	3	6-10 DAYS
10.3	3.3	61	4	11-20 DAYS
57.0	18.5	338	5	MORE THAN 20 DAYS
	67.5	1,233	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2009-2010

DM18 HOW OFTEN NEEDLE USED AFTER SOMEONE

Since (MONTH), when you used a needle to inject drugs to get high, about how often did you use it after someone else? Would you say never, less than half of the time, half of the time, more than half of the time, or every time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	21.0	384	1	NEVER
21.8	7.1	130	2	LESS THAN HALF OF THE TIME
5.4	1.8	32	3	HALF OF THE TIME
2.8	0.9	17	4	MORE THAN HALF OF THE TIME
5.7	1.9	34	5	EVERY TIME
	67.3	1,229	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2011-2012

DM18A HOW OFTEN NEEDLE CLEANED WITH BLEACH

Since (MONTH), when you used a needle after someone else, about how often did you clean it with bleach before you used it? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	3.0	54	1	NEVER
20.6	2.4	43	2	LESS THAN HALF OF THE TIME
13.4	1.5	28	3	HALF OF THE TIME
9.6	1.1	20	4	MORE THAN HALF OF THE TIME
30.6	3.5	64	5	EVERY TIME
	88.6	1,617	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2013-2014

DM19 HELP BOX/ WAS ALCOHOL CODED YES

[Interviewer Checkpoint] WAS ALCOHOL CODED "1" at M10?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	48.5	885	1	YES
47.9	44.6	815	2	NO
	6.9	126	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2015-2016

DM20 EVER HAVE A DRINK OF ALCOHOL

Now I would like to ask about your use of alcoholic beverages. (By alcoholic beverages I mean beer, malt liquors, wine, wine coolers and hard liquor, such as vodka and mixed drinks.) Since (MONTH), did you ever have a drink of alcohol? (By a drink, I mean either a can of beer, a glass of wine or a wine cooler, a shot of hard liquor, or a single mixed drink.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	5.4	98	1	YES
87.7	38.3	699	2	NO
	56.4	1,029	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2017-2018

DM21	DRINK ALCOHOL DURING LAST 30 DAYS
-------------	--

During the last 30 days, did you drink any alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.0	36.1	660	1	YES
33.0	17.8	325	2	NO
	46.1	841	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2019-2020

DM22	# DAYS DRINK THAT MONTH
-------------	--------------------------------

Since (MONTH), think about the month you were drinking the most. About how many days did you drink during that month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	8.4	154	1	ONE DAY
27.4	14.6	267	2	2-5 DAYS
13.3	7.1	130	3	6-10 DAYS
13.2	7.1	129	4	11-20 DAYS
30.3	16.2	296	5	MORE THAN 20 DAYS
	46.5	850	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2021-2022

DM23_1 DRINK BEER/MALT LIQUOR ON A TYPICAL DAY

Still think about the month you were drinking the most. On a typical drinking day, did you drink any (TYPE)

... Beer / Malt Liquor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.5	43.4	793	1	YES
18.5	9.9	180	2	NO
	46.7	853	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2023-2024

DM24_1 AMOUNT OF BEER/MALT LIQUOR CONSUMED

On a typical drinking day, about how much (Beer / Malt Liquor) did you usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	14.2	259	1	
26.1	11.1	203	2	
11.3	4.8	88	3	
8.9	3.8	69	4	
1.9	0.8	15	5	
6.8	2.9	53	6	
0.8	0.3	6	7	
2.4	1.0	19	8	
0.1	0.1	1	9	
0.8	0.3	6	10	
5.1	2.2	40	12	
0.5	0.2	4	15	
0.1	0.1	1	17	
0.3	0.1	2	18	
0.1	0.1	1	20	
1.5	0.7	12	24	
	57.3	1,047	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2025-2026

DM24A_1	STANDARD MEASURE FOR AMOUNT CONSUMED
----------------	---

Unit of Alcohol consumed in DM24_1 (Bottles, Cans, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	7.2	132	1	BOTTLES
43.7	18.3	334	2	CANS
1.6	0.7	12	3	GLASSES
27.6	11.6	211	4	SIX PACKS
0.0	0.0	0	5	1/2 PINTS
0.4	0.2	3	6	PINTS
7.9	3.3	60	7	QUARTS
0.0	0.0	0	8	FIFTHS
0.0	0.0	0	9	DRINKS
0.1	0.1	1	10	SHOTS
1.4	0.6	11	11	OTHER
	58.2	1,062	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2027-2028

DM25_1	SIZE OF BOTTLE OR CAN
---------------	------------------------------

If DM24A_1 is a Bottle/Can, what size Bottle/Can was it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	6	
1.3	0.3	6	8	
0.2	0.1	1	11	
71.4	18.1	330	12	
10.8	2.7	50	16	
0.9	0.2	4	22	
0.2	0.1	1	25	
0.9	0.2	4	32	
0.2	0.1	1	36	
13.6	3.5	63	40	
	74.7	1,364	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2029-2030

DM23_2

DRINK WINE/WINE COOLERS ON A TYPICAL DAY

Still think about the month you were drinking the most. On a typical drinking day, did you drink any (TYPE)

... Wine / Wine Coolers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	10.8	197	1	YES
79.2	41.0	749	2	NO
	48.2	880	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2031-2032

DM24_2

AMOUNT OF WINE/WINE COOLER LIQUOR

On a typical drinking day, about how much (Wine / Wine Coolers) did you usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	3.9	72	1	
29.9	2.8	52	2	
9.8	0.9	17	3	
10.3	1.0	18	4	
2.9	0.3	5	5	
2.9	0.3	5	6	
1.7	0.2	3	8	
1.1	0.1	2	12	
	90.5	1,652	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2033-2034

DM24A_2	STANDARD MEASURE FOR AMOUNT CONSUMED
----------------	---

Unit of Alcohol consumed in DM24_2 (Bottles, Cans, etc)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.8	5.4	99	1	BOTTLES
1.6	0.2	3	2	CANS
20.4	2.1	39	3	GLASSES
1.6	0.2	3	4	SIX PACKS
0.5	0.1	1	5	1/2 PINTS
1.6	0.2	3	6	PINTS
5.8	0.6	11	7	QUARTS
14.1	1.5	27	8	FIFTHS
0.5	0.1	1	9	DRINKS
0.0	0.0	0	10	SHOTS
2.1	0.2	4	11	OTHER
	89.5	1,635	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2035-2036

DM25_2	SIZE OF BOTTLE OR CAN
---------------	------------------------------

If DM24A_2 is a Bottle/Can, what size Bottle/Can was it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.1	1	7	
7.9	0.4	7	8	
2.2	0.1	2	9	
68.5	3.3	61	12	
12.4	0.6	11	16	
1.1	0.1	1	22	
1.1	0.1	1	24	
2.2	0.1	2	32	
2.2	0.1	2	33	
1.1	0.1	1	64	
	95.1	1,737	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2037-2038

DM23_3 DRINK LIQUOR ON A TYPICAL DAY

Still think about the month you were drinking the most. On a typical drinking day, did you drink any (TYPE)

... Liquor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	18.8	343	1	YES
63.8	33.1	604	2	NO
	48.1	879	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2039-2040

DM24_3 AMOUNT OF LIQUOR CONSUMED

On a typical drinking day, about how much (Liquor) did you usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.0	10.5	191	1	
19.1	3.4	62	2	
9.0	1.6	29	3	
5.2	0.9	17	4	
2.2	0.4	7	5	
1.5	0.3	5	6	
0.6	0.1	2	7	
0.3	0.1	1	8	
1.9	0.3	6	10	
0.3	0.1	1	12	
0.3	0.1	1	15	
0.3	0.1	1	20	
0.3	0.1	1	40	
	82.3	1,502	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2041-2042

DM24A_3 STANDARD MEASURE FOR AMOUNT CONSUMED

Unit of Liquor consumed in DM24_3 (bottles, cans, etc).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BOTTLES
0.0	0.0	0	2	CANS
0.0	0.0	0	3	GLASSES
0.0	0.0	0	4	SIX PACKS
19.3	3.6	65	5	1/2 PINTS
24.1	4.4	81	6	PINTS
6.5	1.2	22	7	QUARTS
12.5	2.3	42	8	FIFTHS
28.6	5.3	96	9	DRINKS
8.9	1.6	30	10	SHOTS
	81.6	1,490	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2043-2044

DM26 EVER IN HOSPITAL BECAUSE OF DRINKING

Since (MONTH), have you ever been in a hospital because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	3.7	67	1	YES
93.2	50.3	918	2	NO
	46.1	841	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2045-2046

DM27 RECEIVE TREATMENT OR HELP FOR DRINKING

Since (MONTH), have you received any treatment or help for drinking or using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	33.8	617	1	YES
63.5	58.7	1,072	2	NO
	7.5	137	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2047-2048

DM28A1M1 INPATIENT TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 1st Post tx episode listed

... Inpatient

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	6.7	122	1	YES
79.8	26.3	481	2	NO
	67.0	1,223	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2049-2050

DM28A1M2 RESIDENTIAL TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 1st Post tx episode listed

... Residential

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	6.8	124	1	YES
79.4	26.2	479	2	NO
	67.0	1,223	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2051-2052

DM28A1M3 OUTPATIENT TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 1st Post tx episode listed

... Outpatient (non-methadone)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	8.8	160	1	YES
73.5	24.3	443	2	NO
	67.0	1,223	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2053-2054

DM28A1M4 METHADONE TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 1st Post tx episode listed

... Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	11.4	208	1	YES
65.5	21.6	395	2	NO
	67.0	1,223	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2055-2056

DM28A2M1 INPATIENT TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 2nd Post tx episode listed

... Inpatient

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	2.0	37	1	YES
81.1	8.7	159	2	NO
	89.3	1,630	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2057-2058

DM28A2M2 RESIDENTIAL TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 2nd Post tx episode listed

... Residential

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	2.7	49	1	YES
75.0	8.1	147	2	NO
	89.3	1,630	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2059-2060

DM28A2M3 OUTPATIENT TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 2nd Post tx episode listed

... Outpatient (non-methadone)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	2.7	49	1	YES
75.0	8.1	147	2	NO
	89.3	1,630	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2061-2062

DM28A2M4 METHADONE TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 2nd Post tx episode listed

... Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.1	3.5	63	1	YES
67.9	7.3	133	2	NO
	89.3	1,630	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2063-2064

DM28A3M1 INPATIENT TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 3rd Post tx episode listed

... Inpatient

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	0.7	12	1	YES
79.7	2.6	47	2	NO
	96.8	1,767	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2065-2066

DM28A3M2 RESIDENTIAL TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 3rd Post tx episode listed

... Residential

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	0.7	13	1	YES
78.0	2.5	46	2	NO
	96.8	1,767	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2067-2068

DM28A3M3 OUTPATIENT TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 3rd Post tx episode listed

... Outpatient (non-methadone)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	0.8	15	1	YES
74.6	2.4	44	2	NO
	96.8	1,767	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2069-2070

DM28A3M4 METHADONE TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 3rd Post tx episode listed

... Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	1.2	21	1	YES
64.4	2.1	38	2	NO
	96.8	1,767	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2071-2072

DM28A4M1 INPATIENT TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 4th Post tx episode listed

... Inpatient

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.1	1	1	YES
94.7	1.0	18	2	NO
	99.0	1,807	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2073-2074

DM28A4M2 RESIDENTIAL TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 4th Post tx episode listed

... Residential

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	0.2	4	1	YES
78.9	0.8	15	2	NO
	99.0	1,807	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2075-2076

DM28A4M3 OUTPATIENT TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 4th Post tx episode listed

... Outpatient (non-methadone)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.2	3	1	YES
84.2	0.9	16	2	NO
	99.0	1,807	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2077-2078

DM28A4M4 METHADONE TREATMENT RECEIVED

What kind of treatment or help did you receive [since end of sampled treatment episode]? 4th Post tx episode listed

... Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	0.6	11	1	YES
42.1	0.4	8	2	NO
	99.0	1,807	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2079-2080

DM28B PRESENTLY IN TREATMENT

Are you in treatment now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	18.4	336	1	YES
44.7	14.9	272	2	NO
	66.7	1,218	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2081-2082

DM29A EVER ATTEND ALCOHOLICS ANONYMOUS

Since (MONTH), did you ever attend any ...

... Alcoholics Anonymous Meetings

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	47.2	862	1	YES
48.5	44.5	812	2	NO
	8.3	152	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2083-2084

DM29B EVER ATTEND NARCOTICS ANONYMOUS

Since (MONTH), did you ever attend any ...

... Narcotics Anonymous Meetings

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	34.3	626	1	YES
62.4	57.0	1,040	2	NO
	8.8	160	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2085-2086

DM29C EVER ATTEND COCAINE ANONYMOUS

Since (MONTH), did you ever attend any ...

... Cocaine Anonymous Meetings

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	10.6	194	1	YES
88.3	80.0	1,461	2	NO
	9.4	171	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2087-2088

DM29A1 HELP BOX/ ANY MEETINGS CODED YES

[Interviewer Checkpoint] IS ANY ITEM CODED "1" AT M29?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	53.7	981	1	YES
42.3	39.4	719	2	NO
	6.9	126	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2089-2090

DM29B1 ATTEND FIVE OR MORE MEETINGS

Since (MONTH), have you been to five or more of any of these [AA, NA, or CA] meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	48.7	890	1	YES
8.5	4.5	83	2	NO
	46.7	853	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2091-2092

DM29CYR YR LAST ATTENDED ONE OF THESE MEETINGS

When did you last attend one of these meetings? [Year]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.3	6	91	
13.7	7.2	131	92	
85.7	44.9	819	93	
	47.6	870	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2093-2094

DM30 SAD, DEPRESSED FOR AT LEAST 2 WKS

Since (MONTH), did you ever have at least two weeks when you felt very sad, blue, or depressed, and you lost interest or pleasure in things you usually cared about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	50.1	915	1	YES
45.8	42.3	773	2	NO
	7.6	138	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2095-2096

DM30A ALL/SOME/NONE RESULT OF DRUGS/ALCOHOL

Since (MONTH), were all, some, or none of the these times [of feeling very sad, blue, or depressed] caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	12.2	222	1	ALL OF THE TIMES
36.1	18.0	329	2	SOME OF THE TIMES
39.6	19.8	361	3	NONE OF THE TIMES
	50.1	914	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2097-2098

DM30B ANY TIMES NOT CAUSED BY DRUGS/ALCOHOL

Since (MONTH), did you have any times like this [of feeling very sad, blue, or depressed] that were not caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.4	18.1	331	1	YES
39.6	11.9	217	2	NO
	70.0	1,278	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2099-2100

DM31 EVER ATTEMPT SUICIDE

Since (MONTH), did you ever attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.7	67	1	YES
96.0	88.8	1,622	2	NO
	7.5	137	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2101-2102

DM31A EVER THINK SERIOUSLY ABOUT SUICIDE

Since (MONTH), did you ever think seriously about committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	12.7	231	1	YES
85.7	75.7	1,383	2	NO
	11.6	212	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2103-2104

DM32 DR/NURSE/SOCIAL WORKER ABOUT EMOTIONS

Since (MONTH), did you see a doctor, nurse, counselor or social worker for problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	23.3	425	1	YES
74.8	69.2	1,263	2	NO
	7.6	138	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2105-2106

DM32A # TIMES DR/NURSE/SOCIAL WORKER SEEN

How many times was that [of seeing doctor, nurse, counselor, or social worker for problems with emotions, nerves, or mental health]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.6	9.1	167	1	1-5 TIMES
13.0	3.0	55	2	6-10 TIMES
21.3	4.9	90	3	11-30 TIMES
26.1	6.0	110	4	31 TIMES OR MORE
	76.9	1,404	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2107-2108

DM33 OVERNIGHT STAY IN HOSPITAL FOR EMOTIONS

Since (MONTH), did you stay overnight in a hospital or clinic for treatment of problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.8	88	1	YES
94.8	87.6	1,599	2	NO
	7.6	139	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2109-2110

DM36CM1 DEALING OR SELLING INHALANTS

What drugs were you dealing or selling since (MONTH)?

... Inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	11.6	212	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2115-2116

DM36CM2 DEALING OR SELLING MARIJUANA/HASHISH

What drugs were you dealing or selling since (MONTH)?

... Marijuana/Hash

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	3.3	61	1	YES
71.2	8.3	151	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2117-2118

DM36CM3 DEALING OR SELLING CRACK

What drugs were you dealing or selling since (MONTH)?

... Crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	2.1	39	1	YES
81.6	9.5	173	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2119-2120

DM36CM4 DEALING OR SELLING COCAINE POWDER

What drugs were you dealing or selling since (MONTH)?

... Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	2.7	50	1	YES
76.4	8.9	162	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2121-2122

DM36CM5 DEALING OR SELLING PCP OR ANGEL DUST

What drugs were you dealing or selling since (MONTH)?

... PCP/angel dust

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	2	1	YES
99.1	11.5	210	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2123-2124

DM36CM6 DEALING OR SELLING HALLUCINOGEN/PSYCHED

What drugs were you dealing or selling since (MONTH)?

... Hallucinogen or Psychedelics/LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	1	1	YES
99.5	11.6	211	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2125-2126

DM36CM7 DEALING OR SELLING HEROIN

What drugs were you dealing or selling since (MONTH)?

... Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.1	4.7	85	1	YES
59.9	7.0	127	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2127-2128

DM36CM8 DEALING OR SELLING ILLEGAL METHADONE

What drugs were you dealing or selling since (MONTH)?

... Illegal Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	11.6	212	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2129-2130

DM36CM9**DEALING OR SELLING OTHER NARCOTICS**

What drugs were you dealing or selling since (MONTH)?

... Other Narcotics

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	2	1	YES
99.1	11.5	210	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2131-2132

DM36CM10**DEALING OR SELLING METHAMPHETAMINES**

What drugs were you dealing or selling since (MONTH)?

... Methamphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	3.2	58	1	YES
72.6	8.4	154	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2133-2134

DM36CM11 DEALING OR SELLING DOWNERS

What drugs were you dealing or selling since (MONTH)?

... Downers

PCT VALID	PCT ALL	N	VALUE	LABEL
1.4	0.2	3	1	YES
98.6	11.4	209	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2135-2136

DM36CM12 DEALING OR SELLING OTHER DRUG

What drugs were you dealing or selling since (MONTH)?

... Other drug

PCT VALID	PCT ALL	N	VALUE	LABEL
0.9	0.1	2	1	YES
99.1	11.5	210	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2137-2138

DM36CM13 DEALING OR SELLING ALCOHOL

What drugs were you dealing or selling since (MONTH)?

... Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	11.6	212	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2139-2140

DM36CM14 DEALING OR SELLING RITALIN OR PRELUDIN

What drugs were you dealing or selling since (MONTH)?

... Ritalin or Preludin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	11.6	212	2	NO
	88.4	1,614	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2141-2142

DM34D EVER HAVE SEX FOR MONEY OR DRUGS

Now I would like to ask about your involvement with the police, the courts, and illegal activities. Since (MONTH), did you ever

... Have sex for money or drugs (prostitution)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	4.9	89	1	YES
94.7	87.5	1,597	2	NO
	7.7	140	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2143-2144

DM35D # TIMES SEX FOR MONEY OR DRUGS

Since (MONTH), about how many different times did you do that?

... Have sex for money or drugs (prostitution)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	0.3	5	1	1 TIME
20.9	1.0	18	2	2-5 TIMES
22.1	1.0	19	3	6-20 TIMES
27.9	1.3	24	4	21-100 TIMES
23.3	1.1	20	5	MORE THAN 100
	95.3	1,740	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2145-2146

DM34G BREAK IN HOUSE, BUSINESS OR VEHICLE

Now I would like to ask about your involvement with the police, the courts, and illegal activities. Since (MONTH), did you ever

... Break into a house, a business, or a vehicle to take someone else's money or property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.7	68	1	YES
96.0	88.6	1,617	2	NO
	7.7	141	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2147-2148

DM35G # TIMES BREAK IN HOUSE, BUS OR VEHICLE

Since (MONTH), about how many different times did you do that?

... Break into a house, a business, or a vehicle to take someone else's money or property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	1.0	19	1	1 TIME
29.2	1.0	19	2	2-5 TIMES
15.4	0.5	10	3	6-20 TIMES
10.8	0.4	7	4	21-100 TIMES
15.4	0.5	10	5	MORE THAN 100
	96.4	1,761	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2149-2150

DM34H EVER USE A WEAPON/PHYSICAL FORCE

Now I would like to ask about your involvement with the police, the courts, and illegal activities. Since (MONTH), did you ever

... Use a weapon or physical force against someone to steal money or property from them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	27	1	YES
98.4	90.9	1,660	2	NO
	7.6	139	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2151-2152

DM35H # TIMES WEAPON OR PHYSICAL FORCE USED

Since (MONTH), about how many different times did you do that?

... Use a weapon or physical force against someone to steal money or property from them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.5	9	1	1 TIME
44.4	0.7	12	2	2-5 TIMES
22.2	0.3	6	3	6-20 TIMES
0.0	0.0	0	4	21-100 TIMES
0.0	0.0	0	5	MORE THAN 100
	98.5	1,799	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2153-2154

DM34N ANYTHING ELSE AGAINST THE LAW

Now I would like to ask about your involvement with the police, the courts, and illegal activities. Since (MONTH), did you ever

... Do anything else against the law?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	7.8	142	1	YES
91.5	84.2	1,537	2	NO
	8.1	147	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2155-2156

DM35N # TIMES ANYTHING ELSE DONE AGAINST LAW

Since (MONTH), about how many different times did you do that?

... Do anything else against the law?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	2.0	36	1	1 TIME
17.3	1.3	23	2	2-5 TIMES
12.8	0.9	17	3	6-20 TIMES
19.5	1.4	26	4	21-100 TIMES
23.3	1.7	31	5	MORE THAN 100
	92.7	1,693	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2157-2158

DM37

HELP BOX/ YES TO ANY ILLEGAL ACTIVITIES

[Interviewer Checkpoint] WAS ANY ACTIVITY CODED "1" AT M34?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	22.9	418	1	YES
75.4	70.2	1,282	2	NO
	6.9	126	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2159-2160

DM38

MONTHS INVOLVED IN ILLEGAL ACTIVITIES

During (MONTHS), how many months were you doing any of the activities we just talked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	0	
21.9	4.8	88	1	
9.2	2.0	37	2	
10.2	2.2	41	3	
6.7	1.5	27	4	
5.5	1.2	22	5	
7.0	1.5	28	6	
4.7	1.0	19	7	
3.2	0.7	13	8	
5.2	1.2	21	9	
4.5	1.0	18	10	
2.5	0.5	10	11	
7.2	1.6	29	12	
1.7	0.4	7	13	
2.5	0.5	10	14	
2.2	0.5	9	15	
1.5	0.3	6	16	
1.0	0.2	4	17	
1.5	0.3	6	18	
0.5	0.1	2	19	
0.2	0.1	1	20	
0.2	0.1	1	21	
0.2	0.1	1	22	
	78.0	1,425	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2161-2162

DM39 ARRESTED AND BOOKED

Since (MONTH), were you ever arrested and booked or taken into custody?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	28.1	513	1	YES
69.6	64.3	1,175	2	NO
	7.6	138	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2163-2164

DM40 # TIMES BOOKED AND ARRESTED

Since (MONTH), how many times altogether were you arrested and booked or taken into custody? CODE R's RESPONSE. PROBE FOR BEST ESTIMATE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.4	18.3	335	1	ONE TIME
28.5	8.0	146	2	2-3 TIMES
5.7	1.6	29	3	4-10 TIMES
0.4	0.1	2	4	MORE THAN 10 TIMES
	72.0	1,314	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2165-2166

DM41 AWAITING SENTENCING ON ANY CHARGES

Right now, do you have any (other) criminal charges or criminal cases against you, including a conviction that you are awaiting sentencing for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	10.5	191	1	YES
88.7	81.7	1,492	2	NO
	7.8	143	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2167-2168

DM42 EVER ATTACKED WITH WEAPON

Since (MONTH), were you ever attacked with a weapon such as a knife or a gun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.2	132	1	YES
92.7	92.4	1,687	2	NO
	0.4	7	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2169-2170

DM42A EVER HIT OR BEATEN

Since (MONTH), were you ever hit or beaten so seriously that you were badly bruised, had to see a doctor, or had to stay in bed for one day or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.8	125	1	YES
93.1	92.8	1,694	2	NO
	0.4	7	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2171-2172

DM43 HELP BOX/ ATTACKED OR HIT CODED YES

[Interviewer Checkpoint] IS "1" CODED AT M42 OR M42a?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.7	196	1	YES
89.3	89.3	1,630	2	NO
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 2173

DM44 # TIMES ATTACKED/ HIT OR BEATEN

Since (MONTH), how many times were you attacked with a weapon or seriously hit or beaten?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	5.7	104	1	ONE TIME
37.0	3.9	71	2	2-5 TIMES
7.3	0.8	14	3	6-10 TIMES
1.0	0.1	2	4	11-20 TIMES
0.5	0.1	1	5	21-100 TIMES
0.0	0.0	0	6	MORE THAN 100 TIMES
	89.5	1,634	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2174-2175

DM45 OPINION OF PHYSICAL HEALTH

The next questions are about your physical health. Would you say your health is ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	21.6	394	1	EXCELLENT
46.8	46.7	853	2	GOOD
23.0	22.9	418	3	FAIR
8.6	8.5	156	4	POOR
	0.3	5	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2176-2177

DM46

ILLNESS CAUSE PAIN/LIMIT ACTIVITIES

Do you have any illness or condition that causes you pain, limits your activities, or causes you problems at work (or in school)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	36.3	662	1	YES
63.1	61.9	1,131	2	NO
	1.8	33	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2178-2179

DM47B

PROBLEM WITH HEART OR BLOOD CONDITION

Since (MONTH), have you had any problems with ...

... b. a heart or blood condition,

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	8.1	148	1	YES
78.3	29.2	534	2	NO
	62.7	1,144	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2180-2181

DM47C PROBLEM WITH HEPATITIS/YELLOW JAUNDICE

Since (MONTH), have you had any problems with ...

... c. hepatitis or yellow jaundice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	2.8	52	1	YES
92.4	34.4	628	2	NO
	62.8	1,146	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2182-2183

DM47D PROBLEM WITH AN INTERNAL CONDITION

Since (MONTH), have you had any problems with ...

... d. an internal condition, such as ulcers, diabetes, or kidney or liver problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	11.2	205	1	YES
69.9	26.1	476	2	NO
	62.7	1,145	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2184-2185

DM47E	PROBLEM WITH BONE OR MUSCLE CONDITION
--------------	--

Since (MONTH), have you had any problems with ...

... e. a bone or muscle condition,

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	19.8	361	1	YES
47.2	17.7	323	2	NO
	62.5	1,142	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2186-2187

DM47F	PROBLEM WITH NERVE CONDITION
--------------	-------------------------------------

Since (MONTH), have you had any problems with ...

... f. a nerve condition, such as convulsions,
or migraines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	11.7	214	1	YES
68.6	25.6	468	2	NO
	62.7	1,144	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2188-2189

DM47G PROBLEM WITH FEMALE CONDITION

Since (MONTH), have you had any problems with ...

... g. FEMALE R ONLY: miscarriage, toxemia,
bad Pap smear or other serious female condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	1.7	31	1	YES
87.4	11.8	215	2	NO
	86.5	1,580	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2190-2191

DM47H PROBLEM WITH STD OTHER THAN AIDS

Since (MONTH), have you had any problems with ...

... h. any sexually transmitted disease other than AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	1.2	21	1	YES
96.8	35.3	644	2	NO
	63.6	1,161	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2192-2193

DM47I HELP BOX/ YES TO 'A' NOTED ON CALENDAR

[Check Point] CHECK ROW D OF THE CALENDAR. HAVE YOU ALREADY ENTERED "A" ON ROW D?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	25	1	YES
32.3	32.3	589	2	NO, AND AT LEAST ONE -YES- AT M47
66.4	66.4	1,212	3	NO, AND NO -YES- AT M47
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Column: 2194

DM47J PROBLEM WITH AIDS RELATED CONDITION

Since (MONTH), have you had any problems with ...

... j. any AIDS-related condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	0.8	15	1	YES
31.8	0.4	7	2	NO
	98.8	1,804	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2195-2196

DM48 ANY OF THESE PROBLEMS IN LAST 30 DAYS

Did you have any of these problems [Identified in the M47 series] in the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	21.4	391	1	YES
16.8	4.3	79	2	NO
	74.3	1,356	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2197-2198

DM48A IS M47I CODED '1'

[Interviewer Checkpoint] IS M47i CODED "1"?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	1.4	25	1	YES
95.9	32.0	585	2	NO
	66.6	1,216	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2199-2200

DM49

BLOOD TEST FOR AIDS

Since (MONTH), have you had a blood test for AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	47.3	864	1	YES
51.4	50.1	914	2	NO
	2.6	48	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2201-2202

DM49A

KNOW RESULTS OF BLOOD TEST FOR AIDS

Do you know the results of that test [blood test for AIDS]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	42.8	781	1	YES
9.5	4.5	82	2	NO
	52.7	963	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2203-2204

DM51 # TIMES DR SEEN FOR ILLNESS/CONDITION

Since (MONTH), how many times did you see a doctor for a physical illness, condition or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	16.6	304	1	ONCE
28.0	27.8	508	2	2-9 TIMES
10.9	10.8	198	3	10 OR MORE TIMES
44.4	44.1	805	4	NEVER SAW A DOCTOR
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2205-2206

DM52 # TIMES TO EMERGENCY ROOM

Since (MONTH), how many times did you go to a hospital emergency room but did not stay overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	15.7	286	1	ONCE
11.3	11.2	205	2	2-9 TIMES
1.0	1.0	18	3	10 OR MORE TIMES
72.0	71.5	1,306	4	NEVER WENT
	0.6	11	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2207-2208

DM53 GO TO HOSPITAL FOR 24 HRS FOR ILLNESS

Since (MONTH), did you ever go to a hospital for at least 24 hours for a physical illness, condition or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.3	225	1	YES
87.6	87.1	1,591	2	NO
	0.5	10	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2209-2210

DM53A

NIGHTS SPENT IN HOSPITAL FOR ILLNESS

Since (MONTH), about how many nights did you spend in the hospital for a physical illness, condition, or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	2.5	45	1	
7.8	0.9	17	2	
14.7	1.8	32	3	
6.0	0.7	13	4	
6.5	0.8	14	5	
5.1	0.6	11	6	
10.1	1.2	22	7	
3.2	0.4	7	8	
0.9	0.1	2	9	
3.7	0.4	8	10	
1.4	0.2	3	12	
2.3	0.3	5	14	
0.5	0.1	1	15	
0.9	0.1	2	17	
0.5	0.1	1	18	
0.9	0.1	2	20	
0.5	0.1	1	21	
1.4	0.2	3	22	
0.5	0.1	1	25	
0.5	0.1	1	27	
0.5	0.1	1	28	
3.7	0.4	8	30	
0.5	0.1	1	32	
0.9	0.1	2	35	
0.9	0.1	2	42	
1.4	0.2	3	45	
0.5	0.1	1	49	
1.8	0.2	4	60	
0.5	0.1	1	75	
1.4	0.2	3	90	
	88.1	1,609	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2211-2212

DM54 PREGNANT AT ANY TIME

FEMALE R ONLY: Since (MONTH), have you been pregnant at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	6.7	122	1	YES
81.4	29.2	534	2	NO
	64.1	1,170	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2213-2214

DM54A GIVEN BIRTH TO A BABY

FEMALE R ONLY: Did you give birth to a live baby?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	3.2	58	1	YES
52.5	3.5	64	2	NO
	93.3	1,704	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2215-2216

DM55 # OF DIFFERENT SEXUAL PARTNERS

M55. Since (MONTH), about how many different people have you had sex with, even if only one time?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.9	13.3	243	1	NONE
50.5	45.0	822	2	ONE
28.9	25.7	470	3	2-9
3.7	3.3	61	4	10-25
0.7	0.7	12	5	26-100
1.2	1.1	20	6	MORE THAN 100
	10.8	198	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2217-2218

DM55A SEX FOR MONEY/DRUGS/CLOTHES

Since (MONTH), have you had sex with someone so they would give you money, drugs, clothes or a place to sleep?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.0	5.9	107	1	YES
93.0	77.4	1,413	2	NO
	16.8	306	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2219-2220

DM56 HELP BOX/ LIVING IN COMMUNITY FOR 3 MON

[Interviewer Checkpoint] CHECK ROW C OF THE CALENDAR. WAS R LIVING IN THE COMMUNITY (NOT INCARCERATED) FOR 3 MONTHS OR MORE OF SEGMENT 3?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	81.8	1,494	1	YES
8.7	7.8	142	2	NO
	10.4	190	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2221-2222

DM57 TWO NIGHTS WITH NO PLACE TO STAY

Now I have some questions about your past living arrangements. Since (MONTH), did you ever for at least two nights in a row have no place to stay except for a homeless shelter or street?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	15.6	285	1	YES
82.9	75.6	1,380	2	NO
	8.8	161	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2223-2224

DM58 HOW LONG IN SHELTER OR ON STREET

How long were you in a shelter or on the street since (MONTH)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.5	6.5	118	1	LESS THAN 1 MONTH
27.5	4.3	78	2	1-3 MONTHS
15.1	2.4	43	3	4-6 MONTHS
4.6	0.7	13	4	7-9 MONTHS
4.6	0.7	13	5	10-12 MONTHS
6.7	1.0	19	6	HOMELESS/ON THE STREET THE ENTIRE TIME
	84.4	1,542	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2225-2226

DM59 LIVE IN OWN APARTMENT OR HOUSE

Since (MONTH), did you live in your own apartment or house at any time, either renting or buying, including living with parents or guardians?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	83.0	1,515	1	YES
7.9	7.1	130	2	NO
	9.9	181	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2227-2228

DM61	LOSE CUSTODY OF CHILDREN BEING RAISED
-------------	--

Since (MONTH), did you lose custody of any children you were raising? By custody, I mean being legally in charge of a child.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	2.4	43	1	YES
93.2	32.5	593	2	NO
	65.2	1,190	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2233-2234

DM62	EVER REGAIN CUSTODY
-------------	----------------------------

Did you ever get custody back since (MONTH)? [If lost custody of children]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	0.4	8	1	YES
81.4	1.9	35	2	NO
	97.6	1,783	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2235-2236

DM63 SUPPORT COME FROM ILLEGAL ACTIVITIES

Next, I would like to ask about how you support yourself, that is, how you got the money that you used to live on. Since (MONTH), did you get most of your support from illegal activities that you did?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	9.7	177	1	YES
89.4	81.3	1,485	2	NO
	9.0	164	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2237-2238

DM63AM1 DRUG DEALING TO GET MONEY

Since (MONTH), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

... Drug dealing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	4.6	84	1	YES
53.1	5.2	95	2	NO
	90.2	1,647	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2239-2240

DM63AM2 PROSTITUTION TO GET MONEY

Since (MONTH), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

... Prostitution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	2.4	44	1	YES
75.4	7.4	135	2	NO
	90.2	1,647	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2241-2242

DM63AM3 VEHICLE THEFT TO GET MONEY

Since (MONTH), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

... Motor vehicle theft

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.3	5	1	YES
97.2	9.5	174	2	NO
	90.2	1,647	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2243-2244

DM63AM4 SHOPLIFTING TO GET MONEY

Since (MONTH), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

... Shoplifting

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	2.8	51	1	YES
71.5	7.0	128	2	NO
	90.2	1,647	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2245-2246

DM63AM5 BREAKING AND ENTERING TO GET MONEY

Since (MONTH), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

... Breaking and entering, Burglary

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	0.8	14	1	YES
92.2	9.0	165	2	NO
	90.2	1,647	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2247-2248

DM63AM6

ARMED/FORCED ROBBERY TO GET MONEY

Since (MONTH), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

... Armed robbery, Robbery by force

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.4	8	1	YES
95.5	9.4	171	2	NO
	90.2	1,647	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2249-2250

DM63AM7

OTHER PROPERTY CRIME TO GET MONEY

Since (MONTH), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

... Other property crime: Moonshining, boot legging, running liquor, pimping, procuring, forgery, Passing bad checks, credit card fraud, bookmaking, numbers, gambling, receiving, possession of stolen goods, other theft (larceny, pick pocketing, purse snatching, mugging)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	1.3	24	1	YES
86.6	8.5	155	2	NO
	90.2	1,647	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2251-2252

DM63AM8

VIOLENT CRIME FOR PAY

Since (MONTH), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

... Violent crime for pay: Arson, aggravated assault, other serious assault, murder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.2	3	1	YES
98.3	9.6	176	2	NO
	90.2	1,647	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2253-2254

DM63AM9

OTHER ILLEGAL ACTIVITY

Since (MONTH), when you were getting most of your support from illegal activities, what did you do most of the time to get money?

... OTHER ILLEGAL ACTIVITY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.4	8	1	YES
95.5	9.4	171	2	NO
	90.2	1,647	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2255-2256

DM63B

AMOUNT EARNED FROM CRIME IN A WEEK

Since (MONTH), in a typical week, how much money would you say you earned/earn from crimes? (Rounded to nearest Dollar)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	1	50	
0.6	0.1	1	60	
0.6	0.1	1	70	
0.6	0.1	1	90	
3.7	0.3	6	100	
6.1	0.5	10	150	
7.9	0.7	13	200	
0.6	0.1	1	210	
2.4	0.2	4	250	
6.1	0.5	10	300	
2.4	0.2	4	350	
1.2	0.1	2	400	
1.8	0.2	3	450	
11.6	1.0	19	500	
0.6	0.1	1	550	
2.4	0.2	4	600	
6.7	0.6	11	700	
3.0	0.3	5	800	
1.2	0.1	2	900	
9.8	0.9	16	1000	
0.6	0.1	1	1050	
2.4	0.2	4	1200	
0.6	0.1	1	1300	
3.7	0.3	6	1500	
0.6	0.1	1	1800	
7.9	0.7	13	2000	
1.2	0.1	2	2100	
1.8	0.2	3	2500	
1.2	0.1	2	3000	
1.2	0.1	2	3500	
1.2	0.1	2	4000	
3.7	0.3	6	5000	
0.6	0.1	1	6000	
0.6	0.1	1	9000	
1.2	0.1	2	10000	
1.2	0.1	2	15000	
	91.0	1,662	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2257-2261

DM64

ATTEND SCHOOL/CLASSES FOR DIPLOMA/GED

Now I have some questions about education and employment. Since (MONTH), did you attend (school or take any classes or lessons to get a GED, or a high school, technical school, or college diploma)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	15.0	274	1	YES
83.5	76.2	1,391	2	NO
	8.8	161	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2262-2263

DM65

EMPLOYED FULL-TIME

Since (MONTH), have you been employed full-time at any time, that is, did you work 35 hours or more a week at any job? (Do not count any job that involved illegal activity.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.4	34.1	622	1	YES
62.6	57.1	1,042	2	NO
	8.9	162	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2264-2265

DM66 # MONTHS EMPLOYED FULL-TIME

Since (MONTH), how many months have you worked full-time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	1.6	30	1	
5.6	1.9	34	2	
7.1	2.4	43	3	
6.6	2.2	40	4	
5.6	1.9	34	5	
6.6	2.2	40	6	
5.3	1.8	32	7	
5.8	1.9	35	8	
5.9	2.0	36	9	
8.3	2.7	50	10	
2.0	0.7	12	11	
17.0	5.6	103	12	
3.1	1.0	19	13	
3.3	1.1	20	14	
3.0	1.0	18	15	
2.0	0.7	12	16	
1.2	0.4	7	17	
3.0	1.0	18	18	
0.5	0.2	3	19	
0.7	0.2	4	20	
1.0	0.3	6	21	
0.8	0.3	5	22	
0.3	0.1	2	23	
0.5	0.2	3	24	
	66.8	1,220	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2266-2267

DM67

KIND OF WORK AT LONGEST FULL-TIME JOB

What kind of work did you do at your longest full-time job?
That is, what was your job title or what was your job called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	3.5	63	1	CLERICAL WORKER (SEE TABLE IN CODEBOOK)
9.2	3.1	57	2	SALES WORKER (SEE TABLE IN CODEBOOK)
15.0	5.1	93	3	SERVICE WORKER (SEE TABLE IN CODEBOOK)
1.4	0.5	9	4	PRIVATE HH WORKER (SEE TABLE IN CODEBOOK)
17.0	5.8	106	5	SKILLED WORKER/CRAFTSMAN (SEE TABLE IN CODEBOOK)
18.3	6.2	114	6	LABORER (SEE TABLE IN CODEBOOK)
4.5	1.5	28	7	OPERATOR/MACHINE OPERATOR (SEE TABLE IN CODEBOOK)
7.4	2.5	46	8	TRANSPORT. EQUIP. OPERATOR (SEE TABLE IN CODEBOOK)
1.3	0.4	8	9	FARM LABORER (SEE TABLE IN CODEBOOK)
0.3	0.1	2	10	FARMER OR FARM MANAGER (SEE TABLE IN CODEBOOK)
5.6	1.9	35	11	MANAGER/ADMINISTRATOR (SEE TABLE IN CODEBOOK)
1.4	0.5	9	12	LAY COUNSELOR (SEE TABLE IN CODEBOOK)
6.9	2.4	43	13	PROFESSIONAL/TECHNICAL
1.3	0.4	8	14	OTHER (SEE TABLE IN CODEBOOK)
0.0	0.0	0	15	UNABLE TO CODE (SEE TABLE IN CODEBOOK)
0.2	0.1	1	16	MILITARY (SEE TABLE IN CODEBOOK)
	65.9	1,204	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2268-2269

DM68

HIGHEST SALARY AT FULL-TIME JOB

Before taxes, what (was your highest/is your) wage, salary,
or rate of pay at that full-time job?

1,826 cases (Range of valid codes: .00-90,000.00)

Data type: numeric
Decimals: 2
Missing-data codes: lowest thru -1.00
Columns: 2270-2277

DM68A PAY CODE FOR HIGHEST SALARY AT JOB

Was the figure reported in DM68, per hour, week, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	17.7	324	1	PER HOUR
16.3	5.4	99	2	EVERY WEEK
1.8	0.6	11	3	EVERY TWO WEEKS
18.2	6.0	110	4	PER MONTH
8.7	2.9	53	5	PER YEAR
0.0	0.0	0	6	OTHER (SPECIFY)
1.0	0.3	6	7	DAY
0.2	0.1	1	8	UNIT/PRODUCT
0.2	0.1	1	9	UNIT/SERVICE
0.2	0.1	1	10	ROOM & BOARD
	66.8	1,220	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2278-2279

DM69 EVER HAVE PART-TIME JOB

Since (MONTH), have you had a part-time job at any time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	18.9	345	1	YES
79.2	72.0	1,314	2	NO
	9.1	167	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2280-2281

DM70 # MONTHS WORKED PART-TIME

Since (MONTH), how many months have you worked part-time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	2	0	
12.7	2.4	43	1	
12.7	2.4	43	2	
14.5	2.7	49	3	
10.7	2.0	36	4	
5.9	1.1	20	5	
12.1	2.2	41	6	
5.6	1.0	19	7	
4.4	0.8	15	8	
3.8	0.7	13	9	
1.8	0.3	6	10	
0.9	0.2	3	11	
5.0	0.9	17	12	
0.6	0.1	2	13	
1.8	0.3	6	14	
0.3	0.1	1	15	
2.4	0.4	8	16	
0.3	0.1	1	17	
0.9	0.2	3	18	
0.6	0.1	2	19	
0.3	0.1	1	20	
0.3	0.1	1	21	
0.3	0.1	1	23	
1.5	0.3	5	24	
	81.5	1,488	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2282-2283

DM71 HIGHEST SALARY AT PART-TIME JOB

Before taxes, what was your highest wage, salary, or rate of pay at the part-time job you had the longest since (MONTH)?

1,826 cases (Range of valid codes: .00-26,000.00)

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 2284-2291

DM71A PAY CODE FOR HIGHEST SALARY AT JOB

Was the figure reported in DM68, per hour, week, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	11.3	207	1	PER HOUR
17.2	3.1	57	2	EVERY WEEK
0.6	0.1	2	3	EVERY TWO WEEKS
13.9	2.5	46	4	PER MONTH
0.6	0.1	2	5	PER YEAR
0.0	0.0	0	6	OTHER (SPECIFY)
3.3	0.6	11	7	DAY
0.0	0.0	0	8	UNIT/PRODUCT
0.9	0.2	3	9	UNIT/SERVICE
0.9	0.2	3	10	ROOM & BOARD
	81.9	1,495	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2292-2293

DM72 ANYONE HELP OR PAY EXPENSES

Since (MONTH), has anyone you lived with (helped with/paid your) expenses, such as housing, food, clothing, medical costs, (and/or) transportation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.0	52.7	963	1	YES
42.0	38.1	696	2	NO
	9.1	167	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2294-2295

DM72A AMOUNT OF HELP WITH EXPENSES

Since (MONTH), would you say that this help with your living expenses has paid for less than half, half or more, or all of your living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	15.3	279	1	LESS THAN HALF
48.9	25.7	470	2	HALF OR MORE
22.1	11.6	212	3	ALL
	47.4	865	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2296-2297

DM73A WAGES OR SALARY INCLUDING TIPS

I will ask about (other) sources of income you may have had since (MONTH). (Please do not include income from illegal activities) (or) (help you received with living expenses from someone you lived with)?

... Your wages or salary, including tips, from all jobs or businesses? [Yes / No]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	45.1	823	1	YES
50.2	45.5	830	2	NO
	9.5	173	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2298-2299

DM74A AMOUNT OF WAGES OR SALARY/WK/MO

Since (MONTHS) before taxes, about how much income did you personally get from (INCOME SOURCE)?

... Your wages or salary, including tips, from all jobs or businesses?

1,826 cases (Range of valid codes: 7-50,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2300-2304

DM74AA INCOME PER WK/MO

Is the figure in DM74A, per week, month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	17.8	325	1	PER WEEK
55.4	22.1	403	2	PER MONTH
0.0	0.0	0	3	TOTAL
	60.1	1,098	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2305-2306

DM74AWK NUMBER OF WEEKS

The Number of weeks the Respondent received income from DM74a.

1,826 cases (Range of valid codes: 1-90)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2307-2308

DM74AMO	NUMBER OF MONTHS
----------------	-------------------------

The Number of months the Respondent received income from DM74a.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	1.0	18	1	
6.5	1.4	25	2	
8.5	1.8	33	3	
6.7	1.4	26	4	
4.9	1.0	19	5	
8.5	1.8	33	6	
5.2	1.1	20	7	
4.1	0.9	16	8	
4.9	1.0	19	9	
6.2	1.3	24	10	
2.1	0.4	8	11	
18.6	3.9	72	12	
2.8	0.6	11	13	
3.1	0.7	12	14	
2.6	0.5	10	15	
2.6	0.5	10	16	
0.8	0.2	3	17	
3.6	0.8	14	18	
1.0	0.2	4	19	
0.3	0.1	1	20	
1.0	0.2	4	21	
0.3	0.1	1	22	
0.5	0.1	2	23	
0.5	0.1	2	24	
	78.8	1,439	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2309-2310

DM73B

RECEIVE MONEY FROM SPOUSE/PARTNER

I will ask about (other) sources of income you may have had since (MONTH). (Please do not include income from illegal activities) (or) (help you received with living expenses from someone you lived with)?

... (Money/Other money) from a (spouse, partner, or other) family member who was not living with you? (Not including the help we've already talked about).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	11.7	214	1	YES
87.0	78.5	1,433	2	NO
	9.8	179	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2311-2312

DM74B

AMOUNT RECEIVED FROM SPOUSE/PARTNER

Since (MONTHS) before taxes, about how much income did you personally get from (INCOME SOURCE)?

... (Money/Other money) from a (spouse, partner, or other) family member who was not living with you? (Not including the help we've already talked about).

1,826 cases (Range of valid codes: 5-40,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2313-2317

DM74BB INCOME PER WK/MO

Is the figure in DM74B, per week, month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	1.3	23	1	PER WEEK
83.3	6.3	115	2	PER MONTH
0.0	0.0	0	3	TOTAL
	92.4	1,688	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2318-2319

DM74BWK NUMBER OF WEEKS

The Number of weeks the Respondent received income from DM74b.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.3	6	1	
9.5	0.1	2	2	
19.0	0.2	4	3	
9.5	0.1	2	6	
4.8	0.1	1	7	
4.8	0.1	1	9	
4.8	0.1	1	12	
4.8	0.1	1	36	
4.8	0.1	1	40	
9.5	0.1	2	52	
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2320-2321

DM74BMO	NUMBER OF MONTHS
----------------	-------------------------

The Number of months the Respondent received income from DM74b.

PCT VALID	PCT ALL	N	VALUE	LABEL
16.8	1.0	18	1	
6.5	0.4	7	2	
6.5	0.4	7	3	
5.6	0.3	6	4	
1.9	0.1	2	5	
4.7	0.3	5	6	
3.7	0.2	4	7	
2.8	0.2	3	8	
5.6	0.3	6	9	
6.5	0.4	7	10	
0.9	0.1	1	11	
25.2	1.5	27	12	
2.8	0.2	3	13	
0.9	0.1	1	14	
1.9	0.1	2	15	
1.9	0.1	2	16	
0.9	0.1	1	18	
0.9	0.1	1	20	
2.8	0.2	3	21	
0.9	0.1	1	24	
	94.1	1,719	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2322-2323

DM73C

RECEIVE MONEY FROM WELFARE/RELIEF

I will ask about (other) sources of income you may have had since (MONTH). (Please do not include income from illegal activities) (or) (help you received with living expenses from someone you lived with)?

... Welfare, including General Assistance, or Relief or Aid to Dependent Children or to Families with Dependent Children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	25.2	461	1	YES
72.0	64.9	1,185	2	NO
	9.9	180	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2324-2325

DM74C

AMOUNT RECEIVED FROM WELFARE/RELIEF

Since (MONTHS) before taxes, about how much income did you personally get from (INCOME SOURCE)?

... Welfare, including General Assistance, or Relief or Aid to Dependent Children or to Families with Dependent Children?

1,826 cases (Range of valid codes: 10-29,320)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2326-2330

DM74CC INCOME PER WK/MO

Is the figure in DM74C, per week, month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.5	10	1	PER WEEK
97.5	23.7	433	2	PER MONTH
0.2	0.1	1	3	TOTAL
	75.7	1,382	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2331-2332

DM74CWK NUMBER OF WEEKS

The Number of weeks the Respondent received income from DM74c.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.2	3	1	
9.1	0.1	1	2	
18.2	0.1	2	5	
9.1	0.1	1	36	
36.4	0.2	4	52	
	99.4	1,815	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2333-2334

DM74CMO	NUMBER OF MONTHS
----------------	-------------------------

The number of months the Respondent received income from DM74c.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.7	12	1	
9.3	2.0	37	2	
8.3	1.8	33	3	
5.0	1.1	20	4	
5.0	1.1	20	5	
8.3	1.8	33	6	
4.3	0.9	17	7	
6.0	1.3	24	8	
5.8	1.3	23	9	
5.3	1.2	21	10	
3.0	0.7	12	11	
18.1	3.9	72	12	
2.0	0.4	8	13	
2.8	0.6	11	14	
2.0	0.4	8	15	
1.5	0.3	6	16	
2.0	0.4	8	17	
1.5	0.3	6	18	
1.3	0.3	5	19	
1.5	0.3	6	20	
1.3	0.3	5	21	
1.3	0.3	5	22	
0.3	0.1	1	23	
1.3	0.3	5	24	
	78.2	1,428	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2335-2336

DM73D RECEIVE MONEY FROM UNEMPLOYMENT COMP

I will ask about (other) sources of income you may have had since (MONTH). (Please do not include income from illegal activities) (or) (help you received with living expenses from someone you lived with)?

... Unemployment compensation, disability pay, or SSI?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	25.6	468	1	YES
71.8	65.1	1,189	2	NO
	9.3	169	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2337-2338

DM74D AMOUNT RECEIVED FROM UNEMPLOYMENT COMP

Since (MONTHS) before taxes, about how much income did you personally get from (INCOME SOURCE)?

... Unemployment compensation, disability pay, or SSI?

1,826 cases (Range of valid codes: 34-22,290)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2339-2343

DM74DD INCOME PER WK/MO

Is the figure in DM74D, per week, month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	4.7	85	1	PER WEEK
80.4	19.3	353	2	PER MONTH
0.2	0.1	1	3	TOTAL
	76.0	1,387	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2344-2345

DM74DWK NUMBER OF WEEKS

The number of weeks the Respondent received income from DM74d.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	0.2	4	1	
8.5	0.4	7	2	
7.3	0.3	6	3	
4.9	0.2	4	4	
2.4	0.1	2	5	
9.8	0.4	8	6	
1.2	0.1	1	7	
7.3	0.3	6	8	
4.9	0.2	4	10	
1.2	0.1	1	11	
8.5	0.4	7	12	
4.9	0.2	4	16	
1.2	0.1	1	18	
1.2	0.1	1	19	
3.7	0.2	3	20	
1.2	0.1	1	21	
1.2	0.1	1	22	
2.4	0.1	2	24	
1.2	0.1	1	25	
6.1	0.3	5	26	
1.2	0.1	1	32	
1.2	0.1	1	36	
1.2	0.1	1	37	
1.2	0.1	1	40	
1.2	0.1	1	42	
8.5	0.4	7	52	
1.2	0.1	1	54	
	95.5	1,744	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2346-2347

DM74DMO	NUMBER OF MONTHS
----------------	-------------------------

The number of months the Respondent received income from DM74d.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.5	9	1	
5.2	0.9	17	2	
5.8	1.0	19	3	
6.4	1.2	21	4	
3.0	0.5	10	5	
6.4	1.2	21	6	
4.2	0.8	14	7	
4.5	0.8	15	8	
4.8	0.9	16	9	
3.6	0.7	12	10	
4.8	0.9	16	11	
23.3	4.2	77	12	
2.1	0.4	7	13	
4.8	0.9	16	14	
3.3	0.6	11	15	
3.3	0.6	11	16	
3.3	0.6	11	17	
3.3	0.6	11	18	
1.2	0.2	4	19	
1.5	0.3	5	20	
0.6	0.1	2	21	
0.3	0.1	1	23	
1.2	0.2	4	24	
	81.9	1,496	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2348-2349

DM73E RECEIVE MONEY FROM SOCIAL SECURITY

I will ask about (other) sources of income you may have had since (MONTH). (Please do not include income from illegal activities) (or) (help you received with living expenses from someone you lived with)?

... Social Security, pension, annuity, or interest from savings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.0	91	1	YES
94.5	85.3	1,557	2	NO
	9.7	178	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2350-2351

DM74E AMOUNT RECEIVED FROM SOCIAL SECURITY

Since (MONTHS) before taxes, about how much income did you personally get from (INCOME SOURCE)?

... Social Security, pension, annuity, or interest from savings?

1,826 cases (Range of valid codes: 75-26,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2352-2356

DM74EE INCOME PER WK/MO

Is the figure in DM74E, per week, month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	1	1	PER WEEK
97.5	4.3	78	2	PER MONTH
1.2	0.1	1	3	TOTAL
	95.6	1,746	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2357-2358

DM74EWK NUMBER OF WEEKS

The number of weeks the Respondent received income from DM74e.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	25	
	99.9	1,825	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2359-2360

DM74EMO **NUMBER OF MONTHS**

The number of months the Respondent received income from DM74e.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.1	2	1	
1.4	0.1	1	2	
2.8	0.1	2	3	
2.8	0.1	2	4	
4.2	0.2	3	5	
5.6	0.2	4	6	
11.1	0.4	8	7	
4.2	0.2	3	8	
5.6	0.2	4	9	
4.2	0.2	3	10	
5.6	0.2	4	11	
23.6	0.9	17	12	
2.8	0.1	2	13	
1.4	0.1	1	14	
4.2	0.2	3	15	
4.2	0.2	3	17	
5.6	0.2	4	18	
2.8	0.1	2	19	
4.2	0.2	3	22	
1.4	0.1	1	24	
	96.1	1,754	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2361-2362

DM73F

RECEIVE MONEY FROM ALIMONY/CHILD SUPP

I will ask about (other) sources of income you may have had since (MONTH). (Please do not include income from illegal activities) (or) (help you received with living expenses from someone you lived with)?

... Alimony or child support?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	22	1	YES
98.7	89.7	1,638	2	NO
	9.1	166	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2363-2364

DM74F AMOUNT RECEIVED FROM ALIMONY/CHILD SUPP

Since (MONTHS) before taxes, about how much income did you personally get from (INCOME SOURCE)?

... Alimony or child support?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.1	1	43	
45.5	0.5	10	50	
9.1	0.1	2	100	
4.5	0.1	1	125	
4.5	0.1	1	200	
4.5	0.1	1	295	
4.5	0.1	1	300	
4.5	0.1	1	350	
4.5	0.1	1	400	
4.5	0.1	1	440	
4.5	0.1	1	2000	
4.5	0.1	1	3000	
	98.8	1,804	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2365-2368

DM74FF INCOME PER WK/MO

Is the figure in DM74F, per week, month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PER WEEK
100.0	1.2	21	2	PER MONTH
0.0	0.0	0	3	TOTAL
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2369-2370

DM74FWK NUMBER OF WEEKS

The number of weeks the Respondent received income from DM74f.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,826	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2371-2372

DM74FMO NUMBER OF MONTHS

The number of months the Respondent received income from DM74f.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.1	1	2	
5.3	0.1	1	3	
10.5	0.1	2	6	
15.8	0.2	3	8	
5.3	0.1	1	9	
15.8	0.2	3	12	
5.3	0.1	1	14	
5.3	0.1	1	15	
10.5	0.1	2	16	
15.8	0.2	3	18	
5.3	0.1	1	20	
	99.0	1,807	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2373-2374

DM73G RECEIVE MONEY FROM ANY OTHER SOURCE

I will ask about (other) sources of income you may have had since (MONTH). (Please do not include income from illegal activities) (or) (help you received with living expenses from someone you lived with)?

... Any other sources I haven't asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.0	91	1	YES
94.3	82.5	1,506	2	NO
	12.5	229	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2375-2376

DM73G COD OTHER CODE FOR MONEY RECEIVED

Code for any sources not otherwise mentioned

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	2.7	50	1	FOOD STAMPS, RENT VOUCHERS
3.5	0.2	3	2	RECYCLING (CANS, BOTTLES, NEWSPAPERS)
31.4	1.5	27	3	INHERITANCES, TRUSTS, PRICES, SETTLEMENTS, ETC)
7.0	0.3	6	4	OTHER SOURCES OF INCOME
	95.3	1,740	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2377-2378

DM74G

AMOUNT RECEIVED FROM OTHER SOURCE

Since (MONTHS) before taxes, about how much income did you personally get from (INCOME SOURCE)?

... Any other sources I haven't asked about?

1,826 cases (Range of valid codes: 15-43,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2379-2383

DM74GG

WAGES/SALARY PER WK/MO

Is the figure in DM74G, per week, month, or total?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	0.5	9	1	PER WEEK
87.3	3.4	62	2	PER MONTH
0.0	0.0	0	3	TOTAL
	96.1	1,755	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2384-2385

DM74GWK

NUMBER OF WEEKS

The number of weeks the Respondent received income from DM74G.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.1	2	1	
22.2	0.1	2	2	
11.1	0.1	1	3	
11.1	0.1	1	5	
11.1	0.1	1	10	
11.1	0.1	1	11	
11.1	0.1	1	24	
	99.5	1,817	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2386-2387

DM74GMO	NUMBER OF MONTHS
----------------	-------------------------

The number of months the Respondent received income from DM74G.

PCT VALID	PCT ALL	N	VALUE	LABEL
5.1	0.2	3	1	
5.1	0.2	3	2	
10.2	0.3	6	3	
3.4	0.1	2	4	
10.2	0.3	6	5	
5.1	0.2	3	6	
6.8	0.2	4	7	
6.8	0.2	4	8	
5.1	0.2	3	9	
16.9	0.5	10	12	
1.7	0.1	1	13	
1.7	0.1	1	14	
3.4	0.1	2	15	
3.4	0.1	2	16	
1.7	0.1	1	17	
3.4	0.1	2	18	
1.7	0.1	1	20	
3.4	0.1	2	21	
3.4	0.1	2	22	
1.7	0.1	1	24	
	96.8	1,767	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2388-2389

PARTICIPANT QUESTIONNAIRE: SECTION R: INTERVIEWER REPORT

DR1 ANY INTERRUPTION DURING THE INTERVIEW

Did any interruption occur during the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	30.7	560	1	YES
68.6	67.0	1,224	2	NO
	2.3	42	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2390-2391

DR2 APPEAR TO BE UNDER THE INFLUENCE

Did it appear that R was under the influence of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	31	1	YES, STRONGLY
3.4	3.3	61	2	YES, MODERATELY
10.3	10.0	183	3	YES, SLIGHTLY
84.5	82.0	1,497	4	NO
	3.0	54	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2392-2393

DR3 COHERENCE OF SPEECH PATTERN

What was R's speech pattern?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	90.5	1,652	1	COHERENT
6.8	6.6	121	2	NOT COMPLETELY COHERENT
0.4	0.4	7	3	DEFINITELY NOT COHERENT
	2.5	46	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2394-2395

DR4 RACE OF RESPONDENT

Respondent was:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	17.9	327	1	BLACK, NON-SPANISH SURNAME
23.3	22.7	415	2	SPANISH SURNAME
50.6	49.2	899	3	NON-BLACK, NON-SPANISH SURNAME (OTHER WHITE)
7.7	7.5	137	4	OTHER (SPECIFY)
	2.6	48	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2396-2397

DR5

LOCATION OF THE INTERVIEW

Where was the interview conducted?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	48.8	891	1	R'S PLACE OF RESIDENCE
5.7	5.5	101	2	A RESIDENCE OF FRIEND OR RELATIVE OF R
3.0	3.0	54	3	PREMISES OF TX PROGRAM
0.0	0.0	0	4	INSTITUTION (SPECIFY)
0.0	0.0	0	5	OTHER (SPECIFY)
12.7	12.3	225	6	RESTAURANT/BAR/FAST FOOD PLACES
13.5	13.1	240	7	JAIL/PRISON/CORRECTIONAL FACILITY
1.4	1.4	25	8	PLACE OF WORK/OFFICE/RELATIVES' PLACE OF WORK
3.7	3.6	65	9	PARK/OTHER OUTSIDE PLACE
0.7	0.7	13	10	ALCOHOL/OTHER DRUG TX/REHAB CENTER
0.3	0.3	5	11	SHELTER/MISSION
1.9	1.8	33	12	INTERVIEWER'S CAR/PARKING LOT
0.6	0.6	11	13	HOSPITAL/CLINIC
0.1	0.1	2	14	SHOPPING MALL/AREA (INSIDE/OUTSIDE)
0.5	0.5	9	15	LIBRARIES/SCHOOLS/COLLEGES
4.3	4.2	77	16	TELEPHONE
0.1	0.1	2	17	HEALTH CLUBS/RECREATIONAL FACILITIES
0.3	0.3	5	18	UNABLE TO CODE - INSTITUTIONS
0.8	0.8	14	19	UNABLE TO CODE - OTHER
	3.0	54	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2398-2399

DR6

INTEREST SHOWN DURING INTERVIEW

Interest of R during interview:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.5	54.2	989	1	VERY INTERESTED
39.9	38.9	711	2	SOMEWHAT INTERESTED
4.5	4.4	81	3	UNINTERESTED
	2.5	45	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2400-2401

DR7**ANY OTHERS PRESENT DURING INTERVIEW**

Was any other person present during the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.3	169	1	YES, MOST OF THE TIME
13.4	13.0	237	2	YES, PART OF THE TIME
77.0	74.4	1,359	3	NO
	3.3	61	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2402-2403

DR8**HONESTY OF ANSWERS**

How honest do you feel R's answers were?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	33.4	609	1	EXTREMELY HONEST
43.6	42.5	776	2	HONEST
18.3	17.9	326	3	SOMEWHAT HONEST
2.2	2.2	40	4	NOT VERY HONEST
1.6	1.5	28	5	DIFFICULT TO TELL
	2.6	47	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2404-2405

TYPE**DISCHARGE TYPE**

This variable indicates the treatment modality from which the client was discharged.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	18.5	337	1	RESIDENTIAL TX
21.5	21.5	392	2	SOCIAL MODEL
21.6	21.6	394	3	NON-METHADONE OUTPATIENT
16.0	16.0	293	4	METHADONE DETOX
12.4	12.4	227	5	METHADONE MAINTENANCE
10.0	10.0	183	55	CONTINUING METHADONE
-----	-----	-----		
100.0	100.0	1,826		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2406-2407

CONTINUING METHADONE MAINTENANCE PARTICIPANT QUESTIONNAIRE

MH31B # TIMES ENTER TREATMENT

During (MONTHS), how many times did you enter treatment?
 [For drinking or using drugs]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	1	0	
49.5	2.8	52	1	
22.9	1.3	24	2	
9.5	0.5	10	3	
5.7	0.3	6	4	
1.9	0.1	2	5	
1.9	0.1	2	9	
2.9	0.2	3	10	
1.0	0.1	1	14	
1.0	0.1	1	21	
1.0	0.1	1	24	
1.0	0.1	1	52	
1.0	0.1	1	90	
	94.2	1,721	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2442-2443

MK7B STAFF MEMBER TALKED TO MOST OFTEN

CMM SAMPLE ONLY:

ASK IF TREATMENT PERIOD IS 18 MONTHS OR LONGER. During the last 12 months, is that the staff member you talked to most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	3.1	56	1	YES
40.4	2.1	38	2	NO
	94.9	1,732	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2444-2445

MK8**COUNSELING/CLASSES FOR SAFE NEEDLE USE**

CMM SAMPLE ONLY:

During (MONTHS), did you receive any counseling or classes for safe needle use, or dangers of needle sharing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.6	5.1	94	1	YES
48.4	4.8	88	2	NO
	90.0	1,644	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2446-2447

MK8A**ANY SAFE NEEDLE CLASSES LAST 12 MONTHS**

CMM SAMPLE ONLY:

ASK ONLY IF RESPONDENT WAS IN TREATMENT 18 MONTHS OR LONGER:
Did you receive any of this counseling or classes during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.4	1.9	34	1	YES
30.6	0.8	15	2	NO
	97.3	1,777	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2448-2449

MK9AM1

ALCOHOL PRESCRIBED FOR DRUG PROBLEMS

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	1.2	21	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2450-2451

MK9AM2

ANALGESICS PRESCRIBED FOR DRUG PROBLEMS

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Analgesics [Propoxyphene-N (Darvon-N), propoxyphene (Darvon), oxycodone (Percodan), codeine or other pain medications]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	0.2	4	1	YES
81.0	0.9	17	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2452-2453

MK9AM3**ANTABUSE PRESCRIBED FOR DRUG PROBLEMS**

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Antabuse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	1.2	21	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2454-2455

MK9AM4**ANTACIDS PRESCRIBED FOR DRUG PROBLEMS**

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Antacids

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	1.2	21	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2456-2457

MK9AM5

ANTIANXIETY MEDICINE FOR DRUG PROBLEMS

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Antianxiety Medications[Chlordiazepoxide (Librium), diazepam (Valium), alprazolam (Xanax), flurazepam (Dalmene), or other benzodiazepines;] [Chlorpromazine (Thorazine), trifluoperazine (Stelazine) thioridazine (Mellaril), or other anti-psychotics]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.3	6	1	YES
71.4	0.8	15	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2458-2459

MK9AM6

ANTICONVULSANT MEDICINE FOR DRUG PROBLEM

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Anticonvulsants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	0.1	2	1	YES
90.5	1.0	19	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2460-2461

MK9AM7**ANTIDEPRESSANT MEDICINE FOR DRUG PROBLEM**

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Antidepressants [Amtriptyline (Elavil), Desipramine, or any other antidepressants]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.4	7	1	YES
66.7	0.8	14	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2462-2463

MK9AM8**ANTIMANICS PRESCRIBED FOR DRUG PROBLEM**

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Antimanics [Lithium carbonate (Lithium), carbamazepine (Tegretol), valproic acid (Valproate), or other anti-manics]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	1.2	21	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2464-2465

MK9AM9

METHADONE PRESCRIBED FOR DRUG PROBLEMS

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

...Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	1.2	21	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2466-2467

MK9AM10

MULTIVITAMINS TAKEN FOR DRUG PROBLEMS

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Multivitamins

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	1.2	21	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2468-2469

MK9AM11**NARCOTIC ANTAGONISTS FOR DRUG PROBLEMS**

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Narcotic Antagonists [Buprenorphine (Buprenex) Naltrexone (Trexan), Naloxone, or other narcotic antagonists]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	1.2	21	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2470-2471

MK9AM12**SEDATIVES PRESCRIBED FOR DRUG PROBLEMS**

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Sedatives [Pentobarbital (Nembutal), secobarbital (Seconal), Tuinal, or other barbiturates; Chloral hydrate or other sedatives or hypnotics]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.1	1	1	YES
95.2	1.1	20	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2472-2473

MK9AM13

OTHER PRESCRIPTION FOR DRUG PROBLEMS

During (MONTHS), did you take any medicines besides methadone that were prescribed for you by a doctor for drug or alcohol problems, such as desipramine or antabuse?

What prescription medicines did you take for drug or alcohol problems?

... Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	0.4	8	1	YES
61.9	0.7	13	2	NO
	98.8	1,805	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2474-2475

MK9B

MEDICINES TAKEN IN LAST 12 MONTHS

ASK ONLY IF TREATMENT WAS 18 MONTHS OR LONGER: Did you take these medicines in the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	0.7	12	1	YES
7.7	0.1	1	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2476-2477

MK9C**DOSE LEVELS OF METHADONE PRESCRIBED**

During (MONTHS), in general, would you say that the doses of methadone you were prescribed were too high, the right amount, or too low?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	1.1	20	1	TOO HIGH
72.5	7.2	132	2	THE RIGHT AMOUNT
16.5	1.6	30	3	TOO LOW
	90.0	1,644	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2478-2479

MK9D**DOSE LEVELS PRESCRIBED IN LAST 12 MON**

ASK ONLY IF TREATMENT WAS 18 MONTHS OR LONGER:
 During the last 12 months specifically, would you say that the doses of methadone you were prescribed were too high, the right amount, or too low?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.4	7	1	TOO HIGH
82.4	4.9	89	2	THE RIGHT AMOUNT
11.1	0.7	12	3	TOO LOW
	94.1	1,718	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2480-2481

MK10A**EVER ATTEND ALCOHOLICS ANONYMOUS**

During (MONTHS), did you ever attend any ...

... Alcoholics Anonymous Meetings

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	3.2	59	1	YES
67.8	6.8	124	2	NO
	90.0	1,643	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2482-2483

MK10B EVER ATTEND NARCOTICS ANONYMOUS

During (MONTHS), did you ever attend any ...

... Narcotics Anonymous Meetings

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	3.1	57	1	YES
68.7	6.8	125	2	NO
	90.0	1,644	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2484-2485

MK10C EVER ATTEND COCAINE ANONYMOUS

During (MONTHS), did you ever attend any ...

... Cocaine Anonymous Meetings

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	1	1	YES
99.5	9.9	181	2	NO
	90.0	1,644	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2486-2487

MK10A1 HELP BOX/ ANY MEETINGS CODED YES

Interviewer Checkpoint: IS ANY ITEM CODED "1" AT K10?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.5	4.2	76	1	YES
58.5	5.9	107	2	NO
	90.0	1,643	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2488-2489

MK10B1**ATTEND FIVE OR MORE MEETINGS**

During (MONTHS), did you attend five or more of any of these [AA, NA, or CA] meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	3.8	69	1	YES
9.2	0.4	7	2	NO
	95.8	1,750	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2490-2491

MK11**HELP FROM PROGRAM WITH CHARGES**

During (MONTHS), did you get help from or arranged by (PROGRAM) with any criminal charges against you, such as seeing a lawyer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.4	7	1	YES
96.2	9.6	176	2	NO
	90.0	1,643	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2492-2493

MK11A**HELP DURING LAST 12 MONTHS**

ASK ONLY IF TREATMENT WAS 18 MONTHS OR LONGER:
 Was this during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	100.0	1,826	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2494-2495

MK12A COUNSELING/CLASSES IN LAST 12 MONTHS

ASK ONLY IF TREATMENT WAS 18 MONTHS OR LONGER:

Did you receive this counseling or attend other classes [to learn about ways not to get or spread AIDS?] during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	2.1	39	1	YES
26.4	0.8	14	2	NO
	97.1	1,773	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2496-2497

MK13A COUNSELING/CLASSES IN LAST 12 MONTHS

ASK ONLY IF TREATMENT WAS 18 MONTHS OR LONGER:

Did you receive counseling or attend classes [for problems you may have had raising children or to help you to become a better parent?] in the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.9	16	1	YES
11.1	0.1	2	2	NO
	99.0	1,808	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2498-2499

MK14 ATTEND CLASSES TO HELP GET JOB

During (MONTHS), did you get any classes or lessons at (or arranged by) (PROGRAM) to help you get a job, hold a job, or improve your job skills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.8	14	1	YES
92.3	9.3	169	2	NO
	90.0	1,643	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2500-2501

MK14A CLASSES IN LAST 12 MONTHS

Did you receive these classes or lessons [to help you get a job, hold a job, or improve your job skills] during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.7	12	1	YES
14.3	0.1	2	2	NO
	99.2	1,812	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2502-2503

MM66M1 COMPLETED TREATMENT PLAN

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... Completed treatment plan, graduated from program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.7	13	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2504-2505

MM66M2 DROPPED FROM PROGRAM

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... Dropped from program by staff, involuntary discharge

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.1	1	1	YES
92.3	0.7	12	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2506-2507

MM66M3 DID NOT WANT TO BE THERE IN 1ST PLACE

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... Did not want to be there in first place

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.7	13	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2508-2509

MM66M4 TREATMENT NOT SUCCESSFUL

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... Treatment not successful, kept doing drugs, discouraged

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.1	1	1	YES
92.3	0.7	12	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2510-2511

MM66M5 TRANSFERRED TO ANOTHER PROGRAM

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... Transferred to another program because dissatisfied

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.1	1	1	YES
92.3	0.7	12	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2512-2513

MM66M6 CHANGES IN ELIGIBILITY

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... Changes in eligibility, program had to reduce size

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.7	13	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2514-2515

MM66M7**BECAME INCARCERATED**

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
you have?

... Became incarcerated

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.1	2	1	YES
84.6	0.6	11	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2516-2517

MM66M8**LOGISTICAL PROBLEMS**

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
you have?

... Logistical problems, too difficult to get there, child
care, conflict on job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.1	2	1	YES
84.6	0.6	11	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2518-2519

MM66M9 COULDN'T AFFORD IT

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... Couldn't afford it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	0.2	3	1	YES
76.9	0.5	10	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2520-2521

MM66M10 PRESSURE FROM FAMILY/FRIENDS

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... Pressure from family and friends to end treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.7	13	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2522-2523

MM66M11 LEFT THE AREA

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... Left the area

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.7	13	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2524-2525

MM66M12 OTHER REASON TO END TREATMENT

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	0.3	5	1	YES
61.5	0.4	8	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2526-2527

MM66M13 NO REASON GIVEN

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... NO REASON GIVEN 13

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.7	13	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2528-2529

MM66M14 NEEDED HOSPITALIZATION

ASK IF R WAS DISCHARGED FROM TREATMENT.

What is the main reason you stopped treatment in (END MONTH)?
 CODE ALL THAT APPLY. IF NECESSARY ASK: What other reason did
 you have?

... Needed hospitalization

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.7	13	2	NO
	99.3	1,813	-9	UNKNOWN/NOT MENTIONED/MISSING
-----	-----	-----		
100.0	100.0	1,826	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2530-2531

SAMPLE WEIGHT VARIABLES

PADJ_WTD	POTTHOFF-ADJUSTED VERSION OF ADJ_WTD
-----------------	---

Potthoff-adjusted version of ADJ_WTD. This variable should be used as the default sampling weight for analyses.

1,826 cases (Range of valid codes: .0758-3.2915)

Data type: numeric
 Decimals: 4
 Missing-data codes: lowest thru -1.0000
 Columns: 2546-2551

PADJ_WT	POTTHOFF-ADJUSTED VERSION OF ADJ_WT
----------------	--

Potthoff-adjusted version of ADJ_WT.

1,826 cases (Range of valid codes: .1330-3.0774)

Data type: numeric
 Decimals: 4
 Missing-data codes: lowest thru -1.0000
 Columns: 2540-2545

PWT123	POTTHOFF-ADJUSTED VERSION OF WT123
---------------	---

Potthoff-adjusted version of WT123

1,826 cases (Range of valid codes: .1964-2.9008)

Data type: numeric
 Decimals: 4
 Missing-data codes: lowest thru -1.0000
 Columns: 2534-2539

ADJ_WTD	SAMPLING WT ADJ FOR NONRESPONSE AND FOR FRAME DUPLICATES
----------------	---

This variable is the sampling weight adjusted both for nonresponse and for frame duplicates.

1,826 cases (Range of valid codes: 3.5545-488.6992)

Data type: numeric
 Decimals: 4
 Missing-data codes: lowest thru -1.0000
 Columns: 2432-2439

ADJ_WT**SAMPLING WT ADJ FOR PROVIDER/PARTICIPANT LEVEL NONRESPONSE**

This variable is the sampling weight adjusted for provider-level and participant-level nonresponse.

1,826 cases (Range of valid codes: 7.1089-488.6992)

Data type: numeric

Decimals: 4

Missing-data codes: lowest thru -1.0000

Columns: 2416-2423

WT123**SAMPLING WT--INVERSE OF PROB OF SELECTION ACROSS 3 STAGES**

This variable is the inverse of the product of the probabilities of selection in sampling stages 1, 2, and 3.

1,826 cases (Range of valid codes: 4.7348-140.5189)

Data type: numeric

Decimals: 4

Missing-data codes: lowest thru -1.0000

Columns: 2408-2415