

ICPSR 3753

**Monitoring the Future: A  
Continuing Study of American  
Youth (12th-Grade Survey), 2002**

Codebook for Form 1 Data File

Lloyd D. Johnston, Jerald G. Bachman,  
Patrick M. O'Malley, and John E.  
Schulenberg

University of Michigan. Institute for Social  
Research. Survey Research Center

First ICPSR Edition  
October 2003

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



## Terms of Use

**Bibliographic Citation:** Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications. The bibliographic citation for this data collection is:

Johnston, Lloyd D., Jerald G. Bachman, Patrick M. O'Malley, and John E. Schulenberg. MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH (12TH-GRADE SURVEY), 2002 [Computer file]. Conducted by University of Michigan, Institute for Social Research, Survey Research Center. ICPSR ed. Ann Arbor, MI: Inter-university Consortium for Political and Social Research [producer and distributor], 2003.

**Request for Information on Use of ICPSR Resources:** To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Visit the ICPSR Web site for more information on submitting citations.

**Data Disclaimer:** The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for uses of this collection or for interpretations or inferences based upon such uses.

**Responsible Use Statement:** In preparing data for public release, ICPSR performs a number of procedures to ensure that the identity of research subjects cannot be disclosed. Any intentional identification or disclosure of a person or establishment violates the assurances of confidentiality given to the providers of the information. Therefore, users of data obtained from the ICPSR archive and/or any of its special topic archives agree:

- To use these datasets solely for statistical analysis and reporting of aggregated information, and not for investigation of specific individuals or organizations, except when identification is authorized in writing by ICPSR
- To make no use of the identity of any person or establishment discovered inadvertently, and to advise ICPSR of any such discovery
- To produce no links among ICPSR datasets or among ICPSR data and other datasets that could identify individuals or organizations

**Redistribution:** ICPSR data may not be redistributed or sold to other individuals, institutions, or organizations without the written agreement of ICPSR.



## Data Collection Description

Principal Investigator(s): Lloyd D. Johnston, Jerald G. Bachman, Patrick M. O'Malley, and John E. Schulenberg

Title: Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2002

ICPSR Study Number: 3753

Funding Agency: United States Department of Health and Human Services. National Institute on Drug Abuse

Grant Number: DA01411

Summary: This is the 28th annual survey in this series that explores changes in important values, behaviors, and lifestyle orientations of contemporary American youth. Students are randomly assigned to complete one of six questionnaires, each with a different subset of topical questions, but all containing a set of "core" questions on demographics and drug use. There are about 1,400 variables across the questionnaires. Drugs covered by this survey include tobacco, alcohol, marijuana, hashish, LSD, hallucinogens, amphetamines (stimulants), Ritalin (methylphenidate), Quaaludes (methaqualone), barbiturates (tranquilizers), cocaine, crack cocaine, GHB (gamma hydroxy butyrate), and heroin. Other items include attitudes toward religion, changing roles for women, educational aspirations, self-esteem, exposure to sex and drug education, and violence and crime (both in and out of school).

Universe: High school seniors in the contiguous United States.

Sample: Multistage area probability sample design involving three selection stages: (1) geographic areas or primary sampling units (PSUs), (2) schools (or linked groups of schools) within PSUs, and (3) students within sampled schools. Of the 72 PSUs, 8 were selected with certainty, 10 were selected with a probability of .50, and the remainder were selected with probability proportionate to the size of the senior class. In schools with more than 350 seniors, a random sample of seniors or classes was drawn. In schools with less than 350 seniors, all seniors were asked to participate. Each school was asked to participate for two years so that each year one-half of the sample is replaced. Schools refusing participation were replaced with similar schools in terms of geographic location, size, and type of school (e.g., public, private/Catholic, private/non-Catholic). The total sample was divided into six subsamples consisting of an average of 2,300 respondents, and each subsample was administered a different form of the questionnaire, although all respondents answered the "core" drug and demographic questions. The participation rate among schools has been between 66 and 85 percent since the inception of the study.

Date of Collection: 2002

Data Collection Notes: (1) To protect the privacy of respondents, all variables that could be used to identify individuals have been collapsed or recoded in the public use files. These modifications should not affect analytic uses of the public use files. (2) Variables omitted from the Western region questionnaires are noted in each codebook. (3) The codebooks are provided by ICPSR as Portable Document Format (PDF) files. The PDF file format was developed by Adobe Systems Incorporated and may be accessed using PDF reader software, such as the Adobe Acrobat Reader. Information on how to obtain a copy of the Acrobat Reader is provided on the ICPSR and SAMHDA Web sites.

Data Source: self-administered questionnaires

Extent of Collection: 7 data files + machine-readable documentation (PDF) + SAS data definition statements + SPSS data definition statements

Extent of Processing: CONCHK.PR/ UNDOCCHK.PR/ MDATA.ICPSR/ REFORM.DATA/ UNDOCCHK.ICPSR/ CDBK.ICPSR/ DDEF.ICPSR/ FREQ.ICPSR/ REFORM.DOC/ RECODE

Data Format: Logical Record Length with SAS and SPSS data definition statements

## File Specifications

<i>Part No.</i>	<i>Part Name</i>	<i>File Structure</i>	<i>Case Count</i>	<i>Variable Count</i>	<i>LRECL</i>	<i>Records Per Case</i>
1	Core Data	rectangular	13,544	108	224	1
2	Form 1 Data	rectangular	2,256	618	1,246	1
3	Form 2 Data	rectangular	2,267	332	671	1
4	Form 3 Data	rectangular	2,258	354	715	1
5	Form 4 Data	rectangular	2,241	280	569	1
6	Form 5 Data	rectangular	2,257	312	630	1
7	Form 6 Data	rectangular	2,265	331	669	1

## Related Publications

Johnston, Lloyd D., Patrick M. O'Malley, and Jerald G. Bachman. MONITORING THE FUTURE NATIONAL RESULTS ON ADOLESCENT DRUG USE: OVERVIEW OF KEY FINDINGS, 2002 (NIH Publication No. 03-5374). Bethesda, MD: National Institute on Drug Abuse, April 2003.  
<http://www.monitoringthefuture.org/pubs/monographs/overview2002.pdf>

Johnston, Lloyd D., Patrick M. O'Malley, and Jerald G. Bachman. MONITORING THE FUTURE NATIONAL SURVEY RESULTS ON DRUG USE, 1975-2002. Volume I: Secondary School Students (NIH Publication No. 03-5375). Bethesda, MD: National Institute on Drug Abuse, August 2003.

Bachman, Jerald G., Lloyd D. Johnston, and Patrick M. O'Malley. THE MONITORING THE FUTURE PROJECT AFTER TWENTY-SEVEN YEARS: DESIGN AND PROCEDURES. Monitoring the Future Occasional Paper 54. Ann Arbor, MI: University of Michigan, Institute for Social Research, 2001.  
<http://monitoringthefuture.org/pubs/occpapers/occ54.pdf>

## Contents

Contents .....	i
INTRODUCTION .....	iii
DATA COLLECTION DESCRIPTION .....	iii
DATA COLLECTION PROCEDURES .....	iii
SAMPLING INFORMATION .....	iv
STAGE 1: GEOGRAPHIC AREAS.....	iv
STAGE 2: SCHOOLS .....	iv
STAGE 3: STUDENTS.....	iv
SCHOOL RECRUITING PROCEDURES.....	v
ADVANCE CONTACT WITH TEACHERS AND STUDENTS.....	v
QUESTIONNAIRE ADMINISTRATION.....	v
PROCEDURES FOR PROTECTING CONFIDENTIALITY.....	vi
CONTENT AREAS AND QUESTIONNAIRE DESIGN .....	vii
MEASUREMENT CONTENT AREAS .....	vii
REPRESENTATIVENESS AND VALIDITY.....	viii
SCHOOL PARTICIPATION.....	viii
STUDENT PARTICIPATION.....	ix
VALIDITY OF SELF-REPORT DATA.....	ix
ACCURACY OF THE SAMPLE.....	x
CONSISTENCY AND THE MEASUREMENT OF TRENDS.....	x
INTERPRETING RACIAL DIFFERENCES.....	x
DIFFERENTIAL REPRESENTATION.....	xi
DIFFERENTIAL RESPONSE TENDENCIES.....	xi
COVARIANCE WITH OTHER FACTORS.....	xii
WEIGHTING INFORMATION.....	xiii
FILE STRUCTURE.....	xiii
CODEBOOK INFORMATION .....	xiv
ICPSR PROCESSING INFORMATION.....	xvi
FREQUENCIES .....	1
APPENDICES .....	491
Appendix A: Publications.....	491
Appendix B - Sample Size and Student Response Rates.....	515



## **INTRODUCTION**

### **DATA COLLECTION DESCRIPTION**

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2002, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

### **DATA COLLECTION PROCEDURES**

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

### **SAMPLING INFORMATION**

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

**STAGE 1: GEOGRAPHIC AREAS.** The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

**STAGE 2: SCHOOLS.** In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

**STAGE 3: STUDENTS.** Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half

samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

**SCHOOL RECRUITING PROCEDURES.** Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

**ADVANCE CONTACT WITH TEACHERS AND STUDENTS.** The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

**QUESTIONNAIRE ADMINISTRATION.** The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

**PROCEDURES FOR PROTECTING CONFIDENTIALITY.** In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

## CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

### MEASUREMENT CONTENT AREAS

---

---

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
  - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
  - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
  - T. HEALTH. Health habits, somatic symptoms, medical treatment.
- 
- 

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

### **REPRESENTATIVENESS AND VALIDITY**

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

**SCHOOL PARTICIPATION.** As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed

to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

**STUDENT PARTICIPATION.** Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

**VALIDITY OF SELF-REPORT DATA.** Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study,

but many have not; therefore, there exists little empirical evidence of their validity and reliability.

**ACCURACY OF THE SAMPLE.** A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

**CONSISTENCY AND THE MEASUREMENT OF TRENDS.** One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

**INTERPRETING RACIAL DIFFERENCES.** Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican American, Puerto Rican American, or other Latin American) since each of these groups comprises a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -- who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of

the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

**DIFFERENTIAL REPRESENTATION.** Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

**DIFFERENTIAL RESPONSE TENDENCIES.** In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-cancelling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

**COVARIANCE WITH OTHER FACTORS.** Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

## WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

## FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2002 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS and SPSS data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

part #	form	# of variables	Logical record length	unweighted n
1	Core	108	224	13,544
2	Form 1	618	1246	2,256
3	Form 2	332	671	2,267
4	Form 3	354	715	2,258
5	Form 4	280	569	2,241
6	Form 5	312	630	2,257
7	Form 6	331	669	2,265

The SAS and SPSS data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

### CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134	[2] 991A13	KIND OF PAID JOB
-----------	------------	------------------

[3] Item Number: 25160

[4] A13: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5] PCT VALID	[6] PCT ALL	[7] N	[8] VALUE	[9] LABEL
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	3.3	190	0	
	1.6	94	99	

-----	-----	-----
[10]	[11]	[12]
100.0	100.0	5,745 cases (Wtd)

[13] Data type: numeric

[14] Decimals: 0

[15] Missing-data codes: 0,99

[16] Columns: 98-99

---

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

- [2] Indicates the abbreviated variable name used to identify the variable for the user.
- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (\_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to 9 are missing data (MD Codes: 9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

## ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/ missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its full version to a bracketed version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

QUESTIONNAIRE FORM 1 PROCESSING: The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

**FREQUENCIES**  
FORM 1 DATA FILE



<b>CASEID</b>	<b>CASE IDENTIFICATION NUMBER</b>
---------------	-----------------------------------

2,253 cases (Wtd) (Range of valid codes: 1-2,256)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1-4

<b>V1</b>	<b>YEAR OF ADMIN (4-DIGITS)</b>
-----------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,253	2002	
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 8-11

<b>V3</b>	<b>021</b>	<b>:FORM ID</b>
-----------	------------	-----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,253	1	
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Column: 12

<b>V4</b>	<b>021</b>	<b>:R'S ID-SERIAL #</b>
-----------	------------	-------------------------

2,253 cases (Wtd) (Range of valid codes: 10,001-12,256)

Data type: numeric  
 Missing-data code: -9  
 Columns: 13-17

<b>V5</b>	<b>SAMPLING WEIGHT</b>
-----------	------------------------

2,253 cases (Wtd) (Range of valid codes: .14-5.22)

Data type: numeric  
 Decimals: 2  
 Missing-data code: -9.00  
 Columns: 1239-1246

<b>V13</b>	<b>021</b>	<b>:SCHL RGN-4 CAT</b>
------------	------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	19.5	439	1	NE:(1)
24.8	24.8	559	2	NC:(2)
33.3	33.3	751	3	S:(3)
22.4	22.4	504	4	W:(4)
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Column: 5

<b>V16</b>	<b>021</b>	<b>:SELF-REP/NOT=0</b>
------------	------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	68.0	1,533	0	
32.0	32.0	720	1	
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Column: 6

<b>V17</b>	<b>021</b>	<b>:SMSA/NON-SMSA=0</b>
------------	------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	22.4	504	0	
77.6	77.6	1,749	1	
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Column: 7

<b>V1633</b>	<b>021A001</b>	<b>:VRY HPY THS DAY</b>
--------------	----------------	-------------------------

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	11.2	252	1	NT HAPPY:(1)
66.0	65.4	1,475	2	PRTY HPY:(2)
22.7	22.5	508	3	VRY HPY:(3)
	0.9	19	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 873-874

V1634

021A002A:US NEEDS PLANNG

Item Number: 01200

How much do you agree or disagree with each of the following statements? A: The nation needs much more long-range planning and coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	49	1	DISAGREE:(1)
4.1	4.1	92	2	MOST DIS:(2)
21.0	20.7	466	3	NEITHER:(3)
45.4	44.8	1,009	4	MOST AGR:(4)
27.4	27.0	609	5	AGREE:(5)
	1.3	29	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 875-876

V1635

021A002B:ENJOY FAST PACE

Item Number: 01210

How much do you agree or disagree with each of the following statements? B: I enjoy the fast pace and changes of today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.1	138	1	DISAGREE:(1)
12.3	12.1	274	2	MOST DIS:(2)
25.9	25.6	576	3	NEITHER:(3)
37.9	37.5	845	4	MOST AGR:(4)
17.8	17.6	396	5	AGREE:(5)
	1.1	26	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 877-878

V1636

021A002C:THG CHG 2 QUICK

Item Number: 01220

How much do you agree or disagree with each of the following statements? C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	11.2	253	1	DISAGREE:(1)
22.4	22.1	498	2	MOST DIS:(2)
24.7	24.4	550	3	NEITHER:(3)
24.3	24.0	540	4	MOST AGR:(4)
17.3	17.1	384	5	AGREE:(5)
	1.3	28	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 879-880

V1637	021A002D:X AHEAD TOUGHER
-------	--------------------------

Item Number: 01230

How much do you agree or disagree with each of the following statements? D: I think the times ahead for me will be tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	18.4	415	1	DISAGREE:(1)
23.0	22.7	511	2	MOST DIS:(2)
19.6	19.3	434	3	NEITHER:(3)
21.5	21.2	477	4	MOST AGR:(4)
17.2	17.0	382	5	AGREE:(5)
	1.5	33	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 881-882

V1638

021A003 :TM SPT ADLT MST

Item Number: 01240

Of all the time you spend with other people, about how much is spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	23.6	533	1	VRY LITL:(1)
42.6	42.4	956	2	SOME:(2)
25.0	24.9	562	3	ABT HALF:(3)
7.2	7.2	163	4	MOST:(4)
1.5	1.5	33	5	NRLY ALL:(5)
	0.3	7	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 883-884

V1639

021A004 :LK MR TM ADLT

Item Number: 01250

Would you like to spend more time, or less time, with people  
over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as  
now" 4="Somewhat more time" 5="Much more time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.6	171	1	MCH LESS:(1)
10.5	10.5	236	2	SOM LESS:(2)
65.8	65.4	1,475	3	SAM TIME:(3)
14.3	14.2	321	4	SOM MORE:(4)
1.7	1.7	39	5	MCH MORE:(5)
	0.5	11	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 885-886

V1640

021A005 :LK MR TM YG CHD

Item Number: 01260

Would you like to spend more time, or less time, working with  
or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same as  
now" 4="Somewhat more time" 5="Much more time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.2	139	1	MCH LESS:(1)
6.4	6.4	144	2	SOM LESS:(2)
33.6	33.4	752	3	SAM TIME:(3)
34.9	34.7	782	4	SOM MORE:(4)
18.9	18.8	424	5	MCH MORE:(5)
	0.5	12	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 887-888

V1641

021A006A:SAT PRESENT JOB

Item Number: 01270

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer. How satisfied are you with . . . A: Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	3.5	80	1	COMP DIS:(1)
6.2	4.0	91	2	
6.8	4.4	100	3	
23.7	15.5	349	4	NEUTRAL:(4)
16.9	11.0	248	5	
23.6	15.4	347	6	
17.3	11.3	255	7	COMP SAT:(7)
	34.8	784	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 889-890

V1642

021A006B:SAT NEIGHBORHOD

Item Number: 01280

How satisfied are you with . . . B: The neighborhood where  
you live?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.5	102	1	COMP DIS:(1)
3.8	3.8	85	2	
7.0	6.9	155	3	
17.3	17.1	386	4	NEUTRAL:(4)
14.6	14.5	326	5	
23.4	23.2	522	6	
29.4	29.1	656	7	COMP SAT:(7)
	0.9	20	-9	MISSING

-----  
100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 891-892

V1643

021A006C:SAT PRSNL SAFTY

Item Number: 01290

How satisfied are you with . . . C: Your personal safety in your neighborhood, on your job, and in your school--safety from being attacked and injured in some way?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	46	1	COMP DIS:(1)
2.4	2.4	54	2	
5.1	5.1	114	3	
15.4	15.3	345	4	NEUTRAL:(4)
13.0	12.9	291	5	
26.8	26.6	598	6	
35.2	34.9	785	7	COMP SAT:(7)
	0.9	21	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 893-894

V1644

021A006D:SAT OWN PROP SF

Item Number: 01300

How satisfied are you with . . . D: The safety of things you own from being stolen or destroyed in your neighborhood, on your job, and in your school?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.7	107	1	COMP DIS:(1)
4.6	4.6	103	2	
10.8	10.7	241	3	
19.0	18.7	422	4	NEUTRAL:(4)
17.5	17.3	390	5	
25.6	25.4	572	6	
17.7	17.5	394	7	COMP SAT:(7)
	1.1	24	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 895-896

V1645

021A006E:SAT EDUC EXPRNC

Item Number: 01310

How satisfied are you with . . . E: Your educational experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	52	1	COMP DIS:(1)
3.3	3.2	73	2	
6.2	6.1	137	3	
20.8	20.5	463	4	NEUTRAL:(4)
22.7	22.5	507	5	
27.4	27.0	610	6	
17.4	17.2	387	7	COMP SAT:(7)
	1.1	25	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 897-898

V1646

021A006F:SAT OWN FRIENDS

Item Number: 01320

How satisfied are you with . . . F: Your friends and other  
people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	19	1	COMP DIS:(1)
1.1	1.1	24	2	
2.7	2.7	61	3	
9.7	9.6	215	4	NEUTRAL:(4)
14.3	14.1	318	5	
29.6	29.3	661	6	
41.8	41.4	933	7	COMP SAT:(7)
	1.0	22	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 899-900

V1647

021A006G:SAT GT ALNG PRN

Item Number: 01330

How satisfied are you with . . . G: The way you get along  
with your parents?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.9	87	1	COMP DIS:(1)
4.3	4.2	95	2	
6.8	6.7	151	3	
14.8	14.6	330	4	NEUTRAL:(4)
15.2	15.0	339	5	
26.4	26.1	588	6	
28.7	28.4	639	7	COMP SAT:(7)
	1.1	24	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 901-902

V1648

021A006H:SAT YOURSELF

Item Number: 01340

How satisfied are you with . . . H: Yourself?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	53	1	COMP DIS:(1)
2.8	2.7	61	2	
4.2	4.1	93	3	
15.8	15.5	350	4	NEUTRAL:(4)
15.8	15.5	349	5	
27.5	27.1	611	6	
31.5	31.0	700	7	COMP SAT:(7)
	1.6	35	-9	MISSING

-----

100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 903-904

V1649

021A006I:SAT STD OF LVG

Item Number: 01350

How satisfied are you with . . . I: Your standard of living-  
-the things you have like housing, car, furniture, recreation,  
and the like?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.6	37	1	COMP DIS:(1)
2.3	2.3	52	2	
4.6	4.6	103	3	
12.8	12.6	285	4	NEUTRAL:(4)
16.4	16.2	366	5	
28.1	27.8	626	6	
34.1	33.8	761	7	COMP SAT:(7)
	1.1	24	-9	MISSING

-----  
100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 905-906

V1650

021A006J:SAT TIME FR THG

Item Number: 01360

How satisfied are you with . . . J: The amount of time you have for doing things you want to do?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	7.1	160	1	COMP DIS:(1)
8.3	8.2	185	2	
15.5	15.3	344	3	
17.1	16.9	380	4	NEUTRAL:(4)
20.4	20.1	454	5	
18.6	18.4	414	6	
12.9	12.8	288	7	COMP SAT:(7)
	1.2	28	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 907-908

V1651

021A006K:SAT SPD LEISR

Item Number: 01370

How satisfied are you with . . . K: The way you spend your  
leisure time--recreation, relaxation, and so on?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	61	1	COMP DIS:(1)
4.9	4.8	109	2	
8.1	7.9	179	3	
16.4	16.1	363	4	NEUTRAL:(4)
19.9	19.6	441	5	
24.8	24.4	551	6	
23.2	22.9	516	7	COMP SAT:(7)
	1.5	33	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 909-910

V1652

021A006L:SAT LIFE AS WHL

Item Number: 01380

How satisfied are you with . . . L: Your life as a whole  
these days?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	51	1	COMP DIS:(1)
2.6	2.5	57	2	
7.1	7.0	158	3	
17.8	17.5	395	4	NEUTRAL:(4)
21.5	21.1	476	5	
30.0	29.5	666	6	
18.7	18.5	416	7	COMP SAT:(7)
	1.5	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 911-912

V1653

021A006M:SAT GOVT OPRING

Item Number: 01390

How satisfied are you with . . . M: The way our national government is operating?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.3	165	1	COMP DIS:(1)
5.7	5.6	126	2	
10.8	10.6	239	3	
41.4	40.7	918	4	NEUTRAL:(4)
17.1	16.8	379	5	
13.0	12.8	289	6	
4.6	4.5	102	7	COMP SAT:(7)
	1.6	37	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 913-914

V1654

021A006N:SAT AMT OF FUN

Item Number: 01400

How satisfied are you with . . . N: The amount of fun you  
are having?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.5	79	1	COMP DIS:(1)
3.0	3.0	67	2	
7.5	7.4	167	3	
16.2	15.9	359	4	NEUTRAL:(4)
21.6	21.3	480	5	
27.3	26.9	605	6	
20.8	20.5	462	7	COMP SAT:(7)
	1.5	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 915-916

<b>V1655</b>	<b>021A007A:IMP B SUCCSS WK</b>
--------------	---------------------------------

Item Number: 01410

How important is each of the following to you in your life? A:  
Being successful in my line of work

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	28	1	NOT IMPT:(1)
7.3	7.2	163	2	SOM IMPT:(2)
28.1	27.7	624	3	QUITE IM:(3)
63.4	62.5	1,408	4	EXTR IMP:(4)
	1.4	31	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 917-918

<b>V1656</b>	<b>021A007B:IMP GD MRRG &amp; FAM</b>
--------------	---------------------------------------

Item Number: 01420

How important is each of the following to you in your life? B:  
Having a good marriage and family life

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	72	1	NOT IMPT:(1)
5.7	5.6	126	2	SOM IMPT:(2)
13.9	13.7	308	3	QUITE IM:(3)
77.2	76.0	1,713	4	EXTR IMP:(4)
	1.5	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 919-920

V1657

021A007C:IMP LOTS OF \$

Item Number: 01430

How important is each of the following to you in your life? C:  
Having lots of money

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.1	115	1	NOT IMPT:(1)
32.3	31.8	718	2	SOM IMPT:(2)
37.0	36.4	820	3	QUITE IM:(3)
25.5	25.1	565	4	EXTR IMP:(4)
	1.6	35	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 921-922

V1658

021A007D:IMP TM RCRN &amp; HBY

Item Number: 01440

How important is each of the following to you in your life? D:  
Having plenty of time for recreation and hobbies

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	43	1	NOT IMPT:(1)
22.2	21.9	494	2	SOM IMPT:(2)
44.7	44.1	994	3	QUITE IM:(3)
31.1	30.7	691	4	EXTR IMP:(4)
	1.4	32	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 923-924

<b>V1659</b>	<b>021A007E:IMP STRG FRDSHP</b>
--------------	---------------------------------

Item Number: 01450

How important is each of the following to you in your life? E:  
Having strong friendships

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	29	1	NOT IMPT:(1)
5.8	5.7	128	2	SOM IMPT:(2)
29.2	28.8	649	3	QUITE IM:(3)
63.7	62.8	1,415	4	EXTR IMP:(4)
	1.5	33	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 925-926

<b>V1660</b>	<b>021A007F:IMP STEADY WORK</b>
--------------	---------------------------------

Item Number: 01460

How important is each of the following to you in your life? F:  
Being able to find steady work

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	19	1	NOT IMPT:(1)
5.9	5.8	132	2	SOM IMPT:(2)
26.7	26.2	590	3	QUITE IM:(3)
66.5	65.3	1,472	4	EXTR IMP:(4)
	1.8	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 927-928

V1661

021A007G:IMP CNTRBTN SOC

Item Number: 01470

How important is each of the following to you in your life? G:  
Making a contribution to society

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.6	126	1	NOT IMPT:(1)
33.6	33.1	746	2	SOM IMPT:(2)
38.8	38.2	860	3	QUITE IM:(3)
21.9	21.6	486	4	EXTR IMP:(4)
	1.6	35	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 929-930

V1662

021A007H:IMP LDR COMUNTY

Item Number: 01480

How important is each of the following to you in your life? H:  
Being a leader in my community

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	20.5	461	1	NOT IMPT:(1)
38.7	38.0	857	2	SOM IMPT:(2)
24.5	24.1	543	3	QUITE IM:(3)
15.9	15.6	351	4	EXTR IMP:(4)
	1.8	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 931-932

V1663

021A007I:IMP CHLD BTR OP

Item Number: 01490

How important is each of the following to you in your life? I:  
Being able to give my children better opportunities than I've  
had

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	51	1	NOT IMPT:(1)
7.0	6.9	156	2	SOM IMPT:(2)
24.6	24.2	545	3	QUITE IM:(3)
66.0	64.8	1,461	4	EXTR IMP:(4)
	1.8	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 933-934

V1664

021A007J:IMP LIV CLS PRN

Item Number: 01500

How important is each of the following to you in your life? J:  
Living close to parents and relatives

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	13.7	309	1	NOT IMPT:(1)
36.1	35.3	796	2	SOM IMPT:(2)
32.7	32.0	722	3	QUITE IM:(3)
17.2	16.8	378	4	EXTR IMP:(4)
	2.1	48	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 935-936

V1665

021A007K:IMP GT AWY AREA

Item Number: 01510

How important is each of the following to you in your life? K:  
Getting away from this area of the country

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	44.9	1,012	1	NOT IMPT:(1)
25.6	25.2	568	2	SOM IMPT:(2)
14.8	14.6	329	3	QUITE IM:(3)
13.9	13.6	307	4	EXTR IMP:(4)
	1.6	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 937-938

<b>V1666</b>	<b>021A007L:IMP CRRCT INEQL</b>
--------------	---------------------------------

Item Number: 01520

How important is each of the following to you in your life? L:  
Working to correct social and economic inequalities

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT VALID	PCT ALL	N	VALUE	LABEL
21.1	20.6	465	1	NOT IMPT:(1)
44.0	43.0	969	2	SOM IMPT:(2)
24.0	23.5	529	3	QUITE IM:(3)
10.9	10.6	240	4	EXTR IMP:(4)
	2.2	50	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 939-940

<b>V1667</b>	<b>021A007M:IMP NEW XPRNCE</b>
--------------	--------------------------------

Item Number: 01530

How important is each of the following to you in your life? M:  
Discovering new ways to experience things

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT VALID	PCT ALL	N	VALUE	LABEL
7.7	7.5	170	1	NOT IMPT:(1)
33.0	32.4	731	2	SOM IMPT:(2)
36.7	36.1	813	3	QUITE IM:(3)
22.7	22.3	502	4	EXTR IMP:(4)
	1.7	38	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 941-942

V1668

021A007N:IMP FND PRPS LF

Item Number: 01540

How important is each of the following to you in your life? N:  
Finding purpose and meaning in my life

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.6	82	1	NOT IMPT:(1)
12.5	12.3	277	2	SOM IMPT:(2)
26.8	26.3	593	3	QUITE IM:(3)
57.0	56.0	1,261	4	EXTR IMP:(4)
	1.8	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 943-944

V1669

021A008 :PPL CAN B TRSTD

Item Number: 01550

Generally speaking, would you say that most people can be  
trusted or that you can't be too careful in dealing with  
people?

3="Most people can be trusted" 2="Don't know, undecided"  
1="Can't be too careful"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	45.0	1,015	1	CAREFUL:(1)
33.8	32.5	733	2	DK:(2)
19.3	18.6	419	3	TRST MST:(3)
	3.9	87	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 945-946

<b>V1670</b>	<b>021A009 :PPL TRY B HLPFL</b>
--------------	---------------------------------

Item Number: 01560

Would you say that most of the time people try to be helpful or that they are mostly just looking out for themselves?

3="Try to be helpful" 2="Don't know, undecided" 1="Just looking out for themselves"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	39.4	888	1	FOR SELF:(1)
36.1	35.4	797	2	DK:(2)
23.7	23.2	524	3	TRY HELP:(3)
	2.0	45	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 947-948

<b>V1671</b>	<b>021A010 :PPL TRY BE FAIR</b>
--------------	---------------------------------

Item Number: 01570

Do you think most people would try to take advantage of you if they got a chance or would they try to be fair?

3="Would try to be fair" 2="Don't know, undecided" 1="Would try to take advantage of you"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	40.3	908	1	TAKE ADV:(1)
39.3	38.5	867	2	DK:(2)
19.5	19.1	430	3	TRY FAIR:(3)
	2.1	48	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 949-950

V1672

021A011A:-OBY LW=-GD CTZ

Item Number: 01580

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below? A: I feel that you can't be a good citizen unless you always obey the law

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	18.9	427	1	DISAGREE:(1)
22.6	22.1	499	2	MOST DIS:(2)
23.2	22.7	512	3	NEITHER:(3)
27.9	27.3	615	4	MOST AGR:(4)
6.9	6.7	151	5	AGREE:(5)
	2.2	49	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 951-952

V1673	021A011B:GD CTZN ALG GOV
-------	--------------------------

Item Number: 01590

How much do you agree or disagree with each statement below?

B: I feel good citizens should go along with whatever the government does even if they disagree with it

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	36.3	817	1	DISAGREE:(1)
28.3	27.7	623	2	MOST DIS:(2)
20.4	19.9	449	3	NEITHER:(3)
10.9	10.7	240	4	MOST AGR:(4)
3.2	3.2	71	5	AGREE:(5)
	2.3	53	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 953-954

V1674

021A011C:GD CTZN CHG GOV

Item Number: 01600

How much do you agree or disagree with each statement below?

C: I feel good citizens try to change the government policies they disagree with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.7	106	1	DISAGREE:(1)
7.9	7.7	173	2	MOST DIS:(2)
33.0	32.2	725	3	NEITHER:(3)
35.2	34.4	774	4	MOST AGR:(4)
19.1	18.6	419	5	AGREE:(5)
	2.5	56	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 955-956

V1675

021A011D:VOTE-&gt;MAJ IMPCT

Item Number: 01610

How much do you agree or disagree with each statement below?  
 D: The way people vote has a major impact on how things are  
 run in this country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.9	155	1	DISAGREE:(1)
9.5	9.3	209	2	MOST DIS:(2)
19.3	18.9	425	3	NEITHER:(3)
34.1	33.3	750	4	MOST AGR:(4)
30.0	29.3	660	5	AGREE:(5)
	2.4	54	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 957-958

V1676

021A011E:CTZN GRP HV EFC

Item Number: 01620

How much do you agree or disagree with each statement below?  
 E: People who get together in citizen action groups to  
 influence government policies can have a real effect

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.1	93	1	DISAGREE:(1)
9.1	8.9	200	2	MOST DIS:(2)
32.6	31.8	717	3	NEITHER:(3)
37.7	36.8	829	4	MOST AGR:(4)
16.4	16.0	360	5	AGREE:(5)
	2.5	56	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 959-960

V1677	021A011F:OUR SYST ST BS
-------	-------------------------

Item Number: 01630

How much do you agree or disagree with each statement below?  
 F: Despite its many faults, our system of doing things is still the best in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.8	131	1	DISAGREE:(1)
8.6	8.3	187	2	MOST DIS:(2)
28.9	28.1	633	3	NEITHER:(3)
32.4	31.6	711	4	MOST AGR:(4)
24.2	23.5	530	5	AGREE:(5)
	2.7	61	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 961-962

V1678

021A011G:US NEEDS GROWTH

Item Number: 01640

How much do you agree or disagree with each statement below?  
 G: America needs growth to survive, and that is going to  
 require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	28.0	631	1	DISAGREE:(1)
21.4	20.9	471	2	MOST DIS:(2)
30.6	29.8	671	3	NEITHER:(3)
13.4	13.1	294	4	MOST AGR:(4)
5.8	5.7	128	5	AGREE:(5)
	2.6	59	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 963-964

V1679

021A011H:LV THNGS TO GOD

Item Number: 01650

How much do you agree or disagree with each statement below?

H: If we just leave things to God, they will turn out for the best

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	16.3	368	1	DISAGREE:(1)
10.1	9.8	221	2	MOST DIS:(2)
24.6	23.8	537	3	NEITHER:(3)
19.4	18.8	423	4	MOST AGR:(4)
29.1	28.2	635	5	AGREE:(5)
	3.1	69	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 965-966

V1680

021A011I:GO SCH ENJY XPR

Item Number: 01660

How much do you agree or disagree with each statement below?

I: Going to school has been an enjoyable experience for me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.7	173	1	DISAGREE:(1)
9.7	9.4	213	2	MOST DIS:(2)
19.4	18.9	426	3	NEITHER:(3)
39.8	38.8	875	4	MOST AGR:(4)
23.3	22.7	512	5	AGREE:(5)
	2.5	55	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 967-968

V1681

021A011J:DO WL SC IMP/JB

Item Number: 01670

How much do you agree or disagree with each statement below?

J: Doing well in school is important for getting a good job

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	66	1	DISAGREE:(1)
2.8	2.7	61	2	MOST DIS:(2)
9.7	9.5	213	3	NEITHER:(3)
30.9	30.2	680	4	MOST AGR:(4)
53.6	52.3	1,178	5	AGREE:(5)
	2.5	55	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 969-970

V1766

021A012A:RSK OF CIG1+PK

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.3	74	1	NO RISK:(1)
4.6	4.6	103	2	SLIGHT:(2)
19.3	19.0	429	3	MOD RISK:(3)
69.6	68.5	1,543	4	GRT RISK:(4)
3.0	3.0	67	5	CANT SAY:(5)
	1.7	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1128-1129

V1767	021A012B:RSK OF MJ 1-2 X
-------	--------------------------

Item Number: 12370

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . B: Try  
marijuana once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	35.6	802	1	NO RISK:(1)
32.6	32.0	721	2	SLIGHT:(2)
12.2	12.0	271	3	MOD RISK:(3)
15.1	14.8	333	4	GRT RISK:(4)
3.9	3.9	87	5	CANT SAY:(5)
	1.7	38	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1130-1131

V1768

021A012C:RSK OF MJ OCSNL

Item Number: 12380

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . C: Smoke  
marijuana occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	15.2	342	1	NO RISK:(1)
27.6	27.1	611	2	SLIGHT:(2)
29.9	29.3	661	3	MOD RISK:(3)
22.9	22.5	507	4	GRT RISK:(4)
4.1	4.0	91	5	CANT SAY:(5)
	1.8	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1132-1133

V1769	021A012D:RSK OF MJ REGLY
-------	--------------------------

Item Number: 12390

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . D: Smoke  
marijuana regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.6	172	1	NO RISK:(1)
10.6	10.4	234	2	SLIGHT:(2)
22.5	22.1	498	3	MOD RISK:(3)
54.7	53.6	1,209	4	GRT RISK:(4)
4.4	4.3	97	5	CANT SAY:(5)
	1.9	44	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1134-1135

V1770

021A012E:RSK COK PWDR 1-

Item Number: 12501

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . E: Try cocaine  
in powder form once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.5	146	1	NO RISK:(1)
18.1	17.7	400	2	SLIGHT:(2)
22.5	22.1	498	3	MOD RISK:(3)
44.7	43.9	990	4	GRT RISK:(4)
8.2	8.0	181	5	CANT SAY:(5)
	1.7	38	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1136-1137

V1771

021A012F:RSK COK PWDR OC

Item Number: 12502

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . F: Take cocaine  
powder occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.7	84	1	NO RISK:(1)
3.9	3.8	86	2	SLIGHT:(2)
22.0	21.6	488	3	MOD RISK:(3)
62.3	61.2	1,379	4	GRT RISK:(4)
8.0	7.9	177	5	CANT SAY:(5)
	1.8	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1138-1139

V1772

021A012G:RSK COK PWDR RE

Item Number: 12503

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . G: Take cocaine  
powder regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	75	1	NO RISK:(1)
0.9	0.9	21	2	SLIGHT:(2)
2.9	2.8	63	3	MOD RISK:(3)
84.8	83.3	1,878	4	GRT RISK:(4)
8.0	7.9	177	5	CANT SAY:(5)
	1.8	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1140-1141

V1773

021A012H:RSK CRACK 1-2X

Item Number: 12504

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . H: Try "crack"  
cocaine once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.1	116	1	NO RISK:(1)
13.8	13.6	306	2	SLIGHT:(2)
20.4	20.0	451	3	MOD RISK:(3)
51.0	50.1	1,128	4	GRT RISK:(4)
9.5	9.4	211	5	CANT SAY:(5)
	1.9	42	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1142-1143

V1774

021A012I:RSK CRACK OCC

Item Number: 12505

How much do you think people risk harming themselves  
(physically or in other ways), if they. . . I: Take "crack"  
cocaine occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.4	77	1	NO RISK:(1)
2.3	2.3	52	2	SLIGHT:(2)
17.2	16.9	380	3	MOD RISK:(3)
67.8	66.6	1,500	4	GRT RISK:(4)
9.2	9.1	204	5	CANT SAY:(5)
	1.8	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1144-1145

V1775	021A012J:RSK CRACK REG
-------	------------------------

Item Number: 12506

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . J: Take "crack"  
cocaine regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	73	1	NO RISK:(1)
0.7	0.7	16	2	SLIGHT:(2)
2.3	2.2	50	3	MOD RISK:(3)
84.5	82.8	1,866	4	GRT RISK:(4)
9.2	9.0	203	5	CANT SAY:(5)
	2.0	45	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1146-1147

V1776

021A012K:RSK OF 1-2 DRIN

Item Number: 12510

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . K: Try one or  
two drinks of an alcoholic beverage (beer, wine, liquor)

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	47.2	1,064	1	NO RISK:(1)
31.3	30.7	692	2	SLIGHT:(2)
9.5	9.3	210	3	MOD RISK:(3)
8.3	8.2	184	4	GRT RISK:(4)
2.6	2.6	58	5	CANT SAY:(5)
	2.0	44	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 1148-1149

V1777	021A012L:RSK OF 1-2 DR/D
-------	--------------------------

Item Number: 12520

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . L: Take one or  
two drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	14.2	319	1	NO RISK:(1)
29.5	29.0	652	2	SLIGHT:(2)
31.3	30.7	692	3	MOD RISK:(3)
22.0	21.5	485	4	GRT RISK:(4)
2.7	2.6	60	5	CANT SAY:(5)
	2.0	45	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1150-1151

V1778

021A012M:RSK OF 4-5 DR/D

Item Number: 12530

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . M: Take four or  
five drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.7	129	1	NO RISK:(1)
9.7	9.5	215	2	SLIGHT:(2)
23.9	23.5	529	3	MOD RISK:(3)
57.6	56.6	1,274	4	GRT RISK:(4)
2.9	2.9	65	5	CANT SAY:(5)
	1.8	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1152-1153

V1779	021A012N:RSK OF 5+DR/WKN
-------	--------------------------

Item Number: 12540

How much do you think people risk harming themselves  
(physically or in other ways), if they. . . N: Have five or  
more drinks once or twice each weekend

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	9.9	222	1	NO RISK:(1)
15.4	15.1	341	2	SLIGHT:(2)
27.3	26.8	604	3	MOD RISK:(3)
44.2	43.4	977	4	GRT RISK:(4)
3.0	2.9	66	5	CANT SAY:(5)
	1.9	43	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1154-1155

V1808

021A0120:RSK H -NDL 1-2X

Item Number: 29600

How much do you think people risk harming themselves  
(physically or in other ways), if they. . . 0: Try heroin  
once or twice without using a needle

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.3	96	1	NO RISK:(1)
6.1	6.0	135	2	SLIGHT:(2)
17.5	17.2	387	3	MOD RISK:(3)
60.5	59.4	1,339	4	GRT RISK:(4)
11.6	11.4	256	5	CANT SAY:(5)
	1.8	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1212-1213

V1809	021A012P:RSK H -NDL OCC
-------	-------------------------

Item Number: 29610

How much do you think people risk harming themselves (physically or in other ways), if they. . . P: Take heroin occasionally without using a needle

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.6	82	1	NO RISK:(1)
1.7	1.6	37	2	SLIGHT:(2)
8.6	8.4	189	3	MOD RISK:(3)
74.7	73.3	1,653	4	GRT RISK:(4)
11.4	11.2	253	5	CANT SAY:(5)
	1.8	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1214-1215

V1780

021A013A:EASY GT MARIJUA

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.7	83	1	PROB IMP:(1)
2.3	2.3	51	2	VRV DIFF:(2)
4.8	4.6	104	3	FRLY DIF:(3)
23.4	22.7	511	4	FRLY EAS:(4)
65.7	63.8	1,438	5	VRV EASY:(5)
	2.9	66	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1156-1157

V1781

021A013B:EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	9.4	213	1	PROB IMP:(1)
13.4	13.0	293	2	VRY DIFF:(2)
30.9	29.9	674	3	FRLY DIF:(3)
28.4	27.5	620	4	FRLY EAS:(4)
17.5	16.9	382	5	VRY EASY:(5)
	3.2	72	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1158-1159

V1782

021A013C:EASY GT COK PWD

Item Number: 06812

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.7	219	1	PROB IMP:(1)
14.8	14.3	322	2	VRY DIFF:(2)
28.1	27.2	612	3	FRLY DIF:(3)
29.0	28.1	633	4	FRLY EAS:(4)
18.0	17.4	392	5	VRY EASY:(5)
	3.3	75	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1160-1161

V1208

021B001 :EVR SMK CIG,REG

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 6" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	42.8	964	1	NEVER:(1)
22.7	22.1	497	2	1-2X:(2)
13.3	12.9	292	3	OCCASNLY:(3)
7.2	7.0	158	4	REG PAST:(4)
12.7	12.4	279	5	REG NOW:(5)
	2.9	64	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 207-208

V1101

021B001 :EVR SMK CIG,REG

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly"  
4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	42.8	964	1	NEVER:(1)
22.7	22.1	497	2	1-2X:(2)
13.3	12.9	292	3	OCCASNLY:(3)
7.2	7.0	158	4	REG PAST:(4)
12.7	12.4	279	5	REG NOW:(5)
	2.9	64	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 20-21

V1210

021B002 :#CIGS SMKD/30DA

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	30.1	678	1	NT DAILY:(1)
15.2	8.2	186	2	<1 CIG/D:(2)
12.8	7.0	157	3	1-5/DAY:(3)
8.7	4.7	107	4	1/2 PK:(4)
5.6	3.0	68	5	1 PK:(5)
1.5	0.8	18	6	1 1/2 PK:(6)
0.8	0.4	9	7	2+ PKS:(7)
	45.8	1,031	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 209-210

V1102

021B002 :#CIGS SMKD/30DA

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all"[includes respondents who reported nonuse above]  
 2="Less than one cigarette per day" 3="One to five cigarettes per day"  
 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	72.8	1,641	1	NONE:(1)
8.5	8.2	186	2	<1 CIG/D:(2)
7.2	7.0	157	3	1-5/DAY:(3)
4.9	4.7	107	4	1/2PK/D:(4)
3.1	3.0	68	5	1 PK/DA:(5)
0.8	0.8	18	6	1 1/2PK/:(6)
0.4	0.4	9	7	2+ PKS/D:(7)
	3.0	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 22-23

V1752                      021B003 :#CIG/DAY-30DAYS

Item Number: 00781

To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

01="None" 02="Less than 1 per day" 03="1 to 2" 04="3 to 7"  
 05="8 to 12" 06="13 to 17" 07="18 to 22" 08="23 to 27" 09="28 to 32"  
 10="33 to 37" 11="38 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	29.9	674	1	NONE:(1)
11.0	6.0	135	2	<1/DAY:(2)
5.5	3.0	68	3	1-2:(3)
11.4	6.2	139	4	3-7:(4)
6.5	3.5	79	5	8-12:(5)
2.8	1.5	34	6	13-17:(6)
3.3	1.8	41	7	18-22:(7)
0.3	0.2	4	8	23-27:(8)
1.0	0.6	12	9	28-32:(9)
0.3	0.1	3	10	33-37:(10)
2.5	1.3	30	11	38+:(11)
	45.9	1,034	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1101-1103

V1211

021B004A:\*TRY STP SMK &amp; FL

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	9.2	207	1	YES:(1)
82.6	43.7	985	2	NO:(2)
	47.1	1,061	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 211-212

V1754

021B004B:#X TRY STOP SMK

Item Number: 01691

How many times (if any) have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	30.2	680	1	NONE:(1)
21.6	11.3	255	2	ONCE:(2)
10.5	5.5	124	3	TWICE:(3)
7.8	4.1	92	4	3-5X:(4)
0.9	0.5	11	5	6-9X:(5)
1.5	0.8	18	6	10+X:(6)
	47.6	1,073	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1104-1105

V1212

021B004C:\*WNT STP SMK NW

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	8.6	195	1	YES:(1)
17.6	9.4	212	2	NO:(2)
66.2	35.4	798	8	DNT SMOK:(8)
	46.5	1,049	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 213-214

V1810                      021B005 :USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

01="Basic" 02="Benson & Hedges" 03="Black & Whites"  
 04="Cambridge" 05="Camel" 06="Capri" 07="Carlton" 08="Doral"  
 09="GPC" 10="Kent" 11="Kool" 12="Marlboro" 13="Merit"  
 14="Misty" 15="Monarch" 16="More" 17="Newport" 18="Pall Mall"  
 19="Parliament" 20="Salem" 21="Vantage" 22="Virginia Slims"  
 23="Winston" 24="Other" 25="No Usual Brand"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.2	4	1	BASIC:(1)
0.1	0.0	1	2	B & &:(2)
0.1	0.1	1	3	B & &:(3)
0.0	0.0	0	4	CAMBRIDGE:(4)
8.1	3.7	82	5	CAMEL:(5)
0.1	0.1	1	6	CAPRI:(6)
0.0	0.0	0	7	CARLTON:(7)
0.2	0.1	2	8	DORAL:(8)
0.4	0.2	5	9	GPC:(9)
0.1	0.0	1	10	KENT:(10)
0.8	0.3	8	11	KOOL:(11)
44.3	20.1	453	12	MARLBORO:(12)
0.0	0.0	0	13	MERIT:(13)
0.0	0.0	0	14	MISTY:(14)
0.1	0.1	1	15	MONARCH:(15)
0.0	0.0	0	16	MORE:(16)
13.7	6.2	140	17	NEWPORT:(17)
0.7	0.3	7	18	PALLMALL:(18)
2.0	0.9	20	19	PARLIAMENT:(19)
0.2	0.1	2	20	SALEM:(20)
0.0	0.0	0	21	VANTAGE:(21)
0.6	0.3	6	22	VA SLIMS:(22)
0.3	0.2	3	23	WINSTON:(23)
2.8	1.3	28	24	OTHER:(24)
24.9	11.3	255	25	NO USUAL:(25)
	54.7	1,233	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1216-1218

V1213

021B006 :NO SMK IN 5 YR

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	29	1	DEF WILL:(1)
7.9	7.7	173	2	PRB WILL:(2)
21.8	21.3	480	3	PRB WONT:(3)
69.0	67.5	1,521	4	DEF WONT:(4)
	2.2	50	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 215-216

V1214

021B007A:#X ALC/LIF SIPS

Item Number:

The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, wine coolers, and liquor. On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . . a. in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	17.5	395	1	0 OCCAS:(1)
11.3	10.8	243	2	1-2X:(2)
11.4	10.9	245	3	3-5X:(3)
10.5	10.0	225	4	6-9X:(4)
13.4	12.8	287	5	10-19X:(5)
11.6	11.0	249	6	20-39X:(6)
23.5	22.4	506	7	40+OCCAS:(7)
	4.6	104	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 217-218

V1104

021B007A:#X ALC/LIF SIPS

Item Number: 00810

The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, wine coolers, and liquor. On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . . a. in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	17.5	395	1	0 OCCAS:(1)
11.3	10.8	243	2	1-2X:(2)
11.4	10.9	245	3	3-5X:(3)
10.5	10.0	225	4	6-9X:(4)
13.4	12.8	287	5	10-19X:(5)
11.6	11.0	249	6	20-39X:(6)
23.5	22.4	506	7	40+OCCAS:(7)
	4.6	104	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 24-25

V1215

021B007B:#X ALC/ANN SIPS

Item Number:

On how many occasions (if any) have you had alcohol to drink--  
more than just a few sips . . .b. during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	27.3	615	1	0 OCCAS:(1)
17.6	16.8	378	2	1-2X:(2)
15.2	14.5	326	3	3-5X:(3)
10.1	9.6	217	4	6-9X:(4)
11.2	10.7	241	5	10-19X:(5)
7.4	7.1	160	6	20-39X:(6)
9.8	9.4	212	7	40+OCCAS:(7)
	4.6	105	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 219-220

V1105

021B007B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcohol to drink--  
more than just a few sips . . . b. during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	27.3	615	1	0 OCCAS:(1)
17.6	16.8	378	2	1-2X:(2)
15.2	14.5	326	3	3-5X:(3)
10.1	9.6	217	4	6-9X:(4)
11.2	10.7	241	5	10-19X:(5)
7.4	7.1	160	6	20-39X:(6)
9.8	9.4	212	7	40+OCCAS:(7)
	4.6	105	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 26-27

V1216

021B007C:#X ALC/30D SIPS

Item Number:

On how many occasions (if any) have you had alcohol to drink--  
more than just a few sips . . . c. during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	50.0	1,126	1	0 OCCAS:(1)
21.2	20.2	455	2	1-2X:(2)
12.2	11.6	262	3	3-5X:(3)
5.9	5.7	128	4	6-9X:(4)
5.4	5.1	116	5	10-19X:(5)
1.2	1.1	26	6	20-39X:(6)
1.7	1.6	37	7	40+OCCAS:(7)
	4.6	103	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 221-222

V1106

021B007C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcohol to drink--  
more than just a few sips . . . c. during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	50.0	1,126	1	0 OCCAS:(1)
21.2	20.2	455	2	1-2X:(2)
12.2	11.6	262	3	3-5X:(3)
5.9	5.7	128	4	6-9X:(4)
5.4	5.1	116	5	10-19X:(5)
1.2	1.1	26	6	20-39X:(6)
1.7	1.6	37	7	40+OCCAS:(7)
	4.6	103	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 28-29

V1217

021B008A:#X/YR ALC ALONE

Item Number: 01720

IF YOU HAVE NOT HAD ANY BEER, WINE, WINE COOLERS, OR LIQUOR IN THE LAST TWELVE MONTHS, GO TO QUESTION 16. When you used alcohol during the last year, how often did you use it in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	52.7	1,188	1	NOT @ALL:(1)
17.0	11.5	260	2	FEW TIME:(2)
3.6	2.5	56	3	SOM TIME:(3)
0.9	0.6	14	4	MST TIME:(4)
1.1	0.7	16	5	EVRYTIME:(5)
	31.9	720	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 223-224

V1218

021B008B:#X/YR ALC-2 PPL

Item Number: 01730

When you used alcohol during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	16.1	363	1	NOT @ALL:(1)
37.1	25.2	568	2	FEW TIME:(2)
20.3	13.8	311	3	SOM TIME:(3)
11.9	8.1	182	4	MST TIME:(4)
7.1	4.8	109	5	EVRYTIME:(5)
	32.0	720	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 225-226

V1219

021B008C:#X/YR ALC@PARTY

Item Number: 01740

When you used alcohol during the last year, how often did you use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	10.3	232	1	NOT @ALL:(1)
16.7	11.3	255	2	FEW TIME:(2)
14.3	9.7	219	3	SOM TIME:(3)
32.7	22.1	499	4	MST TIME:(4)
21.1	14.3	322	5	EVRYTIME:(5)
	32.3	727	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 227-228

V1220

021B008D:#X/YR ALC-DT/SP

Item Number: 01750

When you used alcohol during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	32.9	742	1	NOT @ALL:(1)
21.3	14.4	324	2	FEW TIME:(2)
13.1	8.9	200	3	SOM TIME:(3)
10.2	6.9	155	4	MST TIME:(4)
6.6	4.5	101	5	EVRYTIME:(5)
	32.5	731	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 229-230

V1221

021B008E:#X/YR ALC-ADLTS

Item Number: 01760

When you used alcohol during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	26.7	602	1	NOT @ALL:(1)
33.2	22.7	511	2	FEW TIME:(2)
13.3	9.1	205	3	SOM TIME:(3)
7.9	5.4	121	4	MST TIME:(4)
6.4	4.4	99	5	EVRYTIME:(5)
	31.8	716	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 231-232

V1222

021B008F:#X/YR ALC-DATIM

Item Number: 01770

When you used alcohol during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	45.2	1,018	1	NOT @ALL:(1)
20.6	14.0	317	2	FEW TIME:(2)
8.4	5.7	129	3	SOM TIME:(3)
2.8	1.9	43	4	MST TIME:(4)
1.8	1.2	28	5	EVRYTIME:(5)
	31.9	719	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 233-234

V1223

021B008G:#X/YR ALC@HOME

Item Number: 01780

When you used alcohol during the last year, how often did you use it in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	30.0	676	1	NOT @ALL:(1)
28.6	19.5	440	2	FEW TIME:(2)
13.3	9.1	205	3	SOM TIME:(3)
8.1	5.5	124	4	MST TIME:(4)
6.0	4.1	92	5	EVRYTIME:(5)
	31.8	717	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 235-236

V1224

021B008H:#X/YR ALC@SCHL

Item Number: 01790

When you used alcohol during the last year, how often did you use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	61.3	1,381	1	NOT @ALL:(1)
7.2	4.9	111	2	FEW TIME:(2)
1.7	1.2	27	3	SOM TIME:(3)
0.3	0.2	4	4	MST TIME:(4)
0.9	0.6	15	5	EVRYTIME:(5)
	31.8	716	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 237-238

V1225

021B008I:#X/YR ALCIN CAR

Item Number: 01810

When you used alcohol during the last year, how often did you use it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.8	45.5	1,025	1	NOT @ALL:(1)
19.7	13.4	302	2	FEW TIME:(2)
9.3	6.3	143	3	SOM TIME:(3)
2.7	1.9	42	4	MST TIME:(4)
1.5	1.0	22	5	EVRYTIME:(5)
	31.9	719	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 239-240

V1811

021B008J:#X/YR ALC@PARK/B

Item Number: 30910

When you used alcohol during the last year, how often did you use it in each of the following situations? J. At a park or beach.

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	47.0	1,058	1	NOT @ALL:(1)
15.9	10.8	244	2	FEW TIME:(2)
9.9	6.8	153	3	SOM TIME:(3)
3.5	2.4	53	4	MST TIME:(4)
1.8	1.2	27	5	EVRYTIME:(5)
	31.9	718	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1219-1220

<b>V1812</b>	<b>021B008K:#X/YR ALC@BAR/RT</b>
--------------	----------------------------------

Item Number: 30920

When you used alcohol during the last year, how often did you use it in each of the following situations? K. At a bar or restaurant.

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	46.8	1,055	1	NOT @ALL:(1)
17.7	12.0	271	2	FEW TIME:(2)
7.9	5.4	121	3	SOM TIME:(3)
3.8	2.6	59	4	MST TIME:(4)
2.0	1.4	31	5	EVRYTIME:(5)
	31.8	716	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1221-1222

<b>V1226</b>	<b>021B009A:ALC EXPERIMENT</b>
--------------	--------------------------------

Item Number: 01820

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	32.3	728	0	NT MARKD:(0)
52.0	34.9	787	1	MARKED:(1)
	32.8	738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 241-242

<b>V1227</b>	<b>021B009B:ALC RELAX</b>
--------------	---------------------------

Item Number: 01830

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.6	36.7	827	0	NT MARKD:(0)
45.4	30.5	688	1	MARKED:(1)
	32.8	738	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 243-244

<b>V1228</b>	<b>021B009C:ALC GET HIGH</b>
--------------	------------------------------

Item Number: 01840

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	41.9	944	0	NT MARKD:(0)
37.7	25.4	572	1	MARKED:(1)
	32.8	738	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 245-246

V1229

021B009D:ALC SEEK INSGHT

Item Number: 01850

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	64.5	1,453	0	NT MARKD:(0)
4.1	2.8	62	1	MARKED:(1)
	32.8	738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 247-248

V1230

021B009E:ALC GD TM FRNDS

Item Number: 01860

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	20.1	452	0	NT MARKD:(0)
70.2	47.2	1,063	1	MARKED:(1)
	32.8	738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 249-250

<b>V1231</b>	<b>021B009F:ALC FIT IN GRP</b>
--------------	--------------------------------

Item Number: 01870

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	62.4	1,407	0	NT MARKD:(0)
7.1	4.8	108	1	MARKED:(1)
	32.8	738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 251-252

<b>V1232</b>	<b>021B009G:ALC GET AWY PRB</b>
--------------	---------------------------------

Item Number: 01880

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	52.1	1,173	0	NT MARKD:(0)
22.6	15.2	342	1	MARKED:(1)
	32.8	738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 253-254

V1233

021B009H:ALC BOREDUM

Item Number: 01890

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	50.1	1,128	0	NT MARKD:(0)
25.5	17.2	387	1	MARKED:(1)
	32.8	738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 255-256

V1234

021B009I:ALC ANGR &amp; FRSTRN

Item Number: 01900

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	56.0	1,261	0	NT MARKD:(0)
16.8	11.3	254	1	MARKED:(1)
	32.8	738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 257-258

<b>V1235</b>	<b>021B009J:ALC GT THRU DAY</b>
--------------	---------------------------------

Item Number: 01910

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	65.4	1,475	0	NT MARKD:(0)
2.7	1.8	41	1	MARKED:(1)
	32.8	738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 259-260

<b>V1236</b>	<b>021B009K:ALC INCRS EF DR</b>
--------------	---------------------------------

Item Number: 01920

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	62.8	1,414	0	NT MARKD:(0)
6.7	4.5	101	1	MARKED:(1)
	32.8	738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 261-262

V1237

021B009L:ALC DECRS EF DR

Item Number: 01930

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	66.1	1,489	0	NT MARKD:(0)
1.7	1.1	26	1	MARKED:(1)
	32.8	738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 263-264

V1238

021B009M:ALC GET SLEEP

Item Number: 01940

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) M. To get to sleep

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	62.1	1,400	0	NT MARKD:(0)
7.6	5.1	115	1	MARKED:(1)
	32.8	738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 265-266

<b>V1239</b>	<b>021B009N:ALC TASTES GOOD</b>
--------------	---------------------------------

Item Number: 01950

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) N. Because it tastes good

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.2	40.5	912	0	NT MARKD:(0)
39.8	26.8	603	1	MARKED:(1)
	32.8	738	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 267-268

<b>V1240</b>	<b>021B009O:ALC I AM HOOKED</b>
--------------	---------------------------------

Item Number: 01960

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) O. Because I am "hooked"--I feel I have to drink

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	65.5	1,476	0	NT MARKD:(0)
2.6	1.7	39	1	MARKED:(1)
	32.8	738	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 269-270

V1241

021B010 :#X DRK ENF FL H

Item Number: 01970

When you drink alcoholic beverages, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
4="Very high"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	16.0	360	1	NOT HIGH:(1)
29.9	20.4	459	2	LIT HIGH:(2)
35.1	23.9	538	3	MOD HIGH:(3)
11.5	7.9	177	4	VRY HIGH:(4)
	31.9	720	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 271-272

V1242

021B011 :DRK AL,HI24+HR

Item Number: 01980

When you drink alcoholic beverages, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	17.0	384	1	N GET HI:(1)
33.7	22.8	514	2	1-2 HRS:(2)
35.6	24.1	543	3	3-6 HRS:(3)
5.0	3.4	76	4	7-24 HRS:(4)
0.6	0.4	9	5	>24 HRS:(5)
	32.3	727	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 273-274

V1243

021B012 :5+DRK ROW/LST 2

Item Number: 00850

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink or shot glass of liquor. Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.0	45.1	1,017	1	NONE:(1)
11.0	7.4	166	2	ONCE:(2)
8.2	5.5	124	3	TWICE:(3)
10.2	6.8	154	4	3-5X:(4)
1.8	1.2	28	5	6-9X:(5)
1.9	1.3	29	6	10+ TIME:(6)
	32.6	735	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 275-276

V1108

021B012 :5+DRK ROW/LST 2

Item Number: 00850

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink or shot glass of liquor. Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row?

1="None"[includes respondents who reported nonuse above]  
 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.5	72.4	1,632	1	NONE:(1)
7.8	7.4	166	2	ONCE:(2)
5.8	5.5	124	3	TWICE:(3)
7.2	6.8	154	4	3-5X:(4)
1.3	1.2	28	5	6-9X:(5)
1.3	1.3	29	6	10+ TIME:(6)
	5.3	120	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 30-31

V1244

021B013 :#X/2W,3-4 DR RW

Item Number: 01990

During the last two weeks, how many times have you had 3 or 4 drinks in a row (but no more than that)?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.9	47.1	1,062	1	NONE:(1)
15.8	10.7	240	2	ONCE:(2)
6.7	4.5	102	3	TWICE:(3)
5.7	3.8	86	4	3-5X:(4)
0.9	0.6	14	5	6-9X:(5)
1.0	0.7	15	6	10+ TIME:(6)
	32.6	735	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 277-278

V1245

021B014A:#X/2WK,2 DRK RW

Item Number: 02000

During the last two weeks, how many times have you had two drinks in a row (but no more than that)?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 to 19 times" 7="20 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	48.0	1,082	1	NONE:(1)
16.0	10.6	239	2	ONCE:(2)
5.6	3.7	84	3	TWICE:(3)
3.9	2.6	58	4	3-5X:(4)
0.8	0.5	12	5	6-9X:(5)
0.7	0.5	11	6	10-19X:(6)
0.6	0.4	10	7	20+ TIME:(7)
	33.7	759	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 279-280

V1246

021B014B:#X/2WK,JST 1DRK

Item Number: 02010

During the last two weeks, how many times have you had just one drink?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 to 19 times" 7="20 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	45.1	1,017	1	NONE:(1)
19.7	12.9	291	2	ONCE:(2)
7.3	4.7	107	3	TWICE:(3)
2.6	1.7	38	4	3-5X:(4)
0.6	0.4	9	5	6-9X:(5)
0.4	0.2	5	6	10-19X:(6)
0.4	0.3	6	7	20+ TIME:(7)
	34.6	780	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 281-282

V1247

021B015 :\*TRY STP ALC &amp; FL

Item Number: 02020

Have you ever tried to stop using alcoholic beverages and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	3.2	73	1	YES:(1)
95.2	64.3	1,449	2	NO:(2)
	32.4	731	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 283-284

V1805

021B016A:#XDRUNK/LIFETIM

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.9	36.5	822	1	0 OCCAS:(1)
17.8	16.2	366	2	1-2X:(2)
11.1	10.1	228	3	3-5X:(3)
8.2	7.5	170	4	6-9X:(4)
7.5	6.8	154	5	10-19X:(5)
5.3	4.8	109	6	20-39X:(6)
10.3	9.4	212	7	40+OCCAS:(7)
	8.6	194	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1206-1207

V1806

021B016B:#XDRUNK/LAST12M

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	47.2	1,064	1	0 OCCAS:(1)
17.2	15.7	353	2	1-2X:(2)
11.1	10.1	229	3	3-5X:(3)
5.8	5.3	119	4	6-9X:(4)
5.3	4.8	109	5	10-19X:(5)
3.7	3.4	76	6	20-39X:(6)
5.0	4.5	102	7	40+OCCAS:(7)
	9.0	202	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1208-1209

V1807

021B016C:#XDRUNK/LAST30D

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	66.2	1,493	1	0 OCCAS:(1)
15.1	13.7	309	2	1-2X:(2)
5.5	5.0	112	3	3-5X:(3)
2.8	2.6	58	4	6-9X:(4)
2.9	2.6	59	5	10-19X:(5)
0.6	0.5	12	6	20-39X:(6)
0.4	0.4	8	7	40+OCCAS:(7)
	9.0	203	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1210-1211

V1248

021B017 :NO ALC IN 5 YR

Item Number: 02030

Do you think you will be drinking alcoholic beverages five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	18.5	418	1	DEF WILL:(1)
45.9	44.9	1,012	2	PRB WILL:(2)
16.0	15.7	353	3	PRB WONT:(3)
19.2	18.8	424	4	DEF WONT:(4)
	2.1	46	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 285-286

V1249

021B018A:#X HASH/LIFETIM

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	84.7	1,909	1	0 OCCAS:(1)
5.3	5.1	115	2	1-2X:(2)
1.6	1.5	35	3	3-5X:(3)
1.1	1.1	25	4	6-9X:(4)
0.5	0.5	11	5	10-19X:(5)
1.1	1.0	23	6	20-39X:(6)
2.2	2.1	47	7	40+OCCAS:(7)
	3.9	89	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 287-288

V1109

021B018A:#X HASH/LIFETIM

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	84.7	1,909	1	0 OCCAS:(1)
5.3	5.1	115	2	1-2X:(2)
1.6	1.5	35	3	3-5X:(3)
1.1	1.1	25	4	6-9X:(4)
0.5	0.5	11	5	10-19X:(5)
1.1	1.0	23	6	20-39X:(6)
2.2	2.1	47	7	40+OCCAS:(7)
	3.9	89	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 32-33

V1250

021B018B:#X HASH/LAST12M

Item Number: 02050

On how many occasions (if any) have you used hashish . . . B:  
 . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	88.4	1,991	1	0 OCCAS:(1)
3.5	3.4	76	2	1-2X:(2)
1.5	1.4	32	3	3-5X:(3)
0.6	0.6	14	4	6-9X:(4)
0.8	0.8	18	5	10-19X:(5)
0.6	0.6	13	6	20-39X:(6)
1.0	1.0	22	7	40+OCCAS:(7)
	3.9	88	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 289-290

V1110

021B018B:#X HASH/LAST12M

Item Number: 02050

On how many occasions (if any) have you used hashish . . . B:  
 . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	88.4	1,991	1	0 OCCAS:(1)
3.5	3.4	76	2	1-2X:(2)
1.5	1.4	32	3	3-5X:(3)
0.6	0.6	14	4	6-9X:(4)
0.8	0.8	18	5	10-19X:(5)
0.6	0.6	13	6	20-39X:(6)
1.0	1.0	22	7	40+OCCAS:(7)
	3.9	88	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 34-35

V1251

021B018C:#X HASH/LAST30D

Item Number: 02060

On how many occasions (if any) have you used hashish . . . C:  
 . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	92.7	2,090	1	0 OCCAS:(1)
1.6	1.5	34	2	1-2X:(2)
0.7	0.7	16	3	3-5X:(3)
0.3	0.3	6	4	6-9X:(4)
0.3	0.2	6	5	10-19X:(5)
0.2	0.1	3	6	20-39X:(6)
0.5	0.4	10	7	40+OCCAS:(7)
	3.9	88	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 291-292

V1111	021B018C:#X HASH/LAST30D
-------	--------------------------

Item Number: 02060

On how many occasions (if any) have you used hashish . . . C:  
 . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	92.7	2,090	1	0 OCCAS:(1)
1.6	1.5	34	2	1-2X:(2)
0.7	0.7	16	3	3-5X:(3)
0.3	0.3	6	4	6-9X:(4)
0.3	0.2	6	5	10-19X:(5)
0.2	0.1	3	6	20-39X:(6)
0.5	0.4	10	7	40+OCCAS:(7)
	3.9	88	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 36-37

V1252

021B019A:#X MARJ/LIFETIM

Item Number: 02070

On how many occasions (if any) have you used marijuana . . .  
 A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	50.5	1,137	1	0 OCCAS:(1)
11.3	10.8	244	2	1-2X:(2)
6.4	6.1	137	3	3-5X:(3)
4.1	3.9	88	4	6-9X:(4)
5.4	5.2	117	5	10-19X:(5)
5.0	4.8	108	6	20-39X:(6)
15.0	14.4	324	7	40+OCCAS:(7)
	4.3	97	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 293-294

V1112

021B019A:#X MARJ/LIFETIM

Item Number: 02070

On how many occasions (if any) have you used marijuana . . .  
 A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	50.5	1,137	1	0 OCCAS:(1)
11.3	10.8	244	2	1-2X:(2)
6.4	6.1	137	3	3-5X:(3)
4.1	3.9	88	4	6-9X:(4)
5.4	5.2	117	5	10-19X:(5)
5.0	4.8	108	6	20-39X:(6)
15.0	14.4	324	7	40+OCCAS:(7)
	4.3	97	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 38-39

V1253

021B019B:#X MARJ/LAST12M

Item Number: 02080

On how many occasions (if any) have you used marijuana . . .  
 B: . . .during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	62.7	1,413	1	0 OCCAS:(1)
9.1	8.7	195	2	1-2X:(2)
5.5	5.2	118	3	3-5X:(3)
4.6	4.4	99	4	6-9X:(4)
2.6	2.4	55	5	10-19X:(5)
3.0	2.8	64	6	20-39X:(6)
9.7	9.3	209	7	40+OCCAS:(7)
	4.5	101	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 295-296

V1113

021B019B:#X MARJ/LAST12M

Item Number: 02080

On how many occasions (if any) have you used marijuana . . .  
 B: . . .during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	62.7	1,413	1	0 OCCAS:(1)
9.1	8.7	195	2	1-2X:(2)
5.5	5.2	118	3	3-5X:(3)
4.6	4.4	99	4	6-9X:(4)
2.6	2.4	55	5	10-19X:(5)
3.0	2.8	64	6	20-39X:(6)
9.7	9.3	209	7	40+OCCAS:(7)
	4.5	101	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 40-41

V1254

021B019C:#X MARJ/LAST30D

Item Number: 02090

On how many occasions (if any) have you used marijuana . . .  
 C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	75.9	1,711	1	0 OCCAS:(1)
6.9	6.6	148	2	1-2X:(2)
2.5	2.4	53	3	3-5X:(3)
2.2	2.1	47	4	6-9X:(4)
2.3	2.2	49	5	10-19X:(5)
2.8	2.7	61	6	20-39X:(6)
3.8	3.6	82	7	40+OCCAS:(7)
	4.5	101	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 297-298

V1114

021B019C:#X MARJ/LAST30D

Item Number: 02090

On how many occasions (if any) have you used marijuana . . .  
 C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	75.9	1,711	1	0 OCCAS:(1)
6.9	6.6	148	2	1-2X:(2)
2.5	2.4	53	3	3-5X:(3)
2.2	2.1	47	4	6-9X:(4)
2.3	2.2	49	5	10-19X:(5)
2.8	2.7	61	6	20-39X:(6)
3.8	3.6	82	7	40+OCCAS:(7)
	4.5	101	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 42-43

V1115

021B019 :#XMJ+HS/LIFETIM

Item Number: 00860

Component questions are "On how many occasions (if any) have you used hashish in your lifetime?" (Item 02040) and "On how many occasions (if any) have you used marijuana in your lifetime?" (Item 02070).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
52.9	50.3	1,134	1	0 OCCAS:(1)
10.8	10.3	232	2	1-2X:(2)
6.8	6.5	145	3	3-5X:(3)
3.8	3.6	82	4	6-9X:(4)
5.6	5.3	119	5	10-19X:(5)
4.6	4.4	99	6	20-39X:(6)
15.5	14.7	332	7	40+OCCAS:(7)
	4.9	110	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 44-45

V1116

021B019 :#XMJ+HS/LAST12M

Item Number: 00870

Component questions are "On how many occasions (if any) have you used hashish during the last 12 months?" (Item 02050) and "On how many occasions (if any) have you used marijuana during the last 12 months?" (Item 02080).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	62.4	1,407	1	0 OCCAS:(1)
8.8	8.4	188	2	1-2X:(2)
5.5	5.2	118	3	3-5X:(3)
4.4	4.2	94	4	6-9X:(4)
2.7	2.6	59	5	10-19X:(5)
2.7	2.5	57	6	20-39X:(6)
10.2	9.7	218	7	40+OCCAS:(7)
	5.0	112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 46-47

V1117

021B019 :#XMJ+HS/LAST30D

Item Number: 00880

Component questions are "On how many occasions (if any) have you used hashish during the last 30 days?" (Item 02060) and "On how many occasions (if any) have you used marijuana during the last 30 days?" (Item 02090).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	75.6	1,703	1	0 OCCAS:(1)
6.4	6.1	137	2	1-2X:(2)
2.7	2.5	57	3	3-5X:(3)
2.2	2.1	46	4	6-9X:(4)
2.3	2.2	50	5	10-19X:(5)
2.9	2.8	63	6	20-39X:(6)
3.9	3.7	84	7	40+OCCAS:(7)
	5.0	112	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 48-49

V1255

021B020A:#X/YR MJ ALONE

Item Number: 02100

IF YOU HAVE NOT USED MARIJUANA OR HASHISH IN THE LAST TWELVE MONTHS GO TO QUESTION 28. When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	21.1	476	1	NOT @ALL:(1)
20.6	6.6	149	2	FEW TIME:(2)
9.4	3.0	68	3	SOM TIME:(3)
2.2	0.7	16	4	MST TIME:(4)
2.3	0.7	17	5	EVRYTIME:(5)
	67.8	1,527	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 299-300

V1256

021B020B:#X/YR MJ-2 PPL

Item Number: 02110

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	3.3	75	1	NOT @ALL:(1)
29.5	9.5	215	2	FEW TIME:(2)
20.5	6.6	149	3	SOM TIME:(3)
24.9	8.0	181	4	MST TIME:(4)
14.8	4.8	108	5	EVRYTIME:(5)
	67.7	1,526	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 301-302

V1257

021B020C:#X/YR MJ@PARTY

Item Number: 02120

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? C:  
At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	7.1	160	1	NOT @ALL:(1)
20.1	6.5	146	2	FEW TIME:(2)
19.7	6.4	144	3	SOM TIME:(3)
19.8	6.4	144	4	MST TIME:(4)
18.3	5.9	133	5	EVRYTIME:(5)
	67.7	1,526	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 303-304

V1258

021B020D:#X/YR MJ-DT/SP

Item Number: 02130

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	16.1	364	1	NOT @ALL:(1)
18.7	6.0	135	2	FEW TIME:(2)
13.2	4.2	95	3	SOM TIME:(3)
11.7	3.7	84	4	MST TIME:(4)
5.9	1.9	42	5	EVRYTIME:(5)
	68.0	1,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 305-306

V1259

021B020E:#X/YR MJ-ADLTS

Item Number: 02140

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.3	20.4	460	1	NOT @ALL:(1)
19.5	6.3	142	2	FEW TIME:(2)
11.1	3.6	81	3	SOM TIME:(3)
3.5	1.1	26	4	MST TIME:(4)
2.6	0.8	19	5	EVRYTIME:(5)
	67.8	1,527	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 307-308

V1260

021B020F:#X/YR MJ-DATIME

Item Number: 02150

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	12.4	280	1	NOT @ALL:(1)
23.7	7.6	172	2	FEW TIME:(2)
22.6	7.3	164	3	SOM TIME:(3)
8.8	2.8	64	4	MST TIME:(4)
6.2	2.0	45	5	EVRYTIME:(5)
	67.8	1,528	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 309-310

V1261

021B020G:#X/YR MJ@HOME

Item Number: 02160

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? G:  
At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	16.9	381	1	NOT @ALL:(1)
23.1	7.4	167	2	FEW TIME:(2)
12.2	3.9	88	3	SOM TIME:(3)
6.9	2.2	50	4	MST TIME:(4)
5.1	1.6	37	5	EVRYTIME:(5)
	68.0	1,531	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 311-312

V1262	021B020H:#X/YR MJ@SCHL
-------	------------------------

Item Number: 02170

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? H:  
At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.0	26.1	587	1	NOT @ALL:(1)
10.6	3.4	77	2	FEW TIME:(2)
5.4	1.7	39	3	SOM TIME:(3)
1.7	0.6	13	4	MST TIME:(4)
1.2	0.4	9	5	EVRYTIME:(5)
	67.8	1,529	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 313-314

V1263

021B020I:#X/YR MJIN CAR

Item Number: 02190

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? I:  
In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	9.6	216	1	NOT @ALL:(1)
22.2	7.1	160	2	FEW TIME:(2)
23.8	7.6	172	3	SOM TIME:(3)
17.2	5.5	124	4	MST TIME:(4)
6.9	2.2	50	5	EVRYTIME:(5)
	67.9	1,531	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 315-316

V1813

021B020J:#X/YR MJ@PARK/BH

Item Number: 30930

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? J. At a park or beach.

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	17.1	386	1	NOT @ALL:(1)
22.2	7.1	160	2	FEW TIME:(2)
13.1	4.2	95	3	SOM TIME:(3)
7.5	2.4	54	4	MST TIME:(4)
3.8	1.2	27	5	EVRYTIME:(5)
	68.0	1,531	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1223-1224

V1264

021B021 :#X OVL MJ+ ALC

Item Number: 02200

How many of the times when you used marijuana or hashish during the last year did you use it along with alcohol--that is, so that their effects overlapped?

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	9.8	222	1	NOT @ALL:(1)
32.1	10.2	231	2	FEW TIME:(2)
23.6	7.5	170	3	SOM TIME:(3)
7.6	2.4	55	4	MST TIME:(4)
5.7	1.8	41	5	EVRYTIME:(5)
	68.1	1,535	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 317-318

V1265

021B022A:MJ EXPERIMENT

Item Number: 02210

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	11.6	261	0	NT MARKD:(0)
63.4	20.1	453	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 319-320

<b>V1266</b>	<b>021B022B:MJ RELAX</b>
--------------	--------------------------

Item Number: 02220

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	13.4	302	0	NT MARKD:(0)
57.7	18.3	412	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 321-322

<b>V1267</b>	<b>021B022C:MJ GET HIGH</b>
--------------	-----------------------------

Item Number: 02230

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	8.0	181	0	NT MARKD:(0)
74.6	23.6	533	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 323-324

V1268

021B022D:MJ SEEK INSIGHT

Item Number: 02240

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	25.7	580	0	NT MARKD:(0)
18.7	5.9	134	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 325-326

V1269

021B022E:MJ GD TM FRNDS

Item Number: 02250

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	10.8	243	0	NT MARKD:(0)
65.9	20.9	470	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 327-328

<b>V1270</b>	<b>021B022F:MJ FIT IN GRP</b>
--------------	-------------------------------

Item Number: 02260

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	28.8	649	0	NT MARKD:(0)
9.1	2.9	65	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 329-330

<b>V1271</b>	<b>021B022G:MJ GET AWY PRB</b>
--------------	--------------------------------

Item Number: 02270

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.6	23.0	518	0	NT MARKD:(0)
27.4	8.7	196	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 331-332

V1272

021B022H:MJ BOREDOM

Item Number: 02280

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.2	21.3	479	0	NT MARKD:(0)
32.8	10.4	234	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 333-334

V1273

021B022I:MJ ANGR &amp; FRUSTRN

Item Number: 02290

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.6	25.2	568	0	NT MARKD:(0)
20.4	6.5	146	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 335-336

<b>V1274</b>	<b>021B022J:MJ GET THRU DAY</b>
--------------	---------------------------------

Item Number: 02300

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	28.1	632	0	NT MARKD:(0)
11.4	3.6	82	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 337-338

<b>V1275</b>	<b>021B022K:MJ INCRS EF DRG</b>
--------------	---------------------------------

Item Number: 02310

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	26.9	605	0	NT MARKD:(0)
15.2	4.8	108	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 339-340

V1276

021B022L:MJ DECRS EF DRG

Item Number: 02320

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) L. To decrease (offset) the effects of some other drugs(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	30.6	689	0	NT MARKD:(0)
3.4	1.1	25	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 341-342

V1277

021B022M:MJ I AM HOOKED

Item Number: 02330

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	29.8	673	0	NT MARKD:(0)
5.8	1.8	41	1	MARKED:(1)
	68.3	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 343-344

V1278

021B023 :MJ/HSB,VRY HIGH

Item Number: 02340

When you use marijuana or hashish, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
4="Very high"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	1.6	37	1	NOT HIGH:(1)
23.6	7.5	168	2	LIT HIGH:(2)
41.5	13.1	296	3	MOD HIGH:(3)
29.8	9.4	213	4	VRY HIGH:(4)
	68.4	1,540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 345-346

V1279

021B024 :MJ/HSB,HI 24+HR

Item Number: 02350

When you use marijuana or hashish, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	2.2	49	1	N GET HI:(1)
55.7	17.6	397	2	1-2 HRS:(2)
32.3	10.2	230	3	3-6 HRS:(3)
5.0	1.6	36	4	7-24 HRS:(4)
0.2	0.0	1	5	>24 HRS:(5)
	68.4	1,541	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 347-348

V1280

021B025 :JOINT/DA LST MO

Item Number: 02360

During the LAST MONTH, about how many marijuana cigarettes (joints, reefers), or the equivalent, did you smoke a day, on the average? (If you shared them with other people, count only the amount YOU smoked.)

1="None" 2="Less than 1 a day" 3="1 a day" 4="2-3 a day" 5="4-6 a day" 6="7-10 a day" 7="11 or more a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.6	12.3	276	1	NONE:(1)
32.3	9.3	209	2	<1/DAY:(2)
8.2	2.4	53	3	1/DAY:(3)
8.9	2.6	58	4	2-3/DAY:(4)
5.2	1.5	34	5	4-6/DAY:(5)
1.2	0.4	8	6	7-10/DAY:(6)
1.6	0.5	10	7	11+/DAY:(7)
	71.2	1,605	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 349-350

V1281

021B026 :OZS.MJ LST MO/6

Item Number: 02370

Do you know how much marijuana you have used (in ounces)  
during the LAST MONTH?

8="Don't know" 1="None" 2="Less than 1/2 ounce" 3="About 1/2  
ounce" 4="About 1 ounce" 5="About 2 ounces" 6="3 to 5 ounces"  
7="6 or more ounces"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.3	10.5	236	1	NONE:(1)
16.3	4.7	106	2	< 1/2 OZ:(2)
6.1	1.8	39	3	1/2 OZ:(3)
8.3	2.4	54	4	1 OZ:(4)
7.1	2.0	46	5	2 OZ:(5)
4.5	1.3	29	6	3-5 OZ:(6)
2.9	0.8	19	7	6+ OZ:(7)
18.6	5.4	121	8	INAP/DK:(8)
	71.1	1,602	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 351-352

<b>V1282</b>	<b>021B027 : *TRY STP MJ &amp;FL</b>
--------------	--------------------------------------

Item Number: 02380

Have you ever tried to stop using marijuana or hashish and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	2.6	59	1	YES:(1)
91.8	29.1	656	2	NO:(2)
	68.3	1,539	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 353-354

<b>V1706</b>	<b>021B028 :MJ/HSB EVR DLY</b>
--------------	--------------------------------

Item Number: 21180

Thinking back over your whole life, has there ever been a period when you used marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="No--GO TO QUESTION 32" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	80.6	1,815	1	NO:(1)
15.4	14.7	331	2	YES:(2)
	4.7	107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1017-1018

V1707

021B029 :GR 1ST DAILY MJ

Item Number: 21190

How old were you when you first smoked marijuana or hashish  
that frequently?

1="Grade 6 or earlier" 2="Grade 7 or 8" 3="Grade 9 (Freshman)"  
4="Grade 10 (Sophomore)" 5="Grade 11 (Junior)" 6="Grade 12  
(Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	1.9	42	1	GRADE 6:(1)
31.6	5.3	119	2	GRADE 7-:(2)
21.3	3.5	80	3	GRADE 9:(3)
14.9	2.5	56	4	GRADE 10:(4)
15.1	2.5	57	5	GRADE 11:(5)
6.1	1.0	23	6	GRADE 12:(6)
	83.3	1,877	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1019-1020

V1708

021B030 :RECENT DAILY MJ

Item Number: 21200

How recently did you use marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="During the past month" 2="2 months ago" 3="3 to 9 months ago" 4="About 1 year ago" 5="About 2 years ago" 6="3 or more years ago"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	5.7	129	1	PAST MON:(1)
10.1	1.6	36	2	2 MO AGO:(2)
14.1	2.3	51	3	3-9 MO:(3)
13.7	2.2	49	4	ABT 1 YR:(4)
14.4	2.3	52	5	ABT 2 YR:(5)
11.9	1.9	43	6	3+ YRS:(6)
	84.0	1,894	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1021-1022

V1709

021B031 :#X DAILY MJ/LFT

Item Number: 21210

Over your whole lifetime, during how many months have you used marijuana or hashish on a daily or near-daily basis?

1="Less than 3 months" 2="3 to 9 months" 3="About 1 year"  
4="About 1 and 1/2 years" 5="About 2 years" 6="About 3 to 5 years"  
7="6 to 9 years" 8="10 or more years"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	4.8	108	1	<3 MON:(1)
18.0	2.9	64	2	3-9 MO:(2)
10.9	1.7	39	3	ABT 1 YR:(3)
7.3	1.2	26	4	1 1/2 YR:(4)
12.7	2.0	45	5	ABT 2 YR:(5)
15.6	2.5	56	6	3-5 YRS:(6)
4.0	0.6	14	7	6-9 YRS:(7)
1.4	0.2	5	8	10+ YRS:(8)
	84.1	1,896	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1023-1024

V1283

021B032 :NO MJ/HSB IN5YR

Item Number: 02390

Do you think you will be using marijuana or hashish five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.5	78	1	DEF WILL:(1)
9.8	9.3	210	2	PRB WILL:(2)
19.6	18.7	422	3	PRB WONT:(3)
67.0	64.1	1,445	4	DEF WONT:(4)
	4.4	99	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 355-356

V1284

021B033A:#X LSD/LIFETIME

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	87.1	1,962	1	0 OCCAS:(1)
3.7	3.5	78	2	1-2X:(2)
1.8	1.7	39	3	3-5X:(3)
0.7	0.7	15	4	6-9X:(4)
0.9	0.8	19	5	10-19X:(5)
0.5	0.4	10	6	20-39X:(6)
0.7	0.6	15	7	40+OCCAS:(7)
	5.2	117	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 357-358

V1118

021B033A:#X LSD/LIFETIME

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD ("acid"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	87.1	1,962	1	0 OCCAS:(1)
3.7	3.5	78	2	1-2X:(2)
1.8	1.7	39	3	3-5X:(3)
0.7	0.7	15	4	6-9X:(4)
0.9	0.8	19	5	10-19X:(5)
0.5	0.4	10	6	20-39X:(6)
0.7	0.6	15	7	40+OCCAS:(7)
	5.2	117	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 50-51

V1285

021B033B:#X LSD/LAST 12M

Item Number: 00900

On how many occasions (if any) have you used LSD . . . B: . . .  
 . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	91.0	2,050	1	0 OCCAS:(1)
2.3	2.2	49	2	1-2X:(2)
0.7	0.7	15	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	5.4	121	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 359-360

V1119                      021B033B:#X LSD/LAST 12M

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid"). . .  
 B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	91.0	2,050	1	0 OCCAS:(1)
2.3	2.2	49	2	1-2X:(2)
0.7	0.7	15	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	5.4	121	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 52-53

V1286

021B033C:#X LSD/LAST 30D

Item Number: 00910

On how many occasions (if any) have you used LSD . . . C: . . .  
 . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	93.7	2,112	1	0 OCCAS:(1)
0.7	0.7	16	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	5.4	122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 361-362

V1120	021B033C:#X LSD/LAST 30D
-------	--------------------------

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid"). . .  
 C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	93.7	2,112	1	0 OCCAS:(1)
0.7	0.7	16	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	5.4	122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 54-55

V1287

021B034A:#X/YR LSD ALONE

Item Number: 02400

IF YOU HAVE NOT TAKEN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 41. When you used LSD during the last year, how often did you use it in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	3.1	71	1	NOT @ALL:(1)
6.1	0.2	5	2	FEW TIME:(2)
3.2	0.1	3	3	SOM TIME:(3)
2.3	0.1	2	4	MST TIME:(4)
3.5	0.1	3	5	EVRYTIME:(5)
	96.3	2,170	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 363-364

V1288

021B034B:#X/YR LSD-2 PPL

Item Number: 02410

When you used LSD during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	0.7	15	1	NOT @ALL:(1)
41.8	1.6	35	2	FEW TIME:(2)
7.2	0.3	6	3	SOM TIME:(3)
12.1	0.5	10	4	MST TIME:(4)
20.6	0.8	17	5	EVRYTIME:(5)
	96.3	2,169	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 365-366

V1289

021B034C:#X/YR LSD@PARTY

Item Number: 02420

When you used LSD during the last year, how often did you use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	1.2	28	1	NOT @ALL:(1)
31.7	1.2	26	2	FEW TIME:(2)
9.2	0.3	8	3	SOM TIME:(3)
12.4	0.5	10	4	MST TIME:(4)
12.9	0.5	11	5	EVRYTIME:(5)
	96.4	2,171	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 367-368

V1290

021B034D:#X/YR LSD-DT/SP

Item Number: 02430

When you used LSD during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	2.5	57	1	NOT @ALL:(1)
10.1	0.4	8	2	FEW TIME:(2)
3.2	0.1	3	3	SOM TIME:(3)
8.6	0.3	7	4	MST TIME:(4)
8.2	0.3	7	5	EVRYTIME:(5)
	96.4	2,172	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 369-370

V1291

021B034E:#X/YR LSD-ADLTS

Item Number: 02440

When you used LSD during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	2.7	61	1	NOT @ALL:(1)
14.6	0.5	12	2	FEW TIME:(2)
7.3	0.3	6	3	SOM TIME:(3)
1.3	0.0	1	4	MST TIME:(4)
3.5	0.1	3	5	EVRYTIME:(5)
	96.3	2,171	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 371-372

V1292

021B034F:#X/YR LSD-DATIM

Item Number: 02450

When you used LSD during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	2.0	44	1	NOT @ALL:(1)
26.0	1.0	22	2	FEW TIME:(2)
6.2	0.2	5	3	SOM TIME:(3)
5.2	0.2	4	4	MST TIME:(4)
9.6	0.4	8	5	EVRYTIME:(5)
	96.3	2,170	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 373-374

V1293

021B034G:#X/YR LSD@HOME

Item Number: 02460

When you used LSD during the last year, how often did you use it in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	1.9	43	1	NOT @ALL:(1)
28.2	1.0	23	2	FEW TIME:(2)
6.5	0.2	5	3	SOM TIME:(3)
6.7	0.2	6	4	MST TIME:(4)
7.0	0.3	6	5	EVRYTIME:(5)
	96.3	2,170	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 375-376

V1294

021B034H:#X/YR LSD@SCHL

Item Number: 02470

When you used LSD during the last year, how often did you use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.1	2.9	65	1	NOT @ALL:(1)
14.0	0.5	12	2	FEW TIME:(2)
2.2	0.1	2	3	SOM TIME:(3)
2.2	0.1	2	4	MST TIME:(4)
3.5	0.1	3	5	EVRYTIME:(5)
	96.3	2,171	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 377-378

V1295

021B034I:#X/YR LSDIN CAR

Item Number: 02490

When you used LSD during the last year, how often did you use it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	1.7	39	1	NOT @ALL:(1)
29.3	1.1	24	2	FEW TIME:(2)
6.8	0.2	6	3	SOM TIME:(3)
8.7	0.3	7	4	MST TIME:(4)
7.5	0.3	6	5	EVRYTIME:(5)
	96.4	2,172	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 379-380

V1296

021B035A:#X OVL LSD+ ALC

Item Number: 02500

How many of the times when you used LSD during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	2.3	52	1	NOT @ALL:(1)
6.6	0.2	5	2	FEW TIME:(2)
9.7	0.3	8	3	SOM TIME:(3)
4.1	0.1	3	4	MST TIME:(4)
15.4	0.6	12	5	EVRYTIME:(5)
	96.4	2,173	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 381-382

V1297

021B035B:#X OVL LSD+ MJ

Item Number: 02510

How many of the times when you used LSD during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	0.9	20	1	NOT @ALL:(1)
20.5	0.8	17	2	FEW TIME:(2)
6.7	0.2	6	3	SOM TIME:(3)
5.4	0.2	4	4	MST TIME:(4)
43.7	1.6	36	5	EVRYTIME:(5)
	96.3	2,171	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 383-384

V1298

021B036A:LSD EXPERIMENT

Item Number: 02520

What have been the most important reasons for your taking LSD? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	0.7	17	0	NT MARKD:(0)
79.0	2.8	63	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 385-386

<b>V1299</b>	<b>021B036B:LSD RELAX</b>
--------------	---------------------------

Item Number: 02530

What have been the most important reasons for your taking LSD?  
(Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	2.8	64	0	NT MARKD:(0)
19.7	0.7	16	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 387-388

<b>V1300</b>	<b>021B036C:LSD GET HIGH</b>
--------------	------------------------------

Item Number: 02540

What have been the most important reasons for your taking LSD?  
(Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	1.5	34	0	NT MARKD:(0)
56.8	2.0	45	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 389-390

V1301

021B036D:LSD SEEK INSGHT

Item Number: 02550

What have been the most important reasons for your taking LSD?  
(Mark all that apply.) D. To seek deeper insights and  
understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	2.6	58	0	NT MARKD:(0)
27.0	1.0	21	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 391-392

V1302

021B036E:LSD GD TM FRNDS

Item Number: 02560

What have been the most important reasons for your taking LSD?  
(Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.9	1.7	39	0	NT MARKD:(0)
51.1	1.8	41	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 393-394

<b>V1303</b>	<b>021B036F:LSD FIT IN GRP</b>
--------------	--------------------------------

Item Number: 02570

What have been the most important reasons for your taking LSD?  
 (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	3.4	76	0	NT MARKD:(0)
3.9	0.1	3	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 395-396

<b>V1304</b>	<b>021B036G:LSD GT AWY PRB</b>
--------------	--------------------------------

Item Number: 02580

What have been the most important reasons for your taking LSD?  
 (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	2.9	65	0	NT MARKD:(0)
18.3	0.6	15	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 397-398

V1305

021B036H:LSD BOREDOM

Item Number: 02590

What have been the most important reasons for your taking LSD?  
(Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	2.8	64	0	NT MARKD:(0)
20.1	0.7	16	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 399-400

V1306

021B036I:LSD ANGR &amp; FRSTRN

Item Number: 02600

What have been the most important reasons for your taking LSD?  
(Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	3.2	72	0	NT MARKD:(0)
9.8	0.3	8	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 401-402

<b>V1307</b>	<b>021B036J:LSD GT THRU DAY</b>
--------------	---------------------------------

Item Number: 02610

What have been the most important reasons for your taking LSD?  
(Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	3.5	79	0	NT MARKD:(0)
0.7	0.0	1	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 403-404

<b>V1308</b>	<b>021B036K:LSD INCRS EF DR</b>
--------------	---------------------------------

Item Number: 02620

What have been the most important reasons for your taking LSD?  
(Mark all that apply.) K. To increase the effects of some  
other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	3.0	68	0	NT MARKD:(0)
15.1	0.5	12	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 405-406

V1309

021B036L:LSD DCRS EF DRG

Item Number: 02630

What have been the most important reasons for your taking LSD?  
(Mark all that apply.) L. To decrease (offset) the effects of  
some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	3.4	76	0	NT MARKD:(0)
3.9	0.1	3	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 407-408

V1310

021B036M:LSD I AM HOOKED

Item Number: 02640

What have been the most important reasons for your taking LSD?  
(Mark all that apply.) M. Because I am "hooked"--I have to  
have it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	3.3	75	0	NT MARKD:(0)
6.2	0.2	5	1	MARKED:(1)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 409-410

<b>V1311</b>	<b>021B037 :LSD,GET VERY HI</b>
--------------	---------------------------------

Item Number: 02650

When you take LSD, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
4="Very high"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.1	3	1	NOT HIGH:(1)
6.5	0.2	5	2	LIT HIGH:(2)
23.3	0.8	19	3	MOD HIGH:(3)
66.8	2.4	53	4	VRV HIGH:(4)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 411-412

<b>V1312</b>	<b>021B038 :LSD,HIGH 24+ HR</b>
--------------	---------------------------------

Item Number: 02660

When you take LSD, how long do you usually stay high?

1="Usually don't get high" 2="Two hours or less" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.0	1	1	N GET HI:(1)
6.7	0.2	5	2	1-2 HRS:(2)
41.0	1.5	33	3	3-6 HRS:(3)
45.2	1.6	36	4	7-24 HRS:(4)
5.8	0.2	5	5	>24 HRS:(5)
	96.5	2,174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 413-414

**V1313****021B039 :1+ BAD TRIP LSD**

Item Number: 02670

Have you ever had a "bad trip" on LSD?

1="No" 2="Yes, once" 3="Yes, more than once"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	2.7	60	1	NO:(1)
25.5	1.0	23	2	ONCE:(2)
6.8	0.3	6	3	> ONCE:(3)
	96.1	2,165	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 415-416

**V1314****021B040 :\*TRY STP LSD & FL**

Item Number: 02680

Have you ever tried to stop using LSD and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.3	6	1	YES:(1)
92.6	3.6	81	2	NO:(2)
	96.1	2,166	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 417-418

V1315

021B041 :NO LSD IN 5 YRS

Item Number: 02690

Do you think you will be using LSD five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	27	1	DEF WILL:(1)
1.5	1.4	32	2	PRB WILL:(2)
6.9	6.3	143	3	PRB WONT:(3)
90.2	82.5	1,859	4	DEF WONT:(4)
	8.5	193	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 419-420

V1316

021B042A:#X PSYD/LIFETIM

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD.  
 This group would include the following drugs: Mescaline,  
 Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions  
 (if any) have you used hallucinogens other than LSD. . . A: .  
 . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	86.3	1,945	1	0 OCCAS:(1)
5.0	4.7	107	2	1-2X:(2)
1.4	1.3	30	3	3-5X:(3)
0.8	0.7	16	4	6-9X:(4)
0.6	0.5	12	5	10-19X:(5)
0.6	0.5	12	6	20-39X:(6)
0.4	0.4	8	7	40+OCCAS:(7)
	5.5	124	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 421-422

V1121	021B042A:#X PSYD/LIFETIM
-------	--------------------------

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD. This group would include the following drugs: Mescaline, Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions (if any) have you used hallucinogens other than LSD. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	86.3	1,945	1	0 OCCAS:(1)
5.0	4.7	107	2	1-2X:(2)
1.4	1.3	30	3	3-5X:(3)
0.8	0.7	16	4	6-9X:(4)
0.6	0.5	12	5	10-19X:(5)
0.6	0.5	12	6	20-39X:(6)
0.4	0.4	8	7	40+OCCAS:(7)
	5.5	124	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 56-57

V1317

021B042B:#X PSYD/LAST12M

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	89.2	2,010	1	0 OCCAS:(1)
3.5	3.3	75	2	1-2X:(2)
1.1	1.0	23	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.4	0.4	9	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	5.6	127	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 423-424

V1122

021B042B:#X PSYD/LAST12M

Item Number: 00930

On how many occasions (if any) have you used hallucinogens  
other than LSD . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	89.2	2,010	1	0 OCCAS:(1)
3.5	3.3	75	2	1-2X:(2)
1.1	1.0	23	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.4	0.4	9	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	5.6	127	-9	MISSING

-----  
100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 58-59

V1318	021B042C:#X PSYD/LAST30D
-------	--------------------------

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	92.6	2,086	1	0 OCCAS:(1)
1.2	1.1	26	2	1-2X:(2)
0.5	0.5	11	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	5.7	129	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 425-426

V1123                      021B042C:#X PSYD/LAST30D

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	92.6	2,086	1	0 OCCAS:(1)
1.2	1.1	26	2	1-2X:(2)
0.5	0.5	11	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	5.7	129	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 60-61

V1319

021B043 :PSYD,GT VERY HI

Item Number: 02700

IF YOU HAVE NOT TAKEN ANY HALLUCINOGENS OTHER THAN LSD IN THE  
 LAST TWELVE MONTHS, GO TO QUESTION 46. When you take  
 hallucinogens other than LSD how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
 4="Very high"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.0	1	1	NOT HIGH:(1)
5.4	0.3	6	2	LIT HIGH:(2)
38.4	1.9	42	3	MOD HIGH:(3)
55.6	2.7	61	4	VRY HIGH:(4)
	95.1	2,144	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 427-428

<b>V1320</b>	<b>021B044 :PSYD,HI 24+ HRS</b>
--------------	---------------------------------

Item Number: 02710

When you take hallucinogens other than LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.1	2	1	N GET HI:(1)
8.1	0.4	9	2	1-2 HRS:(2)
56.9	2.8	63	3	3-6 HRS:(3)
33.0	1.6	37	4	7-24 HRS:(4)
0.0	0.0	0	5	>24 HRS:(5)
	95.1	2,143	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 429-430

<b>V1321</b>	<b>021B045A:TKN YR,MESCALIN</b>
--------------	---------------------------------

Item Number: 02720

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) A. Mescaline

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	4.0	89	0	NT MARKD:(0)
17.0	0.8	18	1	MARKED:(1)
	95.2	2,146	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 431-432

**V1322****021B045B:TKN YR,PEYOTE**

Item Number: 02730

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) B. Peyote

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	4.1	93	0	NT MARKD:(0)
13.2	0.6	14	1	MARKED:(1)
	95.2	2,146	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 433-434

**V1323****021B045C:TKN YR,PSILOCYB**

Item Number: 02740

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) C. "Shrooms" or Psilocybin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	0.9	21	0	NT MARKD:(0)
80.4	3.8	86	1	MARKED:(1)
	95.2	2,146	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 435-436

<b>V1324</b>	<b>021B045D:TKN YR,PCP</b>
--------------	----------------------------

Item Number: 02750

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) D. PCP

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.1	3.8	85	0	NT MARKD:(0)
20.9	1.0	22	1	MARKED:(1)
	95.2	2,146	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 437-438

<b>V1325</b>	<b>021B045E:TKN YR,CNCT THC</b>
--------------	---------------------------------

Item Number: 02760

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) E. Concentrated THC

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	3.9	89	0	NT MARKD:(0)
17.2	0.8	18	1	MARKED:(1)
	95.2	2,146	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 439-440

V1326

021B045F:TKN YR,OTH PSYD

Item Number: 02770

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) F. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	3.5	80	0	NT MARKD:(0)
25.5	1.2	27	1	MARKED:(1)
	95.2	2,146	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 441-442

V1327

021B045G:TKN YR,DK NAME

Item Number: 02780

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) G. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	4.3	98	0	NT MARKD:(0)
8.6	0.4	9	1	MARKED:(1)
	95.2	2,146	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 443-444

V1710	021B046A:#X DIETPILL/LFT
-------	--------------------------

Item Number: 21220

The next questions are about some non-prescription drugs. Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim(R), Dietac(R), Prolamine(R), and others. On how many occasions (if any) have you taken such non-prescription diet pills . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	75.1	1,693	1	0 OCCAS:(1)
6.9	6.6	148	2	1-2X:(2)
3.7	3.5	79	3	3-5X:(3)
1.6	1.5	35	4	6-9X:(4)
2.2	2.1	47	5	10-19X:(5)
2.5	2.4	54	6	20-39X:(6)
4.1	3.9	89	7	40+OCCAS:(7)
	4.8	109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1025-1026

V1711

021B046B:#X DIETPILL/12M

Item Number: 21230

On how many occasions (if any) have you taken such non-prescription diet pills . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	80.7	1,818	1	0 OCCAS:(1)
4.4	4.2	94	2	1-2X:(2)
2.7	2.6	59	3	3-5X:(3)
1.3	1.2	28	4	6-9X:(4)
2.2	2.1	47	5	10-19X:(5)
2.5	2.4	54	6	20-39X:(6)
2.2	2.1	46	7	40+OCCAS:(7)
	4.8	108	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1027-1028

V1712	021B046C:#X DIETPILL/30D
-------	--------------------------

Item Number: 21240

On how many occasions (if any) have you taken such non-prescription diet pills . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	86.3	1,945	1	0 OCCAS:(1)
2.9	2.8	62	2	1-2X:(2)
1.8	1.7	38	3	3-5X:(3)
1.1	1.0	23	4	6-9X:(4)
1.7	1.6	37	5	10-19X:(5)
1.1	1.0	23	6	20-39X:(6)
0.7	0.7	16	7	40+OCCAS:(7)
	4.8	109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1029-1030

V1713

021B047A:#X STA-AWAK/LFT

Item Number: 21250

Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz(R), Vivarin(R), Wake(R), Caffedrine(R), and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	73.8	1,664	1	0 OCCAS:(1)
8.5	8.1	183	2	1-2X:(2)
4.7	4.5	100	3	3-5X:(3)
2.6	2.5	57	4	6-9X:(4)
3.3	3.2	72	5	10-19X:(5)
1.2	1.2	26	6	20-39X:(6)
2.2	2.1	48	7	40+OCCAS:(7)
	4.6	103	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 1031-1032

V1714                      021B047B:#X STA-AWAK/12M

Item Number: 21260

On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	81.1	1,829	1	0 OCCAS:(1)
6.9	6.6	149	2	1-2X:(2)
3.0	2.8	64	3	3-5X:(3)
1.8	1.7	38	4	6-9X:(4)
1.1	1.1	24	5	10-19X:(5)
0.9	0.8	19	6	20-39X:(6)
1.2	1.2	26	7	40+OCCAS:(7)
	4.7	106	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1033-1034

V1715

021B047C:#X STA-AWAK/30D

Item Number: 21270

On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	89.6	2,019	1	0 OCCAS:(1)
3.1	3.0	67	2	1-2X:(2)
1.3	1.2	27	3	3-5X:(3)
0.5	0.5	11	4	6-9X:(4)
0.3	0.3	6	5	10-19X:(5)
0.4	0.4	10	6	20-39X:(6)
0.3	0.3	6	7	40+OCCAS:(7)
	4.7	107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1035-1036

V1716	021B048A:#X LOOKALIK/LFT
-------	--------------------------

Item Number: 21280

In addition to non-prescription diet and stay-awake pills, there are other stimulants and pep pills which can be sold legally in most states without a prescription--usually by mail. These are sometimes called "fake pep pills," "imitation speed," or "look-alikes," because they look like prescription amphetamines and sometimes have similar names. Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	86.4	1,948	1	0 OCCAS:(1)
4.1	3.9	87	2	1-2X:(2)
1.8	1.8	39	3	3-5X:(3)
0.9	0.8	18	4	6-9X:(4)
1.1	1.1	24	5	10-19X:(5)
0.6	0.6	13	6	20-39X:(6)
0.9	0.8	19	7	40+OCCAS:(7)
	4.7	105	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1037-1038

V1717                      021B048B:#X LOOKALIK/12M

Item Number: 21290

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	89.1	2,007	1	0 OCCAS:(1)
3.5	3.3	74	2	1-2X:(2)
1.3	1.2	27	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.5	0.5	10	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.5	0.5	10	7	40+OCCAS:(7)
	4.8	107	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1039-1040

V1718	021B048C:#X LOOKALIK/30D
-------	--------------------------

Item Number: 21300

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	92.6	2,086	1	0 OCCAS:(1)
1.5	1.5	33	2	1-2X:(2)
0.4	0.4	9	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.2	0.2	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.4	0.4	9	7	40+OCCAS:(7)
	4.8	107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1041-1042

V1328

021B049 :DR TOLD TK AMPH

Item Number: 02790

The next questions are about AMPHETAMINES, which doctors have prescribed to help people lose weight or to give people more energy. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines are sometimes called: Uppers, Ups, Speed, Bennies, Dexies, Pep Pills, Diet Pills, Meth or Crystal Meth. They include the following drugs: Benzedrine, Dexedrine, Methedrine, Ritalin, Preludin, Dexamyl, Methamphetamine. IN YOUR ANSWERS ABOUT AMPHETAMINES, DO NOT INCLUDE ANY NON-PRESCRIPTION OR OVER-THE-COUNTER DRUGS. Have you ever taken amphetamines because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	88.7	1,998	1	NO:(1)
1.8	1.7	39	2	YES BUT:(2)
5.2	5.0	113	3	YES 1ST:(3)
	4.6	103	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 445-446

V1329

021B050A:#X AMPH/LIFETIM

Item Number: 00980

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	82.0	1,848	1	0 OCCAS:(1)
4.7	4.4	100	2	1-2X:(2)
1.8	1.7	39	3	3-5X:(3)
2.1	2.0	44	4	6-9X:(4)
1.6	1.5	34	5	10-19X:(5)
1.1	1.1	24	6	20-39X:(6)
1.8	1.7	39	7	40+OCCAS:(7)
	5.6	126	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 447-448

V1127

021B050A:#X AMPH/LIFETIM

Item Number: 00980

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	82.0	1,848	1	0 OCCAS:(1)
4.7	4.4	100	2	1-2X:(2)
1.8	1.7	39	3	3-5X:(3)
2.1	2.0	44	4	6-9X:(4)
1.6	1.5	34	5	10-19X:(5)
1.1	1.1	24	6	20-39X:(6)
1.8	1.7	39	7	40+OCCAS:(7)
	5.6	126	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 68-69

V1330                      021B050B:#X AMPH/LAST12M

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	86.8	1,956	1	0 OCCAS:(1)
2.6	2.5	56	2	1-2X:(2)
1.5	1.4	32	3	3-5X:(3)
1.2	1.1	25	4	6-9X:(4)
0.8	0.8	17	5	10-19X:(5)
0.6	0.6	13	6	20-39X:(6)
1.1	1.1	24	7	40+OCCAS:(7)
	5.8	130	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 449-450

V1128

021B050B:#X AMPH/LAST12M

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	86.8	1,956	1	0 OCCAS:(1)
2.6	2.5	56	2	1-2X:(2)
1.5	1.4	32	3	3-5X:(3)
1.2	1.1	25	4	6-9X:(4)
0.8	0.8	17	5	10-19X:(5)
0.6	0.6	13	6	20-39X:(6)
1.1	1.1	24	7	40+OCCAS:(7)
	5.8	130	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 70-71

V1331                      021B050C:#X AMPH/LAST30D

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	90.2	2,032	1	0 OCCAS:(1)
1.5	1.4	31	2	1-2X:(2)
0.9	0.9	20	3	3-5X:(3)
0.7	0.7	15	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.6	0.6	13	7	40+OCCAS:(7)
	5.8	131	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 451-452

V1129

021B050C:#X AMPH/LAST30D

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	90.2	2,032	1	0 OCCAS:(1)
1.5	1.4	31	2	1-2X:(2)
0.9	0.9	20	3	3-5X:(3)
0.7	0.7	15	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.6	0.6	13	7	40+OCCAS:(7)
	5.8	131	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 72-73

V1332

021B051A:#X/YR AMPH ALNE

Item Number: 02800

IF YOU HAVE NOT TAKEN AMPHETAMINES IN THE LAST TWELVE MONTHS,  
GO TO QUESTION 59. THE FOLLOWING QUESTIONS REFER ONLY TO  
TAKING AMPHETAMINES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE  
NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 59.  
When you used amphetamines during the last year, how often did  
you use them in each of the following situations? A: When  
you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	2.2	51	1	NOT @ALL:(1)
30.8	2.0	45	2	FEW TIME:(2)
12.7	0.8	18	3	SOM TIME:(3)
7.9	0.5	11	4	MST TIME:(4)
13.5	0.9	20	5	EVRYTIME:(5)
	93.6	2,109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 453-454

V1333

021B051B:#X/YR AMPH-2PPL

Item Number: 02810

When you used amphetamines during the last year, how often did you use them in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	1.7	39	1	NOT @ALL:(1)
25.3	1.6	37	2	FEW TIME:(2)
19.9	1.3	29	3	SOM TIME:(3)
15.9	1.0	23	4	MST TIME:(4)
11.9	0.8	17	5	EVRYTIME:(5)
	93.6	2,109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 455-456

V1334

021B051C:#X/YR AMPH@PRTY

Item Number: 02820

When you used amphetamines during the last year, how often did you use them in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.3	3.4	77	1	NOT @ALL:(1)
11.7	0.7	17	2	FEW TIME:(2)
14.0	0.9	20	3	SOM TIME:(3)
14.0	0.9	20	4	MST TIME:(4)
7.1	0.4	10	5	EVRYTIME:(5)
	93.6	2,110	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 457-458

V1335

021B051D:#X/YR AMPH-DT/S

Item Number: 02830

When you used amphetamines during the last year, how often did you use them in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.4	4.2	94	1	NOT @ALL:(1)
15.6	1.0	22	2	FEW TIME:(2)
9.9	0.6	14	3	SOM TIME:(3)
5.4	0.3	8	4	MST TIME:(4)
3.7	0.2	5	5	EVRYTIME:(5)
	93.6	2,110	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 459-460

V1336

021B051E:#X/YR AMPH-ADLT

Item Number: 02840

When you used amphetamines during the last year, how often did you use them in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.1	4.2	94	1	NOT @ALL:(1)
9.9	0.6	14	2	FEW TIME:(2)
14.2	0.9	20	3	SOM TIME:(3)
5.1	0.3	7	4	MST TIME:(4)
5.8	0.4	8	5	EVRYTIME:(5)
	93.6	2,109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 461-462

V1337

021B051F:#X/YR AMPH-DATM

Item Number: 02850

When you used amphetamines during the last year, how often did you use them in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	1.9	43	1	NOT @ALL:(1)
17.9	1.1	26	2	FEW TIME:(2)
20.9	1.3	30	3	SOM TIME:(3)
14.1	0.9	20	4	MST TIME:(4)
17.5	1.1	25	5	EVRYTIME:(5)
	93.6	2,109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 463-464

V1338

021B051G:#X/YR AMPH@HOME

Item Number: 02860

When you used amphetamines during the last year, how often did you use them in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	2.1	47	1	NOT @ALL:(1)
12.6	0.8	18	2	FEW TIME:(2)
22.8	1.5	33	3	SOM TIME:(3)
14.6	0.9	21	4	MST TIME:(4)
17.1	1.1	25	5	EVRYTIME:(5)
	93.6	2,109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 465-466

V1339

021B051H:#X/YR AMPH@SCHL

Item Number: 02880

When you used amphetamines during the last year, how often did you use them in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	2.8	63	1	NOT @ALL:(1)
21.5	1.4	31	2	FEW TIME:(2)
15.4	1.0	22	3	SOM TIME:(3)
16.3	1.1	24	4	MST TIME:(4)
3.1	0.2	5	5	EVRYTIME:(5)
	93.6	2,108	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 467-468

V1340

021B051I:#X/YR AMPH@CAR

Item Number: 02890

When you used amphetamines during the last year, how often did you use them in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	3.8	87	1	NOT @ALL:(1)
13.7	0.9	20	2	FEW TIME:(2)
18.5	1.2	27	3	SOM TIME:(3)
6.2	0.4	9	4	MST TIME:(4)
1.6	0.1	2	5	EVRYTIME:(5)
	93.6	2,109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 469-470

V1341

021B052A:#X OVL AMPH+ALC

Item Number: 02900

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	3.6	81	1	NOT @ALL:(1)
15.0	1.0	22	2	FEW TIME:(2)
14.9	1.0	22	3	SOM TIME:(3)
8.5	0.6	13	4	MST TIME:(4)
6.6	0.4	10	5	EVRYTIME:(5)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 471-472

V1342

021B052B:#X OVL AMPH+MJ

Item Number: 02910

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	3.4	76	1	NOT @ALL:(1)
12.1	0.8	17	2	FEW TIME:(2)
10.7	0.7	15	3	SOM TIME:(3)
13.7	0.9	19	4	MST TIME:(4)
9.7	0.6	14	5	EVRYTIME:(5)
	93.7	2,112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 473-474

V1343

021B052C:#X OVL AMPH+LSD

Item Number: 02920

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	5.8	131	1	NOT @ALL:(1)
1.9	0.1	3	2	FEW TIME:(2)
1.1	0.1	2	3	SOM TIME:(3)
5.4	0.3	8	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	93.7	2,111	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 475-476

V1344

021B052D:#X OVL AMPH+PSY

Item Number: 02930

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	5.7	128	1	NOT @ALL:(1)
1.4	0.1	2	2	FEW TIME:(2)
2.5	0.2	3	3	SOM TIME:(3)
4.5	0.3	6	4	MST TIME:(4)
0.5	0.0	1	5	EVRYTIME:(5)
	93.8	2,113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 477-478

V1345

021B053A:AMPH EXPERIMENT

Item Number: 02940

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	3.2	73	0	NT MARKD:(0)
50.0	3.2	73	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 479-480

V1346

021B053B:AMPH RELAX

Item Number: 02950

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	4.8	109	0	NT MARKD:(0)
25.5	1.7	37	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 481-482

<b>V1347</b>	<b>021B053C:AMPH GET HIGH</b>
--------------	-------------------------------

Item Number: 02960

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	3.6	81	0	NT MARKD:(0)
44.2	2.9	65	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 483-484

<b>V1348</b>	<b>021B053D:AMPH SK INSIGHT</b>
--------------	---------------------------------

Item Number: 02970

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	6.1	137	0	NT MARKD:(0)
6.5	0.4	10	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 485-486

V1349

021B053E:AMPH GD TM FRND

Item Number: 02980

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.1	4.7	107	0	NT MARKD:(0)
26.9	1.7	39	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 487-488

V1350

021B053F:AMPH FIT IN GRP

Item Number: 02990

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	6.3	143	0	NT MARKD:(0)
2.4	0.2	3	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 489-490

<b>V1351</b>	<b>021B053G:AMPH GT AWY PRB</b>
--------------	---------------------------------

Item Number: 03000

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	5.4	121	0	NT MARKD:(0)
17.0	1.1	25	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 491-492

<b>V1352</b>	<b>021B053H:AMPH BOREDOME</b>
--------------	-------------------------------

Item Number: 03010

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	5.2	116	0	NT MARKD:(0)
20.5	1.3	30	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 493-494

V1353

021B053I:AMPH ANGR &amp; FRSTN

Item Number: 03020

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	5.5	124	0	NT MARKD:(0)
15.0	1.0	22	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 495-496

V1354

021B053J:AMPH GT THRU DA

Item Number: 03030

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	4.9	111	0	NT MARKD:(0)
24.2	1.6	35	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 497-498

<b>V1355</b>	<b>021B053K:AMPH INCR EF DR</b>
--------------	---------------------------------

Item Number: 03040

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	5.6	126	0	NT MARKD:(0)
13.6	0.9	20	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 499-500

<b>V1356</b>	<b>021B053L:AMPH DCRS EF DR</b>
--------------	---------------------------------

Item Number: 03050

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	6.3	142	0	NT MARKD:(0)
2.6	0.2	4	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 501-502

V1357

021B053M:AMPH STAY AWAKE

Item Number: 03060

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) M. To stay awake

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	3.3	74	0	NT MARKD:(0)
49.3	3.2	72	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 503-504

V1358

021B053N:AMPH GET&gt;ENERGY

Item Number: 03070

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) N. To get more energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.7	2.6	59	0	NT MARKD:(0)
59.3	3.8	87	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 505-506

<b>V1359</b>	<b>021B0530:AMPH LOSE WGHT</b>
--------------	--------------------------------

Item Number: 03080

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) O. To help me lose weight

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	3.8	85	0	NT MARKD:(0)
41.7	2.7	61	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 507-508

<b>V1360</b>	<b>021B053P:AMPH I AM HOOKD</b>
--------------	---------------------------------

Item Number: 03090

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) P. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	6.3	141	0	NT MARKD:(0)
3.4	0.2	5	1	MARKED:(1)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 509-510

V1361

021B054 :AMPH,GT VERY HI

Item Number: 03100

When you take amphetamines, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
 4="Very high" 5="I don't take them to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	1.0	23	1	NOT HIGH:(1)
24.3	1.6	36	2	LIT HIGH:(2)
18.1	1.2	27	3	MOD HIGH:(3)
14.7	1.0	22	4	VRY HIGH:(4)
27.9	1.9	42	5	N TK HI:(5)
	93.4	2,104	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 511-512

V1362

021B055 :AMPH,HI 24+ HRS

Item Number: 03110

When you take amphetamines, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to  
 six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	2.4	54	1	N GET HI:(1)
18.7	1.2	27	2	1-2 HRS:(2)
22.5	1.5	33	3	3-6 HRS:(3)
16.8	1.1	25	4	7-24 HRS:(4)
4.8	0.3	7	5	>24 HRS:(5)
	93.5	2,108	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 513-514

<b>V1363</b>	<b>021B056A:TKN YR,BENZDRIN</b>
--------------	---------------------------------

Item Number: 03120

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) A. Benzedrine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	5.7	129	0	NT MARKD:(0)
8.4	0.5	12	1	MARKED:(1)
	93.7	2,113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 515-516

<b>V1364</b>	<b>021B056B:TKN YR,DEXEDRIN</b>
--------------	---------------------------------

Item Number: 03130

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) B. Dexedrine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	5.3	118	0	NT MARKD:(0)
16.0	1.0	23	1	MARKED:(1)
	93.7	2,113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 517-518

V1365

021B056C:TKN YR,METHDRIN

Item Number: 03140

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) C. Methedrine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	6.0	136	0	NT MARKD:(0)
3.7	0.2	5	1	MARKED:(1)
	93.7	2,113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 519-520

V1366

021B056D:TKN YR,RITALIN

Item Number: 03150

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) D. Ritalin (methylphenidate)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	3.8	87	0	NT MARKD:(0)
38.5	2.4	54	1	MARKED:(1)
	93.7	2,113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 521-522

<b>V1367</b>	<b>021B056E:TKN YR,PRELUDIN</b>
--------------	---------------------------------

Item Number: 03160

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) E. Preludin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	6.2	140	0	NT MARKD:(0)
0.8	0.0	1	1	MARKED:(1)
	93.7	2,113	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 523-524

<b>V1368</b>	<b>021B056F:TKN YR,DEXAMYL</b>
--------------	--------------------------------

Item Number: 03170

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) F. Dexamyl

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	6.1	137	0	NT MARKD:(0)
3.1	0.2	4	1	MARKED:(1)
	93.7	2,113	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 525-526

**V1369****021B056G:TKN YR,METHAMPH**

Item Number: 03180

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) G. Methamphetamine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	5.1	114	0	NT MARKD:(0)
19.2	1.2	27	1	MARKED:(1)
	93.7	2,113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 527-528

**V1764****021B056H:TKN YR,CRYSMETH**

Item Number: 03185

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) H. Crystal meth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	4.2	96	0	NT MARKD:(0)
32.2	2.0	45	1	MARKED:(1)
	93.7	2,113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1124-1125

<b>V1370</b>	<b>021B056I:TKN YR,OTH AMPH</b>
--------------	---------------------------------

Item Number: 03190

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) I. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	3.3	74	0	NT MARKD:(0)
47.7	3.0	67	1	MARKED:(1)
	93.7	2,113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 529-530

<b>V1371</b>	<b>021B056J:TKN YR,DNT KN N</b>
--------------	---------------------------------

Item Number: 03200

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) J. Don't know the names of some amphetamines I have used

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	4.0	89	0	NT MARKD:(0)
36.8	2.3	52	1	MARKED:(1)
	93.7	2,113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 531-532

**V1372****021B057A:MTHD AMPH-MOUTH**

Item Number: 03210

What methods have you used for taking amphetamines during the last year? (Mark all that apply.) A. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	0.9	20	0	NT MARKD:(0)
86.3	5.5	125	1	MARKED:(1)
	93.6	2,109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 533-534

**V1765****021B057B:MTHD AMPH-SMOKG**

Item Number: 03215

What methods have you used for taking amphetamines during the last year? (Mark all that apply.) B. Smoking

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	4.8	109	0	NT MARKD:(0)
24.8	1.6	36	1	MARKED:(1)
	93.6	2,109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1126-1127

<b>V1373</b>	<b>021B057C:MTHD AMPH-INJCT</b>
--------------	---------------------------------

Item Number: 03220

What methods have you used for taking amphetamines during the last year? (Mark all that apply.) C. Injection

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	6.3	143	0	NT MARKD:(0)
1.4	0.1	2	1	MARKED:(1)
	93.6	2,109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 535-536

<b>V1374</b>	<b>021B057D:MTHD AMPH-OTHER</b>
--------------	---------------------------------

Item Number: 03230

What methods have you used for taking amphetamines during the last year? (Mark all that apply.) D. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	4.7	106	0	NT MARKD:(0)
27.0	1.7	39	1	MARKED:(1)
	93.6	2,109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 537-538

V1375

021B058 : \*TRY STP AMP &amp; FL

Item Number: 03240

Have you ever tried to stop using amphetamines and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	0.6	14	1	YES:(1)
90.4	5.9	132	2	NO:(2)
	93.5	2,107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 539-540

V1376

021B059 : NO AMPH IN 5YR

Item Number: 03250

Do you think you will be using amphetamines without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	22	1	DEF WILL:(1)
3.3	3.1	69	2	PRB WILL:(2)
16.7	15.6	351	3	PRB WONT:(3)
78.9	73.5	1,656	4	DEF WONT:(4)
	6.9	156	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 541-542

V1377	021B060A:#X QUAD/LIFETIM
-------	--------------------------

Item Number: 01010

The next questions are about QUAALUDES (Methaqualone).  
 Quaaludes are sometimes called: Soapers, Quads, Ludes. On  
 how many occasions (if any) have you taken quaaludes on your  
 own--that is, without a doctor telling you to take them . . .  
 A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	91.9	2,070	1	0 OCCAS:(1)
1.0	0.9	21	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	3	7	40+OCCAS:(7)
	6.7	151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 543-544

V1130

021B060A:#X QUAD/LIFETIM

Item Number: 01010

The next questions are about QUAALUDES (Methaqualone).  
 Quaaludes are sometimes called: Soapers, Quads, Ludes. On  
 how many occasions (if any) have you taken quaaludes on your  
 own--that is, without a doctor telling you to take them . . .  
 A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	91.9	2,070	1	0 OCCAS:(1)
1.0	0.9	21	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	3	7	40+OCCAS:(7)
	6.7	151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 74-75

V1378

021B060B:#X QUAD/LAST12M

Item Number: 01020

On how many occasions (if any) have you taken quaaludes on  
your own--that is, without a doctor telling you to take them .  
. . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	92.4	2,083	1	0 OCCAS:(1)
0.6	0.6	12	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.0	1	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	6.7	151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 545-546

V1131

021B060B:#X QUAD/LAST12M

Item Number: 01020

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	92.4	2,083	1	0 OCCAS:(1)
0.6	0.6	12	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.0	1	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	6.7	151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 76-77

V1379	021B060C:#X QUAD/LAST30D
-------	--------------------------

Item Number: 01030

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	93.0	2,097	1	0 OCCAS:(1)
0.2	0.2	4	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	6.7	150	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 547-548

V1132

021B060C:#X QUAD/LAST30D

Item Number: 01030

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	93.0	2,097	1	0 OCCAS:(1)
0.2	0.2	4	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	6.7	150	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 78-79

V1382

021B061 :DR TOLD TK BARB

Item Number: 03280

The next questions are about BARBITURATES, which doctors sometimes prescribe to help people relax or get to sleep. Drugstores are not supposed to sell them without a prescription. Barbiturates are sometimes called: Downs, Downers, Goofballs, Yellows, Reds, Blues, Rainbows. They include the following drugs: Phenobarbital, Seconal, Tuinal, Nembutal, Luminal, Desbutal, Amytal. Have you ever taken barbiturates because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."  
3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	90.3	2,035	1	NO:(1)
1.9	1.7	39	2	YES BUT:(2)
1.1	1.1	24	3	YES 1ST:(3)
	6.9	155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 549-550

V1383

021B062A:#X BRBT/LIFETIM

Item Number: 01040

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	89.5	2,018	1	0 OCCAS:(1)
1.4	1.3	29	2	1-2X:(2)
1.1	1.1	24	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.4	0.4	8	5	10-19X:(5)
0.5	0.5	11	6	20-39X:(6)
0.5	0.5	11	7	40+OCCAS:(7)
	6.3	143	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 551-552

V1133

021B062A:#X BRBT/LIFETIM

Item Number: 01040

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	89.5	2,018	1	0 OCCAS:(1)
1.4	1.3	29	2	1-2X:(2)
1.1	1.1	24	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.4	0.4	8	5	10-19X:(5)
0.5	0.5	11	6	20-39X:(6)
0.5	0.5	11	7	40+OCCAS:(7)
	6.3	143	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 80-81

V1384

021B062B:#X BRBT/LAST12M

Item Number: 01050

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	90.8	2,047	1	0 OCCAS:(1)
1.0	1.0	22	2	1-2X:(2)
0.7	0.7	15	3	3-5X:(3)
0.5	0.4	10	4	6-9X:(4)
0.4	0.4	9	5	10-19X:(5)
0.3	0.2	6	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	6.3	142	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 553-554

V1134	021B062B:#X BRBT/LAST12M
-------	--------------------------

Item Number: 01050

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	90.8	2,047	1	0 OCCAS:(1)
1.0	1.0	22	2	1-2X:(2)
0.7	0.7	15	3	3-5X:(3)
0.5	0.4	10	4	6-9X:(4)
0.4	0.4	9	5	10-19X:(5)
0.3	0.2	6	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	6.3	142	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 82-83

V1385

021B062C:#X BRBT/LAST30D

Item Number: 01060

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them.  
 . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	91.9	2,071	1	0 OCCAS:(1)
1.0	0.9	21	2	1-2X:(2)
0.5	0.5	11	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.1	0.0	1	7	40+OCCAS:(7)
	6.3	143	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 555-556

V1135	021B062C:#X BRBT/LAST30D
-------	--------------------------

Item Number: 01060

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them.  
 . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	91.9	2,071	1	0 OCCAS:(1)
1.0	0.9	21	2	1-2X:(2)
0.5	0.5	11	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.1	0.0	1	7	40+OCCAS:(7)
	6.3	143	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 84-85

V1428

021B063 :NO BARB IN 5YR

Item Number: 03720

Do you think you will be using barbiturates without a doctor's prescription five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	31	1	DEF WILL:(1)
1.2	1.2	26	2	PRB WILL:(2)
12.6	11.8	266	3	PRB WONT:(3)
84.6	79.1	1,783	4	DEF WONT:(4)
	6.6	148	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 557-558

V1429

021B064 :DR TOLD TK TRNQ

Item Number: 03730

The next questions are about TRANQUILIZERS, which doctors sometimes prescribe to calm people down, quiet their nerves, or relax their muscles. They include the following drugs: Librium, Valium, Xanax, Equanil, Meprobamate, Serax, Atarax, Tranxene, Vistaril. Have you ever taken tranquilizers because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."  
3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	86.3	1,946	1	NO:(1)
2.1	2.0	44	2	YES BUT:(2)
5.5	5.1	116	3	YES 1ST:(3)
	6.6	148	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 559-560

V1430

021B065A:#X TRQL/LIFETIM

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	84.8	1,910	1	0 OCCAS:(1)
4.7	4.4	100	2	1-2X:(2)
1.5	1.4	32	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
1.5	1.4	31	5	10-19X:(5)
0.6	0.6	13	6	20-39X:(6)
0.5	0.4	10	7	40+OCCAS:(7)
	6.6	148	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 561-562

V1136	021B065A:#X TRQL/LIFETIM
-------	--------------------------

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	84.8	1,910	1	0 OCCAS:(1)
4.7	4.4	100	2	1-2X:(2)
1.5	1.4	32	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
1.5	1.4	31	5	10-19X:(5)
0.6	0.6	13	6	20-39X:(6)
0.5	0.4	10	7	40+OCCAS:(7)
	6.6	148	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 86-87

V1431

021B065B:#X TRQL/LAST12M

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them.  
 . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	88.3	1,990	1	0 OCCAS:(1)
2.9	2.7	61	2	1-2X:(2)
1.0	0.9	20	3	3-5X:(3)
0.6	0.6	14	4	6-9X:(4)
0.6	0.6	12	5	10-19X:(5)
0.3	0.3	6	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	6.5	146	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 563-564

V1137                      021B065B:#X TRQL/LAST12M

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them.  
 . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	88.3	1,990	1	0 OCCAS:(1)
2.9	2.7	61	2	1-2X:(2)
1.0	0.9	20	3	3-5X:(3)
0.6	0.6	14	4	6-9X:(4)
0.6	0.6	12	5	10-19X:(5)
0.3	0.3	6	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	6.5	146	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 88-89

V1432

021B065C:#X TRQL/LAST30D

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	90.9	2,048	1	0 OCCAS:(1)
1.8	1.7	39	2	1-2X:(2)
0.6	0.5	12	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	6.6	148	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 565-566

V1138	021B065C:#X TRQL/LAST30D
-------	--------------------------

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	90.9	2,048	1	0 OCCAS:(1)
1.8	1.7	39	2	1-2X:(2)
0.6	0.5	12	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	6.6	148	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 90-91

V1433

021B066A:#X/YR TRQL ALNE

Item Number: 03740

IF YOU HAVE NOT TAKEN TRANQUILIZERS IN THE LAST TWELVE MONTHS, GO TO QUESTION 73. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING TRANQUILIZERS WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 73. When you used tranquilizers during the last year, how often did you use them in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	2.6	58	1	NOT @ALL:(1)
20.1	1.0	22	2	FEW TIME:(2)
14.0	0.7	15	3	SOM TIME:(3)
5.5	0.3	6	4	MST TIME:(4)
5.9	0.3	6	5	EVRYTIME:(5)
	95.2	2,146	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 567-568

V1434

021B066B:#X/YR TRQL-2PPL

Item Number: 03750

When you used tranquilizers during the last year, how often did you use them in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	1.3	30	1	NOT @ALL:(1)
33.9	1.6	36	2	FEW TIME:(2)
20.8	1.0	22	3	SOM TIME:(3)
5.9	0.3	6	4	MST TIME:(4)
10.4	0.5	11	5	EVRYTIME:(5)
	95.3	2,149	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 569-570

V1435

021B066C:#X/YR TRQL@PRTY

Item Number: 03760

When you used tranquilizers during the last year, how often did you use them in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.1	2.1	48	1	NOT @ALL:(1)
16.2	0.7	17	2	FEW TIME:(2)
11.8	0.5	12	3	SOM TIME:(3)
13.8	0.6	14	4	MST TIME:(4)
12.0	0.6	13	5	EVRYTIME:(5)
	95.4	2,150	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 571-572

V1436	021B066D:#X/YR TRQL-DT/S
-------	--------------------------

Item Number: 03770

When you used tranquilizers during the last year, how often did you use them in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.2	2.8	64	1	NOT @ALL:(1)
16.0	0.7	16	2	FEW TIME:(2)
6.8	0.3	7	3	SOM TIME:(3)
8.3	0.4	9	4	MST TIME:(4)
6.8	0.3	7	5	EVRYTIME:(5)
	95.4	2,151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 573-574

V1437

021B066E:#X/YR TRQL-ADLT

Item Number: 03780

When you used tranquilizers during the last year, how often did you use them in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.5	2.4	54	1	NOT @ALL:(1)
20.4	0.9	21	2	FEW TIME:(2)
13.3	0.6	14	3	SOM TIME:(3)
7.3	0.3	7	4	MST TIME:(4)
6.5	0.3	7	5	EVRYTIME:(5)
	95.4	2,151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 575-576

V1438

021B066F:#X/YR TRQL-DATM

Item Number: 03790

When you used tranquilizers during the last year, how often did you use them in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.5	2.5	57	1	NOT @ALL:(1)
22.8	1.0	23	2	FEW TIME:(2)
9.7	0.4	10	3	SOM TIME:(3)
3.9	0.2	4	4	MST TIME:(4)
8.2	0.4	8	5	EVRYTIME:(5)
	95.5	2,151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 577-578

V1439

021B066G:#X/YR TRQL@HOME

Item Number: 03800

When you used tranquilizers during the last year, how often did you use them in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	1.8	40	1	NOT @ALL:(1)
18.7	0.9	19	2	FEW TIME:(2)
14.4	0.7	15	3	SOM TIME:(3)
9.0	0.4	9	4	MST TIME:(4)
19.6	0.9	20	5	EVRYTIME:(5)
	95.4	2,150	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 579-580

V1440

021B066H:#X/YR TRQL@SCHL

Item Number: 03810

When you used tranquilizers during the last year, how often did you use them in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	3.1	71	1	NOT @ALL:(1)
13.9	0.6	14	2	FEW TIME:(2)
11.8	0.5	12	3	SOM TIME:(3)
3.0	0.1	3	4	MST TIME:(4)
2.1	0.1	2	5	EVRYTIME:(5)
	95.5	2,151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 581-582

V1441

021B066I:#X/YR TRQL@CAR

Item Number: 03830

When you used tranquilizers during the last year, how often did you use them in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	3.5	79	1	NOT @ALL:(1)
12.7	0.6	13	2	FEW TIME:(2)
7.4	0.3	8	3	SOM TIME:(3)
3.0	0.1	3	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	95.5	2,151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 583-584

V1442

021B067A:#X OVL TRQL+ALC

Item Number: 03840

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	2.1	47	1	NOT @ALL:(1)
13.9	0.6	14	2	FEW TIME:(2)
12.1	0.6	13	3	SOM TIME:(3)
14.6	0.7	15	4	MST TIME:(4)
13.9	0.6	14	5	EVRYTIME:(5)
	95.4	2,150	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 585-586

V1443

021B067B:#X OVL TRQL+MJ

Item Number: 03850

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.1	2.3	52	1	NOT @ALL:(1)
14.1	0.6	14	2	FEW TIME:(2)
7.3	0.3	7	3	SOM TIME:(3)
14.6	0.7	15	4	MST TIME:(4)
14.0	0.6	14	5	EVRYTIME:(5)
	95.4	2,151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 587-588

V1444

021B067C:#X OVL TRQL+LSD

Item Number: 03860

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	4.1	93	1	NOT @ALL:(1)
2.8	0.1	3	2	FEW TIME:(2)
1.2	0.1	1	3	SOM TIME:(3)
3.4	0.2	3	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	95.5	2,153	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 589-590

V1445

021B067D:#X OVL TRQL+PSY

Item Number: 03870

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	4.2	95	1	NOT @ALL:(1)
3.3	0.2	3	2	FEW TIME:(2)
1.8	0.1	2	3	SOM TIME:(3)
2.3	0.1	2	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	95.5	2,151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 591-592

V1446

021B067E:#X OVL TRQL+AMP

Item Number: 03880

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	3.7	84	1	NOT @ALL:(1)
5.2	0.2	5	2	FEW TIME:(2)
7.9	0.4	8	3	SOM TIME:(3)
3.0	0.1	3	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	95.6	2,154	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 593-594

V1447

021B067F:#X OVL TRQL+QUA

Item Number: 03890

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	4.0	90	1	NOT @ALL:(1)
4.8	0.2	5	2	FEW TIME:(2)
4.4	0.2	4	3	SOM TIME:(3)
3.3	0.2	3	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	95.4	2,151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 595-596

V1448

021B067G:#X OVL TRQL+BRB

Item Number: 03900

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	3.8	86	1	NOT @ALL:(1)
4.6	0.2	4	2	FEW TIME:(2)
4.1	0.2	4	3	SOM TIME:(3)
2.9	0.1	3	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	95.7	2,157	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 597-598

V1449

021B068A:TRNQ EXPERIMENT

Item Number: 03910

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.6	2.4	54	0	NT MARKD:(0)
45.4	2.0	45	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 599-600

V1450

021B068B:TRNQ RELAX

Item Number: 03920

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.8	1.7	39	0	NT MARKD:(0)
60.2	2.6	59	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 601-602

<b>V1451</b>	<b>021B068C:TRNQ GET HIGH</b>
--------------	-------------------------------

Item Number: 03930

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	2.7	61	0	NT MARKD:(0)
38.0	1.7	37	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 603-604

<b>V1452</b>	<b>021B068D:TRNQ SK INSIGHT</b>
--------------	---------------------------------

Item Number: 03940

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	4.2	96	0	NT MARKD:(0)
2.8	0.1	3	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 605-606

V1453

021B068E:TRNQ GD TM FRND

Item Number: 03950

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	3.1	71	0	NT MARKD:(0)
28.1	1.2	28	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 607-608

V1454

021B068F:TRNQ FIT IN GRP

Item Number: 03960

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	4.1	93	0	NT MARKD:(0)
5.9	0.3	6	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 609-610

<b>V1455</b>	<b>021B068G:TRNQ GT AWY PRB</b>
--------------	---------------------------------

Item Number: 03970

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.4	3.6	81	0	NT MARKD:(0)
17.6	0.8	17	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 611-612

<b>V1456</b>	<b>021B068H:TRNQ BOREDOM</b>
--------------	------------------------------

Item Number: 03980

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.5	3.5	79	0	NT MARKD:(0)
19.5	0.9	19	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 613-614

V1457

021B068I:TRNQ ANGR &amp; FRSTN

Item Number: 03990

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	3.8	86	0	NT MARKD:(0)
12.7	0.6	12	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 615-616

V1458

021B068J:TRNQ GT THRU DA

Item Number: 04000

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	4.1	92	0	NT MARKD:(0)
6.1	0.3	6	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 617-618

<b>V1459</b>	<b>021B068K:TRNQ INCR EF DR</b>
--------------	---------------------------------

Item Number: 04010

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	3.8	86	0	NT MARKD:(0)
13.0	0.6	13	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 619-620

<b>V1460</b>	<b>021B068L:TRNQ DCRS EF DR</b>
--------------	---------------------------------

Item Number: 04020

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	4.0	91	0	NT MARKD:(0)
7.9	0.3	8	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 621-622

V1461

021B068M:TRNQ GET SLEEP

Item Number: 04030

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) M. To get to sleep

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	2.8	64	0	NT MARKD:(0)
35.2	1.5	35	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 623-624

V1696

021B068N:TRNQ RLV PHYS P

Item Number: 04035

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) N. To relieve physical pain

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.5	2.8	63	0	NT MARKD:(0)
35.5	1.5	35	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 997-998

<b>V1462</b>	<b>021B0680:TRNQ I AM HOOKD</b>
--------------	---------------------------------

Item Number: 04040

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) 0. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	4.3	96	0	NT MARKD:(0)
2.3	0.1	2	1	MARKED:(1)
	95.6	2,155	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 625-626

<b>V1463</b>	<b>021B069 :TRNQ,GT VERY HI</b>
--------------	---------------------------------

Item Number: 04050

When you take tranquilizers, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
 4="Very high" 5="I don't take them to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	0.5	10	1	NOT HIGH:(1)
18.5	0.8	19	2	LIT HIGH:(2)
34.4	1.5	35	3	MOD HIGH:(3)
19.9	0.9	20	4	VRY HIGH:(4)
16.7	0.7	17	5	N TK HI:(5)
	95.5	2,153	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 627-628

V1464

021B070 :TRNQ,HI 24+ HRS

Item Number: 04060

When you take tranquilizers, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	1.1	24	1	N GET HI:(1)
29.0	1.3	29	2	1-2 HRS:(2)
35.0	1.6	36	3	3-6 HRS:(3)
11.8	0.5	12	4	7-24 HRS:(4)
0.6	0.0	1	5	>24 HRS:(5)
	95.5	2,152	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 629-630

V1465

021B071A:TKN YR,LIBRIUM

Item Number: 04070

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) A. Librium

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	4.2	94	0	NT MARKD:(0)
6.7	0.3	7	1	MARKED:(1)
	95.5	2,152	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 631-632

<b>V1466</b>	<b>021B071B:TKN YR, VALIUM</b>
--------------	--------------------------------

Item Number: 04080

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) B. Valium

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.7	1.8	41	0	NT MARKD:(0)
59.3	2.7	60	1	MARKED:(1)
	95.5	2,152	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 633-634

<b>V1814</b>	<b>021B071C:TKN YR, XANAX</b>
--------------	-------------------------------

Item Number: 04095

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) C. Xanax

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.4	2.1	47	0	NT MARKD:(0)
53.6	2.4	54	1	MARKED:(1)
	95.5	2,152	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1225-1226

V1468

021B071D:TKN YR,EQUANIL

Item Number: 04100

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) D. Equanil

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	4.1	93	0	NT MARKD:(0)
7.9	0.4	8	1	MARKED:(1)
	95.5	2,152	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 635-636

V1469

021B071E:TKN YR,MEPRBMTE

Item Number: 04110

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) E. Meproamate

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	4.4	100	0	NT MARKD:(0)
1.5	0.1	1	1	MARKED:(1)
	95.5	2,152	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 637-638

<b>V1470</b>	<b>021B071F:TKN YR,SERAX</b>
--------------	------------------------------

Item Number: 04120

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) F. Serax

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	4.4	99	0	NT MARKD:(0)
1.8	0.1	2	1	MARKED:(1)
	95.5	2,152	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 639-640

<b>V1471</b>	<b>021B071G:TKN YR,ATARAX</b>
--------------	-------------------------------

Item Number: 04130

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) G. Atarax

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	4.4	99	0	NT MARKD:(0)
2.0	0.1	2	1	MARKED:(1)
	95.5	2,152	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 641-642

**V1472****021B071H:TKN YR,TRANXENE**

Item Number: 04140

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) H. Tranxene

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	4.4	100	0	NT MARKD:(0)
1.5	0.1	1	1	MARKED:(1)
	95.5	2,152	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 643-644

**V1473****021B071I:TKN YR,VISTARIL**

Item Number: 04150

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) I. Vistaril

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	4.3	96	0	NT MARKD:(0)
5.2	0.2	5	1	MARKED:(1)
	95.5	2,152	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 645-646

<b>V1815</b>	<b>021B071J:TKN YR,OTH TRNQ</b>
--------------	---------------------------------

Item Number: 04155

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) J. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.2	2.7	61	0	NT MARKD:(0)
39.8	1.8	40	1	MARKED:(1)
	95.5	2,153	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1227-1228

<b>V1474</b>	<b>021B071K:TKN YR,DNT KNW</b>
--------------	--------------------------------

Item Number: 04160

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) K. Don't know the names of some tranquilizers I have used

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	3.3	74	0	NT MARKD:(0)
27.2	1.2	28	1	MARKED:(1)
	95.5	2,152	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 647-648

V1475

021B072 : \*TRY STP TRQ &amp; FL

Item Number: 04170

Have you ever tried to stop using tranquilizers and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.2	4	1	YES:(1)
95.9	4.3	96	2	NO:(2)
	95.6	2,154	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 649-650

V1476

021B073 : NO TRNQ IN 5YR

Item Number: 04180

Do you think you will be using tranquilizers without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	16	1	DEF WILL:(1)
1.7	1.6	36	2	PRB WILL:(2)
15.0	13.7	309	3	PRB WONT:(3)
82.5	75.6	1,703	4	DEF WONT:(4)
	8.4	190	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 651-652

V1755

021B074 :EVR TK CRACK/FB

Item Number: 22250

The next questions are about the use of different forms of cocaine, such as "crack", powder, freebase, or coca paste. Have you ever taken cocaine in "crack" form or in any other freebase form--that is, where you inhaled the fumes from smoking, heating, or burning it?

1="No--GO TO QUESTION 76" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	89.1	2,009	1	NO:(1)
3.4	3.2	72	2	YES:(2)
	7.7	173	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1106-1107

V1756

021B075A:#X CRACK/LIFTIM

Item Number: 22260

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	89.5	2,017	1	0 OCCAS:(1)
1.1	1.0	23	2	1-2X:(2)
0.7	0.6	14	3	3-5X:(3)
0.4	0.4	8	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.5	0.4	10	7	40+OCCAS:(7)
	7.8	175	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1108-1109

V1757                      021B075B:#X CRACK/LST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	90.5	2,040	1	0 OCCAS:(1)
0.8	0.8	18	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.3	0.3	6	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	7.8	176	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1110-1111

V1758

021B075C:#X CRACK/LST30D

Item Number: 22280

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	91.4	2,060	1	0 OCCAS:(1)
0.6	0.6	13	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	7.8	175	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1112-1113

V1759

021B076A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you taken cocaine in any other form . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	86.8	1,957	1	0 OCCAS:(1)
3.2	3.0	67	2	1-2X:(2)
1.0	0.9	21	3	3-5X:(3)
0.6	0.5	12	4	6-9X:(4)
0.6	0.5	12	5	10-19X:(5)
0.3	0.2	6	6	20-39X:(6)
0.4	0.4	9	7	40+OCCAS:(7)
	7.5	170	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1114-1115

V1760

021B076B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you taken cocaine in any other form . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	89.3	2,013	1	0 OCCAS:(1)
1.7	1.5	35	2	1-2X:(2)
0.7	0.7	15	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.2	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	7.5	169	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1116-1117

V1761

021B076C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you taken cocaine in any other form . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	91.2	2,054	1	0 OCCAS:(1)
0.9	0.8	18	2	1-2X:(2)
0.3	0.2	5	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	7.5	170	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1118-1119

V1124

021R

:#X COKE/LIFETIM

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?" (item 22260) and "On how many occasions (if any) have you used cocaine in any other form . . . A. in your lifetime?" (item 22320).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
93.4	84.7	1,910	1	0 OCCAS:(1)
2.8	2.5	57	2	1-2X:(2)
1.5	1.4	31	3	3-5X:(3)
0.6	0.5	11	4	6-9X:(4)
0.7	0.6	14	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.9	0.8	18	7	40+OCCAS:(7)
	9.3	209	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 62-63

V1125	021R	:#X COKE/LAST12M
-------	------	------------------

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . B. During the last 12 months?" (item 22270) and "On how many occasions (if any) have you used cocaine in any other form . . . B. During the last 12 months?) (item 22330).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	87.3	1,968	1	0 OCCAS:(1)
1.5	1.4	31	2	1-2X:(2)
0.8	0.7	17	3	3-5X:(3)
0.3	0.3	6	4	6-9X:(4)
0.6	0.5	12	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.4	0.4	8	7	40+OCCAS:(7)
	9.2	207	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 64-65

V1126

021R

:#X COKE/LAST30D

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C. During the last 30 days?" (item 22280) and "On how many occasions (if any) have you used cocaine in any other form . . . C. During the last 30 days?" (item 22340).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	89.3	2,012	1	0 OCCAS:(1)
0.7	0.6	13	2	1-2X:(2)
0.6	0.6	13	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	9.2	207	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 66-67

V1480

021B077A:#X/YR COKE ALNE

Item Number: 04190

IF YOU HAVE NOT TAKEN ANY COCAINE (POWDER, CRACK, FREEBASE, ETC.) IN THE LAST 12 MONTHS, GO TO QUESTION 85. When you used cocaine during the last year, how often did you use it in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.7	3.0	68	1	NOT @ALL:(1)
14.1	0.6	13	2	FEW TIME:(2)
5.1	0.2	5	3	SOM TIME:(3)
1.7	0.1	2	4	MST TIME:(4)
4.4	0.2	4	5	EVRYTIME:(5)
	96.0	2,162	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 653-654

V1481

021B077B:#X/YR COKE-2PPL

Item Number: 04200

When you used cocaine during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.7	17	1	NOT @ALL:(1)
33.7	1.4	31	2	FEW TIME:(2)
12.3	0.5	11	3	SOM TIME:(3)
21.2	0.9	19	4	MST TIME:(4)
14.7	0.6	13	5	EVRYTIME:(5)
	96.0	2,162	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 655-656

V1482

021B077C:#X/YR COKE@PRTY

Item Number: 04210

When you used cocaine during the last year, how often did you use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.9	1.8	40	1	NOT @ALL:(1)
18.0	0.7	16	2	FEW TIME:(2)
11.7	0.5	11	3	SOM TIME:(3)
7.3	0.3	7	4	MST TIME:(4)
18.0	0.7	16	5	EVRYTIME:(5)
	96.0	2,163	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 657-658

V1483

021B077D:#X/YR COKE-DT/S

Item Number: 04220

When you used cocaine during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	2.9	66	1	NOT @ALL:(1)
10.7	0.4	10	2	FEW TIME:(2)
6.6	0.3	6	3	SOM TIME:(3)
6.6	0.3	6	4	MST TIME:(4)
2.9	0.1	3	5	EVRYTIME:(5)
	96.0	2,163	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 659-660

V1484

021B077E:#X/YR COKE-ADLT

Item Number: 04230

When you used cocaine during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.6	2.7	62	1	NOT @ALL:(1)
12.9	0.5	12	2	FEW TIME:(2)
11.0	0.4	10	3	SOM TIME:(3)
6.4	0.3	6	4	MST TIME:(4)
2.2	0.1	2	5	EVRYTIME:(5)
	96.0	2,162	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 661-662

V1485

021B077F:#X/YR COKE-DATM

Item Number: 04240

When you used cocaine during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	2.3	52	1	NOT @ALL:(1)
30.1	1.2	27	2	FEW TIME:(2)
11.3	0.5	10	3	SOM TIME:(3)
1.2	0.0	1	4	MST TIME:(4)
0.8	0.0	1	5	EVRYTIME:(5)
	96.0	2,162	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 663-664

V1486

021B077G:#X/YR COKE@HOME

Item Number: 04250

When you used cocaine during the last year, how often did you use it in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	2.3	51	1	NOT @ALL:(1)
23.8	1.0	22	2	FEW TIME:(2)
8.9	0.4	8	3	SOM TIME:(3)
6.4	0.3	6	4	MST TIME:(4)
4.8	0.2	4	5	EVRYTIME:(5)
	96.0	2,162	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 665-666

V1487

021B077H:#X/YR COKE@SCHL

Item Number: 04260

When you used cocaine during the last year, how often did you use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	3.2	73	1	NOT @ALL:(1)
14.8	0.6	13	2	FEW TIME:(2)
2.3	0.1	2	3	SOM TIME:(3)
0.4	0.0	0	4	MST TIME:(4)
2.5	0.1	2	5	EVRYTIME:(5)
	96.0	2,162	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 667-668

V1488

021B077I:#X/YR COKE@CAR

Item Number: 04280

When you used cocaine during the last year, how often did you use it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.2	2.5	57	1	NOT @ALL:(1)
18.6	0.8	17	2	FEW TIME:(2)
7.1	0.3	6	3	SOM TIME:(3)
3.7	0.1	3	4	MST TIME:(4)
8.5	0.3	8	5	EVRYTIME:(5)
	96.0	2,162	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 669-670

V1489

021B078A:#X OVL COKE+ALC

Item Number: 04290

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	1.7	39	1	NOT @ALL:(1)
14.7	0.6	13	2	FEW TIME:(2)
16.2	0.6	14	3	SOM TIME:(3)
7.7	0.3	7	4	MST TIME:(4)
16.0	0.6	14	5	EVRYTIME:(5)
	96.2	2,167	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 671-672

V1490

021B078B:#X OVL COKE+MJ

Item Number: 04300

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	1.1	24	1	NOT @ALL:(1)
13.2	0.5	11	2	FEW TIME:(2)
15.5	0.6	13	3	SOM TIME:(3)
10.1	0.4	8	4	MST TIME:(4)
32.0	1.2	27	5	EVRYTIME:(5)
	96.3	2,170	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 673-674

V1491

021B078C:#X OVL COKE+LSD

Item Number: 04310

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	3.1	71	1	NOT @ALL:(1)
8.9	0.3	7	2	FEW TIME:(2)
0.8	0.0	1	3	SOM TIME:(3)
1.8	0.1	1	4	MST TIME:(4)
0.6	0.0	0	5	EVRYTIME:(5)
	96.4	2,173	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 675-676

V1492

021B078D:#X OVL COKE+PSY

Item Number: 04320

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped? D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	3.0	68	1	NOT @ALL:(1)
10.2	0.4	8	2	FEW TIME:(2)
1.4	0.1	1	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
1.6	0.1	1	5	EVRYTIME:(5)
	96.5	2,175	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 677-678

V1493

021B078E:#X OVL COKE+AMP

Item Number: 04330

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped? E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	2.9	65	1	NOT @ALL:(1)
10.4	0.4	8	2	FEW TIME:(2)
7.4	0.3	6	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
2.3	0.1	2	5	EVRYTIME:(5)
	96.4	2,172	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 679-680

V1494

021B078F:#X OVL COKE+QUA

Item Number: 04340

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped? F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	3.3	75	1	NOT @ALL:(1)
1.9	0.1	2	2	FEW TIME:(2)
4.7	0.2	4	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.6	0.0	0	5	EVRYTIME:(5)
	96.4	2,172	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 681-682

V1495

021B078G:#X OVL COKE+BRB

Item Number: 04350

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped? G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.2	3.2	71	1	NOT @ALL:(1)
4.1	0.1	3	2	FEW TIME:(2)
5.3	0.2	4	3	SOM TIME:(3)
0.8	0.0	1	4	MST TIME:(4)
0.6	0.0	0	5	EVRYTIME:(5)
	96.4	2,173	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 683-684

V1496

021B078H:#X OVL COKE+TRN

Item Number: 04360

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped? H: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	3.2	71	1	NOT @ALL:(1)
2.2	0.1	2	2	FEW TIME:(2)
6.4	0.2	5	3	SOM TIME:(3)
1.5	0.1	1	4	MST TIME:(4)
1.4	0.1	1	5	EVRYTIME:(5)
	96.4	2,173	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 685-686

V1497

021B079A:COKE EXPERIMENT

Item Number: 04370

What have been the most important reasons for your taking cocaine? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	0.8	17	0	NT MARKD:(0)
79.5	3.0	68	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 687-688

V1498

021B079B:COKE RELAX

Item Number: 04380

What have been the most important reasons for your taking cocaine? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.8	2.7	61	0	NT MARKD:(0)
28.2	1.1	24	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 689-690

<b>V1499</b>	<b>021B079C:COKE GET HIGH</b>
--------------	-------------------------------

Item Number: 04390

What have been the most important reasons for your taking cocaine? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	1.7	38	0	NT MARKD:(0)
55.5	2.1	47	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 691-692

<b>V1500</b>	<b>021B079D:COKE SK INSIGHT</b>
--------------	---------------------------------

Item Number: 04400

What have been the most important reasons for your taking cocaine? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	3.5	79	0	NT MARKD:(0)
7.5	0.3	6	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 693-694

V1501

021B079E:COKE GD TM FRND

Item Number: 04410

What have been the most important reasons for your taking cocaine? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.1	2.6	58	0	NT MARKD:(0)
31.9	1.2	27	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 695-696

V1502

021B079F:COKE FIT IN GRP

Item Number: 04420

What have been the most important reasons for your taking cocaine? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	3.4	76	0	NT MARKD:(0)
10.6	0.4	9	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 697-698

<b>V1503</b>	<b>021B079G:COKE GT AWY PRB</b>
--------------	---------------------------------

Item Number: 04430

What have been the most important reasons for your taking cocaine? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	3.1	71	0	NT MARKD:(0)
17.2	0.7	15	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 699-700

<b>V1504</b>	<b>021B079H:COKE BOREDOME</b>
--------------	-------------------------------

Item Number: 04440

What have been the most important reasons for your taking cocaine? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	2.8	63	0	NT MARKD:(0)
26.1	1.0	22	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 701-702

V1505

021B079I:COKE ANGR &amp; FRSTN

Item Number: 04450

What have been the most important reasons for your taking cocaine? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	3.5	79	0	NT MARKD:(0)
7.1	0.3	6	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 703-704

V1506

021B079J:COKE GT THRU DA

Item Number: 04460

What have been the most important reasons for your taking cocaine? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	3.5	79	0	NT MARKD:(0)
7.0	0.3	6	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 705-706

<b>V1507</b>	<b>021B079K:COKE INCR EF DR</b>
--------------	---------------------------------

Item Number: 04470

What have been the most important reasons for your taking cocaine? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	3.3	74	0	NT MARKD:(0)
13.7	0.5	12	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 707-708

<b>V1508</b>	<b>021B079L:COKE DCRS EF DR</b>
--------------	---------------------------------

Item Number: 04480

What have been the most important reasons for your taking cocaine? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	3.4	78	0	NT MARKD:(0)
9.0	0.3	8	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 709-710

**V1509****021B079M:COKE STAY AWAKE**

Item Number: 04490

What have been the most important reasons for your taking cocaine? (Mark all that apply.) M. To stay awake

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	2.6	59	0	NT MARKD:(0)
31.3	1.2	27	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 711-712

**V1510****021B079N:COKE GET>ENERGY**

Item Number: 04500

What have been the most important reasons for your taking cocaine? (Mark all that apply.) N. To get more energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.0	2.0	46	0	NT MARKD:(0)
46.0	1.7	39	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 713-714

<b>V1511</b>	<b>021B0790:COKE I AM HOOKD</b>
--------------	---------------------------------

Item Number: 04510

What have been the most important reasons for your taking cocaine? (Mark all that apply.) 0. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	3.6	81	0	NT MARKD:(0)
5.0	0.2	4	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 715-716

<b>V1512</b>	<b>021B080 :COK,GET VERY HI</b>
--------------	---------------------------------

Item Number: 04520

When you take cocaine how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
 4="Very high" 5="I don't take it to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	0.4	8	1	NOT HIGH:(1)
13.1	0.5	12	2	LIT HIGH:(2)
44.6	1.8	41	3	MOD HIGH:(3)
28.8	1.2	26	4	VRY HIGH:(4)
4.6	0.2	4	5	N TK HI:(5)
	95.9	2,162	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 717-718

V1513

021B081 :COK,HIGH 24+ HR

Item Number: 04530

When you take cocaine how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.3	6	1	N GET HI:(1)
48.4	1.9	42	2	1-2 HRS:(2)
30.6	1.2	27	3	3-6 HRS:(3)
10.5	0.4	9	4	7-24 HRS:(4)
3.1	0.1	3	5	>24 HRS:(5)
	96.1	2,166	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 719-720

V1514

021B082 :\*TRY STP COK &amp; FL

Item Number: 04540

Have you ever tried to stop using cocaine and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.2	4	1	YES:(1)
95.5	3.9	89	2	NO:(2)
	95.9	2,161	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 721-722

<b>V1743</b>	<b>021B083A:FRM COKE-POWDER</b>
--------------	---------------------------------

Item Number: 04531

What forms of cocaine have you used? (Mark all that apply.)

A. Cocaine powder

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.3	6	0	NT MRKD:(0)
93.3	3.5	80	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1087-1088

<b>V1746</b>	<b>021B083B:FRM COKE-CRACK</b>
--------------	--------------------------------

Item Number: 04534

What forms of cocaine have you used? (Mark all that apply.)

B. "Crack" or "rock"

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	2.4	54	0	NT MRKD:(0)
37.0	1.4	32	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1093-1094

**V1744****021B083C:FRM COKE-FRBASE**

Item Number: 04532

What forms of cocaine have you used? (Mark all that apply.)

C. "Freebase" or "base"

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.7	3.0	68	0	NT MRKD:(0)
20.3	0.8	17	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1089-1090

**V1745****021B083D:FRM COKE-PASTE**

Item Number: 04533

What forms of cocaine have you used? (Mark all that apply.)

D. Coca paste

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	3.6	82	0	NT MRKD:(0)
3.9	0.1	3	1	MARKED:(1)
	96.2	2,168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1091-1092

<b>V1515</b>	<b>021B084A:MTHD COKE SNORT</b>
--------------	---------------------------------

Item Number: 04550

What methods have you used for taking cocaine? (Mark all that apply.) A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	0.4	10	0	NT MARKD:(0)
88.6	3.4	76	1	MARKED:(1)
	96.2	2,167	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 723-724

<b>V1516</b>	<b>021B084B:MTHD COKE-SMOKE</b>
--------------	---------------------------------

Item Number: 04560

What methods have you used for taking cocaine? (Mark all that apply.) B. Smoking

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	1.7	38	0	NT MARKD:(0)
56.1	2.1	48	1	MARKED:(1)
	96.2	2,167	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 725-726

V1517

021B084C:MTHD COKE-INJCT

Item Number: 04570

What methods have you used for taking cocaine? (Mark all that apply.) C. Injection

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	3.8	85	0	NT MARKD:(0)
1.8	0.1	2	1	MARKED:(1)
	96.2	2,167	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 727-728

V1747

021B084D:MTHD COKE-INHAL

Item Number: 04575

What methods have you used for taking cocaine? (Mark all that apply.) D. Inhaling fumes

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	3.2	72	0	NT MRKD:(0)
16.0	0.6	14	1	MARKED:(1)
	96.2	2,167	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1095-1096

<b>V1518</b>	<b>021B084E:MTHD COKE-MOUTH</b>
--------------	---------------------------------

Item Number: 04580

What methods have you used for taking cocaine? (Mark all that apply.) E. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	2.7	61	0	NT MARKD:(0)
29.5	1.1	25	1	MARKED:(1)
	96.2	2,167	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 729-730

<b>V1519</b>	<b>021B084F:MTHD COKE-OTHER</b>
--------------	---------------------------------

Item Number: 04590

What methods have you used for taking cocaine? (Mark all that apply.) F. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	3.8	85	0	NT MARKD:(0)
1.3	0.0	1	1	MARKED:(1)
	96.2	2,167	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 731-732

V1520

021B085 :NO COKE IN 5YR

Item Number: 04600

Do you think you will be using cocaine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	22	1	DEF WILL:(1)
0.5	0.5	10	2	PRB WILL:(2)
6.2	5.7	129	3	PRB WONT:(3)
92.3	85.5	1,927	4	DEF WONT:(4)
	7.3	164	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 733-734

V1521

021B086A:#X "H"/LIFETIME

Item Number: 01100

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	90.8	2,045	1	0 OCCAS:(1)
0.7	0.7	15	2	1-2X:(2)
0.4	0.4	9	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.4	0.4	8	7	40+OCCAS:(7)
	7.6	172	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 735-736

V1139

021B086A:#X "H"/LIFETIME

Item Number: 01100

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	90.8	2,045	1	0 OCCAS:(1)
0.7	0.7	15	2	1-2X:(2)
0.4	0.4	9	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.4	0.4	8	7	40+OCCAS:(7)
	7.6	172	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 92-93

V1522

021B086B:#X "H"/LAST 12M

Item Number: 01110

On how many occasions (if any) have you taken heroin . . . B:  
 . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	91.3	2,057	1	0 OCCAS:(1)
0.4	0.3	7	2	1-2X:(2)
0.5	0.4	10	3	3-5X:(3)
0.2	0.2	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	7.6	172	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 737-738

V1140

021B086B:#X "H"/LAST 12M

Item Number: 01110

On how many occasions (if any) have you taken heroin . . . B:  
 . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	91.3	2,057	1	0 OCCAS:(1)
0.4	0.3	7	2	1-2X:(2)
0.5	0.4	10	3	3-5X:(3)
0.2	0.2	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	7.6	172	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 94-95

V1523                      021B086C:#X "H"/LAST 30D

Item Number: 01120

On how many occasions (if any) have you taken heroin . . . C:  
 . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	92.1	2,076	1	0 OCCAS:(1)
0.1	0.1	2	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	7.6	172	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 739-740

V1141

021B086C:#X "H"/LAST 30D

Item Number: 01120

On how many occasions (if any) have you taken heroin . . . C:  
 . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	92.1	2,076	1	0 OCCAS:(1)
0.1	0.1	2	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	7.6	172	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 96-97

V1564

021B087 :DR TOLD TK NARC

Item Number: 05020

The next questions are about NARCOTICS OTHER THAN HEROIN, which are sometimes prescribed by doctors. Drugstores are not supposed to sell them without a prescription. These include: Methadone, Codeine, Oxycontin, Percodan, Opium, Demerol, Percocet, Dilaudid, Morphine, Vicodin. Have you ever taken any narcotics other than heroin because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."  
3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	73.2	1,649	1	NO:(1)
3.9	3.6	81	2	YES BUT:(2)
16.0	14.7	331	3	YES 1ST:(3)
	8.5	193	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 741-742

V1565

021B088A:#X NARC/LIFETIM

Item Number: 01130

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	80.7	1,819	1	0 OCCAS:(1)
4.4	4.1	92	2	1-2X:(2)
2.5	2.3	53	3	3-5X:(3)
1.6	1.5	34	4	6-9X:(4)
1.7	1.5	34	5	10-19X:(5)
0.9	0.8	18	6	20-39X:(6)
1.0	0.9	20	7	40+OCCAS:(7)
	8.1	184	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 743-744

V1142                      021B088A:#X NARC/LIFETIM

Item Number: 01130

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	80.7	1,819	1	0 OCCAS:(1)
4.4	4.1	92	2	1-2X:(2)
2.5	2.3	53	3	3-5X:(3)
1.6	1.5	34	4	6-9X:(4)
1.7	1.5	34	5	10-19X:(5)
0.9	0.8	18	6	20-39X:(6)
1.0	0.9	20	7	40+OCCAS:(7)
	8.1	184	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 98-99

V1566

021B088B:#X NARC/LAST12M

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	84.5	1,904	1	0 OCCAS:(1)
3.3	3.0	69	2	1-2X:(2)
1.4	1.3	29	3	3-5X:(3)
1.2	1.1	25	4	6-9X:(4)
0.9	0.9	20	5	10-19X:(5)
0.6	0.5	12	6	20-39X:(6)
0.7	0.6	14	7	40+OCCAS:(7)
	8.1	182	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 745-746

V1143                      021B088B:#X NARC/LAST12M

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	84.5	1,904	1	0 OCCAS:(1)
3.3	3.0	69	2	1-2X:(2)
1.4	1.3	29	3	3-5X:(3)
1.2	1.1	25	4	6-9X:(4)
0.9	0.9	20	5	10-19X:(5)
0.6	0.5	12	6	20-39X:(6)
0.7	0.6	14	7	40+OCCAS:(7)
	8.1	182	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 100-101

V1567

021B088C:#X NARC/LAST30D

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	88.6	1,996	1	0 OCCAS:(1)
1.9	1.7	39	2	1-2X:(2)
0.5	0.5	11	3	3-5X:(3)
0.7	0.6	14	4	6-9X:(4)
0.3	0.2	5	5	10-19X:(5)
0.2	0.1	3	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	8.1	183	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 747-748

V1144                      021B088C:#X NARC/LAST30D

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	88.6	1,996	1	0 OCCAS:(1)
1.9	1.7	39	2	1-2X:(2)
0.5	0.5	11	3	3-5X:(3)
0.7	0.6	14	4	6-9X:(4)
0.3	0.2	5	5	10-19X:(5)
0.2	0.1	3	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	8.1	183	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 102-103

V1568

021B089A:#X/YR NARC ALNE

Item Number: 05030

IF YOU HAVE NOT TAKEN NARCOTICS OTHER THAN HEROIN IN THE LAST TWELVE MONTHS, GO TO QUESTION 97. | THE FOLLOWING QUESTIONS REFER ONLY TO TAKING NARCOTICS OTHER THAN HEROIN WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 97. | When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	2.9	65	1	NOT @ALL:(1)
31.6	2.0	45	2	FEW TIME:(2)
13.8	0.9	19	3	SOM TIME:(3)
1.1	0.1	1	4	MST TIME:(4)
7.4	0.5	10	5	EVRYTIME:(5)
	93.7	2,112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 749-750

V1569

021B089B:#X/YR NARC-2PPL

Item Number: 05040

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	1.5	34	1	NOT @ALL:(1)
33.2	2.1	47	2	FEW TIME:(2)
21.5	1.3	30	3	SOM TIME:(3)
8.1	0.5	11	4	MST TIME:(4)
13.0	0.8	18	5	EVRYTIME:(5)
	93.8	2,113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 751-752

V1570

021B089C:#X/YR NARC@PRTY

Item Number: 05050

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	2.9	65	1	NOT @ALL:(1)
14.5	0.9	20	2	FEW TIME:(2)
19.2	1.2	27	3	SOM TIME:(3)
11.7	0.7	16	4	MST TIME:(4)
7.7	0.5	11	5	EVRYTIME:(5)
	93.8	2,114	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 753-754

V1571

021B089D:#X/YR NARC-DT/S

Item Number: 05060

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	3.5	80	1	NOT @ALL:(1)
19.9	1.2	28	2	FEW TIME:(2)
8.1	0.5	11	3	SOM TIME:(3)
8.5	0.5	12	4	MST TIME:(4)
6.1	0.4	8	5	EVRYTIME:(5)
	93.8	2,115	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 755-756

V1572

021B089E:#X/YR NARC-ADLT

Item Number: 05070

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.8	3.2	73	1	NOT @ALL:(1)
19.0	1.2	27	2	FEW TIME:(2)
15.8	1.0	22	3	SOM TIME:(3)
5.5	0.3	8	4	MST TIME:(4)
7.9	0.5	11	5	EVRYTIME:(5)
	93.7	2,112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 757-758

V1573

021B089F:#X/YR NARC-DATM

Item Number: 05080

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	3.0	68	1	NOT @ALL:(1)
22.3	1.4	31	2	FEW TIME:(2)
14.7	0.9	21	3	SOM TIME:(3)
10.5	0.7	15	4	MST TIME:(4)
4.4	0.3	6	5	EVRYTIME:(5)
	93.7	2,112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 759-760

V1574

021B089G:#X/YR NARC@HOME

Item Number: 05090

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	2.0	46	1	NOT @ALL:(1)
26.5	1.7	38	2	FEW TIME:(2)
15.8	1.0	22	3	SOM TIME:(3)
11.6	0.7	16	4	MST TIME:(4)
13.5	0.9	19	5	EVRYTIME:(5)
	93.7	2,112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 761-762

V1575

021B089H:#X/YR NARC@SCHL

Item Number: 05100

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	4.3	98	1	NOT @ALL:(1)
12.0	0.7	17	2	FEW TIME:(2)
12.6	0.8	18	3	SOM TIME:(3)
2.6	0.2	4	4	MST TIME:(4)
2.6	0.2	4	5	EVRYTIME:(5)
	93.8	2,114	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 763-764

V1576

021B089I:#X/YR NARC @CAR

Item Number: 05120

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	3.9	88	1	NOT @ALL:(1)
14.3	0.9	20	2	FEW TIME:(2)
15.7	1.0	22	3	SOM TIME:(3)
2.8	0.2	4	4	MST TIME:(4)
5.0	0.3	7	5	EVRYTIME:(5)
	93.8	2,113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 765-766

V1577

021B090A:#X OVL NARC+ALC

Item Number: 05130

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.2	3.2	73	1	NOT @ALL:(1)
18.2	1.1	26	2	FEW TIME:(2)
15.3	1.0	22	3	SOM TIME:(3)
8.1	0.5	12	4	MST TIME:(4)
7.2	0.5	10	5	EVRYTIME:(5)
	93.7	2,112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 767-768

V1578

021B090B:#X OVL NARC+MJ

Item Number: 05140

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.2	2.8	64	1	NOT @ALL:(1)
16.9	1.1	24	2	FEW TIME:(2)
12.4	0.8	18	3	SOM TIME:(3)
9.8	0.6	14	4	MST TIME:(4)
15.7	1.0	22	5	EVRYTIME:(5)
	93.7	2,112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 769-770

V1579

021B090C:#X OVL NARC+LSD

Item Number: 05150

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	5.8	131	1	NOT @ALL:(1)
2.6	0.2	4	2	FEW TIME:(2)
0.6	0.0	1	3	SOM TIME:(3)
1.7	0.1	2	4	MST TIME:(4)
1.5	0.1	2	5	EVRYTIME:(5)
	93.8	2,114	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 771-772

V1580

021B090D:#X OVL NARC+PSY

Item Number: 05160

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? D: hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	5.7	129	1	NOT @ALL:(1)
2.6	0.2	4	2	FEW TIME:(2)
0.5	0.0	1	3	SOM TIME:(3)
2.4	0.1	3	4	MST TIME:(4)
0.9	0.1	1	5	EVRYTIME:(5)
	93.9	2,116	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 773-774

V1581

021B090E:#X OVL NARC+AMP

Item Number: 05170

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	5.5	124	1	NOT @ALL:(1)
6.9	0.4	9	2	FEW TIME:(2)
0.0	0.0	0	3	SOM TIME:(3)
1.7	0.1	2	4	MST TIME:(4)
0.4	0.0	0	5	EVRYTIME:(5)
	93.9	2,117	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 775-776

V1582

021B090F:#X OVL NARC+QUA

Item Number: 05180

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	5.9	133	1	NOT @ALL:(1)
2.2	0.1	3	2	FEW TIME:(2)
0.0	0.0	0	3	SOM TIME:(3)
1.7	0.1	2	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	93.9	2,116	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 777-778

V1583

021B090G:#X OVL NARC+BRB

Item Number: 05190

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	5.7	129	1	NOT @ALL:(1)
2.9	0.2	4	2	FEW TIME:(2)
2.7	0.2	4	3	SOM TIME:(3)
1.7	0.1	2	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	93.8	2,115	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 779-780

V1584

021B090H:#X OVL NARC+TRN

Item Number: 05200

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? H: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	5.7	127	1	NOT @ALL:(1)
4.0	0.2	5	2	FEW TIME:(2)
1.9	0.1	3	3	SOM TIME:(3)
1.7	0.1	2	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	93.9	2,116	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 781-782

V1585

021B090I:#X OVL NARC+COK

Item Number: 05210

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? I: With cocaine

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	5.7	128	1	NOT @ALL:(1)
3.8	0.2	5	2	FEW TIME:(2)
0.8	0.1	1	3	SOM TIME:(3)
1.7	0.1	2	4	MST TIME:(4)
1.6	0.1	2	5	EVRYTIME:(5)
	93.8	2,115	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 783-784

V1586

021B090J:#X OVL NARC+HER

Item Number: 05220

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? J: With heroin

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	5.9	134	1	NOT @ALL:(1)
0.0	0.0	0	2	FEW TIME:(2)
0.0	0.0	0	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.4	0.0	0	5	EVRYTIME:(5)
	94.0	2,119	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 785-786

<b>V1587</b>	<b>021B091A:NARC EXPERIMENT</b>
--------------	---------------------------------

Item Number: 05230

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.1	2.9	65	0	NT MARKD:(0)
50.9	3.0	67	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 787-788

<b>V1588</b>	<b>021B091B:NARC RELAX</b>
--------------	----------------------------

Item Number: 05240

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.2	3.0	68	0	NT MARKD:(0)
48.8	2.9	64	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 789-790

V1589

021B091C:NARC GET HIGH

Item Number: 05250

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.3	3.4	76	0	NT MARKD:(0)
42.7	2.5	56	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 791-792

V1590

021B091D:NARC SK INSIGTS

Item Number: 05260

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	5.6	127	0	NT MARKD:(0)
4.1	0.2	5	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 793-794

<b>V1591</b>	<b>021B091E:NARC GD TM FRND</b>
--------------	---------------------------------

Item Number: 05270

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	4.4	98	0	NT MARKD:(0)
25.4	1.5	33	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 795-796

<b>V1592</b>	<b>021B091F:NARC FIT IN GRP</b>
--------------	---------------------------------

Item Number: 05280

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	5.7	128	0	NT MARKD:(0)
3.0	0.2	4	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 797-798

V1593

021B091G:NARC GT AWY PBM

Item Number: 05290

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.1	4.7	106	0	NT MARKD:(0)
19.9	1.2	26	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 799-800

V1594

021B091H:NARC BOREDOM

Item Number: 05300

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	4.9	111	0	NT MARKD:(0)
15.7	0.9	21	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 801-802

<b>V1595</b>	<b>021B091I:NARC ANGR &amp; FRSTN</b>
--------------	---------------------------------------

Item Number: 05310

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	5.3	119	0	NT MARKD:(0)
10.0	0.6	13	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 803-804

<b>V1596</b>	<b>021B091J:NARC GT THRU DA</b>
--------------	---------------------------------

Item Number: 05320

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	5.5	125	0	NT MARKD:(0)
5.4	0.3	7	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 805-806

V1597

021B091K:NARC INC EF DG

Item Number: 05330

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	5.0	112	0	NT MARKD:(0)
15.1	0.9	20	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 807-808

V1598

021B091L:NARC DEC EF DG

Item Number: 05340

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	5.7	129	0	NT MARKD:(0)
2.3	0.1	3	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 809-810

<b>V1599</b>	<b>021B091M:NARC GET SLEEP</b>
--------------	--------------------------------

Item Number: 05350

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) M. To get to sleep

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.4	3.8	85	0	NT MARKD:(0)
35.6	2.1	47	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 811-812

<b>V1600</b>	<b>021B091N:NARC SBST HEROIN</b>
--------------	----------------------------------

Item Number: 05360

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) N. As a substitute for heroin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	5.7	128	0	NT MARKD:(0)
2.7	0.2	4	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 813-814

V1697

021B0910:NARC RLV PHYS P

Item Number: 05363

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) O. To relieve physical pain

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	2.9	66	0	NT MARKD:(0)
49.7	2.9	66	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 999-1000

V1698

021B091P:NARC RLV COUGHN

Item Number: 05366

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) P. To control coughing

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	5.4	121	0	NT MARKD:(0)
8.1	0.5	11	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1001-1002

<b>V1601</b>	<b>021B091Q:NARC I AM HOOKD</b>
--------------	---------------------------------

Item Number: 05370

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) Q. Because I am "hooked"--I have to have them

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	5.8	130	0	NT MARKD:(0)
1.7	0.1	2	1	MARKED:(1)
	94.1	2,122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 815-816

<b>V1602</b>	<b>021B092 :NARC,GT VERY HI</b>
--------------	---------------------------------

Item Number: 05380

When you take narcotics other than heroin how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
 4="Very high" 5="I don't take them to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	0.7	16	1	NOT HIGH:(1)
22.3	1.4	31	2	LIT HIGH:(2)
36.3	2.2	50	3	MOD HIGH:(3)
15.2	0.9	21	4	VRY HIGH:(4)
14.7	0.9	20	5	N TK HI:(5)
	93.9	2,116	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 817-818

V1603

021B093 :NARC,HI 24+ HRS

Item Number: 05390

When you take narcotics other than heroin how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	1.4	31	1	N GET HI:(1)
28.4	1.8	40	2	1-2 HRS:(2)
35.2	2.2	49	3	3-6 HRS:(3)
14.0	0.9	20	4	7-24 HRS:(4)
0.0	0.0	0	5	>24 HRS:(5)
	93.8	2,114	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 819-820

<b>V1604</b>	<b>021B094A:NARC TKN MTHDNE</b>
--------------	---------------------------------

Item Number: 05400

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Methadone

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	4.4	99	0	NT MARKD:(0)
13.9	0.7	16	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 821-822

<b>V1605</b>	<b>021B094B:NARC TKN OPIUM</b>
--------------	--------------------------------

Item Number: 05410

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Opium

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	3.2	73	0	NT MARKD:(0)
36.8	1.9	42	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 823-824

V1606

021B094C:NARC TKN MRPHNE

Item Number: 05420

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)  
C. Morphine

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	3.8	86	0	NT MARKD:(0)
24.9	1.3	29	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 825-826

V1607

021B094D:NARC TKN CODEIN

Item Number: 05430

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)  
D. Codeine

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	1.4	33	0	NT MARKD:(0)
71.6	3.6	82	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 827-828

<b>V1608</b>	<b>021B094E:NARC TKN DEMROL</b>
--------------	---------------------------------

Item Number: 05440

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Demerol

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	3.9	88	0	NT MARKD:(0)
23.8	1.2	27	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 829-830

<b>V1816</b>	<b>021B094F:NARC TKN VICODN</b>
--------------	---------------------------------

Item Number: 05445

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Vicodin

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	2.2	51	0	NT MARKD:(0)
56.0	2.9	64	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1229-1230

V1817

021B094G:NARC TKN OXYCON

Item Number: 05455

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Oxycontin

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	3.9	87	0	NT MARKD:(0)
24.0	1.2	28	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1231-1232

V1818

021B094H:NARC TKN PERCET

Item Number: 05465

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Percocet

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	3.6	81	0	NT MARKD:(0)
29.7	1.5	34	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1233-1234

<b>V1819</b>	<b>021B094I:NARC TKN PERDAN</b>
--------------	---------------------------------

Item Number: 05475

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Percodan

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	4.7	106	0	NT MARKD:(0)
7.9	0.4	9	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1235-1236

<b>V1820</b>	<b>021B094J:NARC TKN DILAUD</b>
--------------	---------------------------------

Item Number: 05478

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

J. Dilaudid

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	5.0	113	0	NT MARKD:(0)
2.0	0.1	2	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1237-1238

V1612

021B094K:NARC TKN OTHER

Item Number: 05480

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

K. Other

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	3.8	85	0	NT MARKD:(0)
25.9	1.3	30	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 831-832

V1613

021B094L:NARC TKN DNT KN

Item Number: 05490

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

L. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

[Data from the western region intentionally obliterated]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	4.5	101	0	NT MARKD:(0)
12.4	0.6	14	1	MARKED:(1)
	94.9	2,139	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 833-834

<b>V1614</b>	<b>021B095 :TRY STP NARC &amp; FL</b>
--------------	---------------------------------------

Item Number: 05500

Have you ever tried to stop using narcotics other than heroin and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.2	4	1	YES:(1)
97.4	6.0	136	2	NO:(2)
	93.8	2,114	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 835-836

<b>V1615</b>	<b>021B096A:METH NARC SNORT</b>
--------------	---------------------------------

Item Number: 05510

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	4.1	93	0	NT MARKD:(0)
32.6	2.0	45	1	MARKED:(1)
	93.9	2,116	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 837-838

V1616

021B096B:METH NARC SMOKE

Item Number: 05520

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) B. Smoking

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.5	4.7	105	0	NT MARKD:(0)
23.5	1.4	32	1	MARKED:(1)
	93.9	2,116	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 839-840

V1617

021B096C:METH NARC INJCT

Item Number: 05530

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) C. Injection

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	5.9	134	0	NT MARKD:(0)
2.7	0.2	4	1	MARKED:(1)
	93.9	2,116	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 841-842

<b>V1618</b>	<b>021B096D:METH NARC MOUTH</b>
--------------	---------------------------------

Item Number: 05540

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) D. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	0.6	14	0	NT MARKD:(0)
90.2	5.5	124	1	MARKED:(1)
	93.9	2,116	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 843-844

<b>V1619</b>	<b>021B096E:METH NARC OTHER</b>
--------------	---------------------------------

Item Number: 05550

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) E. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	6.0	135	0	NT MARKD:(0)
2.0	0.1	3	1	MARKED:(1)
	93.9	2,116	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 845-846

V1620

021B097 :NO NARC IN 5YR

Item Number: 05560

Do you think you will be using any narcotics other than heroin without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	17	1	DEF WILL:(1)
1.7	1.6	35	2	PRB WILL:(2)
11.4	10.5	237	3	PRB WONT:(3)
86.0	79.2	1,785	4	DEF WONT:(4)
	7.9	179	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 847-848

V1762

021B098 :ATTND DRG TRTMN

Item Number: 22360

Have you ever attended a treatment program for alcohol or drug abuse where you stayed overnight?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	91.8	2,069	1	NO/NVR:(1)
0.4	0.4	8	2	Y/-PSTYR:(2)
0.4	0.3	8	3	Y/PST YR:(3)
	7.5	169	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1120-1121

V1763

021B099 :RCV DRG COUNSEL

Item Number: 22370

Have you ever received any other kind of professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	88.9	2,004	1	NO/NVR:(1)
2.1	2.0	44	2	Y/-PSTYR:(2)
1.7	1.5	35	3	Y/PST YR:(3)
	7.5	170	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1122-1123

V1621

021B100A:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to.  
 A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.1	48	1	GRADE 6:(1)
2.8	2.5	56	2	GRADE 7:(2)
4.2	3.7	82	3	GRADE 8:(3)
5.4	4.7	107	4	GRADE 9:(4)
4.8	4.2	95	5	GRADE 10:(5)
3.0	2.7	60	6	GRADE 11:(6)
2.7	2.4	53	7	GRADE 12:(7)
74.6	65.4	1,474	8	NEVER:(8)
	12.3	278	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 849-850

V1622                      021B100B:GR 1ST TRY ALC

Item Number: 05580

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to. B:  
 Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	6.2	140	1	GRADE 6:(1)
7.7	6.6	150	2	GRADE 7:(2)
15.0	12.9	290	3	GRADE 8:(3)
18.9	16.2	366	4	GRADE 9:(4)
13.5	11.6	261	5	GRADE 10:(5)
11.4	9.8	220	6	GRADE 11:(6)
7.1	6.1	137	7	GRADE 12:(7)
19.1	16.4	370	8	NEVER:(8)
	14.2	319	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 851-852

V1623

021B100C:GR 1ST TRY MJ

Item Number: 05590

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to. C:  
 Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.3	51	1	GRADE 6:(1)
4.9	4.4	99	2	GRADE 7:(2)
7.1	6.3	142	3	GRADE 8:(3)
10.9	9.7	218	4	GRADE 9:(4)
9.0	8.0	180	5	GRADE 10:(5)
6.8	6.0	136	6	GRADE 11:(6)
4.4	3.9	88	7	GRADE 12:(7)
54.5	48.5	1,093	8	NEVER:(8)
	11.0	248	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 853-854

V1624	021B100D:GR 1ST TRY LSD
-------	-------------------------

Item Number: 05600

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to.  
 D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	1	GRADE 6:(1)
0.6	0.6	12	2	GRADE 7:(2)
1.4	1.2	28	3	GRADE 8:(3)
1.4	1.2	28	4	GRADE 9:(4)
1.7	1.6	35	5	GRADE 10:(5)
1.4	1.2	28	6	GRADE 11:(6)
0.4	0.4	8	7	GRADE 12:(7)
93.1	84.3	1,899	8	NEVER:(8)
	9.5	214	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 855-856

V1625

021B100E:GR 1ST TRY PSY

Item Number: 05610

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to. E:  
 Try a hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	GRADE 6:(1)
0.2	0.2	4	2	GRADE 7:(2)
0.8	0.7	15	3	GRADE 8:(3)
1.3	1.1	26	4	GRADE 9:(4)
1.6	1.4	32	5	GRADE 10:(5)
1.5	1.4	30	6	GRADE 11:(6)
1.3	1.1	26	7	GRADE 12:(7)
93.3	83.5	1,881	8	NEVER:(8)
	10.6	238	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 857-858

V1626

021B100F:GR 1ST TRY AMP

Item Number: 05620

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to. F:  
 Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	5	1	GRADE 6:(1)
0.2	0.2	5	2	GRADE 7:(2)
0.9	0.8	18	3	GRADE 8:(3)
2.4	2.1	47	4	GRADE 9:(4)
2.1	1.8	41	5	GRADE 10:(5)
2.1	1.8	41	6	GRADE 11:(6)
0.7	0.6	14	7	GRADE 12:(7)
91.3	79.3	1,788	8	NEVER:(8)
	13.1	294	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 859-860

V1627

021B100G:GR 1ST TRY QUA

Item Number: 05630

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to.  
 G: Try quaaludes

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	GRADE 6:(1)
0.1	0.1	1	2	GRADE 7:(2)
0.3	0.3	6	3	GRADE 8:(3)
0.3	0.3	6	4	GRADE 9:(4)
0.2	0.2	4	5	GRADE 10:(5)
0.0	0.0	1	6	GRADE 11:(6)
0.0	0.0	0	7	GRADE 12:(7)
99.1	89.5	2,016	8	NEVER:(8)
	9.8	220	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 861-862

V1628

021B100H:GR 1ST TRY BRB

Item Number: 05640

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to.

H: Try barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	GRADE 6:(1)
0.0	0.0	1	2	GRADE 7:(2)
0.4	0.3	7	3	GRADE 8:(3)
1.0	0.9	20	4	GRADE 9:(4)
0.5	0.4	10	5	GRADE 10:(5)
0.3	0.2	5	6	GRADE 11:(6)
0.4	0.3	7	7	GRADE 12:(7)
97.4	86.9	1,959	8	NEVER:(8)
	10.8	242	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 863-864

V1629

021B100I:GR 1ST TRY TRN

Item Number: 05650

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to.  
 I: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	GRADE 6:(1)
0.1	0.1	2	2	GRADE 7:(2)
0.6	0.6	13	3	GRADE 8:(3)
1.5	1.3	30	4	GRADE 9:(4)
1.5	1.3	29	5	GRADE 10:(5)
1.3	1.1	25	6	GRADE 11:(6)
1.0	0.9	20	7	GRADE 12:(7)
93.9	82.5	1,860	8	NEVER:(8)
	12.1	273	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 865-866

V1630

021B100J:GR 1ST TRY COK

Item Number: 05660

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to.  
 J: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	GRADE 6:(1)
0.2	0.2	5	2	GRADE 7:(2)
0.8	0.7	17	3	GRADE 8:(3)
0.6	0.5	12	4	GRADE 9:(4)
1.6	1.5	33	5	GRADE 10:(5)
1.4	1.2	28	6	GRADE 11:(6)
1.7	1.5	35	7	GRADE 12:(7)
93.5	84.8	1,912	8	NEVER:(8)
	9.2	208	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 867-868

V1631

021B100K:GR 1ST TRY HER

Item Number: 05670

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to.  
 K: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	GRADE 6:(1)
0.0	0.0	1	2	GRADE 7:(2)
0.1	0.1	1	3	GRADE 8:(3)
0.2	0.2	3	4	GRADE 9:(4)
0.2	0.2	4	5	GRADE 10:(5)
0.4	0.4	9	6	GRADE 11:(6)
0.5	0.4	10	7	GRADE 12:(7)
98.5	88.7	2,000	8	NEVER:(8)
	9.9	224	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 869-870

V1632                      021B100L:GR 1ST TRY NRC

Item Number: 05680

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to. L:  
 Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	7	1	GRADE 6:(1)
0.4	0.4	8	2	GRADE 7:(2)
0.6	0.5	12	3	GRADE 8:(3)
1.4	1.2	27	4	GRADE 9:(4)
3.0	2.7	60	5	GRADE 10:(5)
1.6	1.4	32	6	GRADE 11:(6)
1.6	1.4	32	7	GRADE 12:(7)
90.9	79.4	1,789	8	NEVER:(8)
	12.7	286	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 871-872

V1748

021B100M:GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to. M:  
 Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	13.6	306	1	GRADE 6:(1)
9.9	8.6	195	2	GRADE 7:(2)
9.5	8.2	186	3	GRADE 8:(3)
8.5	7.4	167	4	GRADE 9:(4)
5.0	4.4	98	5	GRADE 10:(5)
3.4	3.0	66	6	GRADE 11:(6)
1.8	1.6	36	7	GRADE 12:(7)
46.2	40.2	906	8	NEVER:(8)
	13.0	293	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1097-1098

V1749

021B100N:GR 1ST DRUNK

Item Number: 05585

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to.  
 N: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	1.8	42	1	GRADE 6:(1)
4.5	3.9	87	2	GRADE 7:(2)
9.5	8.1	183	3	GRADE 8:(3)
15.8	13.4	301	4	GRADE 9:(4)
12.1	10.3	232	5	GRADE 10:(5)
9.6	8.2	184	6	GRADE 11:(6)
6.4	5.4	123	7	GRADE 12:(7)
39.8	33.8	761	8	NEVER:(8)
	15.2	342	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1099-1100

V1783

021B1000:GR 1ST TRY CRAC

Item Number: 05661

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to. 0:  
 Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	GRADE 6:(1)
0.0	0.0	1	2	GRADE 7:(2)
0.3	0.3	7	3	GRADE 8:(3)
0.3	0.2	6	4	GRADE 9:(4)
0.7	0.7	15	5	GRADE 10:(5)
0.4	0.4	9	6	GRADE 11:(6)
0.4	0.4	9	7	GRADE 12:(7)
97.7	88.1	1,985	8	NEVER:(8)
	9.9	222	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1162-1163

V1784

021B100P:GR 1ST TRY ICE

Item Number: 24430

When (if ever) did you FIRST do each of the following things?  
 Don't count anything you took because a doctor told you to.  
 P: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11  
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	7	1	GRADE 6:(1)
0.0	0.0	1	2	GRADE 7:(2)
0.2	0.2	5	3	GRADE 8:(3)
0.7	0.6	14	4	GRADE 9:(4)
0.8	0.7	16	5	GRADE 10:(5)
1.3	1.1	26	6	GRADE 11:(6)
0.5	0.5	11	7	GRADE 12:(7)
96.1	88.0	1,982	8	NEVER:(8)
	8.5	192	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1164-1165

V1785

021B101A:ALL FRD SMK CIG

Item Number: 07070

How many of your friends would you estimate . . . A: Smoke  
cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	13.7	308	1	NONE:(1)
34.7	32.0	721	2	A FEW:(2)
31.8	29.4	662	3	SOME:(3)
17.2	15.9	358	4	MOST:(4)
1.5	1.4	31	5	ALL:(5)
	7.7	174	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1166-1167

V1786

021B101B:ALL FRD SMK MAR

Item Number: 07080

How many of your friends would you estimate . . . B: Smoke  
marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	17.7	399	1	NONE:(1)
31.1	28.7	647	2	A FEW:(2)
28.7	26.5	596	3	SOME:(3)
18.4	17.0	382	4	MOST:(4)
2.6	2.4	53	5	ALL:(5)
	7.8	176	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1168-1169

<b>V1787</b>	<b>021B101C:# FRNDS TK CRAC</b>
--------------	---------------------------------

Item Number: 07151

How many of your friends would you estimate . . . C: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.1	71.8	1,618	1	NONE:(1)
18.2	16.8	378	2	A FEW:(2)
2.9	2.6	60	3	SOME:(3)
0.5	0.5	11	4	MOST:(4)
0.3	0.3	6	5	ALL:(5)
	8.0	181	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1170-1171

<b>V1788</b>	<b>021B101D:# FRNDS TK C PW</b>
--------------	---------------------------------

Item Number: 23990

How many of your friends would you estimate. . . D: Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	69.5	1,565	1	NONE:(1)
19.2	17.5	394	2	A FEW:(2)
3.8	3.5	79	3	SOME:(3)
0.5	0.5	11	4	MOST:(4)
0.4	0.4	8	5	ALL:(5)
	8.7	195	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1172-1173

V1789

021B101E:ALL FRD DRK ALC

Item Number: 07190

How many of your friends would you estimate . . . E: Drink  
alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	6.5	146	1	NONE:(1)
12.3	11.2	253	2	A FEW:(2)
21.1	19.3	435	3	SOME:(3)
41.2	37.7	849	4	MOST:(4)
18.4	16.8	379	5	ALL:(5)
	8.5	192	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1174-1175

V1790

021B101F:ALL FRD GT DRUN

Item Number: 07200

How many of your friends would you estimate . . . F: Get  
drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	22.6	510	1	NONE:(1)
30.1	27.7	625	2	A FEW:(2)
24.5	22.6	509	3	SOME:(3)
16.2	14.9	336	4	MOST:(4)
4.7	4.3	97	5	ALL:(5)
	7.9	177	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1176-1177

<b>V1148</b>	<b>021(R) :AGE &lt;&gt;18 DICHOTOMY</b>
--------------	---

Item Number:

Item comprised of responses to question C01 "In what year were you born?" (item 00010), question C02 "In what month were you born" (item 00020), and date of questionnaire administration recorded by interviewer.

1="younger than 18" 2="18 years of age or over"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	39.2	883	1	< 18:(1)
57.9	53.9	1,215	2	18+:(2)
	6.9	156	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 104-105

<b>V1150</b>	<b>021C003 :R'S SEX</b>
--------------	-------------------------

Item Number: 00030

What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	41.9	944	1	MALE:(1)
54.0	49.2	1,108	2	FEMALE:(2)
	8.9	201	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 106-107

V1151

021C04 :R'S RACE

Item Number: 00040

How do you describe yourself?

2="Black or African American" 3="Mexican American or Chicano"  
 4="Cuban American" 8="Puerto Rican" 9="Other Latin American"  
 5="Asian American" 6="White (Caucasian)" 1="American Indian  
 (Native American Indian)" 7="Other". Responses other than 2  
 ("Black or African American") and 6 ("White [Caucasian]") were  
 recoded to missing data in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	60.8	1,370	0	WHITE
14.6	10.4	234	1	BLACK
	28.8	650	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 108-109

V1152

021C005 :R SPD &gt;TIM R-UR

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	16.3	368	0	DK/MIXED:(0)
4.7	4.7	105	1	FARM:(1)
9.0	9.0	203	2	COUNTRY:(2)
27.0	27.0	609	3	SML TOWN:(3)
11.1	11.1	249	4	MED CITY:(4)
7.1	7.1	160	5	SUBURB 4:(5)
9.9	9.9	223	6	LRG CITY:(6)
6.2	6.2	141	7	SUBURB 6:(7)
4.5	4.5	101	8	VRYLG CY:(8)
4.2	4.2	94	9	SUBURB 8:(9)
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Column: 110

V1153

021C006 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.1	47	1	MARRIED:(1)
5.9	5.5	123	2	ENGAGED:(2)
0.8	0.8	18	3	SEP/DIV:(3)
91.0	84.2	1,898	4	SINGLE:(4)
	7.4	168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 111-112

V49

02C07R:# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more" For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	5.9	133	0	
30.8	28.5	641	1	
28.2	26.1	587	2	
34.7	32.1	724	3	3 OR MORE
	7.4	168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 18-19

V1155

021C07Cb(R):R'S HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.) . . . B. . . . Father (or male guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	24.8	559	0	NT MARKD:(0)
73.1	67.3	1,517	1	MARKED:(1)
	7.9	178	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 113-114

V1156

021C07Cc(R):R'S HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.) . . . C. . . . Mother (or female guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	8.7	195	0	NT MARKD:(0)
90.6	83.4	1,880	1	MARKED:(1)
	7.9	178	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 115-116

V1157

021C07Cd(R):R'S HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.) D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	29.9	674	0	NT MARKD:(0)
67.5	62.2	1,401	1	MARKED:(1)
	7.9	178	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 117-118

V1163

021C008 :FATHR EDUC LEVE

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed college"  
 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.3	96	1	GRDE SCH:(1)
8.5	7.7	175	2	SOME HS:(2)
27.5	25.1	565	3	HS GRAD:(3)
15.3	13.9	314	4	SOME CLG:(4)
24.1	21.9	495	5	CLG GRAD:(5)
12.1	11.0	249	6	GRAD SCH:(6)
7.8	7.1	160	7	DK:(7)
	8.9	201	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 119-120

V1164

021C009 :MOTHR EDUC LEVE

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed  
 college" 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.0	91	1	GRDE SCH:(1)
6.9	6.3	142	2	SOME HS:(2)
26.3	24.0	541	3	HS GRAD:(3)
22.8	20.8	469	4	SOME CLG:(4)
23.7	21.6	487	5	CLG GRAD:(5)
11.7	10.7	240	6	GRAD SCH:(6)
4.2	3.8	86	7	DK:(7)
	8.7	197	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 121-122

V1165

021C010 :MOTH PD JB R YN

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	14.3	322	1	NO:(1)
19.8	17.9	404	2	SOMETIME:(2)
18.9	17.1	386	3	MOSTTIME:(3)
45.5	41.2	928	4	ALL TIME:(4)
	9.4	213	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 123-124

V1166

021C011 :R'S POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT VALID	PCT ALL	N	VALUE	LABEL
7.8	6.7	151	1	STRG GOP:(1)
15.4	13.3	300	2	MILD GOP:(2)
12.8	11.1	250	3	MILD DEM:(3)
9.0	7.8	176	4	STRG DEM:(4)
7.8	6.7	152	5	INDEPNDT:(5)
18.6	16.1	362	6	NO PREF:(6)
0.8	0.7	16	7	OTHER:(7)
27.8	24.0	541	8	DK:(8)
	13.6	307	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 125-126

V1167

021C012 :R'POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"  
 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above,  
 or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.3	75	1	VRY CONS:(1)
10.2	9.2	206	2	CONSERV:(2)
23.2	20.7	467	3	MODERATE:(3)
14.2	12.7	287	4	LIBERAL:(4)
3.0	2.7	60	5	VRY LIB:(5)
2.7	2.4	55	6	RADICAL:(6)
43.0	38.5	867	8	NONE/DK:(8)
	10.5	236	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 127-128

V1169

021C013B:R'ATTND REL SVC

Item Number: 00370

The next three questions are about religion. B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	10.8	244	1	NEVER:(1)
30.7	21.4	483	2	RARELY:(2)
16.0	11.2	252	3	1-2X/MO:(3)
37.8	26.4	594	4	1/WK OR+:(4)
	30.2	681	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 129-130

V1170

021C013C:RLGN IMP R'S LF

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"  
 4="Very important" Responses from the western region  
 intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	9.9	223	1	NOT IMPT:(1)
22.0	15.3	346	2	LITL IMP:(2)
29.4	20.5	462	3	PRTY IMP:(3)
34.4	24.0	542	4	VERY IMP:(4)
	30.2	681	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 131-132

V1171

021C014 :WHEN R XPCT GRA

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"  
 6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	88.9	2,004	1	BY JUNE:(1)
0.9	0.8	17	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.6	0.6	13	6	WONT:(6)
	9.7	219	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 133-134

V1172

021C015 :R'S HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.2	45.5	1,026	1	CLG PREP:(1)
33.8	30.1	678	2	GENERAL:(2)
7.7	6.8	154	3	VOC-TECH:(3)
7.3	6.5	147	4	OTH/DK:(4)
	11.0	248	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 135-136

V1173

021C016 :RT SF SCH AB&gt;AV

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.8	40	1	FAR BLOW:(1)
2.8	2.5	57	2	BELOW AV:(2)
4.1	3.7	83	3	SL BELOW:(3)
32.8	29.1	655	4	AVERAGE:(4)
22.8	20.3	457	5	SL ABOVE:(5)
29.4	26.1	588	6	ABOVE AV:(6)
6.1	5.4	121	7	FAR ABOV:(7)
	11.2	253	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 137-138

V1174	021C017 :RT SF INTELL>AV
-------	--------------------------

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.4	31	1	FAR BLOW:(1)
2.6	2.3	52	2	BELOW AV:(2)
4.0	3.6	80	3	SL BELOW:(3)
32.2	28.8	650	4	AVERAGE:(4)
21.4	19.2	432	5	SL ABOVE:(5)
30.1	26.9	607	6	ABOVE AV:(6)
8.1	7.3	164	7	FAR ABOV:(7)
	10.5	238	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 139-140

V1175

021C018A:#DA/4W SC MS IL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.2	52.1	1,173	1	NONE:(1)
17.0	15.0	337	2	1 DAY:(2)
11.3	9.9	223	3	2 DAYS:(3)
5.8	5.1	116	4	3 DAYS:(4)
4.3	3.8	85	5	4-5 DAYS:(5)
1.4	1.2	27	6	6-10 DA:(6)
0.9	0.8	18	7	11+ DAYS:(7)
	12.1	273	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 141-142

V1176

021C018B:#DA/4W SC MS CU

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	57.6	1,299	1	NONE:(1)
14.3	12.4	279	2	1 DAY:(2)
7.4	6.4	143	3	2 DAYS:(3)
4.3	3.7	84	4	3 DAYS:(4)
4.0	3.5	78	5	4-5 DAYS:(5)
1.6	1.4	32	6	6-10 DA:(6)
1.6	1.3	30	7	11+ DAYS:(7)
	13.7	308	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 143-144

V1177

021C018C:#DA/4W SC MS OT

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have  
you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10  
Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	49.1	1,106	1	NONE:(1)
19.7	17.2	387	2	1 DAY:(2)
10.9	9.5	214	3	2 DAYS:(3)
6.0	5.2	117	4	3 DAYS:(4)
4.2	3.6	82	5	4-5 DAYS:(5)
1.7	1.5	34	6	6-10 DA:(6)
1.4	1.2	27	7	11+ DAYS:(7)
	12.7	286	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 145-146

V1178

021C019 :#DA/4W SKP CLAS

Item Number: 00460

During the last four weeks, how often have you gone to school,  
but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	57.9	1,304	1	NOT@ALL:(1)
19.3	17.2	387	2	1-2:(2)
9.6	8.6	193	3	3-5:(3)
2.8	2.5	56	4	6-10:(4)
1.7	1.5	33	5	11-20:(5)
1.7	1.5	34	6	21+:(6)
	10.9	245	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 147-148

V1179

021C020 :R HS GRADE/D=1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
 1="D (69 or below)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	31	1	D:(1)
2.7	2.3	53	2	C-:(2)
5.4	4.8	108	3	C:(3)
10.3	9.1	206	4	C+:(4)
11.2	9.9	223	5	B-:(5)
16.4	14.5	327	6	B:(6)
18.0	16.0	360	7	B+:(7)
15.8	13.9	314	8	A-:(8)
18.7	16.5	372	9	A:(9)
	11.5	260	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 149-150

V1180	021C021A:R WL DO VOC/TEC
-------	--------------------------

Item Number: 00480

How likely is it that you will do each of the following things after high school? A. Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.7	46.6	1,049	1	DEF WONT:(1)
22.8	19.4	437	2	PRB WONT:(2)
14.0	11.9	269	3	PRB WILL:(3)
8.5	7.3	164	4	DEF WILL:(4)
	14.8	334	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 151-152

V1181

021C021B:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things  
after high school? B. Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	57.9	1,306	1	DEF WONT:(1)
19.1	16.0	360	2	PRB WONT:(2)
6.4	5.3	121	3	PRB WILL:(3)
5.2	4.3	97	4	DEF WILL:(4)
	16.5	371	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 153-154

V1182

021C021C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school? C. Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	34.7	783	1	DEF WONT:(1)
17.2	14.6	329	2	PRB WONT:(2)
23.0	19.6	442	3	PRB WILL:(3)
18.9	16.1	363	4	DEF WILL:(4)
	15.0	337	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 155-156

V1183

021C021D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school? D. Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	7.8	176	1	DEF WONT:(1)
9.7	8.4	190	2	PRB WONT:(2)
23.9	20.8	469	3	PRB WILL:(3)
57.5	50.2	1,130	4	DEF WILL:(4)
	12.8	289	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 157-158

<b>V1184</b>	<b>021C021E:R WL DO GRD/PRF</b>
--------------	---------------------------------

Item Number: 00520

How likely is it that you will do each of the following things after high school? E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	15.6	351	1	DEF WONT:(1)
28.4	24.1	544	2	PRB WONT:(2)
32.0	27.3	614	3	PRB WILL:(3)
21.3	18.1	408	4	DEF WILL:(4)
	14.9	336	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 159-160

<b>V1185</b>	<b>021C022A:R WNTDO VOC/TEC</b>
--------------	---------------------------------

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.5	71.8	1,619	0	NT MARKD:(0)
17.5	15.3	344	1	MARKED:(1)
	12.9	290	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 161-162

V1186

021C022B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	75.7	1,707	0	NT MARKD:(0)
13.1	11.4	256	1	MARKED:(1)
	12.9	290	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 163-164

V1187

021C022C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	63.0	1,420	0	NT MARKD:(0)
27.7	24.1	543	1	MARKED:(1)
	12.9	290	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 165-166

<b>V1188</b>	<b>021C022D:R WNTDO 4YR CLG</b>
--------------	---------------------------------

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	18.3	413	0	NT MARKD:(0)
79.0	68.8	1,550	1	MARKED:(1)
	12.9	290	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 167-168

<b>V1189</b>	<b>021C022E:R WNTDO GRD/PRF</b>
--------------	---------------------------------

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	40.5	912	0	NT MARKD:(0)
53.5	46.6	1,051	1	MARKED:(1)
	12.9	290	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 169-170

V1190

021C022F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	83.5	1,881	0	NT MARKD:(0)
4.2	3.6	82	1	MARKED:(1)
	12.9	290	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 171-172

V1191

021C023 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	23.0	517	1	NONE:(1)
9.4	8.2	185	2	5 OR <:(2)
9.9	8.6	194	3	6-10 HRS:(3)
11.5	10.0	226	4	11-15 HR:(4)
15.4	13.4	302	5	16-20 HR:(5)
12.4	10.8	243	6	21-25 HR:(6)
7.5	6.5	147	7	26-30 HR:(7)
7.5	6.6	148	8	30+ HRS:(8)
	12.9	292	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 173-174

V1192

021C024A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from. . . A.  
A job or other work

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
29.7	25.4	573	1	NONE:(1)
0.8	0.7	16	2	\$1-5:(2)
3.4	2.9	65	3	\$6-10:(3)
3.3	2.8	63	4	\$11-20:(4)
4.6	3.9	88	5	\$21-35:(5)
6.7	5.8	130	6	\$36-50:(6)
9.4	8.0	181	7	\$51-75:(7)
20.5	17.5	395	8	\$76-125:(8)
21.6	18.4	415	9	\$126+:(9)
	14.5	328	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 175-176

V1193	021C024B:R\$/AVG WEEK OTH
-------	---------------------------

Item Number: 00610

During an average week, how much money do you get from. . . B:  
Other sources (allowances, etc.)

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
36.9	30.8	695	1	NONE:(1)
6.4	5.3	120	2	\$1-5:(2)
10.5	8.8	197	3	\$6-10:(3)
19.5	16.3	367	4	\$11-20:(4)
12.4	10.4	233	5	\$21-35:(5)
6.3	5.3	119	6	\$36-50:(6)
3.3	2.8	63	7	\$51-75:(7)
1.8	1.5	34	8	\$76-125:(8)
3.0	2.5	56	9	\$126+:(9)
	16.3	368	-9	MISSING

-----  
100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 177-178

V1194

021C025 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"  
6="Six or Seven"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	8.6	194	1	< 1:(1)
14.7	12.8	288	2	ONE:(2)
27.7	24.1	543	3	TWO:(3)
26.0	22.6	509	4	THREE:(4)
15.4	13.4	301	5	4-5:(5)
6.2	5.4	121	6	6-7:(6)
	13.2	297	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 179-180

V1195

021C026 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	21.7	489	1	NEVER:(1)
17.7	15.2	342	2	1/MO OR<:(2)
15.1	13.0	293	3	2-3/MO:(3)
13.0	11.2	252	4	1/WK:(4)
17.6	15.1	341	5	2-3/WK:(5)
11.2	9.6	216	6	3+/WK:(6)
	14.2	320	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 181-182

V1196

021C027 :DRIVE&gt;200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	13.7	309	1	NONE:(1)
6.6	5.7	129	2	1-10 MI:(2)
22.0	19.1	431	3	11-50:(3)
24.1	20.9	471	4	51-100:(4)
19.3	16.7	377	5	101-200:(5)
12.2	10.6	239	6	> 200:(6)
	13.2	297	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 183-184

V1197

021C028 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	61.0	1,374	0	NONE:(0)
16.5	13.8	311	1	ONE:(1)
6.9	5.8	130	2	TWO:(2)
2.3	2.0	44	3	THREE:(3)
1.6	1.3	30	4	4+:(4)
	16.1	364	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 185-186

V1198

021C029A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were  
 . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3  
 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	21.3	481	0	None:(0)
5.6	1.3	29	1	One:(1)
0.4	0.1	2	2	Two:(2)
0.2	0.0	1	3	3-4 or +:(3-4)
	77.2	1,741	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 187-188

V1199

021C029B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were  
 . . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3  
 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	21.9	494	0	None:(0)
1.7	0.4	9	1	One:(1)
1.6	0.4	8	2	Two:(2)
0.3	0.1	2	3	3-4 or +:(3-4)
	77.3	1,741	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 189-190

V1200

021C029C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were  
 . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3  
 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	22.4	504	0	None:(0)
0.7	0.2	4	1	One:(1)
0.0	0.0	0	2	Two:(2)
0.3	0.1	2	3	3-4 or +:(3-4)
	77.4	1,744	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 191-192

V1201

021C030 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	64.8	1,460	0	NONE:(0)
17.5	14.6	329	1	ONE:(1)
3.7	3.1	69	2	TWO:(2)
1.0	0.8	19	3	THREE:(3)
0.5	0.4	10	4	4+:(4)
	16.3	367	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 193-194

<b>V1202</b>	<b>021C031A:#ACDTS AFT DRNK</b>
--------------	---------------------------------

Item Number: 00700

How many of these accidents occurred after you were . . . A:  
Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	17.9	404	0	None:(0)
3.5	0.7	15	1	One:(1)
0.5	0.1	2	2	Two:(2)
0.7	0.1	3	3	3-4 or +:(3-4)
	81.2	1,830	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 195-196

<b>V1203</b>	<b>021C031B:#ACDTS AFT MARJ</b>
--------------	---------------------------------

Item Number: 00710

How many of these accidents occurred after you were . . . B:  
Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	18.2	409	0	None:(0)
3.0	0.6	13	1	One:(1)
0.6	0.1	3	2	Two:(2)
0.2	0.0	1	3	3-4 or +:(3-4)
	81.1	1,827	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 197-198

V1204

021C031C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . . C:  
Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3  
and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	18.4	415	0	None:(0)
0.7	0.1	3	1	One:(1)
0.5	0.1	2	2	Two:(2)
0.2	0.0	1	3	3-4 or +:(3-4)
	81.3	1,833	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 199-200

<b>V1205</b>	<b>021C032 :R'S BRANCH SERV</b>
--------------	---------------------------------

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D. What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	3.1	69	1	ARMY:(1)
19.5	1.8	42	2	NAVY:(2)
13.6	1.3	29	3	MARINES:(3)
18.0	1.7	38	4	AIRFORCE:(4)
3.8	0.4	8	5	COAST GD:(5)
12.5	1.2	27	6	UNCERTN:(6)
	90.5	2,040	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 201-202

<b>V1206</b>	<b>021C033 :R XPCTS B OFFCR</b>
--------------	---------------------------------

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	1.7	38	1	NO:(1)
32.3	3.2	72	2	UNCERTN:(2)
50.6	5.0	113	3	YES:(3)
	90.1	2,030	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 203-204

V1207

021C034 :R XPCTS MLTR CR

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	2.5	57	1	NO:(1)
46.1	4.6	103	2	UNCERTN:(2)
28.5	2.8	64	3	YES:(3)
	90.1	2,030	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 205-206

V1682

021D001 :R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences in school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a lot" 3="I like school some" 2="I don't like school very much" 1="I don't like school at all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	5.4	123	1	DONT@ALL:(1)
14.7	12.4	280	2	NOT VMCH:(2)
47.2	39.8	897	3	SOME:(3)
22.8	19.2	433	4	LIK ALOT:(4)
8.9	7.5	170	5	LIK VMCH:(5)
	15.6	351	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 971-972

<b>V1683</b>	<b>021D002 : *SC WRK NVR MNG</b>
--------------	----------------------------------

Item Number: 05700

How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	5.3	120	1	NEVER:(1)
24.4	20.5	462	2	SELDOM:(2)
40.7	34.3	772	3	SOMETIME:(3)
21.0	17.6	397	4	OFTEN:(4)
7.6	6.4	144	5	ALWAYS:(5)
	15.9	358	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 973-974

<b>V1684</b>	<b>021D003 : *MST COUR V DUL</b>
--------------	----------------------------------

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"  
 3="Fairly interesting" 2="Slightly dull" 1="Very dull"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	6.4	143	1	VRY DULL:(1)
22.5	18.9	425	2	SLTLY DU:(2)
44.8	37.6	846	3	FRLY INT:(3)
21.5	18.0	406	4	QUITE IN:(4)
3.5	2.9	66	5	VRY EXCI:(5)
	16.3	366	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 975-976

V1685

021D004 : \*LRN SCH NT IMP

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"  
2="Slightly important" 1="Not at all important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.3	96	1	NOT IMPT:(1)
24.4	20.4	459	2	SLTLY IM:(2)
32.1	26.8	605	3	FRLY IMP:(3)
24.9	20.9	470	4	QUITE IM:(4)
13.5	11.3	255	5	VRY IMPT:(5)
	16.3	368	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 977-978

V1686

021D005 :LOT CMPTN GRADE

Item Number: 05730

How much competition for grades is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great deal"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	7.7	174	1	NONE:(1)
21.6	18.0	406	2	A LITTLE:(2)
34.7	29.0	653	3	SOME:(3)
23.1	19.3	435	4	QUITEBIT:(4)
11.2	9.4	211	5	GRT DEAL:(5)
	16.7	376	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 979-980

V1687

021D006 :STDTS DSLK CHTG

Item Number: 05740

How do you think most of the students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it"  
3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.3	75	1	LIK VMCH:(1)
2.5	2.1	46	2	LIKE IT:(2)
78.8	65.7	1,481	3	NOT CARE:(3)
10.9	9.1	204	4	DISLIKE:(4)
3.9	3.3	74	5	DLIK MCH:(5)
	16.6	373	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 981-982

V1688

021D007 :ST -LK PROV TCH

Item Number: 05750

How do you think most of the students in your classes would feel if you intentionally did things to make your teachers angry?

1="They would like it very much" 2="They would like it"  
3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	3.8	85	1	LIK VMCH:(1)
12.1	10.0	225	2	LIKE IT:(2)
48.8	40.3	909	3	NOT CARE:(3)
28.4	23.5	529	4	DISLIKE:(4)
6.2	5.1	115	5	DLIK MCH:(5)
	17.3	390	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 983-984

V1689

021D008 :FRD NCG/TCH -LK

Item Number: 05760

How often do you find that your friends encourage you to do things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	34.1	769	1	NEVER:(1)
31.7	26.1	589	2	SELDOM:(2)
18.7	15.4	348	3	SOMETIME:(3)
6.3	5.2	116	4	OFTEN:(4)
1.9	1.6	36	5	ALWAYS:(5)
	17.6	396	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 985-986

V1690

021D009 :R IN WK-STDY PG

Item Number: 05770

Have you ever been in a work-study program--that is, a program where you work on a job as part of your schooling?

1="No, not ever" 2="Yes, for a half year or less" 3="Yes, for about a year" 4="Yes, for about two years" 5="Yes, for more than two years"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	66.0	1,487	1	NOT EVER:(1)
8.1	6.6	150	2	HALF YR:(2)
8.4	6.9	156	3	ABT 1 YR:(3)
2.5	2.0	46	4	ABT 2 YR:(4)
0.7	0.5	12	5	>2 YRS:(5)
	17.9	403	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 987-988

V1691

021D010 :#X/YR COUNS IND

Item Number: 05780

How many times this school year have you seen a counselor individually?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	23.8	536	1	NO TIMES:(1)
12.2	10.0	226	2	1 TIME:(2)
15.9	13.1	294	3	2 TIMES:(3)
23.7	19.4	438	4	3-4 TIME:(4)
9.5	7.8	175	5	5-7 TIME:(5)
4.2	3.5	78	6	8-10 TIM:(6)
5.5	4.5	102	7	11+ TIME:(7)
	17.9	404	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 989-990

V1692

021D011 :#X/YR COUNS GRP

Item Number: 05790

How many times this school year have you seen a counselor as a part of a group of other students?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	50.9	1,147	1	NO TIMES:(1)
11.0	9.0	203	2	1 TIME:(2)
10.7	8.8	198	3	2 TIMES:(3)
10.2	8.3	188	4	3-4 TIME:(4)
3.2	2.6	59	5	5-7 TIME:(5)
1.7	1.4	31	6	8-10 TIM:(6)
1.2	1.0	22	7	11+ TIME:(7)
	18.0	406	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 991-992

V1693

021D012 :R LK C COUNS MR

Item Number: 05800

Would you have preferred to see a counselor more or less often than you have during the past year?

5="Much more often" 4="A little more often" 3="About as often"  
2="A little less often" 1="Much less often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	12.1	272	1	MCH LESS:(1)
7.6	6.1	139	2	LIT LESS:(2)
49.2	39.5	891	3	AS OFTEN:(3)
19.1	15.3	346	4	MOR OFTN:(4)
9.1	7.3	164	5	MCH MORE:(5)
	19.6	441	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 993-994

V1694

021D013 :CSLNG VRY HLPFL

Item Number: 05810

How helpful have your sessions with a counselor been to you?

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"  
 2="A little helpful" 1="Not at all helpful" 8="Did not see a  
 counselor this year."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	8.7	196	1	NOT @ALL:(1)
18.2	14.8	334	2	A LITTLE:(2)
18.4	15.0	338	3	SOMEWHAT:(3)
20.5	16.7	375	4	QUITE:(4)
10.8	8.8	199	5	EXT HELP:(5)
21.3	17.3	391	8	NO SEE:(8)
	18.7	421	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 995-996

V1699

021D014A:CNSL COURSES

Item Number: 05811

Would you have preferred more or less of each of the following types of counseling in the last year? A: Choosing what courses to take

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	5.7	129	1	MCH LESS:(1)
2.9	2.3	52	2	LIT LESS:(2)
43.6	34.7	782	3	ABT RITE:(3)
24.5	19.5	438	4	LIT MORE:(4)
21.8	17.3	391	5	MCH MORE:(5)
	20.5	461	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1003-1004

V1700

021D014B:CNSL CL PROB

Item Number: 05812

Would you have preferred more or less of each of the following types of counseling in the last year? B: Discussing problems with course work

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	9.6	216	1	MCH LESS:(1)
4.7	3.7	84	2	LIT LESS:(2)
50.1	39.5	889	3	ABT RITE:(3)
18.8	14.8	334	4	LIT MORE:(4)
14.2	11.2	252	5	MCH MORE:(5)
	21.2	477	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1005-1006

V1701

021D014C:CNSL TRBL R IN

Item Number: 05813

Would you have preferred more or less of each of the following types of counseling in the last year? C: Discussing any trouble you've gotten into

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	14.4	325	1	MCH LESS:(1)
5.6	4.3	98	2	LIT LESS:(2)
57.9	44.8	1,009	3	ABT RITE:(3)
8.3	6.4	144	4	LIT MORE:(4)
9.6	7.4	167	5	MCH MORE:(5)
	22.7	511	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1007-1008

V1702	021D014D:CNSL MILTRY PLN
-------	--------------------------

Item Number: 05814

Would you have preferred more or less of each of the following types of counseling in the last year? D: Discussing military plans

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.4	26.9	607	1	MCH LESS:(1)
5.2	3.9	89	2	LIT LESS:(2)
48.2	36.7	826	3	ABT RITE:(3)
4.9	3.7	84	4	LIT MORE:(4)
6.2	4.7	106	5	MCH MORE:(5)
	24.0	541	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1009-1010

V1703

021D014E:CNSL EDUC PLANS

Item Number: 05815

Would you have preferred more or less of each of the following types of counseling in the last year? E: Discussing education or training plans

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	8.0	180	1	MCH LESS:(1)
4.2	3.3	73	2	LIT LESS:(2)
39.2	30.7	693	3	ABT RITE:(3)
28.8	22.6	508	4	LIT MORE:(4)
17.6	13.8	311	5	MCH MORE:(5)
	21.7	488	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1011-1012

V1704	021D014F:CNSL CAREER PLN
-------	--------------------------

Item Number: 05816

Would you have preferred more or less of each of the following types of counseling in the last year? F: Discussing career plans or job choice

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	6.5	147	1	MCH LESS:(1)
3.0	2.4	54	2	LIT LESS:(2)
37.8	29.4	663	3	ABT RITE:(3)
27.9	21.7	489	4	LIT MORE:(4)
22.9	17.8	402	5	MCH MORE:(5)
	22.1	498	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1013-1014

V1705

021D014G:CNSL PRNL PROB

Item Number: 05817

Would you have preferred more or less of each of the following types of counseling in the last year? G: Discussing personal problems

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	17.7	399	1	MCH LESS:(1)
4.4	3.4	76	2	LIT LESS:(2)
50.6	38.9	877	3	ABT RITE:(3)
11.0	8.5	191	4	LIT MORE:(4)
11.0	8.5	191	5	MCH MORE:(5)
	23.1	520	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1015-1016

V1719

021D015A:#DA HEADACHE

Item Number: 21310

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? A: Headache

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	13.7	308	1	NONE:(1)
18.1	14.5	326	2	1 DAY:(2)
19.7	15.7	354	3	2 DAYS:(3)
21.5	17.2	387	4	3-5 DAYS:(4)
11.7	9.3	210	5	6-9 DAYS:(5)
7.0	5.6	126	6	10-19 DA:(6)
4.8	3.8	86	7	20+ DAYS:(7)
	20.3	457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1043-1044

V1720

021D015B:#DA SORE THROAT

Item Number: 21320

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? B: Sore throat or hoarse voice

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	32.0	721	1	NONE:(1)
16.7	13.3	300	2	1 DAY:(2)
15.3	12.2	275	3	2 DAYS:(3)
16.1	12.9	290	4	3-5 DAYS:(4)
7.8	6.2	139	5	6-9 DAYS:(5)
2.9	2.3	53	6	10-19 DA:(6)
0.9	0.7	16	7	20+ DAYS:(7)
	20.4	459	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1045-1046

V1721	021D015C:#DA SINUS CONG
-------	-------------------------

Item Number: 21330

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? C: Trouble with sinus congestion, runny nose, or sneezing

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	20.7	467	1	NONE:(1)
12.1	9.6	217	2	1 DAY:(2)
13.8	11.0	248	3	2 DAYS:(3)
19.7	15.7	354	4	3-5 DAYS:(4)
13.1	10.5	236	5	6-9 DAYS:(5)
8.6	6.9	155	6	10-19 DA:(6)
6.6	5.2	118	7	20+ DAYS:(7)
	20.4	459	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1047-1048

V1722

021D015D:#DA COUGHING

Item Number: 21340

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? D: Coughing spells

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	42.1	948	1	NONE:(1)
13.2	10.5	236	2	1 DAY:(2)
12.1	9.6	216	3	2 DAYS:(3)
10.6	8.4	189	4	3-5 DAYS:(4)
6.5	5.1	116	5	6-9 DAYS:(5)
3.5	2.8	63	6	10-19 DA:(6)
1.1	0.9	20	7	20+ DAYS:(7)
	20.7	466	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1049-1050

V1723	021D015E:#DA CHEST COLD
-------	-------------------------

Item Number: 21350

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? E: Chest colds

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
71.0	56.2	1,267	1	NONE:(1)
10.3	8.1	183	2	1 DAY:(2)
8.4	6.6	149	3	2 DAYS:(3)
5.5	4.3	98	4	3-5 DAYS:(4)
3.2	2.5	57	5	6-9 DAYS:(5)
1.2	1.0	22	6	10-19 DA:(6)
0.5	0.4	8	7	20+ DAYS:(7)
	20.8	469	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1051-1052

V1724

021D015F:#DA COUGH PHLM

Item Number: 21360

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? F: Coughing up phlegm or blood

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	62.1	1,399	1	NONE:(1)
5.4	4.2	96	2	1 DAY:(2)
5.1	4.0	91	3	2 DAYS:(3)
5.5	4.4	98	4	3-5 DAYS:(4)
2.6	2.0	46	5	6-9 DAYS:(5)
1.9	1.5	33	6	10-19 DA:(6)
1.3	1.1	24	7	20+ DAYS:(7)
	20.7	466	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1053-1054

V1725

021D015G:#DA SHORT BRTH

Item Number: 21370

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? G: Shortness of breath when you were not exercising

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.6	63.7	1,436	1	NONE:(1)
5.0	4.0	90	2	1 DAY:(2)
5.1	4.1	92	3	2 DAYS:(3)
3.6	2.9	64	4	3-5 DAYS:(4)
2.4	1.9	43	5	6-9 DAYS:(5)
1.7	1.3	30	6	10-19 DA:(6)
1.5	1.2	27	7	20+ DAYS:(7)
	20.9	471	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1055-1056

V1726

021D015H:#DA WHEEZING

Item Number: 21380

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? H: Wheezing or gasping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.2	68.2	1,536	1	NONE:(1)
5.5	4.4	99	2	1 DAY:(2)
2.8	2.2	49	3	2 DAYS:(3)
1.9	1.5	34	4	3-5 DAYS:(4)
1.5	1.1	26	5	6-9 DAYS:(5)
1.0	0.8	18	6	10-19 DA:(6)
1.2	0.9	21	7	20+ DAYS:(7)
	20.9	471	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1057-1058

V1727

021D015I:#DA TRBL REMEM

Item Number: 21390

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? I: Trouble remembering things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.2	49.2	1,109	1	NONE:(1)
11.3	8.9	201	2	1 DAY:(2)
8.5	6.7	151	3	2 DAYS:(3)
6.8	5.4	121	4	3-5 DAYS:(4)
3.5	2.8	63	5	6-9 DAYS:(5)
3.1	2.4	55	6	10-19 DA:(6)
4.7	3.7	84	7	20+ DAYS:(7)
	20.9	470	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1059-1060

V1728

021D015J:#DA DFCT THINK

Item Number: 21400

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? J: Difficulty thinking or concentrating

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	37.0	834	1	NONE:(1)
14.7	11.7	263	2	1 DAY:(2)
12.8	10.2	229	3	2 DAYS:(3)
10.9	8.7	195	4	3-5 DAYS:(4)
5.9	4.7	106	5	6-9 DAYS:(5)
4.5	3.6	81	6	10-19 DA:(6)
4.3	3.4	78	7	20+ DAYS:(7)
	20.7	467	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1061-1062

V1729

021D015K:#DA TRBL LEARN

Item Number: 21410

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? K: Trouble learning new things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	56.0	1,262	1	NONE:(1)
10.1	8.0	180	2	1 DAY:(2)
7.3	5.7	129	3	2 DAYS:(3)
5.6	4.4	99	4	3-5 DAYS:(4)
3.3	2.6	58	5	6-9 DAYS:(5)
1.7	1.3	30	6	10-19 DA:(6)
1.0	0.8	18	7	20+ DAYS:(7)
	21.2	477	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1063-1064

V1730

021D015L:#DA TRBL SLEEP

Item Number: 21420

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? L: Trouble sleeping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	32.3	728	1	NONE:(1)
12.8	10.1	229	2	1 DAY:(2)
13.9	10.9	247	3	2 DAYS:(3)
12.5	9.9	222	4	3-5 DAYS:(4)
7.7	6.1	136	5	6-9 DAYS:(5)
6.3	5.0	113	6	10-19 DA:(6)
5.9	4.6	104	7	20+ DAYS:(7)
	21.0	474	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1065-1066

V1731

021D015M:#DA TRBL START

Item Number: 21430

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? M: Trouble getting started in the morning

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	26.5	598	1	NONE:(1)
9.7	7.6	172	2	1 DAY:(2)
10.7	8.4	190	3	2 DAYS:(3)
10.0	7.9	178	4	3-5 DAYS:(4)
9.7	7.7	173	5	6-9 DAYS:(5)
8.2	6.5	146	6	10-19 DA:(6)
18.3	14.5	326	7	20+ DAYS:(7)
	20.9	470	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1067-1068

V1732

021D015N:#DA STAY HOME

Item Number: 21440

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? N: Stayed home most or all of a day because you were not feeling well

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.5	48.0	1,081	1	NONE:(1)
17.5	13.8	312	2	1 DAY:(2)
11.9	9.4	212	3	2 DAYS:(3)
6.9	5.4	122	4	3-5 DAYS:(4)
2.2	1.7	39	5	6-9 DAYS:(5)
0.6	0.5	11	6	10-19 DA:(6)
0.5	0.4	9	7	20+ DAYS:(7)
	20.8	468	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1069-1070

V1733

021D016A:#X/12M DOC-CHEK

Item Number: 21450

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? A:  
For a routine physical check-up

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	31.7	715	1	NONE:(1)
41.9	33.7	759	2	ONCE:(2)
13.4	10.8	243	3	TWICE:(3)
3.6	2.9	65	4	3-5X:(4)
0.3	0.2	6	5	6-9X:(5)
1.3	1.0	24	6	10+ TIME:(6)
	19.6	443	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1071-1072

V1734

021D016B:#X/12M DOC-FGHT

Item Number: 21460

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? B:  
For an injury suffered in a fight, assault, or auto accident

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	72.0	1,622	1	NONE:(1)
6.0	4.8	108	2	ONCE:(2)
1.7	1.4	31	3	TWICE:(3)
1.1	0.9	20	4	3-5X:(4)
0.5	0.4	9	5	6-9X:(5)
0.6	0.4	10	6	10+ TIME:(6)
	20.1	453	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1073-1074

V1735                      021D016C:#X/12M DOC-INJ

Item Number: 21470

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? C: For any other accidental injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	65.0	1,465	1	NONE:(1)
9.6	7.7	173	2	ONCE:(2)
3.6	2.9	65	3	TWICE:(3)
3.2	2.5	57	4	3-5X:(4)
1.0	0.8	18	5	6-9X:(5)
1.2	1.0	22	6	10+ TIME:(6)
	20.2	455	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1075-1076

V1736

021D016D:#X/12M DOC-ILL

Item Number: 21480

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? D:  
For some physical illness or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	45.3	1,021	1	NONE:(1)
21.1	16.9	381	2	ONCE:(2)
12.2	9.8	220	3	TWICE:(3)
7.1	5.7	128	4	3-5X:(4)
1.4	1.1	26	5	6-9X:(5)
1.7	1.4	31	6	10+ TIME:(6)
	19.8	447	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1077-1078

V1737

021D016E:#X/12M DOC-PSY

Item Number: 21490

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? E:  
For some emotional or psychological problem or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	73.7	1,660	1	NONE:(1)
2.8	2.2	50	2	ONCE:(2)
1.5	1.2	27	3	TWICE:(3)
2.0	1.6	36	4	3-5X:(4)
0.3	0.3	6	5	6-9X:(5)
0.9	0.7	15	6	10+ TIME:(6)
	20.4	460	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1079-1080

V1738

021D017A:#X/12M HSP-INJ

Item Number: 21500

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . . A: Because of an injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	76.3	1,720	1	NONE:(1)
3.1	2.5	56	2	ONCE:(2)
0.4	0.3	6	3	TWICE:(3)
0.2	0.2	4	4	3-5X:(4)
0.2	0.1	3	5	6-9X:(5)
0.4	0.3	7	6	10+ TIME:(6)
	20.2	456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1081-1082

V1739

021D017B:#X/12M HSP-ILL

Item Number: 21510

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . . B: Because of some physical illness

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	75.0	1,691	1	NONE:(1)
4.0	3.2	73	2	ONCE:(2)
0.8	0.7	15	3	TWICE:(3)
0.4	0.3	7	4	3-5X:(4)
0.3	0.3	6	5	6-9X:(5)
0.5	0.4	8	6	10+ TIME:(6)
	20.1	454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1083-1084

V1740

021D018 :RLTV PHY HEALTH

Item Number: 21520

Overall, relative to other people your age, do you think your physical health over the past year has been . . .

1="Much poorer than average" 2="Somewhat poorer than average"  
3="About average" 4="Somewhat better than average" 5="Much better than average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	5.0	112	1	MCH <AVG:(1)
10.7	8.5	191	2	SOM <AVG:(2)
45.0	35.8	806	3	ABT AVRG:(3)
22.3	17.8	400	4	SOM >AVG:(4)
15.8	12.6	283	5	MCH >AVG:(5)
	20.5	462	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 1085-1086

<b>V1791</b>	<b>021D021A:DAP SMK 1PCK CI</b>
--------------	---------------------------------

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	26.5	597	1	DONT DIS:(1)
36.6	28.9	651	2	DISAPPRV:(2)
29.8	23.5	530	3	STRG DIS:(3)
	21.1	475	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1178-1179

<b>V1792</b>	<b>021D021B:DAP TRY MRJ 1-2</b>
--------------	---------------------------------

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following? B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	35.7	804	1	DONT DIS:(1)
27.6	21.8	490	2	DISAPPRV:(2)
27.1	21.4	481	3	STRG DIS:(3)
	21.2	478	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1180-1181

V1793

021D021C:DAP SMK MRJ OCC

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following? C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.1	27.6	623	1	DONT DIS:(1)
27.7	21.8	491	2	DISAPPRV:(2)
37.2	29.2	659	3	STRG DIS:(3)
	21.3	481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1182-1183

V1794

021D021D:DAP SMK MRJ REG

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following? D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	18.8	424	1	DONT DIS:(1)
27.6	21.6	487	2	DISAPPRV:(2)
48.4	37.9	855	3	STRG DIS:(3)
	21.6	487	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1184-1185

<b>V1795</b>	<b>021D021E:DAP COK PWD 1-2</b>
--------------	---------------------------------

Item Number: 23630

Do YOU disapprove of people (who are 18 or older) doing each of the following? E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	10.7	241	1	DONT DIS:(1)
25.4	19.9	449	2	DISAPPRV:(2)
61.1	48.0	1,083	3	STRG DIS:(3)
	21.3	481	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1186-1187

<b>V1796</b>	<b>021D021F:DAP COK PWDR OC</b>
--------------	---------------------------------

Item Number: 23640

Do YOU disapprove of people (who are 18 or older) doing each of the following? F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	7.4	166	1	DONT DIS:(1)
22.7	17.8	400	2	DISAPPRV:(2)
67.9	53.2	1,198	3	STRG DIS:(3)
	21.7	489	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1188-1189

V1797

021D021G:DAP COK PWDR RE

Item Number: 23650

Do YOU disapprove of people (who are 18 or older) doing each of the following? G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	6.2	141	1	DONT DIS:(1)
19.5	15.2	343	2	DISAPPRV:(2)
72.5	56.7	1,279	3	STRG DIS:(3)
	21.8	491	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1190-1191

V1798

021D021H:DAP TRY CRK 1-2

Item Number: 23660

Do YOU disapprove of people (who are 18 or older) doing each of the following? H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	8.3	188	1	DONT DIS:(1)
23.8	18.7	420	2	DISAPPRV:(2)
65.5	51.4	1,157	3	STRG DIS:(3)
	21.6	488	-9	MISSING
-----	-----	-----		
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1192-1193

<b>V1799</b>	<b>021D021I:DAP CRACK OCC</b>
--------------	-------------------------------

Item Number: 23670

Do YOU disapprove of people (who are 18 or older) doing each of the following? I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	6.4	145	1	DONT DIS:(1)
20.9	16.3	368	2	DISAPPRV:(2)
70.9	55.5	1,251	3	STRG DIS:(3)
	21.7	490	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1194-1195

<b>V1800</b>	<b>021D021J:DAP CRACK REG</b>
--------------	-------------------------------

Item Number: 23680

Do YOU disapprove of people (who are 18 or older) doing each of the following? J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	6.4	144	1	DONT DIS:(1)
17.9	13.9	314	2	DISAPPRV:(2)
73.9	57.7	1,299	3	STRG DIS:(3)
	22.0	496	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1196-1197

V1801

021D021K:DAP TRY DRK ALC

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following? K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	55.0	1,240	1	DONT DIS:(1)
17.8	13.9	314	2	DISAPPRV:(2)
12.1	9.5	214	3	STRG DIS:(3)
	21.5	485	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1198-1199

V1802

021D021L:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following? L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	29.0	654	1	DONT DIS:(1)
37.0	29.0	654	2	DISAPPRV:(2)
26.0	20.4	460	3	STRG DIS:(3)
	21.5	485	-9	MISSING

-----  
 100.0 100.0 2,253 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1200-1201

<b>V1803</b>	<b>021D021M:DAP 4-5 DRK/DAY</b>
--------------	---------------------------------

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following? M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	14.2	321	1	DONT DIS:(1)
30.9	24.2	546	2	DISAPPRV:(2)
51.0	40.0	901	3	STRG DIS:(3)
	21.6	486	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1202-1203

<b>V1804</b>	<b>021D021N:DAP 5+ DRK WKND</b>
--------------	---------------------------------

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following? N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	26.4	594	1	DONT DIS:(1)
26.7	20.9	471	2	DISAPPRV:(2)
39.6	31.0	699	3	STRG DIS:(3)
	21.7	490	-9	MISSING
-----				
100.0	100.0	2,253	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 1204-1205



## APPENDICES

### Appendix A: Publications

#### ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1975.* L. D. Johnston and J. G. Bachman, 1980, 188 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1980, 264 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1980, 266 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1980, 266 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1980, 266 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1981, 266 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1982, 268 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1984, 280 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1984, 282 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1985, 284 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1986, 284 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1987, 288 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1991, 283 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1991, 283 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1989.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1992, 327 pp.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1995, 339 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1997, 341 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1997, 341 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1996.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 376 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1997.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1998.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1999.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 2000.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 380 pp.

**ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS**

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20847-2345 (Tel. 1-800-729-6686). There is no charge for single copies.

*Drug use among American high school students 1975-1977* (DHEW Publication No. ADM 78-619). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1978, 256 pp.

*Highlights from drug use among American high school students 1975-1977* (DHEW Publication No. ADM 78-621). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1978, 43 pp.

*Drugs and the class of 1978: Behaviors, attitudes, and recent national trends* (DHEW Publication No. ADM 79-877). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 376 pp.

*Highlights from drugs and the class of 1978: Behaviors, attitudes, and recent national trends* (DHEW Publication No. ADM 79-878). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 62 pp.

*1979 Highlights: Drugs and the nation's high school students, Five year national trends* (DHEW Publication No. ADM 80-930). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 85 pp.

*Highlights from student drug use in America, 1975-1980* (DHHS Publication No. ADM 81-1066). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1981, 120 pp.

*Highlights from student drug use in America, 1975-1981* (DHHS Publication No. ADM 82-1208). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1981, 130 pp.

*Student drug use in America, 1975-1981* (DHHS Publication No. ADM 89-1221). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1982, 433 pp.

*Student drug use, attitudes, and beliefs: National trends, 1975-1982* (DHHS Publication No. ADM 83-1260). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1983, 134 pp.

*Highlights from drugs and American high school students, 1975-1983* (DHHS Publication No. ADM 84-1317). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1984, 135 pp.

*Drugs and American high school students: 1975-1983* (DHHS Publication No. ADM 85-1374). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1984, 492 pp.

*Use of licit and illicit drugs by America's high school students: 1975-1984* (DHHS Publication No. ADM 85-1394). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1985, 167 pp.

*Drug use among American high school students, college students, and other young adults: National trends through 1985* (DHHS Publication No. ADM 86-1450). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1986, 237 pp.

*National trends in drug use and related factors among American high school students and young adults, 1975-1986* (DHHS Publication No. ADM 87-1535). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1987, 265 pp.

*Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987* (DHHS Publication No. ADM 89-1602). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1988, 307 pp.

- Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988* (DHHS Publication No. ADM 89-1638). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1989, 339 pp.
- Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989* (Institute for Social Research: Ann Arbor, MI). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 331 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors* (DHHS Publication No. (ADM) 91-1813). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 199 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume II: College students and young adults* (DHHS Publication No. (ADM) 91-1835). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 168 pp.
- Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students* (DHHS Pub. No. (NIH) 93-3481). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1992, 231 pp.
- Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume II: College students and young adults* (DHHS Pub. No. (NIH) 93-3481). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1992, 176 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students* (NIH Pub. No. 93-3597). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1993, 269 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume II: College students and young adults* (NIH Pub. No. 93-3598). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1993, 190 pp.
- National survey results on drug use from the Monitoring the Future study 1975-1993. Volume I: Secondary school students* (NIH Pub. No. 94-3809). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1994, 281 pp.
- National survey results on drug use from the Monitoring the Future study 1975-1993. Volume II: College students and young adults* (NIH Pub. No. 94-3810). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1994, 189 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students* (NIH Pub. No. 95-4026). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1995, 327 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume II: College students and young adults* (NIH Pub. No. 96-4027). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1996, 189 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students* (NIH Pub. No. 96-4139). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1996, 381 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume II: College students and young adults* (NIH Pub. No. 98-4140). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 188 pp.

- National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students* (NIH Pub. No. 98-4345). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 433 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume II: College students and young adults.* (NIH Pub. No. 98-4346). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 206 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students* (NIH Pub. No. 99-4660). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1999, 420 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume II: College students and young adults* (NIH Pub. No. 99-4661). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1999, 218 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 1999.* (NIH Pub. No. 00-4690). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 2000, 56 pp.
- Monitoring the Future national survey results on drug use, 1975-1999. Volume I: Secondary school students* (NIH Pub. No. 00-4802). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2000, 480 pp.
- Monitoring the Future national survey results on drug use, 1975-1999. Volume II: College students and adults ages 19-40* (NIH Pub. No. 00-4803). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2000, 240 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2000* (NIH Pub. No. 01-4923). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 54 pp.
- Monitoring the Future national survey results on drug use, 1975-2000. Volume I: Secondary school students* (NIH Pub. No. 01-4924). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 492 pp.
- Monitoring the Future national survey results on drug use, 1975-2000. Volume II: College students and adults ages 19-40* (NIH Pub. No. 01-4925). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 238 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2001* (NIH Pub. No. 02-5105). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 57 pp.
- Monitoring the Future national survey results on drug use, 1975-2001. Volume I: Secondary school students* (NIH Pub. No. 02-5106). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 530 pp.
- Monitoring the Future national survey results on drug use, 1975-2001. Volume II: College students and adults ages 19-40* (NIH Pub. No. 02-5107). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 242 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2002* (NIH Pub. No. 03-5374). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 56 pp.

*Monitoring the Future national survey results on drug use, 1975-2002. Volume I: Secondary school students* (NIH Pub. No. 03-5375). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 520 pp.

*Monitoring the Future national survey results on drug use, 1975-2002. Volume II: College students and adults ages 19-40* (NIH Pub. No. 03-5376). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 265 pp.

**JOURNAL ARTICLES**

- Bachman, J. G., Safron, D. J., Sy, S. R., & Schulenberg, J. E. (2003). Wishing to work: New perspectives on how adolescents' part-time work intensity is linked to educational disengagement, substance use, and other problem behaviours. *International Journal of Behavioral Development*, 27(4), 301-315.
- O'Malley, P. M., & Johnston, L. D. (2003). Unsafe driving by high school seniors: National trends from 1976 to 2001 in tickets and accidents after use of alcohol, marijuana, and other illegal drugs. *Journal of Studies on Alcohol*, 64, 305-312.
- Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Schulenberg, J., Cooper, S. M., & Johnston, L. D. (2003). Gender and ethnic differences in smoking, drinking, and illicit drug use among American 8<sup>th</sup>, 10<sup>th</sup> and 12<sup>th</sup> grade students, 1976-2000. *Addiction*, 98, 225-234.
- Yamaguchi, R., Johnston, L. D., & O'Malley, P. M. (2003). The relationship between student illicit drug use and school drug-testing policies. *Journal of School Health*, 73(4), 159-164.
- Kumar, R., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Bachman, J. G. (2002). Effect of school-level norms on student substance use. *Prevention Science*, 3, 105-124.
- O'Malley, P. M., & Johnston, L. D. (2002). Epidemiology of alcohol and other drug use among college students. *Journal of Studies on Alcohol, Supplement 14*, 23-39.
- Schulenberg, J., & Maggs, J. (2002). A developmental perspective on alcohol use and heavy drinking during the transition to adulthood. *Journal of Studies on Alcohol, Supplement 14*, 54-70.
- Wallace, J. M., Jr., & Muroff, J. R. (2002). Preventing substance abuse among African American children and youth: Race differences in risk factor exposure and vulnerability. *The Journal of Primary Prevention* 22(3), 235-261.
- Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Cooper, S. M. (2002). Tobacco, alcohol, and illicit drug use: Racial and ethnic differences among U.S. high school seniors, 1976-2000. *Public Health Reports* 117(Supplement 1): S67-S75.
- Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science*, 2(1), 29-43.
- Maggs, J. L., & Schulenberg, J. (2001). Editors' introduction: Prevention as altering the course of development and the complementary purposes of developmental and prevention sciences. *Applied Developmental Science*, 5(4), 196-200.
- Safron, D. J., Schulenberg, J. E., & Bachman, J. G. (2001). Part-time work and hurried adolescence: The links among work intensity, social activities, health behaviors, and substance use. *Journal of Health and Social Behavior* 42, 425-449.
- Schulenberg, J., Maggs, J. L., Long, S. W., Sher, K. J., Gotham, H. J., Baer, J. S., Kivlahan, D. R., Marlatt, G. A., & Zucker, R. A. (2001). The problem of college drinking: Insights

- from a developmental perspective. *Alcoholism: Clinical and Experimental Research*, 25, 473-477.
- Schuster, C., O'Malley, P. M., Bachman, J. G., Johnston, L. D., & Schulenberg, J. (2001). Adolescent marijuana use and adult occupational attainment: A longitudinal study from age 18 to 28. *Substance Use & Misuse*, 36(8), 997-1014.
- Wagenaar, A. C., O'Malley, P. M., & LaFond, C. (2001). Lowered legal blood alcohol limits for young drivers: Effects on drinking, driving, and driving-after-drinking behaviors in 30 states. *American Journal of Public Health*, 91, 801-804.
- Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science* 2(1), 29-43.
- Bryant, A. L., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. *Prevention Science*, 1(2), 71-87.
- O'Malley, P. M., Johnston, L. D., Bachman, J. G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30(1), 35-54.
- O'Malley, P. M., & Johnston, L. D. (1999). Drinking and driving among American high school seniors: 1984-1997. *American Journal of Public Health*, 89, 678-684.
- An, L. C., O'Malley, P. M., Schulenberg, J., Bachman, J. G., & Johnston, L. D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. *American Journal of Public Health*, 89, 699-705.
- Bachman, J. G., Freedman-Doan, P., O'Malley, P. M., Johnston, L. D., & Segal, D. R. (1999). Changing patterns of drug use among high school seniors (1976-1995) who entered military service: Implications for drug abuse prevention. *American Journal of Public Health*, 89, 672-677.
- Schulenberg, J., Maggs, J. L., Dielman, T. E., Leech, S. L., Kloska, D. D., Shope, J. T., & Laetz, V. B. (1999). On peer influences to get drunk: A panel study of young adolescents. *Merrill-Palmer Quarterly*, 45, 108-142.
- Wallace, J. M., Jr. (1999). Race, risk, and resilience: The social ecology of addiction in America's black and Hispanic communities. *Pediatrics*, 103(5), 1122-1127.
- Wallace, J. M., Jr., Forman, T. A., Guthrie, B. J., Bachman, J. G., O'Malley, P. M., Johnston, L. D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. *Journal of Studies on Alcohol*, 60(6), 800-809.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1998). Explaining the recent increases in students' marijuana use: The impacts of perceived risks and disapproval from 1976 through 1996. *American Journal of Public Health* 88, 887-892.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1998). Alcohol use among adolescents. *Alcohol Health & Research World*, 22, 85-93.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal *Substance Use and Misuse* entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993", vol. 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), *The epidemiology*

- of cocaine use and abuse* (pp. 19-44). (NIDA Research Monograph 110.) Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. *Substance Use and Misuse*, 32 (12&13). (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)
- Wallace, J. M., Jr. & Bachman, J. G. (1997). Validity of self-reports in student-based studies of minority populations: Issues and concerns. *Substance Use & Misuse*, 32, 1949-1954.
- Bell, R., Wechsler, H., Johnston, L. D. (1997). Correlates of college marijuana use: Results of a national survey. *Addiction*, 92, 571-582.
- Osgood, D. W., Wilson, J. K., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. *American Sociological Review*, 61, 635-655.
- Schulenberg, J., O'Malley, P. M., Bachman, J. G., Wadsworth, K. N., & Johnston, L. D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. *Journal of Studies on Alcohol*, 57, 289-304.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to understanding change. *Developmental Psychology*, 32, 659-674.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1995, April). Adolescent substance use: Epidemiology and implications for public policy. *Pediatrics Clinics of North America*, 42, 241-260.
- Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. *Journal of Health and Social Behavior*, 35, 45-62.
- Wallace, J. M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. *African-American Research Perspectives*, 1(1), 31-35.
- Bachman, J. G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? *Developmental Psychology*, 29, 220-235.
- Johnston, L. D. (1993). The "war" on drugs and the role of the media. *Nieman Reports*, 47(7), 39-41.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. *Adolescent Medicine: State of the Art Reviews*, 4, 227-248.
- Bachman, J. G., & Wallace, J. M., Jr. (1991). The Drug Problem among adolescents: Getting beyond the stereotypes. *Ethnicity & Disease*, 1(fall), 85-97.
- Bachman, J. G., Wallace, J. M., Jr., O'Malley, P. M., Johnston, L. D., Kurth, C. L., & Neighbors, H. W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. *American Journal of Public Health*, 81, 372-377.
- O'Malley, P. M., & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. *Journal of Studies on Alcohol*, 52, 478-491.

- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. *Journal of Health and Social Behavior*, 31, 173-184.
- Johnston, L. D. (1989). The survey technique in drug abuse assessment. *Bulletin on Narcotics*, 41, 29-40.
- Osgood, D. W., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. *Criminology*, 27, 389-417.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Humphrey, R. H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. *Journal of Health and Social Behavior*, 29, 92-112.
- Humphrey, R. H., O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. *Social Psychology Quarterly*, 51, 329-345.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. *American Journal of Public Health*, 78, 1315-1321.
- Osgood, D. W., Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1988). The generality of deviance in late adolescence and early adulthood. *American Sociological Review*, 53, 81-93.
- Bachman, J. G. (1987). An eye on the future. *Psychology Today*, 21(7), 6-8.
- Bachman, J. G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. *Armed Forces and Society*, 13(2), 169-187.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. *Journal of Adolescent Health Care*, 8, 36-51.
- Bachman, J. G. (1986). Effects of early marriage on substance abuse. *Medical Aspects of Human Sexuality*, 20(10), 15.
- Bachman, J. G., & O'Malley, P. M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). *Journal of Personality and Social Psychology*, 50, 35-46.
- Diamond, G., & Bachman, J. G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. *International Journal of Mental Health*, 15, 210-241.
- Johnston, L. D., & O'Malley, P. M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. *Journal of Drug Issues*, 16, 29-66.
- Johnston, L. D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? *Plenary session paper in Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence* (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in *The Drinking and Drug Practices Surveyor*, March 1985, 20, 11-14.)
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1984). Drug use among young adults: The impacts of role status and social environments. *Journal of Personality and Social Psychology*, 47, 629-645.

- Bachman, J. G., & O'Malley, P. M. (1984). Black-white differences in self-esteem: Are they affected by response styles? *American Journal of Sociology*, 90, 624-639.
- Bachman, J. G., & O'Malley, P. M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? *Public Opinion Quarterly*, 48, 491-509.
- O'Malley, P. M. (1984). Cigarette use among high school seniors: Did the rate decline? *Preventive Medicine*, 13, 421-426.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1984). Period, age, and cohort effects on substance use among American youth. *American Journal of Public Health*, 74, 682-688.
- Bachman, J. G. (1983). American high school seniors view the military: 1976 to 1982. *Armed Forces and Society*, 10(1), 86-104.
- Bachman, J. G. (1983). Premature affluence: Do high school students earn too much? *Economic Outlook U.S.A.*, 10(3), 64-67.
- Bachman, J. G. (1983). Schooling as a credential: Some suggestions for change. *International Review of Applied Psychology*, 32, 347-360.
- Herzog, A. R., Bachman, J. G., & Johnston, L. D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. *Sex Roles*, 9(1), 109-135. (Work funded by NIE.)
- Johnston, L. D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. *Contemporary Drug Problems*, 10, 463-480.
- Johnston, L. D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? *The U.S. Journal of Drug and Alcohol Dependence*, 7, 7.
- O'Malley, P. M., & Bachman, J. G. (1983). Self-esteem: Change and stability between ages 13 and 23. *Developmental Psychology*, 19, 257-268.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1983). Reliability and consistency of self-reports of drug use. *International Journal of the Addictions*, 18, 805-824.
- Bachman, J. G. (1981). Youth views about the military: Recent trends. *Economic Outlook U.S.A.*, 8(3), 61-65.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. *American Journal of Public Health*, 71, 59-69.
- Bachman, J. G., & O'Malley, P. M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. *Public Opinion Quarterly*, 45, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, *Survey research methods*. Chicago: Univ. of Chicago Press.)
- Bynner, J., O'Malley, P. M., & Bachman, J. G. (1981). Self-esteem and delinquency revisited. *Youth and Adolescence*, 10, 407-441.
- Herzog, A. R., & Bachman, J. G. (1981). Effects of questionnaire length on response quality. *Public Opinion Quarterly*, 45(4), 549-559.
- Johnston, L. D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in *Connections*, 1981, 1(4), 11-14.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1980). Drug use among American youth: 1975-1979. *Economic Outlook U.S.A.*, 7(2), 39-42.
- Bachman, J. G., & Johnston, L. D. (1979). The freshmen, 1979. *Psychology Today*, 13(4), 79-87.

- O'Malley, P. M. & Bachman, J. G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. *Journal of Personality and Social Psychology*, 37, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, *Social psychology of the self-concept*. Arlington Heights, IL: AHM Press.)
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1978). The drug scene: A student survey. *Science Teacher*, 45(6), 26-31.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1978). Drug use and military plans of high school seniors. *Youth and Society*, 10, 65-77.
- Segal, D. R., & Bachman, J. G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. *Youth and Society*, 10, 47-64.
- Segal, D. R., Bachman, J. G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. *Youth and Society*, 10, 127-134.
- Bachman, J. G., & Johnston, L. D. (1976). Drug use among American youth. *Economic Outlook U.S.A.*, 3, 32-33.

## CHAPTERS

- Johnston, L. D., & O'Malley, P. M. (2003). Tobacco, alcohol, and other drug use in adolescence: Modern-day epidemics. In R. P. Weissberg, H. J. Wahlberg, M. U. O'Brien, & C. B. Kuster (Eds.), *Long-term trends in the well-being of children and youth*. (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.
- Johnston L. D., & O'Malley, P. M. (2002). Article 97: Drug use and abuse: Psychosocial aspects. In N.J. Smelser and P.B. Baltes (Eds.), *International encyclopedia of the social and behavioral sciences*, Vol. IV, Intersecting fields; Section 4.5, Health (J. House & R. Schwarzer, Section Eds.) Amsterdam: Pergamon.
- Burns, D., & Johnston, L. D. (2001). Overview of recent changes in adolescent smoking behavior. In National Cancer Institute, *Changing adolescent smoking prevalence: Where it is and why* (pp. 1-8). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).
- Johnston, L. D. (2001). Changing demographic patterns of adolescent smoking over the past 23 years: National trends from the Monitoring the Future Study. In National Cancer Institute, *Changing adolescent smoking prevalence: Where it is and why* (pp. 9-33). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).
- Johnston, L. D., & O'Malley, P. M. (2001). Cigarette, alcohol, and other drug use in adolescence: A modern day epidemic. In R.P. Weissberg, et al. (Eds.), *Trends in the well-being of children and youth*. (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.
- Pacula, R. L., Grossman, M., Chaloupka, F. J., O'Malley, P. M., Johnston, L. D., & Farrelly, M. C. (2001). Marijuana and youth. In J. Gruber (Ed.), *Risky behavior among youths: An economic analysis* (pp. 271-326). The University of Chicago Press. Also appears as Working Paper 7703, National Bureau of Economic Research, Inc. (2000).
- Schulenberg, J., Maggs, J. L., Steinman, K., & Zucker, R. A. (2001). Development matters: Taking the long view on substance abuse etiology and intervention during adolescence. In P. M. Monti, S. M. Colby, & T. A. O'Leary (Eds.), *Adolescents, alcohol, and substance abuse: Reaching teens through brief intervention* (pp. 19-57). New York: Guilford Press.
- Bachman, J. G., & Wallace, J. M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior*. (2nd ed.). Farmington Hills, MI: Macmillan Publishing.
- O'Malley, P. M. (2000). Drug Use, Socialization Factors. Pp. 309-312 in C. E. Faupel & P. M. Roman (eds.) *Encyclopedia of Criminology and Deviant Behavior, Volume 4, Self-Destructive Behavior and Devalued Identity*. London: Brunner-Routledge, Taylor & Francis Group.

- O'Malley, P. M. (2000). The Monitoring the Future survey. In *Encyclopedia of Drugs, Alcohol, and Addictive Behavior*, Second Edition. Macmillan Reference USA.
- Johnston, L. D. (2000). General population surveys of drug abuse. In *Guide to drug abuse epidemiology* (pp. 125-170). Geneva: World Health Organization.
- Johnston, L. D. (2000). Selecting variables and measures for drug surveys. In *Guide to drug abuse epidemiology* (pp. 171-203). Geneva: World Health Organization.
- Bachman, J. G., & Wallace, J. M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior, second edition*. Macmillan Publishing.
- Johnston, L. D. (2000). The epidemiology of drug use. In W. B. Hansen, S. M. Giles, & M. D. Fearnow-Kenney (Eds.), *Improving prevention effectiveness* (pp. 9-22). Greensboro, NC: Tanglewood Research, Inc.
- (Johnston, L. D., uncredited, 2000). The United States country report on drug use patterns among 10th grade students. In Hibell, B., et al. (Eds.) *The 1999 ESPAD report: Alcohol and other drug use among students in 30 European countries*. Stockholm: Swedish Council for Information on Alcohol and Other Drugs, and the Council of Europe.
- Schulenberg, J., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (2000). "Spread your wings and fly": The course of well-being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), *Negotiating adolescence in times of social change*. New York: Cambridge University Press.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1998). Epidemiology of substance abuse in adolescence. In P. J. Ott, R. E. Tarter, & R. T. Ammerman (Eds.), *Sourcebook on substance abuse: Etiology, epidemiology, assessment, and treatment*. Needham Heights, MA: Allyn & Bacon.
- Johnston, L. D., & O'Malley, P. M. (1997). The recanting of earlier-reported drug use by young adults. In L. Harrison & A. Hughes (Eds.), *The validity of self-reported drug use: Improving the accuracy of survey estimates*. (NIDA Research Monograph 167), pp. 59-80. NIH Publication 97-4147. Washington D.C.: National Institute on Drug Abuse.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to change. In G. A. Marlatt and G. R. VandenBos (Eds.), *Addictive Behaviors: Readings on etiology, prevention, and treatment* (pp. 129-165). Washington, DC: American Psychological Association and was reported in 1997's personal statement]
- (Johnston, L. D., O'Malley, P. M., & Bachman, J. G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), *The ESPAD report: Alcohol and other drug use among students in 26 European countries*. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).
- Schulenberg, J., Maggs, J., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Wallace, J. M., Jr., & Williams, D.R. (1997). Religion and adolescent health. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. Cambridge University Press.

- Maggs, J., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Schulenberg, J. (1996). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J. A. Graber, J. Brooks-Gunn, & A. C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and contexts* (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Hansen, W. B., & O'Malley, P. M. (1996). Drug use. In R. J. DiClemente, W. B. Hansen, & L. E. Ponton (Eds.), *Handbook of adolescent health risk behavior* (pp. 161-192). New York: Plenum Press.
- Allen, W.R. ., & Wallace, J. M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), *One-third of a nation: African American perspectives*. Washington, DC: Howard University Press.
- Schulenberg, J., Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), *Psychological responses to social change: Human development in changing environments*. Berlin: Walter de Gruyter.
- Wallace, J. M., Jr., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. Botwin, S. Schinke, & M. Orlandi (Eds.), *Drug abuse prevention with multi-ethnic youth* (pp. 59-80). Thousand Oaks, CA: Sage.
- (O'Malley, P. M. et al., 1995, uncredited). Epidemiology of injection drug use. In J. Normand, D. Vlahov, & L. E. Moses (Eds.), *Preventing HIV transmission: The role of sterile needles and bleach*. Washington, DC: National Academy Press.
- O'Malley, P. M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), *The development of alcohol problems: Exploring the biopsychosocial matrix of risk* (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Washington, DC: National Institute on Alcohol Abuse and Alcoholism.
- Bachman, J. G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. Collins & L. Seitz (Eds.), *Advances in data analysis for prevention intervention research*. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.
- Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), *International handbook of adolescence* (pp. 414-430). Westport, CT: Greenwood Publishing Group.
- Wallace, J. M., Jr., & Bachman, J. G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa & J. L. Andrados (Eds.), *Drug abuse among minority youth: Advances in research and methodology*. NIDA Research Monograph No. 130 (pp. 167-200). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975-1987: Overview of key findings. In R. L. Bloom (Ed.) *Changing lives: Studies in*

- human development and professional helping*. Columbia, SC: University of South Carolina Press.
- Johnston, L. D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In *Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life*. Vatican City: The Vatican.
- Johnston, L. D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) *Drug abuse prevention research: Methodological issues* (NIDA Research Monograph No. 107, pp. 57-80). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), *The epidemiology of cocaine use*. (NIDA Research Monograph No. 110, pp. 19-44). Washington, DC: National Institute on Drug Abuse.
- Bachman, J. G. (1991). School dropouts. In R. M. Lerner, A. C. Petersen, & J. Brooks-Gunn (Eds.) *Encyclopedia of adolescence*. New York, NY: Garland.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R. L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L. D. (1991). Toward a theory of drug epidemics. In R. L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L. D. (1990). America's war on drugs: What we should have learned by now. *Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention*. (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.
- Johnston, L. D. (1989). America's drug problem in the media: Is it real or is it Memorex™? In P. Shoemaker (Ed.), *Communication campaigns about drugs: Government, media, and the public* (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), *Research on the quality of life* (pp. 215-234). Ann Arbor, MI: Institute for Social Research.
- Johnston, L. D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C. L. Jones & R. J. Battjes (Eds.), *Etiology of drug abuse: Implications for prevention*. (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), *Studying drug abuse* (pp. 117-136). New Brunswick, NJ: Rutgers University Press.
- Johnston, L. D., & Harrison, L. D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), *Alcohol and the developing brain* (pp. 161-170). New York: Raven Press.
- Johnston, L. D., & O'Malley, P. M. (1985). Issues of validity and population coverage in student surveys of drug use. In B. A. Rouse, N. J. Kozel, & L. G. Richards (Eds.), *Self-report*

- methods of estimating drug use: Meeting current challenges to validity.* (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1985). Cocaine use among American adolescents and young adults. In N. J. Kozel & E. H. Adams (Eds.), *Cocaine use in America: Epidemiologic and clinical perspectives.* (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.
- Bachman, J. G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), *The social psychology of the self-concept.* Arlington Heights, IL: AMH Press.
- Johnston, L. D. (1982). A review and analysis of recent changes in marijuana use by American young people. In *Marijuana: The national impact on education* (pp. 8-13). New York: American Council on Marijuana.
- Johnston, L. D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), *Treating the marijuana dependent person* (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), *The yearbook of substance use and abuse* (Vol. 2). New York: Human Sciences Press.
- Brooke, E., & Johnston, L. D. (1979). The assessment of drug abuse. In *Resource book on measures to reduce illicit demand for drugs* (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.
- Johnston, L. D., O'Malley, P. M., & Eveland, L. K. (1978). Drugs and delinquency: A search for causal connections. In D. G. Kandel (Ed.), *Longitudinal research on drug use: Empirical findings and methodological issues* (pp. 137-156). Washington, DC: Hemisphere Publishing.
- Johnston, L. D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs.* (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L. B. Blevens (Eds.), *The epidemiology of drug abuse: Current issues.* (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J. D. Rittenhouse (Ed.), *The epidemiology of heroin and other narcotics.* (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs.* (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D., & Bachman, J. G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), *Understanding adolescence* (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.
- Johnston, L. D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), *Operational definitions in socio-behavioral drug use research.* (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

**TESTIMONY**

- Johnston, L. D. (2002, June 25). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Subcommittee for Criminal Justice, Drug Policy, and Human Resources, of the Committee on Government Reform, U. S. House of Representatives. Published in *The Congressional Record*.
- Johnston, L. D. (2002, June 20). Written testimony on the National Youth Media Anti-Drug Media Campaign for the Subcommittee on Treasury, Postal Service, and General Government of the House Appropriations Committee, U.S. House of Representatives. Published in *The Congressional Record*.
- Johnston, L. D. (2002, June 19). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Treasury and General Government Subcommittee on Appropriations of the U.S. Senate Appropriations Committee. Published in *The Congressional Record*.
- Johnston, L. D. (2000, Sept. 19). Written and oral testimony presented at hearings on "Drug trends in America," held by the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources, of the Government Reform Committee, U.S. House of Representatives. Published in the *Congressional Record*.
- Johnston, L. D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in *The Congressional Record*.
- Johnston, L. D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on Recent trends in youthful drug use. Published in *The Congressional Record*.
- Johnston, L. D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in *The Congressional Record*.
- Johnston, L. D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In *The Congressional Record*.
- Johnston, L. D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in *The Congressional Record*.
- Johnston, L. D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act of 1991. Published in *The Congressional Record*, Washington: GPO ISBN 0-16-039764-2, pp. 44-53.
- Johnston, L. D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in *The Congressional Record*, 134:89, D774.

- Johnston, L. D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in *The Congressional Record*, 134:87, D756.
- Johnston, L. D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in *Advertising of tobacco products* (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).
- Johnston, L. D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in *Beer and wine advertising: Impact of electronic media* (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L. D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in *Alcohol Advertising* (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L. D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In *Health consequences of marijuana use* (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).
- O'Malley, P. M., & Johnston, L. D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commission Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)

**MONITORING THE FUTURE OCCASIONAL PAPERS**

(Published by the Project)

Paper No.

1. *The Monitoring the Future project: Design and procedures.* J. G. Bachman and L. D. Johnston, 1978, 67 pp.
2. *Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control.* A. R. Herzog, J. G. Bachman, and L. D. Johnston, 1978, 42 pp.
3. *High school seniors' preferences for sharing work and family responsibilities between husband and wife.* A. R. Herzog, J. G. Bachman, and L. D. Johnston, 1979, 58 pp.
4. *Fewer rebels, fewer causes: A profile of today's college freshmen.* J. G. Bachman and L. D. Johnston, 1979, 30 pp.
5. *Developing composite measures of drug use: Comparisons among lifetime, annual, and monthly prevalence reports for thirteen classes of drugs.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1979, 64 pp.
6. *Description of a special survey using a single combined form of the Monitoring the Future questionnaires.* A. R. Herzog and J. G. Bachman, 1979, 35 pp.
7. *Ecological concerns among high school seniors: 1976-1979.* J. D. Miller and J. G. Bachman, 1980, 28 pp.
8. *Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1980, 134 pp.
9. *When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use.* J. G. Bachman and P. M. O'Malley, 1980, 12 pp.
10. *High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980.* A. R. Herzog, 1980. (Available in reprint from Sociology of Education, 1982, 13 pp.)
11. *Changes in drug use after high school as a function of role status and social environment.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1981, 92 pp.
12. *Trends in high school seniors' views of the military.* J. G. Bachman, 1981, 28 pp.
13. *Marijuana decriminalization: The impact on youth 1975-1980.* L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1981, 85 pp.
14. *Period, age, and cohort effects on substance use among American youth 1976-1982.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1983, 50 pp.
15. *Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982.* L. D. Johnston, P. M. O'Malley, and M. L. Davis-Sacks, 1983, 72 pp.
16. *The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth.* J. G. Bachman and P. M. O'Malley, 1983, 30 pp.

17. *The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school.* J. G. Bachman, L. D. Johnston, P. M. O'Malley, and D. E. Bare, 1985, 135 pp.
18. *Changes in marijuana use linked to changes in perceived risks and disapproval.* J. G. Bachman, L. D. Johnston, P. M. O'Malley, and R. H. Humphrey, 1986, 28 pp.
19. *Correlates of employment among high school seniors.* J. G. Bachman, D. E. Bare, and E. I. Frankie, 1986, 105 pp.
20. *Change and consistency in the correlates of drug use among high school seniors: 1975-1986.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1986, 21 pp.
21. *Differentiation of period, age, and cohort effects on drug use 1976-1986.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1988, 62 pp.
22. *Sex differences in adolescents' health-threatening behaviors: What accounts for them?* A. R. Herzog, J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1987, 36 pp.
23. *Student drug use in America: Differences among high schools 1986-1987.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1988, 37 pp.
24. *Drug use among American college students and their noncollege age peers.* L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1988, 40 pp.
25. *Reducing drug use in America: A perspective, a strategy, and some promising approaches.* L. D. Johnston, 1988, 57 pp.
26. *Minimum drinking age laws effects on American youth 1976-1987.* P. M. O'Malley and A. C. Wagenaar, 1990, 68 pp.
27. *Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1990, 42 pp.
28. *Drug use among black, white, Hispanic, native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates.* J. G. Bachman, J. M. Wallace, Jr., C. Kurth, L. D. Johnston, and P. M. O'Malley, 1990, 63 pp.
29. *The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987.* L. D. Johnston, P. M. O'Malley, and L. D. Harrison, 1989, 104 pp.
30. *Part-time work by high school seniors: Sorting out correlates and possible consequences.* J. G. Bachman, and J. Schulenberg, 1992, revised, 154 pp.
31. *The Monitoring the Future project after seventeen years: Design and procedures.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1991, 110 pp.
32. *Aims and objectives of the Monitoring the Future study.* L. D. Johnston, P. M. O'Malley, J. Schulenberg, and J. G. Bachman, 1996, revised, 125pp.
33. *Changes in drug use during the post-high school years.* J. G. Bachman, P. M. O'Malley, L. D. Johnston, W. L. Rodgers, and J. Schulenberg, 1992, 168 pp.
34. *Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976-1992.* J. Schulenberg, J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1994, 62 pp.

35. *The Monitoring the Future project after twenty-two years: Design and procedures.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1996, 89 pp.
36. *Changes in drug use during ages 18-32.* J. G. Bachman, P. M. O'Malley, L. D. Johnston, W. L. Rodgers, J. Schulenberg, J. Lim, and K. N. Wadsworth, 1996, 87 pp.
37. *Trends in military propensity and the propensity-enlistment relationship.* J. G. Bachman, P. Freedman-Doan, D. R. Segal, and P. M. O'Malley, 1997, 68 pp.
38. *Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors.* J. G. Bachman, D. R. Segal, P. Freedman-Doan, and P. M. O'Malley, 1998, 163 pp.
39. *Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment.* J. G. Bachman, P. Freedman-Doan, L. D. Johnston, P. M. O'Malley, and D. R. Segal, 1999, 33 pp.
40. *Life-paths into young adulthood and the course of substance use and well-being: Inter- and intra-cohort comparisons.* J. Schulenberg, P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1998, 64 pp.
41. *Reasons for use, abstention, and quitting illicit drug use by American adolescents.* A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. L. D. Johnston, 1998, 27 pp.
42. *Cigarette brand preferences among adolescents.* L. D. Johnston, P. M. O'Malley, J. G. Bachman, and J. Schulenberg, 1999, 37 pp.
43. *Acting out and lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use.* A. L. Bryant, J. Schulenberg, J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 2000, 29 pp.
44. *Mediators of parental influences on adolescent substance use: Grade, gender, and ethnic comparisons (1994-1996).* C. Pilgrim, J. Schulenberg, P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 2000, 48 pp.
45. *Preferred work intensity of secondary school students: New findings and insights on why part-time work intensity correlates with drug use and problem behavior.* J. G. Bachman, D. J. Safron, S. R. Sy, and J. E. Schulenberg, 2001, 105 pp.
46. *Consistency and change in correlates of youth substance use, 1976-1997.* T.N. Brown, J. Schulenberg, J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 2001, 34 pp.
47. *Analyses showing how religiosity, social activities, and drug-related beliefs mediate relationships between post-high school experiences and substance use.* J. G. Bachman, P. M. O'Malley, J. E. Schulenberg, L. D. Johnston, A. L. Bryant, A. C. Merline, P. Freedman-Doan, N. J. Ridenour, and T. C. Hart, 2001. [Supplement to *The Decline of Substance Use in Young Adulthood* by Bachman et al.]
48. *A developmental perspective on alcohol and other drug use during adolescence and the transition to young adulthood.* J. Schulenberg and J. L. Maggs, 2001, 70 pp.
49. *The aims and objectives of the Monitoring the Future study and progress toward fulfilling them.* 3rd ed. L. D. Johnston, P. M. O'Malley, J. Schulenberg, and J. G. Bachman, 2001, 139 pp.

50. *Demographic subgroup trends for various licit and illicit drugs, 1975-2000*. L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 225 pp.
51. *The Monitoring the Future project after 27 years: Design and procedures*. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 58 pp.
52. *Demographic subgroup trends for various licit and illicit drugs, 1975-2001*. L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 224 pp., available: <http://monitoringthefuture.org/>
53. *Demographic subgroup trends for various licit and illicit drugs, 1975-2002*. L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 264 pp., available: <http://monitoringthefuture.org/>



### Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	1975	1976	1977	1978	1979	1980
# Public Schools	111	108	108	111	111	107
# Private Schools	14	15	16	20	20	20
Total # Schools	125	123	124	131	131	127
Total # Students	15,791	16,678	18,438	18,924	16,662	16,524
Student Response Rate (%) *	78%	77%	79%	83%	82%	82%

  

	1981	1982	1983	1984	1985	1986
# Public Schools	109	116	112	117	115	113
# Private Schools	19	21	22	17	17	16
Total # Schools	128	137	134	134	132	129
Total # Students	18,267	18,348	16,947	16,499	16,502	15,713
Student Response Rate (%) *	81%	83%	84%	83%	84%	83%

  

	1987	1988	1989	1990	1991	1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students	16,843	16,795	17,142	15,676	15,483	16,261
Student Response Rate (%) *	84%	83%	86%	86%	83%	84%

## SAMPLE SIZE AND STUDENT RESPONSE RATES

(continued)

	1993	1994	1995	1996	1997	1998
# Public Schools	121	119	120	118	125	124
# Private Schools	18	20	24	21	21	20
Total # Schools	139	139	144	139	146	144
Total # Students	16,763	15,929	15,876	14,824	15,963	15,780
Student Response Rate (%) *	84%	84%	84%	83%	83%	82%

  

	1999	2000	2001	2002
# Public Schools	124	116	117	102
# Private Schools	19	18	17	18
Total # Schools	143	134	134	120
Total # Students	14,056	13,286	13,304	13,544
Student Response Rate (%) *	84%	83%	82%	83%

\* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.