

ICPSR 3753

**Monitoring the Future: A
Continuing Study of American
Youth (12th-Grade Survey), 2002**

Codebook for Form 3 Data File

Lloyd D. Johnston, Jerald G. Bachman,
Patrick M. O'Malley, and John E.
Schulenberg

University of Michigan. Institute for Social
Research. Survey Research Center

First ICPSR Edition
October 2003

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

Bibliographic Citation: Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications. The bibliographic citation for this data collection is:

Johnston, Lloyd D., Jerald G. Bachman, Patrick M. O'Malley, and John E. Schulenberg. MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH (12TH-GRADE SURVEY), 2002 [Computer file]. Conducted by University of Michigan, Institute for Social Research, Survey Research Center. ICPSR ed. Ann Arbor, MI: Inter-university Consortium for Political and Social Research [producer and distributor], 2003.

Request for Information on Use of ICPSR Resources: To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Visit the ICPSR Web site for more information on submitting citations.

Data Disclaimer: The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for uses of this collection or for interpretations or inferences based upon such uses.

Responsible Use Statement: In preparing data for public release, ICPSR performs a number of procedures to ensure that the identity of research subjects cannot be disclosed. Any intentional identification or disclosure of a person or establishment violates the assurances of confidentiality given to the providers of the information. Therefore, users of data obtained from the ICPSR archive and/or any of its special topic archives agree:

- To use these datasets solely for statistical analysis and reporting of aggregated information, and not for investigation of specific individuals or organizations, except when identification is authorized in writing by ICPSR
- To make no use of the identity of any person or establishment discovered inadvertently, and to advise ICPSR of any such discovery
- To produce no links among ICPSR datasets or among ICPSR data and other datasets that could identify individuals or organizations

Redistribution: ICPSR data may not be redistributed or sold to other individuals, institutions, or organizations without the written agreement of ICPSR.

Data Collection Description

Principal Investigator(s): Lloyd D. Johnston, Jerald G. Bachman, Patrick M. O'Malley, and John E. Schulenberg

Title: Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2002

ICPSR Study Number: 3753

Funding Agency: United States Department of Health and Human Services. National Institute on Drug Abuse

Grant Number: DA01411

Summary: This is the 28th annual survey in this series that explores changes in important values, behaviors, and lifestyle orientations of contemporary American youth. Students are randomly assigned to complete one of six questionnaires, each with a different subset of topical questions, but all containing a set of "core" questions on demographics and drug use. There are about 1,400 variables across the questionnaires. Drugs covered by this survey include tobacco, alcohol, marijuana, hashish, LSD, hallucinogens, amphetamines (stimulants), Ritalin (methylphenidate), Quaaludes (methaqualone), barbiturates (tranquilizers), cocaine, crack cocaine, GHB (gamma hydroxy butyrate), and heroin. Other items include attitudes toward religion, changing roles for women, educational aspirations, self-esteem, exposure to sex and drug education, and violence and crime (both in and out of school).

Universe: High school seniors in the contiguous United States.

Sample: Multistage area probability sample design involving three selection stages: (1) geographic areas or primary sampling units (PSUs), (2) schools (or linked groups of schools) within PSUs, and (3) students within sampled schools. Of the 72 PSUs, 8 were selected with certainty, 10 were selected with a probability of .50, and the remainder were selected with probability proportionate to the size of the senior class. In schools with more than 350 seniors, a random sample of seniors or classes was drawn. In schools with less than 350 seniors, all seniors were asked to participate. Each school was asked to participate for two years so that each year one-half of the sample is replaced. Schools refusing participation were replaced with similar schools in terms of geographic location, size, and type of school (e.g., public, private/Catholic, private/non-Catholic). The total sample was divided into six subsamples consisting of an average of 2,300 respondents, and each subsample was administered a different form of the questionnaire, although all respondents answered the "core" drug and demographic questions. The participation rate among schools has been between 66 and 85 percent since the inception of the study.

Date of Collection: 2002

Data Collection Notes: (1) To protect the privacy of respondents, all variables that could be used to identify individuals have been collapsed or recoded in the public use files. These modifications should not affect analytic uses of the public use files. (2) Variables omitted from the Western region questionnaires are noted in each codebook. (3) The codebooks are provided by ICPSR as Portable Document Format (PDF) files. The PDF file format was developed by Adobe Systems Incorporated and may be accessed using PDF reader software, such as the Adobe Acrobat Reader. Information on how to obtain a copy of the Acrobat Reader is provided on the ICPSR and SAMHDA Web sites.

Data Source: self-administered questionnaires

Extent of Collection: 7 data files + machine-readable documentation (PDF) + SAS data definition statements + SPSS data definition statements

Extent of Processing: CONCHK.PR/ UNDOCCHK.PR/ MDATA.ICPSR/ REFORM.DATA/ UNDOCCHK.ICPSR/ CDBK.ICPSR/ DDEF.ICPSR/ FREQ.ICPSR/ REFORM.DOC/ RECODE

Data Format: Logical Record Length with SAS and SPSS data definition statements

File Specifications

<i>Part No.</i>	<i>Part Name</i>	<i>File Structure</i>	<i>Case Count</i>	<i>Variable Count</i>	<i>LRECL</i>	<i>Records Per Case</i>
1	Core Data	rectangular	13,544	108	224	1
2	Form 1 Data	rectangular	2,256	618	1,246	1
3	Form 2 Data	rectangular	2,267	332	671	1
4	Form 3 Data	rectangular	2,258	354	715	1
5	Form 4 Data	rectangular	2,241	280	569	1
6	Form 5 Data	rectangular	2,257	312	630	1
7	Form 6 Data	rectangular	2,265	331	669	1

Related Publications

Johnston, Lloyd D., Patrick M. O'Malley, and Jerald G. Bachman. MONITORING THE FUTURE NATIONAL RESULTS ON ADOLESCENT DRUG USE: OVERVIEW OF KEY FINDINGS, 2002 (NIH Publication No. 03-5374). Bethesda, MD: National Institute on Drug Abuse, April 2003.
<http://www.monitoringthefuture.org/pubs/monographs/overview2002.pdf>

Johnston, Lloyd D., Patrick M. O'Malley, and Jerald G. Bachman. MONITORING THE FUTURE NATIONAL SURVEY RESULTS ON DRUG USE, 1975-2002. Volume I: Secondary School Students (NIH Publication No. 03-5375). Bethesda, MD: National Institute on Drug Abuse, August 2003.

Bachman, Jerald G., Lloyd D. Johnston, and Patrick M. O'Malley. THE MONITORING THE FUTURE PROJECT AFTER TWENTY-SEVEN YEARS: DESIGN AND PROCEDURES. Monitoring the Future Occasional Paper 54. Ann Arbor, MI: University of Michigan, Institute for Social Research, 2001.
<http://monitoringthefuture.org/pubs/occpapers/occ54.pdf>

Contents

Contents	i
INTRODUCTION	iii
DATA COLLECTION DESCRIPTION	iii
DATA COLLECTION PROCEDURES	iii
SAMPLING INFORMATION	iv
STAGE 1: GEOGRAPHIC AREAS.....	iv
STAGE 2: SCHOOLS	iv
STAGE 3: STUDENTS.....	iv
SCHOOL RECRUITING PROCEDURES.....	v
ADVANCE CONTACT WITH TEACHERS AND STUDENTS.....	v
QUESTIONNAIRE ADMINISTRATION.....	v
PROCEDURES FOR PROTECTING CONFIDENTIALITY.....	vi
CONTENT AREAS AND QUESTIONNAIRE DESIGN	vii
MEASUREMENT CONTENT AREAS	vii
REPRESENTATIVENESS AND VALIDITY.....	viii
SCHOOL PARTICIPATION.....	viii
STUDENT PARTICIPATION.....	ix
VALIDITY OF SELF-REPORT DATA.....	ix
ACCURACY OF THE SAMPLE.....	x
CONSISTENCY AND THE MEASUREMENT OF TRENDS.....	x
INTERPRETING RACIAL DIFFERENCES.....	x
DIFFERENTIAL REPRESENTATION.....	xi
DIFFERENTIAL RESPONSE TENDENCIES.....	xi
COVARIANCE WITH OTHER FACTORS.....	xii
WEIGHTING INFORMATION.....	xiii
FILE STRUCTURE.....	xiii
CODEBOOK INFORMATION	xiv
ICPSR PROCESSING INFORMATION.....	xvi
FREQUENCIES	1
APPENDICES	283
Appendix A: Publications.....	283
Appendix B - Sample Size and Student Response Rates.....	307

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2002, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half

samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
 - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
 - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
 - T. HEALTH. Health habits, somatic symptoms, medical treatment.
-
-

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed

to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study,

but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican American, Puerto Rican American, or other Latin American) since each of these groups comprises a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -- who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of

the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-cancelling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2002 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS and SPSS data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

part #	form	# of variables	Logical record length	unweighted n
1	Core	108	224	13,544
2	Form 1	618	1246	2,256
3	Form 2	332	671	2,267
4	Form 3	354	715	2,258
5	Form 4	280	569	2,241
6	Form 5	312	630	2,257
7	Form 6	331	669	2,265

The SAS and SPSS data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134	[2] 991A13	KIND OF PAID JOB
-----------	------------	------------------

[3] Item Number: 25160

[4] A13: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5] PCT VALID	[6] PCT ALL	[7] N	[8] VALUE	[9] LABEL
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	3.3	190	0	
	1.6	94	99	

-----	-----	-----
[10]	[11]	[12]
100.0	100.0	5,745 cases (Wtd)

[13] Data type: numeric
 [14] Decimals: 0
 [15] Missing-data codes: 0,99
 [16] Columns: 98-99

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

- [2] Indicates the abbreviated variable name used to identify the variable for the user.
- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to 9 are missing data (MD Codes: 9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/ missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its full version to a bracketed version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

QUESTIONNAIRE FORM 1 PROCESSING: The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

FREQUENCIES
FORM 3 DATA FILE

CASEID	CASE IDENTIFICATION NUMBER
---------------	-----------------------------------

2,252 cases (Wtd) (Range of valid codes: 1-2,258)

Data type: numeric
 Missing-data code: -9
 Columns: 1-4

V1	YEAR OF ADMIN (4-DIGITS)
-----------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,252	2002	
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 8-11

V3	023	:FORM ID
-----------	------------	-----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,252	3	
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Column: 12

V4	023	:R'S ID-SERIAL #
-----------	------------	-------------------------

2,252 cases (Wtd) (Range of valid codes: 30,001-32,258)

Data type: numeric
 Missing-data code: -9
 Columns: 13-17

V5	SAMPLING WEIGHT
-----------	------------------------

2,252 cases (Wtd) (Range of valid codes: .1377-4.8185)

Data type: numeric
 Decimals: 4
 Missing-data code: -9.0000
 Columns: 709-715

V13	023	:SCHL RGN-4 CAT
------------	------------	------------------------

PCT VALID	PCT ALL	N	VALUE	LABEL
19.8	19.8	445	1	NE:(1)
25.4	25.4	573	2	NC:(2)
33.5	33.5	754	3	S:(3)
21.3	21.3	480	4	W:(4)
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Column: 5

V16	023	:SELF-REP/NOT=0
------------	------------	------------------------

PCT VALID	PCT ALL	N	VALUE	LABEL
68.8	68.8	1,550	0	
31.2	31.2	702	1	
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Column: 6

V17	023	:SMSA/NON-SMSA=0
------------	------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	23.3	526	0	
76.7	76.7	1,726	1	
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Column: 7

V3208	023A01	:VRY HPY THS DAYS
--------------	---------------	--------------------------

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	12.1	273	1	NT HAPPY:(1)
65.8	65.3	1,470	2	PRTY HPY:(2)
22.0	21.8	491	3	VRY HPY:(3)
	0.8	19	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 205-206

V3209

023A02 :THK ABT SOC ISSU

Item Number: 06880

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	72	1	NEVER:(1)
19.9	19.8	445	2	SELDOM:(2)
53.4	53.0	1,194	3	SOMETIME:(3)
19.2	19.0	429	4	OFTEN:(4)
4.3	4.3	96	5	GRT DEAL:(5)
	0.7	16	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 207-208

V3210

023A03A:MEN & WOMN/= \$,=WRK

Item Number: 07930

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below? A: Men and women should be paid the same money if they do the same work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	51	1	DISAGREE:(1)
1.8	1.8	40	2	MOST DIS:(2)
2.1	2.1	46	3	NEITHER:(3)
13.8	13.7	309	4	MOST AGR:(4)
80.0	79.6	1,792	5	AGREE:(5)
	0.6	13	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 209-210

V3211

023A03B:CNSDR WMN/HI JOB

Item Number: 07940

How much do you agree or disagree with each statement below?

B: Women should be considered as seriously as men for jobs as executives or politicians

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	53	1	DISAGREE:(1)
1.8	1.8	40	2	MOST DIS:(2)
3.9	3.9	87	3	NEITHER:(3)
17.5	17.4	392	4	MOST AGR:(4)
74.4	73.9	1,664	5	AGREE:(5)
	0.7	15	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 211-212

V3212 023A03C:WMN SHD =JOB OPP

Item Number: 07950

How much do you agree or disagree with each statement below?
 C: A woman should have exactly the same job opportunities as
 a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	71	1	DISAGREE:(1)
3.7	3.7	83	2	MOST DIS:(2)
4.4	4.4	99	3	NEITHER:(3)
20.3	20.0	451	4	MOST AGR:(4)
68.4	67.5	1,521	5	AGREE:(5)
	1.2	28	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 213-214

V3213

023A03D:WMN SHD =ED OPP

Item Number: 07960

How much do you agree or disagree with each statement below?
 D: A woman should have exactly the same educational
 opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	22	1	DISAGREE:(1)
0.5	0.5	12	2	MOST DIS:(2)
1.8	1.8	40	3	NEITHER:(3)
8.5	8.4	189	4	MOST AGR:(4)
88.2	87.2	1,965	5	AGREE:(5)
	1.1	25	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 215-216

V3214 023A03E:MN=ACHV/WMN=HOME

Item Number: 07970

How much do you agree or disagree with each statement below?
 E: It is usually better for everyone involved if the man is the achiever outside the home and the woman takes care of the home and family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	31.0	699	1	DISAGREE:(1)
16.7	16.6	373	2	MOST DIS:(2)
22.5	22.3	502	3	NEITHER:(3)
17.4	17.2	388	4	MOST AGR:(4)
12.2	12.1	271	5	AGREE:(5)
	0.8	18	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 217-218

V3215

023A03F:CHL SUFF W WK MO

Item Number: 07980

How much do you agree or disagree with each statement below?
 F: A preschool child is likely to suffer if the mother works

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	28.2	635	1	DISAGREE:(1)
21.8	21.5	485	2	MOST DIS:(2)
23.0	22.7	511	3	NEITHER:(3)
16.9	16.6	374	4	MOST AGR:(4)
9.6	9.5	214	5	AGREE:(5)
	1.5	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 219-220

V3216	023A03G:WK MO AS WRM REL
-------	--------------------------

Item Number: 07990

How much do you agree or disagree with each statement below?
 G: A working mother can establish just as warm and secure a relationship with her children as a mother who does not work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.4	166	1	DISAGREE:(1)
13.6	13.5	304	2	MOST DIS:(2)
9.6	9.5	215	3	NEITHER:(3)
28.1	27.9	628	4	MOST AGR:(4)
41.3	40.9	922	5	AGREE:(5)
	0.8	18	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 221-222

V3217

023A04A:POLLUT INCREASED

Item Number: 08000

The next questions are about pollution and the environment.
 How much do you agree or disagree with each statement below?
 A: Pollution of most types has increased in the U.S. in the
 last ten years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	30	1	DISAGREE:(1)
3.7	3.6	82	2	MOST DIS:(2)
14.7	14.6	328	3	NEITHER:(3)
33.9	33.4	753	4	MOST AGR:(4)
46.3	45.7	1,030	5	AGREE:(5)
	1.3	29	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 223-224

V3218

023A04B:GOVT DEAL ENV PR

Item Number: 08010

How much do you agree or disagree with each statement below?
 B: Government should take steps to deal with our
 environmental problems, even if it means that most of us pay
 higher prices or taxes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.7	218	1	DISAGREE:(1)
11.9	11.7	264	2	MOST DIS:(2)
22.6	22.3	502	3	NEITHER:(3)
36.0	35.5	799	4	MOST AGR:(4)
19.7	19.4	437	5	AGREE:(5)
	1.4	32	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 225-226

V3219

023A04C:MR\$ FR LASTG THG

Item Number: 08020

How much do you agree or disagree with each statement below?
 C: I would prefer to pay more money for things that will
 last a long time, rather than have them cost less and break
 sooner

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	53	1	DISAGREE:(1)
1.7	1.6	37	2	MOST DIS:(2)
9.6	9.4	212	3	NEITHER:(3)
29.3	28.8	648	4	MOST AGR:(4)
57.0	56.0	1,260	5	AGREE:(5)
	1.9	42	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 227-228

V3220	023A04D:USE BYC/MAS TRAN
-------	--------------------------

Item Number: 08030

How much do you agree or disagree with each statement below?
 D: I would probably be willing to use a bicycle or mass transit (if available) rather than a car to get to work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	37.2	838	1	DISAGREE:(1)
21.7	21.5	484	2	MOST DIS:(2)
15.3	15.1	341	3	NEITHER:(3)
15.0	14.8	334	4	MOST AGR:(4)
10.3	10.1	228	5	AGREE:(5)
	1.2	27	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 229-230

V3221

023A04E:EAT DIF->FD STRV

Item Number: 08040

How much do you agree or disagree with each statement below?
 E: I would be willing to eat less meat and more grains and
 vegetables, if it would help provide food for starving people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.3	276	1	DISAGREE:(1)
11.3	11.1	250	2	MOST DIS:(2)
18.4	18.1	408	3	NEITHER:(3)
26.3	26.0	584	4	MOST AGR:(4)
31.6	31.1	701	5	AGREE:(5)
	1.4	32	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 231-232

V3222

023A05A:LIK WRK CAN FRGT

Item Number: 08050

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement. A: I like the kind of work you can forget about after the work day is over

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.9	222	1	DISAGREE:(1)
13.4	13.2	298	2	MOST DIS:(2)
17.6	17.4	393	3	NEITHER:(3)
27.7	27.4	616	4	MOST AGR:(4)
31.4	31.0	699	5	AGREE:(5)
	1.0	23	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 233-234

V3223

023A05B:WRK=ONLY MK LVNG

Item Number: 08060

Please show whether you agree or disagree with each statement.

B: To me, work is nothing more than making a living

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	24.5	553	1	DISAGREE:(1)
26.1	25.8	582	2	MOST DIS:(2)
14.3	14.1	318	3	NEITHER:(3)
18.9	18.7	421	4	MOST AGR:(4)
15.9	15.8	355	5	AGREE:(5)
	1.0	24	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 235-236

V3224

023A05C:WRK CNTRL PRT LF

Item Number: 08070

Please show whether you agree or disagree with each statement.

C: I expect my work to be a very central part of my life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.8	130	1	DISAGREE:(1)
12.3	12.1	272	2	MOST DIS:(2)
21.6	21.2	478	3	NEITHER:(3)
38.0	37.4	842	4	MOST AGR:(4)
22.3	22.0	495	5	AGREE:(5)
	1.5	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 237-238

V3225

023A05D:OVTM 2DO BST JOB

Item Number: 08080

Please show whether you agree or disagree with each statement.
 D: I want to do my best in my job, even if this sometimes
 means working overtime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.5	56	1	DISAGREE:(1)
3.1	3.1	69	2	MOST DIS:(2)
9.2	9.1	204	3	NEITHER:(3)
38.1	37.7	848	4	MOST AGR:(4)
47.1	46.6	1,048	5	AGREE:(5)
	1.2	26	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 239-240

V3226	023A05E: SAME JOB MST LIF
--------------	----------------------------------

Item Number: 08090

Please show whether you agree or disagree with each statement.
 E: I would like to stay in the same job for most of my adult life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	10.2	230	1	DISAGREE:(1)
9.1	9.0	202	2	MOST DIS:(2)
17.1	16.9	380	3	NEITHER:(3)
31.0	30.6	690	4	MOST AGR:(4)
32.5	32.1	723	5	AGREE:(5)
	1.3	28	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 241-242

V3227	023A06 : ENUF\$,NT WNT WRK
--------------	-----------------------------------

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	65.8	1,483	1	WORK:(1)
30.3	28.7	645	2	NOT WORK:(2)
	5.5	124	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 243-244

V3228

023A07A:DES FRND OTH RC

Item Number: 08110

The next questions are about living or working with people of different races. Please rate each of the statements below using the following terms: Not at all acceptable: I'd avoid this if I possibly could. Somewhat acceptable: I could live with this, but not be happy about it. Acceptable: This would be O.K., or I'd be neutral about this. Desirable: I'd really like this. How would you feel about . . . A: Having close personal friends of another race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	30	1	NT ACCEP:(1)
2.6	2.6	59	2	SM ACCEP:(2)
51.4	50.7	1,143	3	ACCEPTBL:(3)
44.6	44.0	991	4	DESIRABL:(4)
	1.3	30	-9	MISSING

100.0 100.0 2,252 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 245-246

V3229

023A07B:DES SUPVR DIF RC

Item Number: 08120

How would you feel about . . . B: Having a job with a supervisor of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.6	37	1	NT ACCEP:(1)
4.8	4.7	106	2	SM ACCEP:(2)
67.4	66.5	1,498	3	ACCEPTBL:(3)
26.2	25.8	582	4	DESIRABL:(4)
	1.3	30	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 247-248

V3230

023A07C:DES FAM NX DF RC

Item Number: 08130

How would you feel about . . . C: Having a family of a different race (but same level of education and income) move next door to you?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.0	46	1	NT ACCEP:(1)
4.1	4.1	92	2	SM ACCEP:(2)
58.0	57.2	1,288	3	ACCEPTBL:(3)
35.8	35.3	795	4	DESIRABL:(4)
	1.4	31	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 249-250

V3231	023A07D:DES CHL FD SM RC
--------------	---------------------------------

Item Number: 08140

How would you feel about . . . D: Having your (future) children's friends be all of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	15.1	339	1	NT ACCEP:(1)
22.2	21.7	489	2	SM ACCEP:(2)
47.8	46.8	1,053	3	ACCEPTBL:(3)
14.6	14.3	322	4	DESIRABL:(4)
	2.1	48	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 251-252

V3232	023A07E:DES CHL FD OT RC
--------------	---------------------------------

Item Number: 08150

How would you feel about . . . E: Having some of your (future) children's friends be of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	42	1	NT ACCEP:(1)
4.9	4.8	107	2	SM ACCEP:(2)
51.3	50.5	1,137	3	ACCEPTBL:(3)
41.9	41.3	929	4	DESIRABL:(4)
	1.6	36	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 253-254

V3233	023A08A:DES AL WKS SM RC
--------------	---------------------------------

Item Number: 08160

How would you feel about having a job where . . . A: . . .
all the employees are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.3	210	1	NT ACCEP:(1)
20.4	20.1	452	2	SM ACCEP:(2)
56.5	55.6	1,252	3	ACCEPTBL:(3)
13.6	13.3	300	4	DESIRABL:(4)
	1.7	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 255-256

V3234	023A08B:DES SO WKS DF RC
--------------	---------------------------------

Item Number: 08170

How would you feel about having a job where . . . B: . . .
some employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	19	1	NT ACCEP:(1)
4.2	4.1	92	2	SM ACCEP:(2)
64.7	63.6	1,433	3	ACCEPTBL:(3)
30.3	29.8	671	4	DESIRABL:(4)
	1.7	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 257-258

V3235	023A08C:DES MS WKS DF RC
--------------	---------------------------------

Item Number: 08180

How would you feel about having a job where . . . C: . . .
 most employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
 3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.6	126	1	NT ACCEP:(1)
19.6	19.3	435	2	SM ACCEP:(2)
60.3	59.3	1,336	3	ACCEPTBL:(3)
14.3	14.1	318	4	DESIRABL:(4)
	1.6	36	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 259-260

V3236	023A09A:DES AL NGB SM RC
--------------	---------------------------------

Item Number: 08190

How would you feel about living in an area where . . . A: . . .
 . all the neighbors are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
 3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	7.1	160	1	NT ACCEP:(1)
15.1	14.8	334	2	SM ACCEP:(2)
59.3	58.3	1,313	3	ACCEPTBL:(3)
18.4	18.1	407	4	DESIRABL:(4)
	1.7	38	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 261-262

V3237	023A09B:DES SO NGB OT RC
--------------	---------------------------------

Item Number: 08200

How would you feel about living in an area where . . . B: . . .
. some of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	19	1	NT ACCEP:(1)
5.8	5.7	129	2	SM ACCEP:(2)
68.1	67.0	1,509	3	ACCEPTBL:(3)
25.2	24.7	557	4	DESIRABL:(4)
	1.7	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 263-264

V3238	023A09C:DES MS NGB OT RC
--------------	---------------------------------

Item Number: 08210

How would you feel about living in an area where . . . C: . . .
. most of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	9.2	208	1	NT ACCEP:(1)
23.3	22.8	513	2	SM ACCEP:(2)
56.1	55.0	1,238	3	ACCEPTBL:(3)
11.2	10.9	246	4	DESIRABL:(4)
	2.1	47	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 265-266

V3239	023A10A:DES AL CHL SM RC
-------	--------------------------

Item Number: 08220

How would you feel about having your (future) children go to schools where . . . A: . . . all the children are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.4	324	1	NT ACCEP:(1)
15.3	15.0	338	2	SM ACCEP:(2)
53.7	52.7	1,186	3	ACCEPTBL:(3)
16.3	16.0	361	4	DESIRABL:(4)
	1.9	43	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 267-268

V3240

023A10B:DES SM CHL OT RC

Item Number: 08230

How would you feel about having your (future) children go to schools where . . . B: . . . some of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	27	1	NT ACCEP:(1)
4.7	4.6	105	2	SM ACCEP:(2)
64.1	62.9	1,418	3	ACCEPTBL:(3)
29.9	29.3	661	4	DESIRABL:(4)
	1.9	42	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 269-270

V3241	023A10C:DES MS CHL OT RC
-------	--------------------------

Item Number: 08240

How would you feel about having your (future) children go to schools where . . . C: . . . most of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desireable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.3	255	1	NT ACCEP:(1)
25.0	24.5	552	2	SM ACCEP:(2)
51.9	50.9	1,146	3	ACCEPTBL:(3)
11.6	11.4	256	4	DESIRABL:(4)
	1.9	43	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 271-272

V3242	023A11 :FRNDS AL OT RC
-------	------------------------

Item Number: 08250

What race are your close friends?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All
 Other Race(s)"

PCT VALID	PCT ALL	N	VALUE	LABEL
23.8	23.3	525	1	ALL MINE:(1)
28.1	27.5	619	2	ALMST AL:(2)
22.5	22.0	497	3	MST MINE:(3)
13.3	13.1	294	4	1/2 MINE:(4)
7.2	7.1	159	5	MST OTH:(5)
5.0	4.9	110	6	ALMS OTH:(6)
	2.1	48	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 273-274

V3243	023A12 :NGBHD AL OT RC
-------	------------------------

Item Number: 08260

What race are the people in your neighborhood?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All
 Other Race(s)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	29.0	654	1	ALL MINE:(1)
26.4	25.8	581	2	ALMST AL:(2)
17.2	16.9	380	3	MST MINE:(3)
11.3	11.1	250	4	1/2 MINE:(4)
8.6	8.4	189	5	MST OTH:(5)
6.8	6.6	149	6	ALMS OTH:(6)
	2.1	48	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 275-276

V3244

023A13 :ELEMSCH AL OT RC

Item Number: 08270

What race were the students in the elementary school where you spent the most time?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	24.8	558	1	ALL MINE:(1)
27.6	27.0	607	2	ALMST AL:(2)
15.7	15.3	345	3	MST MINE:(3)
15.4	15.0	338	4	1/2 MINE:(4)
9.2	9.0	202	5	MST OTH:(5)
6.8	6.6	149	6	ALMS OTH:(6)
	2.3	53	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 277-278

V3245

023A14 :HISCH AL OT RC

Item Number: 08280

What race are the students in your present school (if you are in school)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	9.2	207	1	ALL MINE:(1)
28.3	27.7	623	2	ALMST AL:(2)
23.2	22.7	511	3	MST MINE:(3)
19.3	18.8	424	4	1/2 MINE:(4)
11.5	11.2	253	5	MST OTH:(5)
8.2	8.0	181	6	ALMS OTH:(6)
	2.3	52	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 279-280

V3246

023A15 :WRKRS AL OT RC

Item Number: 08290

What race are the people that you work with on your job (if you have a job)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	23.4	527	1	ALL MINE:(1)
22.2	18.8	424	2	ALMST AL:(2)
16.6	14.1	318	3	MST MINE:(3)
15.5	13.1	295	4	1/2 MINE:(4)
9.3	7.9	177	5	MST OTH:(5)
8.9	7.6	170	6	ALMS OTH:(6)
	15.1	341	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 281-282

V3247 023A16 :DO LOT THG OT RC

Item Number: 08300

How often do you do things (like having a conversation, eating together, playing sports) with people of other races?

1="Not at all" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.6	148	1	NOT @ ALL:(1)
21.2	20.7	466	2	A LITTLE:(2)
38.5	37.6	848	3	SOME:(3)
33.6	32.8	740	4	A LOT:(4)
	2.2	50	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 283-284

V3248 023A17 :VRY GD EXP OT RC

Item Number: 08310

Generally, how do you feel about the experiences you have had with people of other races?

5="Very good" 4="Mostly good" 3="Mixed" 2="Mostly bad" 1="Very bad"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	32	1	VERY BAD:(1)
1.8	1.8	40	2	MST BAD:(2)
25.4	24.9	561	3	MIXED:(3)
44.4	43.4	978	4	MST GOOD:(4)
26.9	26.3	592	5	VRY GOOD:(5)
	2.2	49	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 285-286

V3249

023A18 :MARRD OR ENGAGED

Item Number: 08320

The next questions are about some of your own plans. Are you married or engaged?

1="Married--SKIP TO QUESTION 20" 2="Engaged" 3="Neither"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	8	1	MARRIED:(1)
5.9	5.5	124	2	ENGAGED:(2)
93.7	87.6	1,973	3	NEITHER:(3)
	6.5	147	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 287-288

V3250

023A19 :WHN WANT GT MARR

Item Number: 08330

If it were just up to you, what would be the ideal time for you to get married?

1="Within the next year or so" 2="Two or three years from now"
 3="Four or five years from now" 4="Over five years from now"
 5="I don't want to marry"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.9	65	1	NEXT YR:(1)
12.5	11.7	264	2	2-3 YRS:(2)
34.3	32.2	725	3	4-5 YRS:(3)
45.6	42.8	965	4	OVER 5:(4)
4.6	4.3	97	5	DNT WANT:(5)
	6.1	137	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 289-290

V3251

023A20 :THGT LOT HAV CHL

Item Number: 08340

Have you thought at all about whether you'd like to have children or how many you'd like to have?

3="I've thought about it a lot" 2="I've thought about it a little" 1="I haven't thought about it at all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.3	209	1	NOT @ ALL:(1)
58.6	56.9	1,281	2	A LITTLE:(2)
31.8	30.8	694	3	THOT LOT:(3)
	3.0	69	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 291-292

V3252

023A21 :# CHLDN WANT(6+)

Item Number: 08350

All things considered, if you could have exactly the number of children you want, what number would you choose to have?

1="None" 2="One" 3="Two" 4="Three" 5="Four" 6="Five" 7="Six or more" 8="Don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	74	1	NONE:(1)
7.6	7.4	166	2	ONE:(2)
46.9	45.5	1,025	3	TWO:(3)
21.8	21.2	477	4	THREE:(4)
7.4	7.2	161	5	FOUR:(5)
2.0	1.9	43	6	FIVE:(6)
2.2	2.1	48	7	6 OR MOR:(7)
8.8	8.5	192	8	DK:(8)
	2.9	65	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 293-294

V3253

023A22 :IF -POP, MR CHLD

Item Number: 08360

If the "population explosion" were NOT a problem, would you choose to have a larger number of children?

4="Yes, I'm sure I would want more" 3="I probably would want more" 2="I probably would not want more" 1="I'm sure I would not want more" 8="Don't know, no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	36.5	822	1	SURE NO:(1)
28.6	28.1	634	2	PROB NO:(2)
8.4	8.3	186	3	PRB YES:(3)
4.6	4.5	101	4	SURE YES:(4)
21.4	21.0	474	8	DK:(8)
	1.5	35	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 295-296

V3254

023A23 :WHN 1ST CHL(5+Y)

Item Number: 08370

If it were just up to you, how soon after getting married would you want to have your first child?

1="I don't want to have children (or get married)" 2="I wouldn't wait at all" 3="I would wait one year" 4="I would wait two years" 5="I would wait three years" 6="I would wait four or five years" 7="I would wait more than five years" 8="Don't know, or already have a child"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.5	80	1	DNT WANT:(1)
5.9	5.8	130	2	NO WAIT:(2)
28.9	28.0	631	3	WAIT 1YR:(3)
29.2	28.3	637	4	WAIT 2YR:(4)
12.4	12.1	272	5	WAIT 3YR:(5)
7.0	6.8	153	6	WAIT 4-5:(6)
2.2	2.1	47	7	WAIT 5+:(7)
10.7	10.3	233	8	DK/HAVKD:(8)
	3.1	69	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 297-298

V3255	023A24A:GD JB LARG CORPS
-------	--------------------------

Item Number: 08380

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . . A: Large corporations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	66	1	VRY POOR:(1)
7.3	7.1	161	2	POOR:(2)
26.6	25.9	582	3	FAIR:(3)
30.7	29.8	672	4	GOOD:(4)
7.6	7.4	167	5	VRY GOOD:(5)
24.8	24.1	543	8	NO OPIN:(8)
	2.7	61	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 299-300

V3256

023A24B:GD JB LBR UNIONS

Item Number: 08390

How good or bad a job is being done for the country as a whole
by . . . B: Major labor unions?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	58	1	VRY POOR:(1)
6.8	6.6	149	2	POOR:(2)
27.5	26.8	603	3	FAIR:(3)
27.3	26.5	598	4	GOOD:(4)
5.4	5.3	119	5	VRY GOOD:(5)
30.4	29.6	666	8	NO OPIN:(8)
	2.7	61	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 301-302

V3257

023A24C:GD JB COLLG & UNIV

Item Number: 08400

How good or bad a job is being done for the country as a whole
by . . . C: The nation's colleges and universities?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	26	1	VRY POOR:(1)
3.0	2.9	65	2	POOR:(2)
16.4	16.0	360	3	FAIR:(3)
39.7	38.7	871	4	GOOD:(4)
29.5	28.7	647	5	VRY GOOD:(5)
10.3	10.0	226	8	NO OPIN:(8)
	2.6	58	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 303-304

V3258

023A24D:GD JB PBLC SCHOL

Item Number: 08410

How good or bad a job is being done for the country as a whole
by . . . D: The nation's public schools?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.2	116	1	VRY POOR:(1)
14.4	14.0	316	2	POOR:(2)
34.2	33.3	750	3	FAIR:(3)
28.7	27.9	629	4	GOOD:(4)
8.9	8.7	196	5	VRY GOOD:(5)
8.5	8.2	186	8	NO OPIN:(8)
	2.6	59	-9	MISSING

100.0 100.0 2,252 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 305-306

V3259

023A24E:GD JB CHURCHES

Item Number: 08420

How good or bad a job is being done for the country as a whole
by . . . E: Churches and religious organizations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.8	108	1	VRY POOR:(1)
6.5	6.4	143	2	POOR:(2)
21.9	21.4	483	3	FAIR:(3)
32.6	31.9	718	4	GOOD:(4)
16.0	15.7	353	5	VRY GOOD:(5)
18.0	17.6	396	8	NO OPIN:(8)
	2.2	50	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 307-308

V3260

023A24F:GD JB NEWS MEDIA

Item Number: 08430

How good or bad a job is being done for the country as a whole
by . . . F: The national news media (TV, magazines, news
services)?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.5	146	1	VRY POOR:(1)
9.7	9.4	212	2	POOR:(2)
28.8	28.1	632	3	FAIR:(3)
28.5	27.8	626	4	GOOD:(4)
14.5	14.1	318	5	VRY GOOD:(5)
11.9	11.6	260	8	NO OPIN:(8)
	2.6	58	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 309-310

V3261

023A24G:GD JB PRES & ADMIN

Item Number: 08440

How good or bad a job is being done for the country as a whole
by . . . G: The President and his administration?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.6	104	1	VRY POOR:(1)
5.9	5.7	129	2	POOR:(2)
20.9	20.4	460	3	FAIR:(3)
33.3	32.5	731	4	GOOD:(4)
20.9	20.4	459	5	VRY GOOD:(5)
14.3	13.9	314	8	NO OPIN:(8)
	2.5	56	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 311-312

V3262

023A24H:GD JB CONGRESS

Item Number: 08450

How good or bad a job is being done for the country as a whole
by . . . H: Congress--that is, the U.S. Senate and House of
Representatives?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	71	1	VRY POOR:(1)
5.2	5.1	115	2	POOR:(2)
24.1	23.4	526	3	FAIR:(3)
32.5	31.6	711	4	GOOD:(4)
9.7	9.4	212	5	VRY GOOD:(5)
25.2	24.5	552	8	NO OPIN:(8)
	2.9	65	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 313-314

V3264

023A24J:GD JB JUSTC SYST

Item Number: 08470

How good or bad a job is being done for the country as a whole
by . . . J: All the courts and the justice system in
general?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.9	88	1	VRY POOR:(1)
9.3	9.1	204	2	POOR:(2)
29.3	28.4	639	3	FAIR:(3)
27.1	26.3	593	4	GOOD:(4)
5.8	5.6	126	5	VRY GOOD:(5)
24.5	23.8	535	8	NO OPIN:(8)
	3.0	66	-9	MISSING

100.0 100.0 2,252 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 317-318

V3265	023A24K:GD JB POLICE
-------	----------------------

Item Number: 08480

How good or bad a job is being done for the country as a whole
by . . . K: The police and other law enforcement agencies?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

PCT VALID	PCT ALL	N	VALUE	LABEL
7.0	6.8	153	1	VRY POOR:(1)
11.2	10.9	245	2	POOR:(2)
29.9	29.0	652	3	FAIR:(3)
29.8	28.9	651	4	GOOD:(4)
9.2	8.9	201	5	VRY GOOD:(5)
12.9	12.6	283	8	NO OPIN:(8)
	3.0	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 319-320

V3266

023A24L:GD JB MILITARY

Item Number: 08490

How good or bad a job is being done for the country as a whole
by . . . L: The U.S. military?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	44	1	VRY POOR:(1)
2.0	2.0	45	2	POOR:(2)
11.7	11.4	256	3	FAIR:(3)
31.8	31.0	698	4	GOOD:(4)
38.2	37.2	838	5	VRY GOOD:(5)
14.2	13.8	311	8	NO OPIN:(8)
	2.7	61	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 321-322

V3267

023A25 :MIL TOO MCH INFL

Item Number: 08500

All things considered, do you think the armed services presently have too much or too little influence on the way this country is run?

1="Far too little" 2="Too little" 3="About right" 4="Too much"
5="Far too much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	60	1	F TOO LT:(1)
11.5	11.0	247	2	TOO LITL:(2)
73.3	70.1	1,580	3	ABT RITE:(3)
9.4	9.0	203	4	TOO MUCH:(4)
3.1	2.9	66	5	F TOO MH:(5)
	4.3	96	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 323-324

V3268

023A26 :US TOO MCH\$ MILT

Item Number: 08510

Do you think the U.S. spends too much or too little on the
armed services?

1="Far too little" 2="Too little" 3="About right" 4="Too much"
5="Far too much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.9	89	1	F TOO LT:(1)
17.6	16.8	379	2	TOO LITL:(2)
59.1	56.5	1,273	3	ABT RITE:(3)
14.4	13.8	311	4	TOO MUCH:(4)
4.8	4.5	102	5	F TOO MH:(5)
	4.3	98	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 325-326

V3273	023A27A:DAP SMK 1PCK CIG
--------------	---------------------------------

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	25.8	581	1	DNT DISP:(1)
31.2	30.6	688	2	DISAPPRV:(2)
42.4	41.5	935	3	STRG DIS:(3)
	2.1	48	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 327-328

V3274	023A27B:DAP TRY MRJ 1-2T
--------------	---------------------------------

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following? B: Trying marijuana (pot, weed) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	47.3	1,065	1	DNT DISP:(1)
23.1	22.5	508	2	DISAPPRV:(2)
28.6	27.9	629	3	STRG DIS:(3)
	2.3	51	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 329-330

V3275

023A27C:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following? C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	35.8	806	1	DNT DISP:(1)
24.1	23.5	529	2	DISAPPRV:(2)
39.3	38.3	863	3	STRG DIS:(3)
	2.4	54	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 331-332

V3276

023A27D:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following? D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	21.2	476	1	DNT DISP:(1)
22.5	22.0	496	2	DISAPPRV:(2)
55.8	54.4	1,226	3	STRG DIS:(3)
	2.4	54	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 333-334

V3277	023A27E:DAP TRY LSD 1-2T
--------------	---------------------------------

Item Number: 08600

Do YOU disapprove of people (who are 18 or older) doing each of the following? E: Trying LSD once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	15.0	338	1	DNT DISP:(1)
21.3	20.8	468	2	DISAPPRV:(2)
63.3	61.7	1,390	3	STRG DIS:(3)
	2.5	56	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 335-336

V3278	023A27F:DAP TKG LSD REGL
--------------	---------------------------------

Item Number: 08610

Do YOU disapprove of people (who are 18 or older) doing each of the following? F: Taking LSD regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.8	131	1	DNT DISP:(1)
16.1	15.6	352	2	DISAPPRV:(2)
77.9	75.7	1,706	3	STRG DIS:(3)
	2.8	63	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 337-338

V3279

023A27G:DAP TRY HRN 1-2T

Item Number: 08620

Do YOU disapprove of people (who are 18 or older) doing each of the following? G: Trying heroin once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.6	127	1	DNT DISP:(1)
15.3	14.9	335	2	DISAPPRV:(2)
78.9	76.7	1,727	3	STRG DIS:(3)
	2.8	64	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 339-340

V3280

023A27H:DAP TKG HRN OCCS

Item Number: 08630

Do YOU disapprove of people (who are 18 or older) doing each of the following? H: Taking heroin occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.2	95	1	DNT DISP:(1)
9.5	9.2	208	2	DISAPPRV:(2)
86.1	83.5	1,880	3	STRG DIS:(3)
	3.0	68	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 341-342

V3281	023A27I:DAP TKG HRN REGL
--------------	---------------------------------

Item Number: 08640

Do YOU disapprove of people (who are 18 or older) doing each of the following? I: Taking heroin regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.6	81	1	DNT DISP:(1)
7.9	7.6	170	2	DISAPPRV:(2)
88.4	85.0	1,915	3	STRG DIS:(3)
	3.8	86	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 343-344

V3282	023A27J:DAP TRY BRB 1-2T
--------------	---------------------------------

Item Number: 08650

Do YOU disapprove of people (who are 18 or older) doing each of the following? J: Trying a barbiturate (downer, goofball, red, yellow, etc.) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	13.0	292	1	DNT DISP:(1)
21.9	21.1	476	2	DISAPPRV:(2)
64.7	62.5	1,407	3	STRG DIS:(3)
	3.5	78	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 345-346

V3283

023A27K:DAP TKG BRB REGL

Item Number: 08660

Do YOU disapprove of people (who are 18 or older) doing each of the following? K: Taking barbiturates regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.1	115	1	DNT DISP:(1)
16.3	15.7	353	2	DISAPPRV:(2)
78.4	75.2	1,693	3	STRG DIS:(3)
	4.1	92	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 347-348

V3284

023A27L:DAP TRY AMP 1-2T

Item Number: 08670

Do YOU disapprove of people (who are 18 or older) doing each of the following? L: Trying an amphetamine (upper, pep pill, bennie, speed) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	15.7	353	1	DNT DISP:(1)
21.9	21.2	478	2	DISAPPRV:(2)
61.9	60.0	1,350	3	STRG DIS:(3)
	3.1	71	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 349-350

V3285	023A27M:DAP TKG AMP REGL
--------------	---------------------------------

Item Number: 08680

Do YOU disapprove of people (who are 18 or older) doing each of the following? M: Taking amphetamines regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.2	140	1	DNT DISP:(1)
16.6	16.1	362	2	DISAPPRV:(2)
77.0	74.5	1,677	3	STRG DIS:(3)
	3.2	73	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 351-352

V3286	023A27N:DAP TRY COC 1-2T
--------------	---------------------------------

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following? N: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.6	238	1	DNT DISP:(1)
15.4	15.0	338	2	DISAPPRV:(2)
73.7	71.6	1,612	3	STRG DIS:(3)
	2.8	64	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 353-354

V3287

023A270:DAP TKG COC REGL

Item Number: 08700

Do YOU disapprove of people (who are 18 or older) doing each of the following? O: Taking cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.9	110	1	DNT DISP:(1)
10.7	10.3	232	2	DISAPPRV:(2)
84.3	81.5	1,835	3	STRG DIS:(3)
	3.3	75	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 355-356

V3288

023A27P:DAP TRY DRK ALCL

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following? P: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	71.6	1,613	1	DNT DISP:(1)
14.7	14.3	322	2	DISAPPRV:(2)
11.6	11.2	253	3	STRG DIS:(3)
	2.8	64	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 357-358

V3289	023A27Q:DAP 1-2 DRK/DAY
--------------	--------------------------------

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following? Q: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	29.8	672	1	DNT DISP:(1)
38.1	37.0	833	2	DISAPPRV:(2)
31.1	30.1	678	3	STRG DIS:(3)
	3.1	69	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 359-360

V3290	023A27R:DAP 4-5 DRK/DAY
--------------	--------------------------------

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following? R: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.0	271	1	DNT DISP:(1)
24.3	23.5	530	2	DISAPPRV:(2)
63.4	61.5	1,385	3	STRG DIS:(3)
	2.9	66	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 361-362

V3291

023A27S:DAP 5+ DRK WKND

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following? S: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	34.1	769	1	DNT DISP:(1)
26.1	25.3	569	2	DISAPPRV:(2)
38.7	37.5	845	3	STRG DIS:(3)
	3.1	69	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 363-364

V3292

023A28A:12MO NR OTH MARJ

Item Number: 20590

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? A: Marijuana (pot, weed) or hashish

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	24.9	561	1	NOT @ ALL:(1)
20.1	19.5	438	2	1-2X:(2)
23.4	22.7	511	3	OCCASNLY:(3)
30.7	29.7	668	4	OFTEN:(4)
	3.3	74	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 365-366

V3293

023A28B:12MO NR OTH LSD

Item Number: 20600

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? B: LSD

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	79.7	1,794	1	NOT @ ALL:(1)
11.0	10.6	238	2	1-2X:(2)
3.4	3.3	74	3	OCCASNLY:(3)
2.6	2.5	55	4	OFTEN:(4)
	4.0	90	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 367-368

V3294

023A28C:12MO NR OTH PSYC

Item Number: 20610

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? C: Other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	71.1	1,602	1	NOT @ ALL:(1)
14.7	14.2	320	2	1-2X:(2)
7.3	7.0	159	3	OCCASNLY:(3)
4.4	4.3	96	4	OFTEN:(4)
	3.4	76	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 369-370

V3295

023A28D:12MO NR OTH AMPH

Item Number: 20620

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? D: Amphetamines (uppers, pep pills, bennies, speed)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	66.9	1,507	1	NOT @ ALL:(1)
16.0	15.4	348	2	1-2X:(2)
8.3	8.1	182	3	OCCASNLY:(3)
6.4	6.2	139	4	OFTEN:(4)
	3.4	77	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 371-372

V3296

023A28E:12MO NR OTH BARB

Item Number: 20630

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? E: Barbiturates (downers, goofballs, reds, yellows, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.5	79.4	1,789	1	NOT @ ALL:(1)
9.2	8.9	200	2	1-2X:(2)
3.7	3.6	81	3	OCCASNLY:(3)
4.6	4.4	99	4	OFTEN:(4)
	3.7	84	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 373-374

V3297	023A28F:12MO NR OTH TRQL
--------------	---------------------------------

Item Number: 20640

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? F: Tranquilizers (Librium, Valium, Xanax)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.3	74.5	1,677	1	NOT @ ALL:(1)
10.6	10.2	230	2	1-2X:(2)
6.4	6.2	140	3	OCCASNLY:(3)
5.7	5.5	124	4	OFTEN:(4)
	3.6	82	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 375-376

V3298	023A28G:12MO NR OTH COKE
--------------	---------------------------------

Item Number: 20650

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? G: Cocaine ("coke")

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	72.7	1,636	1	NOT @ ALL:(1)
12.2	11.8	266	2	1-2X:(2)
7.3	7.1	159	3	OCCASNLY:(3)
5.3	5.1	115	4	OFTEN:(4)
	3.4	76	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 377-378

V3299

023A28H:12MO NR OTH HRN

Item Number: 20660

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? H: Heroin

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	88.6	1,995	1	NOT @ ALL:(1)
5.4	5.2	118	2	1-2X:(2)
1.6	1.5	34	3	OCCASNLY:(3)
1.3	1.3	29	4	OFTEN:(4)
	3.4	76	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 379-380

V3300

023A28I:12MO NR OTH NARC

Item Number: 20670

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? I: Other narcotics (methadone, opium, codeine, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	74.8	1,686	1	NOT @ ALL:(1)
12.4	11.9	269	2	1-2X:(2)
6.1	5.9	133	3	OCCASNLY:(3)
3.8	3.7	82	4	OFTEN:(4)
	3.7	83	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 381-382

V3301

023A28J:12MO NR OTH ALCL

Item Number: 20680

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? J: Alcoholic beverages (beer, wine, liquor)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.1	227	1	NOT @ ALL:(1)
13.9	13.4	302	2	1-2X:(2)
25.0	24.1	543	3	OCCASNLY:(3)
50.8	49.1	1,105	4	OFTEN:(4)
	3.3	75	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 383-384

V3460	023A29A:RSK OF CIG1+PK/D
-------	--------------------------

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	52	1	NO RISK:(1)
5.7	5.5	123	2	SLIGHT:(2)
23.2	22.4	504	3	MOD RISK:(3)
67.4	64.8	1,460	4	GRT RISK:(4)
1.4	1.3	30	5	CANT SAY:(5)
	3.7	84	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 631-632

V3461

023A29B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . . B: Try
marijuana once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	34.5	778	1	NO RISK:(1)
30.2	29.1	655	2	SLIGHT:(2)
15.2	14.6	329	3	MOD RISK:(3)
16.2	15.6	352	4	GRT RISK:(4)
2.6	2.5	57	5	CANT SAY:(5)
	3.6	81	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 633-634

V3462	023A29C:RSK OF MJ OCSNLY
-------	--------------------------

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . . C: Smoke
marijuana occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	14.3	323	1	NO RISK:(1)
27.0	25.9	584	2	SLIGHT:(2)
27.9	26.8	604	3	MOD RISK:(3)
27.3	26.3	592	4	GRT RISK:(4)
2.9	2.8	62	5	CANT SAY:(5)
	3.8	86	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 635-636

V3463

023A29D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . . D: Smoke
marijuana regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.7	150	1	NO RISK:(1)
14.2	13.7	308	2	SLIGHT:(2)
24.0	23.1	520	3	MOD RISK:(3)
51.9	49.8	1,123	4	GRT RISK:(4)
2.9	2.8	63	5	CANT SAY:(5)
	3.9	88	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 637-638

V3464	023A29E:RSK COK PWDR 1-2
-------	--------------------------

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . . E: Try cocaine
in powder form once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.9	88	1	NO RISK:(1)
13.6	13.1	296	2	SLIGHT:(2)
20.4	19.6	441	3	MOD RISK:(3)
54.8	52.7	1,188	4	GRT RISK:(4)
7.1	6.9	155	5	CANT SAY:(5)
	3.8	85	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 639-640

V3465

023A29F:RSK COK PWDR OCC

Item Number: 12502

How much do you think people risk harming themselves
(physically or in other ways), if they . . . F: Take cocaine
powder occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.9	44	1	NO RISK:(1)
3.2	3.1	69	2	SLIGHT:(2)
15.7	15.1	339	3	MOD RISK:(3)
72.2	69.4	1,564	4	GRT RISK:(4)
6.9	6.6	150	5	CANT SAY:(5)
	3.9	87	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 641-642

V3466	023A29G:RSK COK PWDR REG
-------	--------------------------

Item Number: 12503

How much do you think people risk harming themselves
(physically or in other ways), if they . . . G: Take cocaine
powder regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.6	37	1	NO RISK:(1)
1.0	0.9	21	2	SLIGHT:(2)
4.3	4.2	94	3	MOD RISK:(3)
86.2	83.0	1,869	4	GRT RISK:(4)
6.8	6.5	147	5	CANT SAY:(5)
	3.7	83	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 643-644

V3467

023A29H:RSK CRACK 1-2X

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . . H: Try "crack"
cocaine once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	52	1	NO RISK:(1)
8.8	8.5	192	2	SLIGHT:(2)
18.1	17.4	393	3	MOD RISK:(3)
62.6	60.2	1,355	4	GRT RISK:(4)
8.0	7.7	174	5	CANT SAY:(5)
	3.9	87	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 645-646

V3468

023A29I:RSK CRACK OCC

Item Number: 12505

How much do you think people risk harming themselves
(physically or in other ways), if they. . . I: Take "crack"
cocaine occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	32	1	NO RISK:(1)
1.7	1.6	36	2	SLIGHT:(2)
11.6	11.1	250	3	MOD RISK:(3)
77.3	74.3	1,674	4	GRT RISK:(4)
8.0	7.7	173	5	CANT SAY:(5)
	3.9	88	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 647-648

V3469

023A29J:RSK CRACK REG

Item Number: 12506

How much do you think people risk harming themselves
(physically or in other ways), if they . . . J: Take "crack"
cocaine regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	29	1	NO RISK:(1)
1.1	1.0	24	2	SLIGHT:(2)
2.9	2.8	62	3	MOD RISK:(3)
86.8	83.2	1,875	4	GRT RISK:(4)
7.9	7.6	171	5	CANT SAY:(5)
	4.0	91	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 649-650

V3470	023A29K:RSK OF 1-2 DRINK
-------	--------------------------

Item Number: 12510

How much do you think people risk harming themselves (physically or in other ways), if they . . . K: Try one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	46.4	1,044	1	NO RISK:(1)
33.5	32.2	724	2	SLIGHT:(2)
7.3	7.0	158	3	MOD RISK:(3)
9.6	9.3	209	4	GRT RISK:(4)
1.4	1.3	30	5	CANT SAY:(5)
	3.9	87	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 651-652

V3471

023A29L:RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . . L: Take one or
two drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	12.1	272	1	NO RISK:(1)
32.8	31.5	708	2	SLIGHT:(2)
31.1	29.8	672	3	MOD RISK:(3)
22.1	21.2	477	4	GRT RISK:(4)
1.5	1.4	32	5	CANT SAY:(5)
	4.0	91	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 653-654

V3472

023A29M:RSK OF 4-5 DR/DA

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . . M: Take four or
five drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.0	89	1	NO RISK:(1)
9.5	9.2	207	2	SLIGHT:(2)
24.9	23.9	539	3	MOD RISK:(3)
60.0	57.7	1,299	4	GRT RISK:(4)
1.4	1.3	29	5	CANT SAY:(5)
	3.9	89	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 655-656

V3473

023A29N:RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves
(physically or in other ways), if they. . . N: Have five or
more drinks once or twice each weekend

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.3	209	1	NO RISK:(1)
17.2	16.6	373	2	SLIGHT:(2)
22.9	22.1	497	3	MOD RISK:(3)
48.6	46.8	1,053	4	GRT RISK:(4)
1.6	1.6	35	5	CANT SAY:(5)
	3.8	85	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 657-658

V3474

023A30A:EASY GT MARIJUAN

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.1	91	1	PROB IMP:(1)
2.3	2.2	50	2	VRD DIFF:(2)
5.2	5.0	113	3	FRLY DIF:(3)
23.0	22.0	496	4	FRLY EAS:(4)
65.2	62.4	1,405	5	VRD EASY:(5)
	4.3	98	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 659-660

V3475

023A30B:EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	12.2	276	1	PROB IMP:(1)
15.6	14.8	334	2	VRY DIFF:(2)
29.7	28.3	636	3	FRLY DIF:(3)
25.6	24.4	550	4	FRLY EAS:(4)
16.3	15.5	349	5	VRY EASY:(5)
	4.8	108	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 661-662

V3476

023A30C:EASY GT COK PWDR

Item Number: 06812

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.0	292	1	PROB IMP:(1)
15.7	15.0	338	2	VRY DIFF:(2)
27.8	26.6	598	3	FRLY DIF:(3)
24.6	23.4	528	4	FRLY EAS:(4)
18.3	17.5	393	5	VRY EASY:(5)
	4.6	103	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 663-664

V3101

023B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	40.6	914	1	NEVER:(1)
24.2	23.2	523	2	1-2X:(2)
13.9	13.3	299	3	OCCASNLY:(3)
6.2	5.9	133	4	REG PAST:(4)
13.4	12.8	289	5	REG NOW:(5)
	4.1	93	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 32-33

V3102 023B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all"[includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	71.2	1,605	1	NONE:(1)
8.7	8.4	188	2	<1 CIG/D:(2)
7.9	7.6	172	3	1-5/DAY:(3)
5.5	5.3	119	4	1/2PK/D:(4)
2.7	2.6	59	5	1 PK/DA:(5)
0.6	0.5	12	6	1.5 PK/D:(6)
0.3	0.3	6	7	2+ PKS/D:(7)
	4.1	92	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 34-35

V3103

023B03 :EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, wine coolers, and liquor. Have you ever had any beer, wine, wine coolers, or liquor to drink--more than just a few sips?

1="No--GO TO THE TOP OF THE NEXT COLUMN" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	20.6	465	1	NO:(1)
78.2	73.8	1,662	2	YES:(2)
	5.6	125	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 36-37

V3104	023B04A:#X ALC/LIF SIPS
-------	-------------------------

Item Number: 00810

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said No to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	20.6	465	1	0 OCCAS:(1)
7.2	6.7	151	2	1-2X:(2)
10.8	10.1	228	3	3-5X:(3)
10.2	9.5	214	4	6-9X:(4)
12.7	11.8	267	5	10-19X:(5)
10.1	9.4	211	6	20-39X:(6)
26.9	25.0	564	7	40+OCCAS:(7)
	6.8	153	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 38-39

V3105 023B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . B: . . . During the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	26.3	592	1	0 OCCAS:(1)
15.2	14.1	318	2	1-2X:(2)
14.9	13.8	311	3	3-5X:(3)
10.3	9.5	214	4	6-9X:(4)
11.5	10.6	239	5	10-19X:(5)
8.2	7.6	171	6	20-39X:(6)
11.5	10.6	240	7	40+OCCAS:(7)
	7.4	167	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 40-41

V3106	023B04C:#X ALC/30D SIPS
-------	-------------------------

Item Number: 00830

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . C: . . . During the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	47.2	1,062	1	0 OCCAS:(1)
21.4	19.8	446	2	1-2X:(2)
10.7	9.9	223	3	3-5X:(3)
7.2	6.7	151	4	6-9X:(4)
6.5	6.0	136	5	10-19X:(5)
1.4	1.3	30	6	20-39X:(6)
1.9	1.7	39	7	40+OCCAS:(7)
	7.4	166	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 42-43

V3107

023B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	18.6	418	1	NONE:(1)
27.2	20.1	452	2	FEW:(2)
14.3	10.6	238	3	HALF:(3)
20.3	15.0	337	4	MOST:(4)
12.9	9.5	214	5	NRLY ALL:(5)
	26.3	593	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 44-45

V3108

023B06 :5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)

1="None" [includes respondents who indicated nonuse above]
 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.9	64.6	1,456	1	NONE:(1)
9.7	8.9	200	2	ONCE:(2)
7.8	7.1	161	3	TWICE:(3)
8.1	7.4	166	4	3-5X:(4)
2.3	2.1	47	5	6-9X:(5)
1.2	1.1	25	6	10+ TIME:(6)
	8.8	198	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 46-47

V3115

023B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions have you used marijuana (weed, pot) or hashish (hash, hash oil). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.6	48.7	1,097	1	0 OCCAS:(1)
9.9	9.4	211	2	1-2X:(2)
6.6	6.2	140	3	3-5X:(3)
5.1	4.8	109	4	6-9X:(4)
6.2	5.8	131	5	10-19X:(5)
4.5	4.2	95	6	20-39X:(6)
16.1	15.2	342	7	40+OCCAS:(7)
	5.7	128	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 48-49

V3116	023B07B:#XMJ+HS/LAST12MO
-------	--------------------------

Item Number: 00870

On how many occasions have you used marijuana (weed, pot) or hashish (hash, hash oil). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	58.7	1,322	1	0 OCCAS:(1)
10.5	9.9	222	2	1-2X:(2)
5.6	5.2	118	3	3-5X:(3)
4.5	4.2	95	4	6-9X:(4)
4.3	4.0	91	5	10-19X:(5)
2.6	2.4	54	6	20-39X:(6)
10.3	9.7	219	7	40+OCCAS:(7)
	5.8	131	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 50-51

V3117

023B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions have you used marijuana (weed, pot) or hashish (hash, hash oil). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.0	73.5	1,654	1	0 OCCAS:(1)
7.1	6.7	151	2	1-2X:(2)
3.9	3.7	83	3	3-5X:(3)
1.8	1.7	37	4	6-9X:(4)
2.3	2.2	49	5	10-19X:(5)
2.9	2.7	62	6	20-39X:(6)
3.9	3.7	84	7	40+OCCAS:(7)
	5.9	132	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 52-53

V3118

023B08A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions have you used LSD ("acid"). . . A: . . .
 . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	87.5	1,970	1	0 OCCAS:(1)
3.5	3.3	75	2	1-2X:(2)
1.8	1.7	38	3	3-5X:(3)
0.9	0.9	20	4	6-9X:(4)
1.0	0.9	21	5	10-19X:(5)
0.5	0.5	10	6	20-39X:(6)
0.5	0.5	12	7	40+OCCAS:(7)
	4.8	107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 54-55

V3119

023B08B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions have you used LSD ("acid"). . . B: . . .
 . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	91.8	2,067	1	0 OCCAS:(1)
2.2	2.1	48	2	1-2X:(2)
0.8	0.8	18	3	3-5X:(3)
0.5	0.4	10	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.0	1	7	40+OCCAS:(7)
	4.7	107	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 56-57

V3120

023B08C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions have you used LSD ("acid"). . . C: . . .
 . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	94.5	2,129	1	0 OCCAS:(1)
0.6	0.5	12	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.0	1	7	40+OCCAS:(7)
	4.8	107	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 58-59

V3121

023B09A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). .
 . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	86.5	1,949	1	0 OCCAS:(1)
4.8	4.6	104	2	1-2X:(2)
1.8	1.7	39	3	3-5X:(3)
0.9	0.8	18	4	6-9X:(4)
0.8	0.8	17	5	10-19X:(5)
0.6	0.5	12	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	4.8	107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 60-61

V3122 023B09B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	89.4	2,014	1	0 OCCAS:(1)
3.7	3.5	79	2	1-2X:(2)
1.2	1.1	26	3	3-5X:(3)
0.5	0.5	11	4	6-9X:(4)
0.4	0.4	8	5	10-19X:(5)
0.3	0.2	5	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	4.8	107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 62-63

V3123

023B09C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	92.9	2,093	1	0 OCCAS:(1)
1.7	1.6	37	2	1-2X:(2)
0.4	0.4	8	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	4.8	107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 64-65

V3124 023R :#X COKE/LIFETIME

Item Number: 00950

Component questions: "On how many occasions have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?" (item 22260) and "On how many occasions have you used cocaine in any other form . . . A. in your lifetime?" (item 22320).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
91.1	86.7	1,953	1	0 OCCAS:(1)
2.2	2.1	48	2	1-2X:(2)
2.3	2.2	49	3	3-5X:(3)
1.2	1.2	26	4	6-9X:(4)
1.0	0.9	21	5	10-19X:(5)
0.7	0.6	14	6	20-39X:(6)
1.5	1.4	32	7	40+OCCAS:(7)
	4.8	108	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 66-67

V3125

023R

:#X COKE/LAST12MO

Item Number: 00960

Component questions: "On how many occasions have you used "crack" (cocaine in chunk or rock form) . . . B. During the last 12 months?" (item 22270) and "On how many occasions have you used cocaine in any other form . . . B. During the last 12 months?" (item 22330).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	89.2	2,009	1	0 OCCAS:(1)
2.1	2.0	44	2	1-2X:(2)
1.2	1.2	26	3	3-5X:(3)
1.2	1.2	26	4	6-9X:(4)
0.7	0.6	14	5	10-19X:(5)
0.7	0.7	15	6	20-39X:(6)
0.6	0.5	12	7	40+OCCAS:(7)
	4.7	105	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 68-69

V3126 023R :#X COKE/LAST30DA

Item Number: 00970

Component questions: "On how many occasions have you used "crack" (cocaine in chunk or rock form) . . . C. During the last 30 days?" (item 22280) and "On how many occasions have you used cocaine in any other form . . . C. During the last 30 days?) (item 22340).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.9	92.2	2,077	1	0 OCCAS:(1)
1.1	1.0	23	2	1-2X:(2)
0.9	0.9	20	3	3-5X:(3)
0.5	0.5	11	4	6-9X:(4)
0.4	0.3	8	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	4.8	108	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 70-71

V3127

023B10A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	78.2	1,760	1	0 OCCAS:(1)
6.7	6.4	144	2	1-2X:(2)
3.1	2.9	66	3	3-5X:(3)
2.0	1.9	43	4	6-9X:(4)
2.1	2.0	45	5	10-19X:(5)
1.6	1.6	35	6	20-39X:(6)
2.1	2.0	45	7	40+OCCAS:(7)
	5.0	113	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 72-73

V3128	023B10B:#X AMPH/LAST12MO
-------	--------------------------

Item Number: 00990

On how many occasions have you taken amphetamines on your own-
 -that is, without a doctor telling you to take them . . . B:
 . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	83.4	1,877	1	0 OCCAS:(1)
5.7	5.4	121	2	1-2X:(2)
1.9	1.8	41	3	3-5X:(3)
1.1	1.0	23	4	6-9X:(4)
1.4	1.3	30	5	10-19X:(5)
0.9	0.9	20	6	20-39X:(6)
1.1	1.1	24	7	40+OCCAS:(7)
	5.1	116	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 74-75

V3129

023B10C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions have you taken amphetamines on your own-
-that is, without a doctor telling you to take them . . . C:
. . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	89.6	2,018	1	0 OCCAS:(1)
2.7	2.5	57	2	1-2X:(2)
0.9	0.8	19	3	3-5X:(3)
0.9	0.9	20	4	6-9X:(4)
0.7	0.6	14	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	5.1	115	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 76-77

V3487

023B11A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	91.9	2,069	1	0 OCCAS (1)
2.0	1.9	43	2	1-2X (2)
0.6	0.6	13	3	3-5X (3)
0.4	0.4	9	4	6-9X (4)
0.3	0.3	7	5	10-19X (5)
0.1	0.1	3	6	20-39X (6)
0.4	0.4	8	7	40+X (7)
	4.4	100	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 18-19

V3488

023B11B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions have you used "crack" (cocaine in chunk or rock form). . . B: during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	93.0	2,095	1	0 OCCAS (1)
1.2	1.1	26	2	1-2X (2)
0.6	0.5	12	3	3-5X (3)
0.5	0.5	11	4	6-9X (4)
0.2	0.2	5	5	10-19X (5)
0.1	0.1	2	6	20-39X (6)
0.1	0.1	3	7	40+X (7)
	4.4	99	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 20-21

V3489	023B11C:#X CRACK/LAST30D
-------	--------------------------

Item Number: 22280

On how many occasions have you taken "crack" (cocaine in chunk or rock form) . . . C: during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	94.3	2,123	1	0 OCCAS (1)
0.7	0.6	15	2	1-2X (2)
0.1	0.1	2	3	3-5X (3)
0.2	0.2	5	4	6-9X (4)
0.2	0.2	3	5	10-19X (5)
0.1	0.1	1	6	20-39X (6)
0.0	0.0	0	7	40+X (7)
	4.5	102	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 22-23

V3490

023B12A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions have you used cocaine in any other form
 . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	87.4	1,968	1	0 OCCAS (1)
2.7	2.6	59	2	1-2X (2)
1.8	1.7	38	3	3-5X (3)
1.2	1.1	25	4	6-9X (4)
0.8	0.7	16	5	10-19X (5)
0.6	0.6	14	6	20-39X (6)
1.2	1.2	26	7	40+X (7)
	4.8	107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 24-25

V3491

023B12B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions have you used cocaine in any other form
 . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	89.8	2,023	1	0 OCCAS (1)
2.3	2.2	49	2	1-2X (2)
1.1	1.1	24	3	3-5X (3)
0.8	0.7	16	4	6-9X (4)
0.6	0.5	12	5	10-19X (5)
0.7	0.6	15	6	20-39X (6)
0.5	0.4	10	7	40+X (7)
	4.6	103	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 26-27

V3492 023B12C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions have you used cocaine in any other form
 . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	92.6	2,086	1	0 OCCAS (1)
1.1	1.1	24	2	1-2X (2)
0.7	0.7	16	3	3-5X (3)
0.5	0.5	11	4	6-9X (4)
0.2	0.2	4	5	10-19X (5)
0.1	0.1	3	6	20-39X (6)
0.0	0.0	0	7	40+X (7)
	4.8	107	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 28-29

V3133	023B13A:#X BRBT/LIFETIME
-------	--------------------------

Item Number: 01040

Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions have you taken barbiturates on your own-- that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	85.8	1,932	1	0 OCCAS:(1)
3.3	3.1	70	2	1-2X:(2)
2.0	1.9	43	3	3-5X:(3)
1.1	1.0	23	4	6-9X:(4)
1.5	1.4	31	5	10-19X:(5)
1.0	1.0	22	6	20-39X:(6)
1.1	1.1	24	7	40+OCCAS:(7)
	4.7	105	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 78-79

V3134

023B13B:#X BRBT/LAST12MO

Item Number: 01050

On how many occasions have you taken barbiturates on your own-
-that is, without a doctor telling you to take them . . . B:
. . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	88.2	1,987	1	0 OCCAS:(1)
3.2	3.0	68	2	1-2X:(2)
1.1	1.1	25	3	3-5X:(3)
1.3	1.2	28	4	6-9X:(4)
0.9	0.8	19	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.5	0.5	11	7	40+OCCAS:(7)
	4.7	106	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 80-81

V3135

023B13C:#X BRBT/LAST30DA

Item Number: 01060

On how many occasions have you taken barbiturates on your own-
-that is, without a doctor telling you to take them. . . C:
. . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	91.9	2,069	1	0 OCCAS:(1)
1.3	1.3	29	2	1-2X:(2)
1.0	1.0	22	3	3-5X:(3)
0.5	0.5	10	4	6-9X:(4)
0.5	0.5	11	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	4.8	109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 82-83

V3136

023B14A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	83.5	1,881	1	0 OCCAS:(1)
5.5	5.2	118	2	1-2X:(2)
2.2	2.1	47	3	3-5X:(3)
1.0	1.0	21	4	6-9X:(4)
1.4	1.3	30	5	10-19X:(5)
0.9	0.9	20	6	20-39X:(6)
1.3	1.2	27	7	40+OCCAS:(7)
	4.8	107	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 84-85

V3137 023B14B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions have you taken tranquilizers on your own--that is, without a doctor telling you to take them. . .
 B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	86.3	1,943	1	0 OCCAS:(1)
4.5	4.3	97	2	1-2X:(2)
1.7	1.6	36	3	3-5X:(3)
0.9	0.8	18	4	6-9X:(4)
1.1	1.1	24	5	10-19X:(5)
0.6	0.5	12	6	20-39X:(6)
0.5	0.5	11	7	40+OCCAS:(7)
	4.9	111	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 86-87

V3138

023B14C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .
C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	91.3	2,057	1	0 OCCAS:(1)
2.0	1.9	44	2	1-2X:(2)
0.7	0.7	15	3	3-5X:(3)
0.4	0.3	8	4	6-9X:(4)
0.6	0.6	14	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	4.9	111	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 88-89

V3139

023B15A:#X "H"/LIFETIME

Item Number: 01100

On how many occasions have you used heroin . . . A: . . . in
your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	93.7	2,111	1	0 OCCAS:(1)
0.9	0.9	19	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.5	0.4	10	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	4.8	108	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 90-91

V3140

023B15B:#X "H"/LAST 12MO

Item Number: 01110

On how many occasions have you used heroin . . . B: . . .
during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	94.0	2,118	1	0 OCCAS:(1)
0.9	0.9	19	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	4.8	107	-9	MISSING

100.0 100.0 2,252 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 92-93

V3141 023B15C:#X "H"/LAST 30DA

Item Number: 01120

On how many occasions have you used heroin . . . C: . . .
during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	94.7	2,132	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	4.8	108	-9	MISSING

100.0 100.0 2,252 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 94-95

V3142

023B16A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	84.5	1,902	1	0 OCCAS:(1)
4.6	4.3	98	2	1-2X:(2)
1.9	1.8	41	3	3-5X:(3)
1.5	1.4	31	4	6-9X:(4)
1.0	0.9	21	5	10-19X:(5)
0.6	0.6	12	6	20-39X:(6)
1.1	1.1	24	7	40+OCCAS:(7)
	5.4	122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 96-97

V3143 023B16B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	87.3	1,966	1	0 OCCAS:(1)
4.1	3.8	86	2	1-2X:(2)
1.5	1.4	31	3	3-5X:(3)
0.9	0.8	19	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.3	0.3	6	6	20-39X:(6)
0.7	0.6	14	7	40+OCCAS:(7)
	5.4	122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 98-99

V3144

023B16C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	91.6	2,064	1	0 OCCAS:(1)
1.7	1.6	36	2	1-2X:(2)
0.5	0.4	10	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.5	0.5	10	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	5.4	122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 100-101

V3145 023B17A:#X INHL/LIFETIME

Item Number: 01160

On how many occasions have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	84.2	1,896	1	0 OCCAS:(1)
6.4	6.1	138	2	1-2X:(2)
2.3	2.2	50	3	3-5X:(3)
0.8	0.8	17	4	6-9X:(4)
0.8	0.7	17	5	10-19X:(5)
0.2	0.1	3	6	20-39X:(6)
0.8	0.7	16	7	40+OCCAS:(7)
	5.1	115	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 102-103

V3146

023B17B:#X INHL/LAST12MO

Item Number: 01170

On how many occasions have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	90.2	2,032	1	0 OCCAS:(1)
3.2	3.0	68	2	1-2X:(2)
0.7	0.7	15	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS:(7)
	5.1	116	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 104-105

V3147 023B17C:#X INHL/LAST30DA

Item Number: 01180

On how many occasions have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	93.7	2,111	1	0 OCCAS:(1)
0.8	0.7	17	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.3	0.2	5	7	40+OCCAS:(7)
	5.1	115	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 106-107

V3493

023B18A:#X MDMA/LIFETIME

Item Number: 22660

On how many occasions have you used MDMA ("ecstasy"). . . A:
 . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.2	84.5	1,903	1	0 OCCAS (1)
5.3	5.0	113	2	1-2X (2)
1.3	1.2	28	3	3-5X (3)
1.3	1.2	28	4	6-9X (4)
1.0	1.0	22	5	10-19X (5)
0.5	0.5	11	6	20-39X (6)
1.3	1.3	28	7	40+X (7)
	5.3	118	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 685-686

V3494

023B18B:#X MDMA/LAST12MO

Item Number: 22670

On how many occasions have you used MDMA ("ecstasy"). . . B:
 . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	87.3	1,966	1	0 OCCAS (1)
4.0	3.8	85	2	1-2X (2)
1.3	1.3	29	3	3-5X (3)
0.7	0.7	16	4	6-9X (4)
0.6	0.6	14	5	10-19X (5)
0.4	0.4	9	6	20-39X (6)
0.6	0.6	13	7	40+X (7)
	5.4	122	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 687-688

V3495

023B18C:#X MDMA/LAST30DA

Item Number: 22680

On how many occasions have you used MDMA ("ecstasy"). . . C:
 . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	91.8	2,068	1	0 OCCAS (1)
1.7	1.6	36	2	1-2X (2)
0.5	0.4	10	3	3-5X (3)
0.5	0.4	10	4	6-9X (4)
0.2	0.2	5	5	10-19X (5)
0.0	0.0	0	6	20-39X (6)
0.1	0.1	1	7	40+X (7)
	5.4	122	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 689-690

V3148	023(R) :AGE <>18 DICHOTOMY
--------------	---

Item Number:

Component variables: 1) Q. C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	41.2	928	1	< 18:(1)
56.9	54.3	1,224	2	18+:(2)
	4.4	100	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 108-109

V3150	023C03 :R'S SEX
--------------	------------------------

Item Number: 00030

What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	43.7	984	1	MALE:(1)
53.3	49.9	1,124	2	FEMALE:(2)
	6.4	143	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 110-111

V3151

023C04(R)R'S RACE

Item Number: 00040

How do you describe yourself?

"2="Black or African-American" 3="Mexican American or Chicano"
 4="Cuban American" 8="Puerto Rican American" 9="Other Latin
 American" 5="Oriental or Asian American" 6="White (Caucasian)"
 1="American Indian (Native American Indian)" 7="Other".
 Responses other than (2) "Black or African-American" and (6)
 "White (Caucasian)" are recoded to missing data in this
 dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	63.3	1,425	0	WHITE
14.2	10.5	236	1	BLACK
	26.2	591	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 112-113

V3152

023C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

PCT VALID	PCT ALL	N	VALUE	LABEL
10.4	10.4	233	0	DK/MIXED:(0)
3.8	3.8	86	1	FARM:(1)
9.7	9.7	218	2	COUNTRY:(2)
29.5	29.5	664	3	SML TOWN:(3)
12.7	12.7	285	4	MED CITY:(4)
7.7	7.7	173	5	SUBURB 4:(5)
10.3	10.3	233	6	LRG CITY:(6)
6.1	6.1	138	7	SUBURB 6:(7)
5.6	5.6	126	8	VRYLG CY:(8)
4.2	4.2	95	9	SUBURB 8:(9)
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Column: 114

V3153

023C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	9	1	MARRIED:(1)
6.0	5.6	126	2	ENGAGED:(2)
0.5	0.5	12	3	SEP/DIV:(3)
93.0	87.3	1,967	4	SINGLE:(4)
	6.1	138	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 115-116

V49

023C07R:# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more" For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.1	114	0	
29.6	28.4	640	1	
29.2	28.0	631	2	
35.8	34.3	773	3	3 OR MORE
	4.2	94	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 30-31

V3155

023C07Cb(R):R'S HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.) B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	23.8	537	0	NT MARKD:(0)
75.0	71.5	1,609	1	MARKED:(1)
	4.7	106	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 117-118

V3156

023C07Cc(R):R'S HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.) C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	9.8	221	0	NT MARKD:(0)
89.7	85.5	1,925	1	MARKED:(1)
	4.7	106	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 119-120

V3157

023C07Cd(R):R'S HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.) D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	30.5	686	0	NT MARKD:(0)
68.0	64.8	1,460	1	MARKED:(1)
	4.7	106	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 121-122

V3163

023C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.7	84	1	GRDE SCH:(1)
9.5	9.0	203	2	SOME HS:(2)
30.0	28.5	642	3	HS GRAD:(3)
17.1	16.2	365	4	SOME CLG:(4)
20.5	19.5	440	5	CLG GRAD:(5)
12.6	12.0	271	6	GRAD SCH:(6)
6.4	6.1	137	7	DK:(7)
	5.0	112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 123-124

V3164

023C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed
 college" 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.1	71	1	GRDE SCH:(1)
8.4	8.0	179	2	SOME HS:(2)
26.1	24.8	558	3	HS GRAD:(3)
22.4	21.3	479	4	SOME CLG:(4)
25.4	24.1	543	5	CLG GRAD:(5)
10.4	9.9	223	6	GRAD SCH:(6)
4.1	3.8	87	7	DK:(7)
	5.0	112	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 125-126

V3165

023C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	13.6	305	1	NO:(1)
19.3	18.2	411	2	SOMETIME:(2)
19.6	18.6	418	3	MOSTTIME:(3)
46.8	44.4	1,000	4	ALL TIME:(4)
	5.2	118	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 127-128

V3166

023C11 :R'S POLITL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT VALID	PCT ALL	N	VALUE	LABEL
8.9	8.1	182	1	STRG GOP:(1)
12.8	11.7	262	2	MILD GOP:(2)
10.8	9.8	221	3	MILD DEM:(3)
9.4	8.5	192	4	STRG DEM:(4)
7.6	6.9	155	5	INDEPNDT:(5)
18.2	16.6	374	6	NO PREF:(6)
2.1	1.9	43	7	OTHER:(7)
30.3	27.7	623	8	DK:(8)
	8.9	200	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 129-130

V3167

023C12 :R'POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above,
 or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.3	75	1	VRY CONS:(1)
9.8	9.2	208	2	CONSERV:(2)
25.0	23.5	529	3	MODERATE:(3)
14.5	13.6	307	4	LIBERAL:(4)
4.5	4.2	95	5	VRY LIB:(5)
2.5	2.3	52	6	RADICAL:(6)
40.1	37.6	846	8	NONE/DK:(8)
	6.2	140	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 131-132

V3169

023C13B:R'ATTND REL SVC

Item Number: 00370

The next three questions are about religion. B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	12.0	270	1	NEVER:(1)
33.4	24.9	561	2	RARELY:(2)
16.9	12.6	284	3	1-2X/MO:(3)
33.7	25.1	566	4	1/WK OR+:(4)
	25.4	572	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 133-134

V3170

023C13C:RLGN IMP R'S LF

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
 4="Very important" Responses from the western region
 intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	10.0	226	1	NOT IMPT:(1)
24.5	18.3	411	2	LITL IMP:(2)
30.4	22.7	511	3	PRTY IMP:(3)
31.6	23.6	531	4	VERY IMP:(4)
	25.4	573	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 135-136

V3171

023C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
 6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	93.7	2,110	1	BY JUNE:(1)
1.0	0.9	20	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.6	0.6	13	6	WONT:(6)
	4.8	109	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 137-138

V3172

023C15 :R'S HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	48.5	1,092	1	CLG PREP:(1)
32.0	30.2	679	2	GENERAL:(2)
8.1	7.6	172	3	VOC-TECH:(3)
8.6	8.1	183	4	OTH/DK:(4)
	5.6	127	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 139-140

V3173

023C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	18	1	FAR BLOW:(1)
1.9	1.8	40	2	BELOW AV:(2)
5.2	4.9	109	3	SL BELOW:(3)
34.3	32.3	728	4	AVERAGE:(4)
25.5	24.0	541	5	SL ABOVE:(5)
25.8	24.3	548	6	ABOVE AV:(6)
6.4	6.0	136	7	FAR ABOV:(7)
	5.9	132	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 141-142

V3174 023C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	12	1	FAR BLOW:(1)
1.7	1.6	36	2	BELOW AV:(2)
4.7	4.4	99	3	SL BELOW:(3)
33.6	31.6	712	4	AVERAGE:(4)
25.1	23.6	531	5	SL ABOVE:(5)
26.8	25.2	567	6	ABOVE AV:(6)
7.5	7.1	159	7	FAR ABOV:(7)
	6.0	135	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 143-144

V3175	023C18A:#DA/4W SC MS ILL
-------	--------------------------

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.4	55.9	1,259	1	NONE:(1)
17.9	16.5	373	2	1 DAY:(2)
9.7	9.0	202	3	2 DAYS:(3)
5.3	4.9	111	4	3 DAYS:(4)
3.8	3.6	80	5	4-5 DAYS:(5)
2.0	1.8	41	6	6-10 DA:(6)
0.8	0.8	17	7	11+ DAYS:(7)
	7.5	169	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 145-146

V3176

023C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.3	61.7	1,391	1	NONE:(1)
14.2	13.0	294	2	1 DAY:(2)
7.4	6.8	152	3	2 DAYS:(3)
4.7	4.3	97	4	3 DAYS:(4)
3.3	3.0	67	5	4-5 DAYS:(5)
1.6	1.4	32	6	6-10 DA:(6)
1.6	1.5	34	7	11+ DAYS:(7)
	8.2	184	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 147-148

V3177

023C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have
you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
54.9	50.8	1,143	1	NONE:(1)
21.2	19.6	441	2	1 DAY:(2)
10.4	9.6	216	3	2 DAYS:(3)
6.9	6.3	143	4	3 DAYS:(4)
3.7	3.4	77	5	4-5 DAYS:(5)
1.7	1.5	34	6	6-10 DA:(6)
1.3	1.2	26	7	11+ DAYS:(7)
	7.6	172	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 149-150

V3178

023C19 :#DA/4W SKP CLASS

Item Number: 00460

During the last four weeks, how often have you gone to school,
but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	60.5	1,362	1	NONE:(1)
19.7	18.6	419	2	1-2:(2)
9.7	9.2	206	3	3-5:(3)
3.7	3.5	79	4	6-10:(4)
1.5	1.4	31	5	11-20:(5)
1.2	1.1	25	6	21+:(6)
	5.8	130	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 151-152

V3179

023C20 :R HS GRADE/D=1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
 1="D (69 or below)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	29	1	D:(1)
2.8	2.6	59	2	C-:(2)
5.8	5.5	123	3	C:(3)
9.2	8.7	195	4	C+:(4)
11.8	11.1	250	5	B-:(5)
19.4	18.2	410	6	B:(6)
18.4	17.3	389	7	B+:(7)
15.4	14.4	325	8	A-:(8)
15.9	14.9	336	9	A:(9)
	6.0	136	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 153-154

V3180	023C21A:R WL DO VOC/TEC
-------	-------------------------

Item Number: 00480

How likely is it that you will do each of the following things after high school? A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	45.9	1,035	1	DEF WONT:(1)
26.8	24.3	547	2	PRB WONT:(2)
14.9	13.5	304	3	PRB WILL:(3)
7.6	6.9	156	4	DEF WILL:(4)
	9.4	211	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 155-156

V3181

023C21B:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things
after high school? B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	62.9	1,416	1	DEF WONT:(1)
19.7	17.9	404	2	PRB WONT:(2)
6.4	5.8	131	3	PRB WILL:(3)
4.7	4.2	96	4	DEF WILL:(4)
	9.2	206	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 157-158

V3182	023C21C:R WL DO 2YR CLG
-------	-------------------------

Item Number: 00500

How likely is it that you will do each of the following things after high school? C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	30.7	692	1	DEF WONT:(1)
22.4	20.2	456	2	PRB WONT:(2)
24.0	21.8	490	3	PRB WILL:(3)
19.6	17.8	400	4	DEF WILL:(4)
	9.5	215	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 159-160

V3183

023C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school? D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	8.8	197	1	DEF WONT:(1)
11.4	10.4	234	2	PRB WONT:(2)
24.7	22.6	509	3	PRB WILL:(3)
54.3	49.5	1,116	4	DEF WILL:(4)
	8.7	196	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 161-162

V3184	023C21E:R WL DO GRD/PRF
--------------	--------------------------------

Item Number: 00520

How likely is it that you will do each of the following things after high school? E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	16.8	379	1	DEF WONT:(1)
28.6	25.7	579	2	PRB WONT:(2)
32.7	29.4	662	3	PRB WILL:(3)
20.0	18.0	406	4	DEF WILL:(4)
	10.1	227	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 163-164

V3185	023C22A:R WNTDO VOC/TEC
--------------	--------------------------------

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	75.9	1,709	0	NT MARKD:(0)
17.7	16.3	367	1	MARKED:(1)
	7.8	176	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 165-166

V3186

023C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	80.0	1,802	0	NT MARKD:(0)
13.2	12.2	274	1	MARKED:(1)
	7.8	176	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 167-168

V3187

023C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.8	66.2	1,491	0	NT MARKD:(0)
28.2	26.0	585	1	MARKED:(1)
	7.8	176	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 169-170

V3188	023C22D:R WNTDO 4YR CLG
--------------	--------------------------------

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	19.6	442	0	NT MARKD:(0)
78.7	72.6	1,634	1	MARKED:(1)
	7.8	176	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 171-172

V3189	023C22E:R WNTDO GRD/PRF
--------------	--------------------------------

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.1	43.4	978	0	NT MARKD:(0)
52.9	48.8	1,098	1	MARKED:(1)
	7.8	176	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 173-174

V3190

023C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	87.4	1,968	0	NT MARKD:(0)
5.2	4.8	108	1	MARKED:(1)
	7.8	176	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 175-176

V3191

023C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	23.8	535	1	NONE:(1)
9.0	8.4	188	2	5 OR <:(2)
9.5	8.8	198	3	6-10 HRS:(3)
11.9	11.0	247	4	11-15 HR:(4)
15.0	13.9	312	5	16-20 HR:(5)
12.3	11.4	256	6	21-25 HR:(6)
8.3	7.6	172	7	26-30 HR:(7)
8.4	7.8	175	8	30+ HRS:(8)
	7.4	167	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 177-178

V3192

023C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from. . . A:
A job or other work

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
28.8	26.2	589	1	NONE:(1)
0.9	0.8	18	2	\$1-5:(2)
2.7	2.4	55	3	\$6-10:(3)
2.7	2.4	55	4	\$11-20:(4)
4.1	3.7	84	5	\$21-35:(5)
5.3	4.8	109	6	\$36-50:(6)
10.0	9.0	204	7	\$51-75:(7)
23.2	21.0	474	8	\$76-125:(8)
22.3	20.2	455	9	\$126+:(9)
	9.3	210	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 179-180

V3193	023C24B:R\$/AVG WEEK OTH
-------	--------------------------

Item Number: 00610

During an average week, how much money do you get from. . . B:
Other sources (allowances, etc.)

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
36.9	32.9	741	1	NONE:(1)
6.7	6.0	136	2	\$1-5:(2)
10.0	9.0	202	3	\$6-10:(3)
18.4	16.4	370	4	\$11-20:(4)
11.8	10.5	237	5	\$21-35:(5)
5.6	5.0	112	6	\$36-50:(6)
4.0	3.6	81	7	\$51-75:(7)
2.6	2.3	53	8	\$76-125:(8)
3.9	3.5	78	9	\$126+:(9)
	10.8	243	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 181-182

V3194

023C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"
6="Six or Seven"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	9.5	213	1	< 1:(1)
12.2	11.3	253	2	ONE:(2)
27.6	25.5	574	3	TWO:(3)
24.1	22.2	501	4	THREE:(4)
17.4	16.0	361	5	4-5:(5)
8.4	7.7	174	6	6-7:(6)
	7.8	176	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 183-184

V3195

023C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	20.2	454	1	NEVER:(1)
19.4	17.8	400	2	1/MO OR<:(2)
14.7	13.5	304	3	2-3/MO:(3)
15.1	13.9	312	4	1/WK:(4)
17.0	15.5	350	5	2-3/WK:(5)
11.8	10.8	242	6	3+/WK:(6)
	8.4	190	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 185-186

V3196

023C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	15.0	338	1	NONE:(1)
7.0	6.4	145	2	1-10 MI:(2)
21.4	19.7	444	3	11-50:(3)
24.2	22.3	502	4	51-100:(4)
17.0	15.6	352	5	101-200:(5)
14.1	13.0	293	6	> 200:(6)
	7.9	177	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 187-188

V3197

023C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	63.1	1,420	0	NONE:(0)
18.1	16.3	368	1	ONE:(1)
7.1	6.4	144	2	TWO:(2)
2.7	2.4	54	3	THREE:(3)
2.6	2.3	52	4	4+:(4)
	9.5	213	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 189-190

V3198

023C29AR#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were
 . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3
 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	25.3	569	0	None:(0)
6.3	1.7	39	1	One:(1)
0.9	0.2	5	2	Two:(2)
0.4	0.1	2	3	3-4 or +:(3-4)
	72.7	1,637	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 191-192

V3199

023C29BR#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were
 . . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3
 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	25.2	567	0	None:(0)
4.9	1.3	30	1	One:(1)
1.5	0.4	9	2	Two:(2)
0.8	0.2	5	3	3-4 or +:(3-4)
	72.9	1,641	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 193-194

V3200	023C29CR#TCKTS AFT OTDG
-------	-------------------------

Item Number: 00680

How many of these tickets or warnings occurred after you were
 . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3
 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	26.5	596	0	None:(0)
1.5	0.4	9	1	One:(1)
0.5	0.1	3	2	Two:(2)
0.4	0.1	2	3	3-4 or +:(3-4)
	72.9	1,641	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 195-196

V3201

023C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO TOP OF NEXT COLUMN" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	67.7	1,525	0	NONE:(0)
19.6	17.7	399	1	ONE:(1)
4.3	3.9	88	2	TWO:(2)
0.9	0.8	18	3	THREE:(3)
0.3	0.3	6	4	4+:(4)
	9.6	217	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 197-198

V3202	023C31AR#ACDTS AFT DRNK
--------------	--------------------------------

Item Number: 00700

How many of these accidents occurred after you were . . . A:
Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	21.8	491	0	None:(0)
1.9	0.4	10	1	One:(1)
0.8	0.2	4	2	Two:(2)
0.1	0.0	0	3	3-4 or +:(3-4)
	77.5	1,746	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 199-200

V3203	023C31BR#ACDTS AFT MARJ
--------------	--------------------------------

Item Number: 00710

How many of these accidents occurred after you were . . . B:
Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	21.8	490	0	None:(0)
1.9	0.4	10	1	One:(1)
0.9	0.2	5	2	Two:(2)
0.3	0.1	1	3	3-4 or +:(3-4)
	77.6	1,747	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 201-202

V3204

023C31CR#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . . C:
Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3
and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	21.9	494	0	None:(0)
1.8	0.4	9	1	One:(1)
0.3	0.1	2	2	Two:(2)
0.1	0.0	0	3	3-4 or +:(3-4)
	77.6	1,748	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 203-204

V3302

023D01 :CMP SATFD W/LIFE

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat
dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat
satisfied" 6="Quite satisfied" 7="Completely satisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.3	75	1	COMP DIS:(1)
6.0	5.5	124	2	QUITE DS:(2)
8.3	7.6	171	3	SMWT DIS:(3)
11.8	10.8	243	4	NEITHER:(4)
22.0	20.1	454	5	SMWT SAT:(5)
38.7	35.3	796	6	QUITE ST:(6)
9.5	8.7	196	7	COMP SAT:(7)
	8.6	195	-9	MISSING

100.0 100.0 2,252 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 385-386

V3484	023D02 :FEEL UNSAFE@SCHL
--------------	---------------------------------

Item Number: 25770

The next questions are about feeling unsafe--that is, feeling that someone might try to harm or injure you. How often do you feel unsafe when you are at school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	48.2	1,085	1	NEVER:(1)
34.4	31.5	710	2	RARELY:(2)
7.5	6.9	155	3	SOMEDAYS:(3)
2.7	2.5	56	4	MOSTDAYS:(4)
2.7	2.5	55	5	EVERYDAY:(5)
	8.5	191	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 679-680

V3485	023D03 :UNSAF TO/FRM SCH
--------------	---------------------------------

Item Number: 25780

How often do you feel unsafe going to or from school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	53.5	1,205	1	NEVER:(1)
32.0	29.2	658	2	RARELY:(2)
5.8	5.3	119	3	SOMEDAYS:(3)
1.7	1.6	35	4	MOSTDAYS:(4)
2.0	1.8	40	5	EVERYDAY:(5)
	8.7	195	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 681-682

V3486 023D04 :4WK/UNSAF AVDSCH

Item Number: 25790

During the LAST FOUR WEEKS, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

1="0 days" 2="1 day" 3="2 or 3 days" 4="4 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	88.4	1,990	1	0 DAYS:(1)
1.3	1.2	27	2	1 DAY:(2)
0.9	0.8	18	3	2-3 DAYS:(3)
0.6	0.6	12	4	4+ DAYS:(4)
	9.1	204	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 683-684

V3501

023D05A:#X KETAMINE/12M

Item Number: 31060

Lately there has been some attention paid to certain drugs.
 During the LAST 12 MONTHS, on how many occasions have you...
 A. taken ketamine ("special K," "super K")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	88.0	1,982	1	0(1)
1.6	1.5	33	2	1-2(2)
0.7	0.6	15	3	3-5(3)
0.3	0.2	5	4	6-9(4)
0.1	0.1	2	5	10-19(5)
0.1	0.1	2	6	20-39(6)
0.2	0.2	4	7	40+(7)
	9.3	209	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 699-700

V3503

023D05B:#X ANDRO/12MO

Item Number: 31160

During the LAST 12 MONTHS, on how many occasions have you...
 B. taken "andro" (androstenedione, non-prescription steroid)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	88.4	1,991	1	0(1)
0.9	0.9	19	2	1-2(2)
0.4	0.4	9	3	3-5(3)
0.2	0.2	4	4	6-9(4)
0.3	0.3	6	5	10-19(5)
0.1	0.1	3	6	20-39(6)
0.3	0.3	7	7	40+(7)
	9.5	214	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 701-702

V3504

023D05C:#X CREATINE/12MO

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions have you...
 C. taken creatine (amino acid used to build muscles)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	82.8	1,865	1	0(1)
2.1	1.9	43	2	1-2(2)
1.1	1.0	23	3	3-5(3)
1.3	1.2	26	4	6-9(4)
1.3	1.2	26	5	10-19(5)
1.2	1.1	25	6	20-39(6)
1.4	1.3	30	7	40+(7)
	9.5	215	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 703-704

V3505

023D05D:#X RITALIN/12MO

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions have you...
 D. taken ritalin (without a doctor's orders)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	87.6	1,973	1	0(1)
1.4	1.2	28	2	1-2(2)
0.5	0.5	11	3	3-5(3)
0.4	0.3	7	4	6-9(4)
0.0	0.0	1	5	10-19(5)
0.3	0.2	6	6	20-39(6)
0.5	0.5	11	7	40+(7)
	9.6	215	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 705-706

V3506

023D05E:#X ROHYPNL/12MO

Item Number: 29785

During the LAST 12 MONTHS, on how many occasions have you . .
 . E. taken Rohypnol ("rophies," "roofies")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	89.1	2,006	1	0(1)
0.7	0.6	14	2	1-2(2)
0.4	0.4	8	3	3-5(3)
0.2	0.2	5	4	6-9(4)
0.0	0.0	0	5	10-19(5)
0.2	0.2	4	6	20-39(6)
0.1	0.1	3	7	40+(7)
	9.4	212	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 707-708

V3309	023D06A:12MO REDUCE ALCL
--------------	---------------------------------

Item Number: 08910

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . A: Alcohol?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.1	39.7	895	0	NO:(0)
23.3	18.5	416	1	YES:(1)
26.6	21.1	474	8	HVNT USD:(8)
	20.7	466	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 387-388

V3310	023D06B:12MO REDUCE CIG
--------------	--------------------------------

Item Number: 08920

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . B: Cigarettes?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	15.0	338	0	NO:(0)
21.8	19.1	431	1	YES:(1)
61.0	53.5	1,204	8	HVNT USD:(8)
	12.4	280	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 389-390

V3311

023D06C:12MO REDUCE MARJ

Item Number: 08930

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . C: Marijuana?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	15.8	356	0	NO:(0)
18.4	14.4	325	1	YES:(1)
61.5	48.3	1,087	8	HVNT USD:(8)
	21.5	485	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 391-392

V3312

023D06D:12MO REDUCE PSYC

Item Number: 08940

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . D: Hallucinogens (LSD, etc.)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	3.4	76	0	NO:(0)
1.9	1.5	33	1	YES:(1)
93.8	72.4	1,631	8	HVNT USD:(8)
	22.8	512	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 393-394

V3313	023D06E:12MO REDUCE AMPH
--------------	---------------------------------

Item Number: 08950

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . E: Amphetamines (uppers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	3.4	76	0	NO:(0)
3.7	2.7	62	1	YES:(1)
91.7	68.0	1,532	8	HVNT USD:(8)
	25.8	581	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 395-396

V3443	023D06F:12MO REDUCE TRQL
--------------	---------------------------------

Item Number: 09005

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . F: Tranquilizers?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.0	68	0	NO:(0)
1.6	1.2	28	1	YES:(1)
94.4	70.8	1,595	8	HVNT USD:(8)
	25.0	562	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 601-602

V3444

023D06G:12MO REDUCE B+Q

Item Number: 08970

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . G: Barbiturates/quaaludes (downers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	9.1	204	0	NO:(0)
3.2	2.7	60	1	YES:(1)
86.0	72.3	1,629	8	HVNT USD:(8)
	15.9	359	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 603-604

V3316

023D06H:12MO REDUCE COKE

Item Number: 08980

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . H: Cocaine?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.4	53	0	NO:(0)
3.5	2.8	63	1	YES:(1)
93.5	73.7	1,659	8	HVNT USD:(8)
	21.2	478	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 397-398

V3317	023D06I:12MO REDUCE HRN
--------------	--------------------------------

Item Number: 08990

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . I: Heroin?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.7	16	0	NO:(0)
0.6	0.5	10	1	YES:(1)
98.5	77.9	1,754	8	HVNT USD:(8)
	20.9	471	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 399-400

V3318	023D06J:12MO REDUCE NARC
--------------	---------------------------------

Item Number: 09000

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . J: Other narcotics?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	2.7	60	0	NO:(0)
1.8	1.4	31	1	YES:(1)
94.6	70.3	1,584	8	HVNT USD:(8)
	25.6	577	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 401-402

V3319

023D07 :NXT 12MOS USE MJ

Item Number: 09010

How likely is it that you will use marijuana in the next 12 months?

1="Definitely will--GO TO QUESTION 9" 2="Probably will--GO TO QUESTION 9" 3="Probably will not" 4="Definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	11.2	252	1	DEF WILL:(1)
12.1	10.2	229	2	PRB WILL:(2)
16.9	14.3	321	3	PRB WONT:(3)
57.6	48.5	1,092	4	DEF WONT:(4)
	15.9	358	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 403-404

V3320

023D08A:CNCRN PSYCH DAMG

Item Number: 09020

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) A. Concerned about possible psychological damage

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	26.6	599	0	NT MRKD:(0)
56.1	33.9	764	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 405-406

V3321	023D08B:CNCRN PHYSCL DMG
--------------	---------------------------------

Item Number: 09030

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) B. Concerned about possible physical damage

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	26.9	607	0	NT MRKD:(0)
55.5	33.6	756	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 407-408

V3322	023D08C:CNCRN GT ARRESTD
--------------	---------------------------------

Item Number: 09040

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) C. Concerned about getting arrested

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.6	30.6	689	0	NT MRKD:(0)
49.4	29.9	674	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 409-410

V3323

023D08D:CNCRN BECOM ADCT

Item Number: 09050

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) D. Concerned about becoming addicted to marijuana

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	32.9	742	0	NT MRKD:(0)
45.6	27.6	621	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 411-412

V3324

023D08E:AGST MY BELIEFS

Item Number: 09060

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) E. It's against my beliefs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.0	32.7	737	0	NT MRKD:(0)
46.0	27.8	626	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 413-414

V3325	023D08F:CNCRN LEGY & AMBTN
--------------	---------------------------------------

Item Number: 09070

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) F. Concerned about loss of energy or ambition

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	38.1	858	0	NT MRKD:(0)
37.0	22.4	505	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 415-416

V3326	023D08G:CNCRN LOSS CNTRL
--------------	---------------------------------

Item Number: 09080

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) G. Concerned about possible loss of control of myself

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	31.9	719	0	NT MRKD:(0)
47.2	28.6	644	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 417-418

V3327

023D08H:MJ ->STRNGR DRGS

Item Number: 09090

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) H. It might lead to stronger drugs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	30.1	679	0	NT MRKD:(0)
50.2	30.4	684	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 419-420

V3328

023D08I:MJ NOT ENJOYABLE

Item Number: 09100

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) I. Not enjoyable, I didn't like it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	44.8	1,009	0	NT MRKD:(0)
26.0	15.7	354	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 421-422

V3329	023D08J:PRNTS DISAPPROVE
--------------	---------------------------------

Item Number: 09110

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) J. My parents would disapprove

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	23.4	526	0	NT MRKD:(0)
61.4	37.1	837	1	MARKED:(1)
	39.5	889	-9	MISSING

100.0	100.0	2,252 cases (Wtd)		

Data type: numeric
 Missing-data code: -9
 Columns: 423-424

V3330	023D08K:HS/WF DISAPPROVE
--------------	---------------------------------

Item Number: 09120

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) K. My husband/wife (or boyfriend/girlfriend) would disapprove

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	41.0	923	0	NT MRKD:(0)
32.3	19.6	441	1	MARKED:(1)
	39.5	889	-9	MISSING

100.0	100.0	2,252 cases (Wtd)		

Data type: numeric
 Missing-data code: -9
 Columns: 425-426

V3331

023D08L:DONT LIKE USERS

Item Number: 09130

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) L. I don't like being with the people who use it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	36.4	820	0	NT MRKD:(0)
39.9	24.1	543	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 427-428

V3332

023D08M:FRNDS DNT USE IT

Item Number: 09140

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) M. My friends don't use it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.5	40.3	907	0	NT MRKD:(0)
33.5	20.2	456	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 429-430

V3333	023D08N:PSSBLY BAD TRIP
--------------	--------------------------------

Item Number: 09150

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) N. I might have a bad trip

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	47.7	1,075	0	NT MRKD:(0)
21.2	12.8	289	1	MARKED:(1)
	39.5	889	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 431-432

V3334	023D08O:TOO EXPENSIVE
--------------	------------------------------

Item Number: 09160

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) 0. Too expensive

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	45.9	1,034	0	NT MRKD:(0)
24.1	14.6	329	1	MARKED:(1)
	39.5	889	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 433-434

V3335

023D08P:NOT AVAILABLE

Item Number: 09170

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) P. Not available

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	56.9	1,280	0	NT MRKD:(0)
6.1	3.7	83	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 435-436

V3336

023D08Q:NOT WNT GET HIGH

Item Number: 09180

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) Q. Don't feel like getting high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	20.5	463	0	NT MRKD:(0)
66.1	40.0	900	1	MARKED:(1)
	39.5	889	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 437-438

V3337	023D09AAAL CS BEHV REGRT
--------------	---------------------------------

Item Number: 09190

Has your use of alcohol ever caused any of the following problems for you? A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	67.9	1,528	0	NT MRKED:(0)
28.1	26.5	598	1	MARKED:(1)
	5.6	126	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 439-440

V3338	023D09ABAL HURT REL PRNT
--------------	---------------------------------

Item Number: 09200

Has your use of alcohol ever caused any of the following problems for you? B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	86.4	1,946	0	NT MRKED:(0)
8.4	8.0	179	1	MARKED:(1)
	5.6	126	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 441-442

V3339

023D09ACAL HURT REL SPSE

Item Number: 09210

Has your use of alcohol ever caused any of the following problems for you? C. Hurt your relationship with your spouse, fiancée, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	86.0	1,937	0	NT MRKED:(0)
8.9	8.4	189	1	MARKED:(1)
	5.6	126	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 443-444

V3340

023D09ADAL HURT REL FRND

Item Number: 09220

Has your use of alcohol ever caused any of the following problems for you? D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	87.5	1,970	0	NT MRKED:(0)
7.3	6.9	156	1	MARKED:(1)
	5.6	126	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 445-446

V3341	023D09AEAL HURT REL TCHR
--------------	---------------------------------

Item Number: 09230

Has your use of alcohol ever caused any of the following problems for you? E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	92.4	2,080	0	NT MRKED:(0)
2.1	2.0	46	1	MARKED:(1)
	5.6	126	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 447-448

V3342	023D09AFAL INV PL BD INF
--------------	---------------------------------

Item Number: 09240

Has your use of alcohol ever caused any of the following problems for you? F. Involved you with people you think are a bad influence on you

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	86.9	1,958	0	NT MRKED:(0)
7.9	7.5	168	1	MARKED:(1)
	5.6	126	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 449-450

V3343

023D09AGAL HURT PERF JOB

Item Number: 09250

Has your use of alcohol ever caused any of the following problems for you? G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	91.0	2,050	0	NT MRKED:(0)
3.6	3.4	76	1	MARKED:(1)
	5.6	126	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 451-452

V3344

023D09AHAL CAUS<INTERSTD

Item Number: 09260

Has your use of alcohol ever caused any of the following problems for you? H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	91.2	2,054	0	NT MRKED:(0)
3.4	3.2	72	1	MARKED:(1)
	5.6	126	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 453-454

V3345	023D09AIAL CS<STABL EMTN
--------------	------------------------------------

Item Number: 09270

Has your use of alcohol ever caused any of the following problems for you? I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	89.1	2,008	0	NT MRKED:(0)
5.6	5.2	118	1	MARKED:(1)
	5.6	126	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 455-456

V3346	023D09AJAL CS HAV<ENERGY
--------------	------------------------------------

Item Number: 09280

Has your use of alcohol ever caused any of the following problems for you? J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	87.9	1,979	0	NT MRKED:(0)
6.9	6.5	146	1	MARKED:(1)
	5.6	126	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 457-458

V3347

023D09AKAL INTF THINK CLR

Item Number: 09290

Has your use of alcohol ever caused any of the following problems for you? K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	77.5	1,746	0	NT MRKED:(0)
17.9	16.9	380	1	MARKED:(1)
	5.6	126	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 459-460

V3348

023D09ALAL BD PSYCH EFCT

Item Number: 09300

Has your use of alcohol ever caused any of the following problems for you? L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	93.4	2,102	0	NT MRKED:(0)
1.1	1.0	23	1	MARKED:(1)
	5.6	126	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 461-462

V3349	023D09AMAL CS HEALTH BAD
--------------	---------------------------------

Item Number: 09310

Has your use of alcohol ever caused any of the following problems for you? M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	91.7	2,066	0	NT MRKED:(0)
2.8	2.6	60	1	MARKED:(1)
	5.6	126	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 463-464

V3350	023D09ANAL CS DRIV UNSAF
--------------	---------------------------------

Item Number: 09320

Has your use of alcohol ever caused any of the following problems for you? N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	86.2	1,941	0	NT MRKED:(0)
8.7	8.2	185	1	MARKED:(1)
	5.6	126	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 465-466

V3351

023D09AOAL GT TRBL W POL

Item Number: 09330

Has your use of alcohol ever caused any of the following problems for you? O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	90.7	2,044	0	NT MRKED:(0)
3.9	3.6	82	1	MARKED:(1)
	5.6	126	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 467-468

V3352

023D09APAL CS NO PROBLEM

Item Number: 09340

Has your use of alcohol ever caused any of the following problems for you? P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	78.7	1,772	0	NT MRKED:(0)
16.6	15.7	354	1	MARKED:(1)
	5.6	126	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 469-470

V3353	023D09AQAL NEVER USED DG
--------------	---------------------------------

Item Number: 09350

Has your use of alcohol ever caused any of the following problems for you? Q. Never used the drug

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	87.4	1,969	0	NT MRKED:(0)
7.4	6.9	156	1	MARKED:(1)
	5.6	126	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 471-472

V3354	023D09MAMJ CS BEHV REGRT
--------------	---------------------------------

Item Number: 09360

Has your use of marijuana ever caused any of the following problems for you? A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	90.7	2,042	0	NT MRKED:(0)
6.5	6.3	143	1	MARKED:(1)
	3.0	67	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 473-474

V3355

023D09MBMJ HURT REL PRNT

Item Number: 09370

Has your use of marijuana ever caused any of the following problems for you? B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	92.0	2,071	0	NT MRKED:(0)
5.2	5.1	114	1	MARKED:(1)
	3.0	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 475-476

V3356

023D09MCMJ HURT REL SPSE

Item Number: 09380

Has your use of marijuana ever caused any of the following problems for you? C. Hurt your relationship with your spouse, fiancée, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	91.9	2,069	0	NT MRKED:(0)
5.3	5.2	117	1	MARKED:(1)
	3.0	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 477-478

V3357	023D09MDMJ HURT REL FRND
-------	--------------------------

Item Number: 09390

Has your use of marijuana ever caused any of the following problems for you? D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	93.5	2,105	0	NT MRKED:(0)
3.6	3.5	80	1	MARKED:(1)
	3.0	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 479-480

V3358	023D09MEMJ HURT REL TCHR
-------	--------------------------

Item Number: 09400

Has your use of marijuana ever caused any of the following problems for you? E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	95.4	2,149	0	NT MRKED:(0)
1.7	1.6	36	1	MARKED:(1)
	3.0	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 481-482

V3359

023D09MFMJ INV PL BD INF

Item Number: 09410

Has your use of marijuana ever caused any of the following problems for you? F. Involved you with people you think are a bad influence on you

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	88.9	2,001	0	NT MRKED:(0)
8.4	8.2	184	1	MARKED:(1)
	3.0	67	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 483-484

V3360

023D09MGMJ HURT PERF JOB

Item Number: 09420

Has your use of marijuana ever caused any of the following problems for you? G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	91.7	2,066	0	NT MRKED:(0)
5.5	5.3	120	1	MARKED:(1)
	3.0	67	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 485-486

V3361	023D09MHMJ CAUS<INTERSTD
--------------	------------------------------------

Item Number: 09430

Has your use of marijuana ever caused any of the following problems for you? H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	91.1	2,051	0	NT MRKED:(0)
6.1	6.0	134	1	MARKED:(1)
	3.0	67	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 487-488

V3362	023D09MIMJ CS<STABL EMTN
--------------	------------------------------------

Item Number: 09440

Has your use of marijuana ever caused any of the following problems for you? I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	93.1	2,098	0	NT MRKED:(0)
4.0	3.9	87	1	MARKED:(1)
	3.0	67	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 489-490

V3363

023D09MJMJ CS HAV<ENERGY

Item Number: 09450

Has your use of marijuana ever caused any of the following problems for you? J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	87.8	1,977	0	NT MRKED:(0)
9.5	9.2	208	1	MARKED:(1)
	3.0	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 491-492

V3364

023D09MKMJ INTF THNK CLR

Item Number: 09460

Has your use of marijuana ever caused any of the following problems for you? K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.6	86.9	1,958	0	NT MRKED:(0)
10.4	10.1	228	1	MARKED:(1)
	3.0	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 493-494

V3365	023D09MLMJ BD PSYCH EFCT
--------------	---------------------------------

Item Number: 09470

Has your use of marijuana ever caused any of the following problems for you? L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	95.3	2,147	0	NT MRKED:(0)
1.7	1.7	38	1	MARKED:(1)
	3.0	67	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 495-496

V3366	023D09MMMJ CS HEALTH BAD
--------------	---------------------------------

Item Number: 09480

Has your use of marijuana ever caused any of the following problems for you? M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	95.2	2,145	0	NT MRKED:(0)
1.8	1.8	40	1	MARKED:(1)
	3.0	67	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 497-498

V3367

023D09MNMJ CS DRIV UNSAF

Item Number: 09490

Has your use of marijuana ever caused any of the following problems for you? N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	93.3	2,101	0	NT MRKED:(0)
3.9	3.7	84	1	MARKED:(1)
	3.0	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 499-500

V3368

023D09MOMJ GT TRBL W POL

Item Number: 09500

Has your use of marijuana ever caused any of the following problems for you? O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	95.3	2,145	0	NT MRKED:(0)
1.8	1.8	40	1	MARKED:(1)
	3.0	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 501-502

V3369	023D09MPMJ CS NO PROBLEM
--------------	---------------------------------

Item Number: 09510

Has your use of marijuana ever caused any of the following problems for you? P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.2	69.1	1,556	0	NT MRKED:(0)
28.8	27.9	629	1	MARKED:(1)
	3.0	67	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 503-504

V3370	023D09MQMJ NEVER USED DG
--------------	---------------------------------

Item Number: 09520

Has your use of marijuana ever caused any of the following problems for you? Q. Never used the drug

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	74.7	1,683	0	NT MRKED:(0)
23.0	22.3	502	1	MARKED:(1)
	3.0	67	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 505-506

V3371

023D09OAOT CS BEHV REGRT

Item Number: 09530

Has your use of other illegal drugs ever caused any of the following problems for you? A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	88.2	1,986	0	NT MRKED:(0)
3.9	3.5	80	1	MARKED:(1)
	8.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 507-508

V3372

023D09OBOT HURT REL PRNT

Item Number: 09540

Has your use of other illegal drugs ever caused any of the following problems for you? B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	89.7	2,020	0	NT MRKED:(0)
2.2	2.0	45	1	MARKED:(1)
	8.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 509-510

V3373	023D09OCOT HURT REL SPSE
--------------	---------------------------------

Item Number: 09550

Has your use of other illegal drugs ever caused any of the following problems for you? C. Hurt your relationship with your spouse, fiancée, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	89.8	2,022	0	NT MRKED:(0)
2.1	1.9	43	1	MARKED:(1)
	8.3	187	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 511-512

V3374	023D09ODOT HURT REL FRND
--------------	---------------------------------

Item Number: 09560

Has your use of other illegal drugs ever caused any of the following problems for you? D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	89.4	2,013	0	NT MRKED:(0)
2.5	2.3	52	1	MARKED:(1)
	8.3	187	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 513-514

V3375

023D09OEOT HURT REL TCHR

Item Number: 09570

Has your use of other illegal drugs ever caused any of the following problems for you? E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	90.8	2,044	0	NT MRKED:(0)
1.0	0.9	21	1	MARKED:(1)
	8.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 515-516

V3376

023D09OFOT INV PL BD INF

Item Number: 09580

Has your use of other illegal drugs ever caused any of the following problems for you? F. Involved you with people you think are a bad influence on you

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	88.0	1,983	0	NT MRKED:(0)
4.0	3.7	83	1	MARKED:(1)
	8.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 517-518

V3377	023D09OGOT HURT PERF JOB
--------------	---------------------------------

Item Number: 09590

Has your use of other illegal drugs ever caused any of the following problems for you? G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	89.8	2,022	0	NT MRKED:(0)
2.1	1.9	44	1	MARKED:(1)
	8.3	187	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 519-520

V3378	023D09OHOT CAUS<INTERSTD
--------------	------------------------------------

Item Number: 09600

Has your use of other illegal drugs ever caused any of the following problems for you? H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	89.7	2,019	0	NT MRKED:(0)
2.2	2.1	46	1	MARKED:(1)
	8.3	187	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 521-522

V3379

023D09OIOT CS<STABL EMTN

Item Number: 09610

Has your use of other illegal drugs ever caused any of the following problems for you? I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	88.8	1,999	0	NT MRKED:(0)
3.2	2.9	66	1	MARKED:(1)
	8.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 523-524

V3380

023D09OJOT CS HAV<ENERGY

Item Number: 09620

Has your use of other illegal drugs ever caused any of the following problems for you? J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	90.1	2,029	0	NT MRKED:(0)
1.8	1.6	37	1	MARKED:(1)
	8.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 525-526

V3381	023D09OKOT INTF THINK CLR
--------------	----------------------------------

Item Number: 09630

Has your use of other illegal drugs ever caused any of the following problems for you? K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	87.8	1,977	0	NT MRKED:(0)
4.3	3.9	88	1	MARKED:(1)
	8.3	187	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 527-528

V3382	023D09OLOT BD PSYCH EFCT
--------------	---------------------------------

Item Number: 09640

Has your use of other illegal drugs ever caused any of the following problems for you? L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	89.6	2,019	0	NT MRKED:(0)
2.3	2.1	47	1	MARKED:(1)
	8.3	187	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 529-530

V3383

023D09OMOT CS HEALTH BAD

Item Number: 09650

Has your use of other illegal drugs ever caused any of the following problems for you? M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	90.4	2,037	0	NT MRKED:(0)
1.4	1.3	29	1	MARKED:(1)
	8.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 531-532

V3384

023D09ONOT CS DRIV UNSAF

Item Number: 09660

Has your use of other illegal drugs ever caused any of the following problems for you? N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	90.5	2,039	0	NT MRKED:(0)
1.3	1.2	26	1	MARKED:(1)
	8.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 533-534

V3385	023D090OOT GT TRBL W POL
--------------	---------------------------------

Item Number: 09670

Has your use of other illegal drugs ever caused any of the following problems for you? 0. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	91.2	2,054	0	NT MRKED:(0)
0.5	0.5	11	1	MARKED:(1)
	8.3	187	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 535-536

V3386	023D090POT CS NO PROBLEM
--------------	---------------------------------

Item Number: 09680

Has your use of other illegal drugs ever caused any of the following problems for you? P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	63.9	1,439	0	NT MRKED:(0)
30.3	27.8	626	1	MARKED:(1)
	8.3	187	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 537-538

V3387**023D09OQOT NEVER USED DG**

Item Number: 09690

Has your use of other illegal drugs ever caused any of the following problems for you? Q. Never used the drugs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.5	66.5	1,497	0	NT MRKED:(0)
27.5	25.2	568	1	MARKED:(1)
	8.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 539-540

V3477**023E01A:ALL FRD SMK CIGS**

Item Number: 07070

How many of your friends would you estimate . . . A: Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	11.5	259	1	NONE:(1)
34.8	30.0	676	2	A FEW:(2)
30.5	26.3	592	3	SOME:(3)
19.3	16.6	374	4	MOST:(4)
2.1	1.8	41	5	ALL:(5)
	13.8	310	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 665-666

V3478	023E01B:ALL FRD SMK MARJ
--------------	---------------------------------

Item Number: 07080

How many of your friends would you estimate . . . B: Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	16.3	366	1	NONE:(1)
30.8	26.5	597	2	A FEW:(2)
28.8	24.8	559	3	SOME:(3)
16.8	14.5	326	4	MOST:(4)
4.7	4.0	90	5	ALL:(5)
	13.9	313	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 667-668

V3479	023E01C:# FRNDS TK CRACK
--------------	---------------------------------

Item Number: 07151

How many of your friends would you estimate . . . C: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	68.4	1,542	1	NONE:(1)
14.7	12.7	285	2	A FEW:(2)
4.4	3.8	85	3	SOME:(3)
0.6	0.5	12	4	MOST:(4)
0.5	0.4	9	5	ALL:(5)
	14.2	320	-9	MISSING

100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 669-670

V3480

023E01D:# FRNDS TK C PWD

Item Number: 23990

How many of your friends would you estimate. . . D: Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	65.0	1,465	1	NONE:(1)
16.0	13.7	309	2	A FEW:(2)
6.3	5.4	122	3	SOME:(3)
1.1	0.9	20	4	MOST:(4)
0.5	0.4	10	5	ALL:(5)
	14.5	326	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 671-672

V3481

023E01E:ALL FRD DRK ALCL

Item Number: 07190

How many of your friends would you estimate . . . E: Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	6.6	148	1	NONE:(1)
12.3	10.5	237	2	A FEW:(2)
19.3	16.6	373	3	SOME:(3)
41.0	35.1	792	4	MOST:(4)
19.8	17.0	382	5	ALL:(5)
	14.2	320	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 673-674

V3482

023E01F:ALL FRD GT DRUNK

Item Number: 07200

How many of your friends would you estimate . . . F: Get
drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	17.6	396	1	NONE:(1)
24.4	21.0	472	2	A FEW:(2)
28.5	24.5	551	3	SOME:(3)
20.7	17.8	401	4	MOST:(4)
6.0	5.1	116	5	ALL:(5)
	14.0	315	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 675-676

V3499 023E02:USUAL CIG BRAND

Item Number: 30065

If you have smoked one or more cigarettes in the last 30 days, please answer this question. If not, skip to Question 3. What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
 5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"
 11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
 16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
 20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"
 24="Other" 25="No usual brand"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	1	BASIC:(1)
0.0	0.0	0	2	B & H:(2)
0.0	0.0	0	3	B & W:(3)
0.0	0.0	0	4	CAMBRIDGE:(4)
14.7	2.8	63	5	CAMEL:(5)
0.5	0.1	2	6	CAPRI:(6)
0.0	0.0	0	7	CARLTON:(7)
0.2	0.0	1	8	DORAL:(8)
0.2	0.0	1	9	GPC:(9)
0.0	0.0	0	10	KENT:(10)
0.7	0.1	3	11	KOOL:(11)
57.9	11.0	248	12	MARLBORO:(12)
0.0	0.0	0	13	MERIT:(13)
0.2	0.0	1	14	MISTY:(14)
0.0	0.0	0	15	MONARCH:(15)
0.0	0.0	0	16	MORE:(16)
14.4	2.7	62	17	NEWPORT:(17)
0.4	0.1	2	18	PALLMALL:(18)
3.8	0.7	16	19	PARLIAMENT:(19)
0.2	0.0	1	20	SALEM:(20)
0.1	0.0	0	21	VANTAGE:(21)
0.0	0.0	0	22	VA SLIMS:(22)
0.1	0.0	0	23	WINSTON:(23)
0.7	0.1	3	24	OTHER:(24)
5.6	1.1	24	25	NO USUAL:(25)
	81.0	1,825	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252		cases (Wtd)

Data type: numeric

Missing-data code: -9
Columns: 697-698

V3394

023E03 :FUTR,HAV2 CNSUM<

Item Number: 09750

There has been talk about shortages of energy, food, and raw materials in this country. Do you think that in the coming years we will have plenty to meet our needs, a sufficient amount, or will we have to consume less?

1="Plenty to meet our needs" 2="A sufficient amount" 3="Will have to consume less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	15.3	345	1	PLENTY:(1)
56.2	46.4	1,045	2	SUFF AMT:(2)
25.2	20.8	468	3	CNSUM LS:(3)
	17.5	394	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 541-542

V3395

023E04A:GOV HP PRB POPL

Item Number: 09760

The questions in this section deal with population problems.
 How much do you agree or disagree with each statement? A: Our
 government should help other countries to control their
 population

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	19.8	446	1	DISAGREE:(1)
17.0	14.1	318	2	MOST DIS:(2)
34.9	29.0	653	3	NEITHER:(3)
15.7	13.0	294	4	MOST AGR:(4)
8.4	7.0	157	5	AGREE:(5)
	17.0	384	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 543-544

V3396	023E04B:GOV NO POP PLCY
-------	-------------------------

Item Number: 09770

How much do you agree or disagree with each statement? B:
 Governments should avoid making policy about population and
 let the individual decide

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	9.6	217	1	DISAGREE:(1)
17.6	14.5	327	2	MOST DIS:(2)
41.6	34.3	772	3	NEITHER:(3)
19.4	16.0	361	4	MOST AGR:(4)
9.7	8.0	179	5	AGREE:(5)
	17.6	397	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 545-546

V3397

023E04C:STR OVPOP,LMT FM

Item Number: 09780

How much do you agree or disagree with each statement? C: I feel strongly enough about preventing overpopulation that I'd be willing to limit my family to two children

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	17.5	395	1	DISAGREE:(1)
11.9	9.8	221	2	MOST DIS:(2)
38.3	31.7	714	3	NEITHER:(3)
14.6	12.1	273	4	MOST AGR:(4)
13.9	11.5	259	5	AGREE:(5)
	17.3	390	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 547-548

V3445

023E05A:STS SCH RT FAMILY

Item Number: 13580

How important is each of the following for being looked up to or having high status in your school? A: Coming from the right family

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	16.0	359	1	NO IMPRT:(1)
18.7	15.6	351	2	LITL IMP:(2)
27.9	23.2	524	3	MOD IMPT:(3)
18.6	15.5	348	4	GRT IMPT:(4)
15.7	13.1	295	5	VGRT IMP:(5)
	16.6	375	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 605-606

V3446

023E05B:STS SCH LDS STU

Item Number: 13590

How important is each of the following for being looked up to or having high status in your school? B: Being a leader in student activities

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	9.1	205	1	NO IMPRT:(1)
14.7	12.2	275	2	LITL IMP:(2)
35.0	29.1	656	3	MOD IMPT:(3)
27.0	22.4	505	4	GRT IMPT:(4)
12.4	10.3	232	5	VGRT IMP:(5)
	16.8	379	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 607-608

V3447

023E05C:STS SCH NIC CAR

Item Number: 13600

How important is each of the following for being looked up to
or having high status in your school? C: Having a nice car

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	13.9	314	1	NO IMPRT:(1)
20.2	16.8	378	2	LITL IMP:(2)
32.6	27.1	610	3	MOD IMPT:(3)
18.1	15.0	337	4	GRT IMPT:(4)
12.3	10.2	229	5	VGRT IMP:(5)
	17.1	384	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 609-610

V3448

023E05D:STS SCH HI GRDE

Item Number: 13610

How important is each of the following for being looked up to
or having high status in your school? D: Getting good grades

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	6.7	151	1	NO IMPRT:(1)
16.2	13.4	301	2	LITL IMP:(2)
33.2	27.4	618	3	MOD IMPT:(3)
24.4	20.2	454	4	GRT IMPT:(4)
18.2	15.1	340	5	VGRT IMP:(5)
	17.2	388	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 611-612

V3449 023E05E:STS SCH GD ATHLT

Item Number: 13620

How important is each of the following for being looked up to or having high status in your school? E: Being a good athlete

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	7.6	172	1	NO IMPRT:(1)
10.9	9.0	204	2	LITL IMP:(2)
26.8	22.2	499	3	MOD IMPT:(3)
30.4	25.1	565	4	GRT IMPT:(4)
22.7	18.7	422	5	VGRT IMP:(5)
	17.3	390	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 613-614

V3450

023E05F:STS SCH INTLCTL

Item Number: 13630

How important is each of the following for being looked up to or having high status in your school? F: Knowing a lot about intellectual matters

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	11.6	261	1	NO IMPRT:(1)
24.7	20.5	461	2	LITL IMP:(2)
37.3	30.9	695	3	MOD IMPT:(3)
16.4	13.6	305	4	GRT IMPT:(4)
7.5	6.2	140	5	VGRT IMP:(5)
	17.3	390	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 615-616

V3451

023E05G:STS SCH PLN CLG

Item Number: 13640

How important is each of the following for being looked up to or having high status in your school? G: Planning to go to college

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	8.5	192	1	NO IMPRT:(1)
16.0	13.2	298	2	LITL IMP:(2)
27.7	22.9	517	3	MOD IMPT:(3)
24.3	20.1	452	4	GRT IMPT:(4)
21.7	17.9	404	5	VGRT IMP:(5)
	17.3	390	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 617-618

V3452

023E06A:DRG USE+,MAJ STD

Item Number: 13650

How about using drugs (other than marijuana or alcohol)--does that cause a student to be looked up to or looked down on? A: Among the majority of students in my school, such drug use is . . .

1="Looked down on a lot" 2="Looked down on some" 3="Neither, mixed" 4="Looked up to some" 5="Looked up to a lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	13.7	309	1	DOWN LOT:(1)
20.0	16.5	372	2	DOWN SOM:(2)
52.1	43.0	968	3	NEITHER:(3)
9.1	7.5	169	4	UP SOME:(4)
2.1	1.7	38	5	UP A LOT:(5)
	17.6	396	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 619-620

V3453 023E06B:DRG USE+,MY FRND

Item Number: 13660

How about using drugs (other than marijuana or alcohol)--does that cause a student to be looked up to or looked down on? B: Among my own group of friends, such drug use is . . .

1="Looked down on a lot" 2="Looked down on some" 3="Neither, mixed" 4="Looked up to some" 5="Looked up to a lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	29.6	666	1	DOWN LOT:(1)
17.7	14.6	329	2	DOWN SOM:(2)
38.8	32.0	720	3	NEITHER:(3)
5.8	4.8	108	4	UP SOME:(4)
1.7	1.4	31	5	UP A LOT:(5)
	17.7	399	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 621-622

V3454

023E06C:DRG USE+,MY FLGS

Item Number: 13670

How about using drugs (other than marijuana or alcohol)--does that cause a student to be looked up to or looked down on? C: My own feeling about such drug use is that . . .

1="I look down on it a lot" 2="I look down on it some"
3="Neither, or mixed" 4="I look up to it some" 5="I look up to it a lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.4	41.1	926	1	DOWN LOT:(1)
14.9	12.2	275	2	DOWN SOM:(2)
30.6	25.0	563	3	NEITHER:(3)
2.6	2.1	47	4	UP SOME:(4)
1.5	1.2	27	5	UP A LOT:(5)
	18.4	414	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 623-624

V3496 023E07A:#HR/W CMPUTR SCH

Item Number: 29930

About how many hours a week do you spend using a computer . .
 . A: . . . doing school work?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
 5="6-9 hours" 6="10-19 hours" 7="20 or more"

PCT VALID	PCT ALL	N	VALUE	LABEL
13.0	10.8	243	1	NONE:(1)
26.3	21.8	491	2	< 1 HR:(2)
33.2	27.5	619	3	1-2 HRS:(3)
17.6	14.5	327	4	3-5 HRS:(4)
6.2	5.1	116	5	6-9 HRS:(5)
2.2	1.8	40	6	10-19 HRS:(6)
1.5	1.3	28	7	20 OR +:(7)
	17.2	388	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 691-692

V3497

023E07B:#HR/W CMPUTR JOB

Item Number: 29940

About how many hours a week do you spend using a computer . .
 . B: . . . at your job, if you have one?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
 5="6-9 hours" 6="10-19 hours" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	57.8	1,303	1	NONE:(1)
8.7	6.8	154	2	< 1 HR:(2)
3.5	2.8	62	3	1-2 HRS:(3)
5.0	3.9	88	4	3-5 HRS:(4)
3.0	2.4	53	5	6-9 HRS:(5)
2.5	2.0	44	6	10-19 HRS:(6)
3.8	3.0	68	7	20 OR +:(7)
	21.3	480	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 693-694

V3498

023E07C:#HR/W CMPUTR OTH

Item Number: 29950

About how many hours a week do you spend using a computer . .
 . C: . . . doing other things?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
 5="6-9 hours" 6="10-19 hours" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	10.4	234	1	NONE:(1)
14.4	11.8	266	2	< 1 HR:(2)
20.9	17.2	387	3	1-2 HRS:(3)
22.1	18.2	409	4	3-5 HRS:(4)
13.6	11.2	253	5	6-9 HRS:(5)
9.2	7.6	170	6	10-19 HRS:(6)
7.3	6.0	135	7	20 OR +:(7)
	17.7	398	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 695-696

V3407

023E08A:SM1 SCL ROB <\$50

Item Number: 09871

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

A: Has something of yours (worth under \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	57.8	1,302	1	NOT @ ALL:(1)
21.8	18.2	410	2	ONCE:(2)
6.0	5.0	114	3	TWICE:(3)
2.4	2.0	45	4	3-4X:(4)
0.8	0.6	14	5	5+ TIMES:(5)
	16.3	367	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 549-550

V3408

023E08B:SM1 SCL ROB >\$50

Item Number: 09872

During the LAST 12 MONTHS, how often . . .B: Has something of yours (worth over \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.6	68.7	1,548	1	NOT @ ALL:(1)
13.2	11.0	247	2	ONCE:(2)
2.7	2.2	50	3	TWICE:(3)
1.1	0.9	20	4	3-4X:(4)
0.5	0.4	10	5	5+ TIMES:(5)
	16.7	377	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252		cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 551-552

V3409

023E08C:SM1 SCL DMG PRTY

Item Number: 09873

During the LAST 12 MONTHS, how often . . .C: Has someone
deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	64.1	1,443	1	NOT @ ALL:(1)
15.5	12.9	291	2	ONCE:(2)
4.8	3.9	89	3	TWICE:(3)
2.0	1.7	37	4	3-4X:(4)
0.5	0.4	10	5	5+ TIMES:(5)
	17.0	383	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 553-554

V3410

023E08D:SM1 SCL IN U W/W

Item Number: 09874

During the LAST 12 MONTHS, how often . . .D: Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	79.5	1,792	1	NOT @ ALL:(1)
2.5	2.1	47	2	ONCE:(2)
0.4	0.3	8	3	TWICE:(3)
0.4	0.3	7	4	3-4X:(4)
0.7	0.6	13	5	5+ TIMES:(5)
	17.2	386	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 555-556

V3411

023E08E:SM1 SCL TH U W/W

Item Number: 09875

During the LAST 12 MONTHS, how often . . .E: Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	74.7	1,681	1	NOT @ ALL:(1)
5.8	4.8	109	2	ONCE:(2)
2.1	1.7	38	3	TWICE:(3)
0.9	0.7	16	4	3-4X:(4)
1.1	0.9	20	5	5+ TIMES:(5)
	17.2	387	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 557-558

V3412 023E08F:SM1 SCL IN U -WP

Item Number: 09876

During the LAST 12 MONTHS, how often . . .F: Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	73.9	1,665	1	NOT @ ALL:(1)
5.5	4.5	102	2	ONCE:(2)
2.8	2.3	52	3	TWICE:(3)
1.0	0.8	19	4	3-4X:(4)
1.3	1.0	23	5	5+ TIMES:(5)
	17.4	392	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 559-560

V3413

023E08G:SM1 SCL TH U W/I

Item Number: 09877

During the LAST 12 MONTHS, how often . . .G: Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	66.8	1,504	1	NOT @ ALL:(1)
10.5	8.7	196	2	ONCE:(2)
3.7	3.0	68	3	TWICE:(3)
1.5	1.3	29	4	3-4X:(4)
3.4	2.8	64	5	5+ TIMES:(5)
	17.4	392	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 561-562

V3434

023E09A:IMP HAV NW CR OF

Item Number: 13860

Looking toward the future, how important would it be for you to have each of the following things? A: A new car every two or three years

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	38.7	872	1	NOT IMPT:(1)
34.5	28.4	640	2	SMWT IMP:(2)
12.4	10.2	229	3	QUITE IM:(3)
6.2	5.1	115	4	EXTR IMP:(4)
	17.6	395	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 589-590

V3435

023E09B:IMP HAV NW CLTHS

Item Number: 13870

Looking toward the future, how important would it be for you to have each of the following things? B: Clothes in the latest style

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	19.9	449	1	NOT IMPT:(1)
38.8	32.0	721	2	SMWT IMP:(2)
24.9	20.6	463	3	QUITE IM:(3)
12.1	9.9	224	4	EXTR IMP:(4)
	17.6	396	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 591-592

V3436

023E09C:IMP HAV OWN HSE

Item Number: 13880

Looking toward the future, how important would it be for you to have each of the following things? C: A house of my own (instead of an apartment or condominium)

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	9.6	217	1	NOT IMPT:(1)
19.2	15.8	357	2	SMWT IMP:(2)
34.8	28.7	645	3	QUITE IM:(3)
34.3	28.3	637	4	EXTR IMP:(4)
	17.6	396	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 593-594

V3437

023E09D:IMP HAV BIG YARD

Item Number: 13890

Looking toward the future, how important would it be for you to have each of the following things? D: Lots of space around my house, a big yard

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	12.0	271	1	NOT IMPT:(1)
29.5	24.3	547	2	SMWT IMP:(2)
32.8	27.0	607	3	QUITE IM:(3)
23.0	18.9	425	4	EXTR IMP:(4)
	17.9	403	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 595-596

V3441

023E09E:IMP HAV VAC HSE

Item Number: 13930

Looking toward the future, how important would it be for you to have each of the following things? E: A vacation house

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.0	44.3	998	1	NOT IMPT:(1)
26.5	21.7	489	2	SMWT IMP:(2)
10.7	8.8	198	3	QUITE IM:(3)
8.8	7.2	162	4	EXTR IMP:(4)
	18.0	404	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 597-598

V3442

023E09F:IMP HAV REC VEH

Item Number: 13940

Looking toward the future, how important would it be for you to have each of the following things? F: A motor-powered, recreational vehicle (powerboat, snowmobile, etc.)

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	41.9	943	1	NOT IMPT:(1)
25.4	20.8	469	2	SMWT IMP:(2)
13.6	11.1	251	3	QUITE IM:(3)
10.0	8.2	186	4	EXTR IMP:(4)
	17.9	404	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 599-600

V3418

023E10A:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.0	44	1	GRADE 6:(1)
3.0	2.4	53	2	GRADE 7:(2)
4.2	3.3	74	3	GRADE 8:(3)
4.2	3.3	74	4	GRADE 9:(4)
4.8	3.7	84	5	GRADE 10:(5)
3.5	2.7	61	6	GRADE 11:(6)
3.1	2.4	54	7	GRADE 12:(7)
74.7	58.2	1,311	8	NEVER:(8)
	22.1	498	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 563-564

V3419

023E10B:GR 1ST TRY ALC

Item Number: 05580

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 B. Try an alcoholic beverage -- more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	4.7	106	1	GRADE 6:(1)
8.7	6.5	147	2	GRADE 7:(2)
11.3	8.5	191	3	GRADE 8:(3)
20.3	15.3	345	4	GRADE 9:(4)
13.7	10.3	232	5	GRADE 10:(5)
12.5	9.4	212	6	GRADE 11:(6)
5.7	4.3	97	7	GRADE 12:(7)
21.6	16.3	366	8	NEVER:(8)
	24.7	556	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 565-566

V3420 023E10C:GR 1ST TRY MJ

Item Number: 05590

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 C. Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.3	51	1	GRADE 6:(1)
5.0	3.9	87	2	GRADE 7:(2)
5.5	4.3	97	3	GRADE 8:(3)
11.0	8.5	192	4	GRADE 9:(4)
9.8	7.6	171	5	GRADE 10:(5)
8.2	6.3	143	6	GRADE 11:(6)
4.8	3.8	85	7	GRADE 12:(7)
52.9	41.1	926	8	NEVER:(8)
	22.2	500	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 567-568

V3421

023E10D:GR 1ST TRY LSD

Item Number: 05600

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 D. Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	GRADE 6:(1)
0.2	0.2	4	2	GRADE 7:(2)
1.1	0.9	21	3	GRADE 8:(3)
2.3	1.8	41	4	GRADE 9:(4)
2.0	1.6	36	5	GRADE 10:(5)
1.2	0.9	21	6	GRADE 11:(6)
0.8	0.6	14	7	GRADE 12:(7)
92.2	73.3	1,652	8	NEVER:(8)
	20.5	462	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 569-570

V3422

023E10E:GR 1ST TRY PSY

Item Number: 05610

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 E. Try any hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	GRADE 6:(1)
0.3	0.2	5	2	GRADE 7:(2)
0.6	0.5	10	3	GRADE 8:(3)
1.8	1.4	31	4	GRADE 9:(4)
1.7	1.3	30	5	GRADE 10:(5)
1.5	1.1	26	6	GRADE 11:(6)
1.2	1.0	22	7	GRADE 12:(7)
92.9	72.7	1,637	8	NEVER:(8)
	21.8	490	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 571-572

V3423

023E10F:GR 1ST TRY AMP

Item Number: 05620

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 F. Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	3	1	GRADE 6:(1)
0.2	0.2	4	2	GRADE 7:(2)
0.6	0.4	10	3	GRADE 8:(3)
1.9	1.4	31	4	GRADE 9:(4)
2.4	1.7	38	5	GRADE 10:(5)
2.5	1.8	41	6	GRADE 11:(6)
0.9	0.7	15	7	GRADE 12:(7)
91.2	65.5	1,476	8	NEVER:(8)
	28.2	634	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 573-574

V3424

023E10G:GR 1ST TRY QUA

Item Number: 05630

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 G. Try quaaludes

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	5	1	GRADE 6:(1)
0.2	0.1	3	2	GRADE 7:(2)
0.3	0.3	6	3	GRADE 8:(3)
0.4	0.3	7	4	GRADE 9:(4)
0.4	0.3	7	5	GRADE 10:(5)
0.8	0.6	14	6	GRADE 11:(6)
0.3	0.2	5	7	GRADE 12:(7)
97.4	78.5	1,768	8	NEVER:(8)
	19.4	437	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 575-576

V3425

023E10H:GR 1ST TRY BRB

Item Number: 05640

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 H. Try barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	GRADE 6:(1)
0.3	0.2	5	2	GRADE 7:(2)
0.8	0.6	13	3	GRADE 8:(3)
1.1	0.9	19	4	GRADE 9:(4)
1.5	1.1	26	5	GRADE 10:(5)
1.3	1.0	22	6	GRADE 11:(6)
0.7	0.5	12	7	GRADE 12:(7)
94.3	72.0	1,622	8	NEVER:(8)
	23.6	532	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 577-578

V3426	023E10I:GR 1ST TRY TRN
-------	------------------------

Item Number: 05650

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.

I. Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	GRADE 6:(1)
0.3	0.2	5	2	GRADE 7:(2)
0.7	0.5	11	3	GRADE 8:(3)
1.2	0.9	20	4	GRADE 9:(4)
1.6	1.2	26	5	GRADE 10:(5)
1.5	1.1	26	6	GRADE 11:(6)
1.2	0.9	21	7	GRADE 12:(7)
93.5	70.3	1,583	8	NEVER:(8)
	24.8	559	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 579-580

V3427

023E10J:GR 1ST TRY COK

Item Number: 05660

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 J. Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	GRADE 6:(1)
0.4	0.3	6	2	GRADE 7:(2)
0.4	0.3	8	3	GRADE 8:(3)
1.2	0.9	21	4	GRADE 9:(4)
1.7	1.3	29	5	GRADE 10:(5)
1.6	1.3	29	6	GRADE 11:(6)
2.1	1.7	38	7	GRADE 12:(7)
92.5	73.0	1,644	8	NEVER:(8)
	21.1	475	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 581-582

V3428

023E10K:GR 1ST TRY HER

Item Number: 05670

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 K. Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	1	GRADE 6:(1)
0.1	0.1	1	2	GRADE 7:(2)
0.1	0.1	2	3	GRADE 8:(3)
0.2	0.2	3	4	GRADE 9:(4)
0.1	0.1	2	5	GRADE 10:(5)
0.2	0.1	3	6	GRADE 11:(6)
0.2	0.2	4	7	GRADE 12:(7)
99.0	78.6	1,770	8	NEVER:(8)
	20.6	464	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 583-584

V3429

023E10L:GR 1ST TRY NRC

Item Number: 05680

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 L. Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	GRADE 6:(1)
0.1	0.1	2	2	GRADE 7:(2)
0.5	0.4	8	3	GRADE 8:(3)
0.8	0.6	13	4	GRADE 9:(4)
1.7	1.3	29	5	GRADE 10:(5)
0.7	0.6	13	6	GRADE 11:(6)
1.3	1.0	22	7	GRADE 12:(7)
94.5	70.4	1,585	8	NEVER:(8)
	25.6	576	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 585-586

V3430	023E10M:GR 1ST TRY INHAL
-------	--------------------------

Item Number: 05685

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to. M:
 Try inhalants

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.5	12	1	GRADE 6:(1)
0.9	0.7	16	2	GRADE 7:(2)
1.3	0.9	21	3	GRADE 8:(3)
1.3	1.0	22	4	GRADE 9:(4)
1.0	0.7	16	5	GRADE 10:(5)
0.7	0.5	12	6	GRADE 11:(6)
0.9	0.7	16	7	GRADE 12:(7)
93.2	69.7	1,570	8	NEVER:(8)
	25.2	568	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 587-588

V3457

023E10N:GR 1ST SMOKE EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to. N:
 Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	10.2	230	1	GRADE 6:(1)
9.3	6.9	154	2	GRADE 7:(2)
11.1	8.2	185	3	GRADE 8:(3)
8.3	6.2	139	4	GRADE 9:(4)
5.6	4.2	94	5	GRADE 10:(5)
4.0	3.0	67	6	GRADE 11:(6)
2.9	2.1	48	7	GRADE 12:(7)
45.0	33.3	750	8	NEVER:(8)
	25.9	584	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 625-626

V3458	023E100:GR 1ST SMOKELESS
-------	--------------------------

Item Number: 05576

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to. 0:
 Try smokeless tobacco (snuff, plug or chewing tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.4	54	1	GRADE 6:(1)
1.3	1.0	23	2	GRADE 7:(2)
2.6	2.1	48	3	GRADE 8:(3)
3.5	2.8	63	4	GRADE 9:(4)
2.6	2.1	48	5	GRADE 10:(5)
3.1	2.5	55	6	GRADE 11:(6)
1.7	1.4	30	7	GRADE 12:(7)
82.2	66.0	1,486	8	NEVER:(8)
	19.8	445	-9	MISSING
-----	-----	-----		
100.0	100.0	2,252	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 627-628

V3459

023E10P:GR 1ST DRUNK

Item Number: 05585

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 P: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.2	28	1	GRADE 6:(1)
4.8	3.8	86	2	GRADE 7:(2)
7.1	5.6	127	3	GRADE 8:(3)
13.9	11.1	250	4	GRADE 9:(4)
13.6	10.8	243	5	GRADE 10:(5)
10.9	8.7	196	6	GRADE 11:(6)
5.6	4.5	101	7	GRADE 12:(7)
42.6	33.9	763	8	NEVER:(8)
	20.4	459	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 629-630

V3483

023E10Q:GR 1ST TRY CRACK

Item Number: 05661

When (if ever) did you FIRST do each of the following things?
 Don't count anything you took because a doctor told you to.
 Q: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	GRADE 6:(1)
0.1	0.1	2	2	GRADE 7:(2)
0.2	0.2	4	3	GRADE 8:(3)
0.4	0.3	8	4	GRADE 9:(4)
0.4	0.3	6	5	GRADE 10:(5)
0.4	0.3	8	6	GRADE 11:(6)
0.8	0.6	14	7	GRADE 12:(7)
97.5	76.6	1,725	8	NEVER:(8)
	21.4	483	-9	MISSING

 100.0 100.0 2,252 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 677-678

APPENDICES

Appendix A: Publications

ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1975. L. D. Johnston and J. G. Bachman, 1980, 188 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1980, 264 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1980, 266 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1980, 266 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1980, 266 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1981, 266 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1982, 268 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1984, 280 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1984, 282 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1985, 284 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1986, 284 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1987, 288 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1991, 283 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1991, 283 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1989. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1992, 327 pp.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1995, 339 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1997, 341 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1997, 341 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1996.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 376 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1997.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1998.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1999.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 2000.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 380 pp.

ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20847-2345 (Tel. 1-800-729-6686). There is no charge for single copies.

Drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-619). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1978, 256 pp.

Highlights from drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-621). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1978, 43 pp.

Drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-877). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 376 pp.

Highlights from drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-878). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 62 pp.

1979 Highlights: Drugs and the nation's high school students, Five year national trends (DHEW Publication No. ADM 80-930). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 85 pp.

Highlights from student drug use in America, 1975-1980 (DHHS Publication No. ADM 81-1066). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1981, 120 pp.

Highlights from student drug use in America, 1975-1981 (DHHS Publication No. ADM 82-1208). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1981, 130 pp.

Student drug use in America, 1975-1981 (DHHS Publication No. ADM 89-1221). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1982, 433 pp.

Student drug use, attitudes, and beliefs: National trends, 1975-1982 (DHHS Publication No. ADM 83-1260). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1983, 134 pp.

Highlights from drugs and American high school students, 1975-1983 (DHHS Publication No. ADM 84-1317). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1984, 135 pp.

Drugs and American high school students: 1975-1983 (DHHS Publication No. ADM 85-1374). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1984, 492 pp.

Use of licit and illicit drugs by America's high school students: 1975-1984 (DHHS Publication No. ADM 85-1394). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1985, 167 pp.

Drug use among American high school students, college students, and other young adults: National trends through 1985 (DHHS Publication No. ADM 86-1450). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1986, 237 pp.

National trends in drug use and related factors among American high school students and young adults, 1975-1986 (DHHS Publication No. ADM 87-1535). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1987, 265 pp.

Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987 (DHHS Publication No. ADM 89-1602). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1988, 307 pp.

- Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988* (DHHS Publication No. ADM 89-1638). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1989, 339 pp.
- Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989* (Institute for Social Research: Ann Arbor, MI). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 331 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors* (DHHS Publication No. (ADM) 91-1813). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 199 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume II: College students and young adults* (DHHS Publication No. (ADM) 91-1835). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 168 pp.
- Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students* (DHHS Pub. No. (NIH) 93-3481). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1992, 231 pp.
- Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume II: College students and young adults* (DHHS Pub. No. (NIH) 93-3481). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1992, 176 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students* (NIH Pub. No. 93-3597). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1993, 269 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume II: College students and young adults* (NIH Pub. No. 93-3598). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1993, 190 pp.
- National survey results on drug use from the Monitoring the Future study 1975-1993. Volume I: Secondary school students* (NIH Pub. No. 94-3809). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1994, 281 pp.
- National survey results on drug use from the Monitoring the Future study 1975-1993. Volume II: College students and young adults* (NIH Pub. No. 94-3810). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1994, 189 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students* (NIH Pub. No. 95-4026). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1995, 327 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume II: College students and young adults* (NIH Pub. No. 96-4027). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1996, 189 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students* (NIH Pub. No. 96-4139). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1996, 381 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume II: College students and young adults* (NIH Pub. No. 98-4140). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 188 pp.

- National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students* (NIH Pub. No. 98-4345). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 433 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume II: College students and young adults.* (NIH Pub. No. 98-4346). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 206 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students* (NIH Pub. No. 99-4660). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1999, 420 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume II: College students and young adults* (NIH Pub. No. 99-4661). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1999, 218 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 1999.* (NIH Pub. No. 00-4690). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 2000, 56 pp.
- Monitoring the Future national survey results on drug use, 1975-1999. Volume I: Secondary school students* (NIH Pub. No. 00-4802). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2000, 480 pp.
- Monitoring the Future national survey results on drug use, 1975-1999. Volume II: College students and adults ages 19-40* (NIH Pub. No. 00-4803). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2000, 240 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2000* (NIH Pub. No. 01-4923). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 54 pp.
- Monitoring the Future national survey results on drug use, 1975-2000. Volume I: Secondary school students* (NIH Pub. No. 01-4924). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 492 pp.
- Monitoring the Future national survey results on drug use, 1975-2000. Volume II: College students and adults ages 19-40* (NIH Pub. No. 01-4925). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 238 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2001* (NIH Pub. No. 02-5105). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 57 pp.
- Monitoring the Future national survey results on drug use, 1975-2001. Volume I: Secondary school students* (NIH Pub. No. 02-5106). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 530 pp.
- Monitoring the Future national survey results on drug use, 1975-2001. Volume II: College students and adults ages 19-40* (NIH Pub. No. 02-5107). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 242 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2002* (NIH Pub. No. 03-5374). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 56 pp.

Monitoring the Future national survey results on drug use, 1975-2002. Volume I: Secondary school students (NIH Pub. No. 03-5375). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 520 pp.

Monitoring the Future national survey results on drug use, 1975-2002. Volume II: College students and adults ages 19-40 (NIH Pub. No. 03-5376). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 265 pp.

JOURNAL ARTICLES

- Bachman, J. G., Safron, D. J., Sy, S. R., & Schulenberg, J. E. (2003). Wishing to work: New perspectives on how adolescents' part-time work intensity is linked to educational disengagement, substance use, and other problem behaviours. *International Journal of Behavioral Development*, 27(4), 301-315.
- O'Malley, P. M., & Johnston, L. D. (2003). Unsafe driving by high school seniors: National trends from 1976 to 2001 in tickets and accidents after use of alcohol, marijuana, and other illegal drugs. *Journal of Studies on Alcohol*, 64, 305-312.
- Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Schulenberg, J., Cooper, S. M., & Johnston, L. D. (2003). Gender and ethnic differences in smoking, drinking, and illicit drug use among American 8th, 10th and 12th grade students, 1976-2000. *Addiction*, 98, 225-234.
- Yamaguchi, R., Johnston, L. D., & O'Malley, P. M. (2003). The relationship between student illicit drug use and school drug-testing policies. *Journal of School Health*, 73(4), 159-164.
- Kumar, R., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Bachman, J. G. (2002). Effect of school-level norms on student substance use. *Prevention Science*, 3, 105-124.
- O'Malley, P. M., & Johnston, L. D. (2002). Epidemiology of alcohol and other drug use among college students. *Journal of Studies on Alcohol, Supplement 14*, 23-39.
- Schulenberg, J., & Maggs, J. (2002). A developmental perspective on alcohol use and heavy drinking during the transition to adulthood. *Journal of Studies on Alcohol, Supplement 14*, 54-70.
- Wallace, J. M., Jr., & Muroff, J. R. (2002). Preventing substance abuse among African American children and youth: Race differences in risk factor exposure and vulnerability. *The Journal of Primary Prevention* 22(3), 235-261.
- Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Cooper, S. M. (2002). Tobacco, alcohol, and illicit drug use: Racial and ethnic differences among U.S. high school seniors, 1976-2000. *Public Health Reports* 117(Supplement 1): S67-S75.
- Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science*, 2(1), 29-43.
- Maggs, J. L., & Schulenberg, J. (2001). Editors' introduction: Prevention as altering the course of development and the complementary purposes of developmental and prevention sciences. *Applied Developmental Science*, 5(4), 196-200.
- Safron, D. J., Schulenberg, J. E., & Bachman, J. G. (2001). Part-time work and hurried adolescence: The links among work intensity, social activities, health behaviors, and substance use. *Journal of Health and Social Behavior* 42, 425-449.
- Schulenberg, J., Maggs, J. L., Long, S. W., Sher, K. J., Gotham, H. J., Baer, J. S., Kivlahan, D. R., Marlatt, G. A., & Zucker, R. A. (2001). The problem of college drinking: Insights

- from a developmental perspective. *Alcoholism: Clinical and Experimental Research*, 25, 473-477.
- Schuster, C., O'Malley, P. M., Bachman, J. G., Johnston, L. D., & Schulenberg, J. (2001). Adolescent marijuana use and adult occupational attainment: A longitudinal study from age 18 to 28. *Substance Use & Misuse*, 36(8), 997-1014.
- Wagenaar, A. C., O'Malley, P. M., & LaFond, C. (2001). Lowered legal blood alcohol limits for young drivers: Effects on drinking, driving, and driving-after-drinking behaviors in 30 states. *American Journal of Public Health*, 91, 801-804.
- Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science* 2(1), 29-43.
- Bryant, A. L., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. *Prevention Science*, 1(2), 71-87.
- O'Malley, P. M., Johnston, L. D., Bachman, J. G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30(1), 35-54.
- O'Malley, P. M., & Johnston, L. D. (1999). Drinking and driving among American high school seniors: 1984-1997. *American Journal of Public Health*, 89, 678-684.
- An, L. C., O'Malley, P. M., Schulenberg, J., Bachman, J. G., & Johnston, L. D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. *American Journal of Public Health*, 89, 699-705.
- Bachman, J. G., Freedman-Doan, P., O'Malley, P. M., Johnston, L. D., & Segal, D. R. (1999). Changing patterns of drug use among high school seniors (1976-1995) who entered military service: Implications for drug abuse prevention. *American Journal of Public Health*, 89, 672-677.
- Schulenberg, J., Maggs, J. L., Dielman, T. E., Leech, S. L., Kloska, D. D., Shope, J. T., & Laetz, V. B. (1999). On peer influences to get drunk: A panel study of young adolescents. *Merrill-Palmer Quarterly*, 45, 108-142.
- Wallace, J. M., Jr. (1999). Race, risk, and resilience: The social ecology of addiction in America's black and Hispanic communities. *Pediatrics*, 103(5), 1122-1127.
- Wallace, J. M., Jr., Forman, T. A., Guthrie, B. J., Bachman, J. G., O'Malley, P. M., Johnston, L. D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. *Journal of Studies on Alcohol*, 60(6), 800-809.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1998). Explaining the recent increases in students' marijuana use: The impacts of perceived risks and disapproval from 1976 through 1996. *American Journal of Public Health* 88, 887-892.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1998). Alcohol use among adolescents. *Alcohol Health & Research World*, 22, 85-93.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal *Substance Use and Misuse* entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993", vol. 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), *The epidemiology*

- of cocaine use and abuse* (pp. 19-44). (NIDA Research Monograph 110.) Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. *Substance Use and Misuse*, 32 (12&13). (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)
- Wallace, J. M., Jr. & Bachman, J. G. (1997). Validity of self-reports in student-based studies of minority populations: Issues and concerns. *Substance Use & Misuse*, 32, 1949-1954.
- Bell, R., Wechsler, H., Johnston, L. D. (1997). Correlates of college marijuana use: Results of a national survey. *Addiction*, 92, 571-582.
- Osgood, D. W., Wilson, J. K., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. *American Sociological Review*, 61, 635-655.
- Schulenberg, J., O'Malley, P. M., Bachman, J. G., Wadsworth, K. N., & Johnston, L. D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. *Journal of Studies on Alcohol*, 57, 289-304.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to understanding change. *Developmental Psychology*, 32, 659-674.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1995, April). Adolescent substance use: Epidemiology and implications for public policy. *Pediatrics Clinics of North America*, 42, 241-260.
- Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. *Journal of Health and Social Behavior*, 35, 45-62.
- Wallace, J. M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. *African-American Research Perspectives*, 1(1), 31-35.
- Bachman, J. G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? *Developmental Psychology*, 29, 220-235.
- Johnston, L. D. (1993). The "war" on drugs and the role of the media. *Nieman Reports*, 47(7), 39-41.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. *Adolescent Medicine: State of the Art Reviews*, 4, 227-248.
- Bachman, J. G., & Wallace, J. M., Jr. (1991). The Drug Problem among adolescents: Getting beyond the stereotypes. *Ethnicity & Disease*, 1(fall), 85-97.
- Bachman, J. G., Wallace, J. M., Jr., O'Malley, P. M., Johnston, L. D., Kurth, C. L., & Neighbors, H. W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. *American Journal of Public Health*, 81, 372-377.
- O'Malley, P. M., & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. *Journal of Studies on Alcohol*, 52, 478-491.

- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. *Journal of Health and Social Behavior*, 31, 173-184.
- Johnston, L. D. (1989). The survey technique in drug abuse assessment. *Bulletin on Narcotics*, 41, 29-40.
- Osgood, D. W., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. *Criminology*, 27, 389-417.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Humphrey, R. H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. *Journal of Health and Social Behavior*, 29, 92-112.
- Humphrey, R. H., O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. *Social Psychology Quarterly*, 51, 329-345.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. *American Journal of Public Health*, 78, 1315-1321.
- Osgood, D. W., Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1988). The generality of deviance in late adolescence and early adulthood. *American Sociological Review*, 53, 81-93.
- Bachman, J. G. (1987). An eye on the future. *Psychology Today*, 21(7), 6-8.
- Bachman, J. G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. *Armed Forces and Society*, 13(2), 169-187.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. *Journal of Adolescent Health Care*, 8, 36-51.
- Bachman, J. G. (1986). Effects of early marriage on substance abuse. *Medical Aspects of Human Sexuality*, 20(10), 15.
- Bachman, J. G., & O'Malley, P. M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). *Journal of Personality and Social Psychology*, 50, 35-46.
- Diamond, G., & Bachman, J. G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. *International Journal of Mental Health*, 15, 210-241.
- Johnston, L. D., & O'Malley, P. M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. *Journal of Drug Issues*, 16, 29-66.
- Johnston, L. D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? *Plenary session paper in Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence* (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in *The Drinking and Drug Practices Surveyor*, March 1985, 20, 11-14.)
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1984). Drug use among young adults: The impacts of role status and social environments. *Journal of Personality and Social Psychology*, 47, 629-645.

- Bachman, J. G., & O'Malley, P. M. (1984). Black-white differences in self-esteem: Are they affected by response styles? *American Journal of Sociology*, *90*, 624-639.
- Bachman, J. G., & O'Malley, P. M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? *Public Opinion Quarterly*, *48*, 491-509.
- O'Malley, P. M. (1984). Cigarette use among high school seniors: Did the rate decline? *Preventive Medicine*, *13*, 421-426.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1984). Period, age, and cohort effects on substance use among American youth. *American Journal of Public Health*, *74*, 682-688.
- Bachman, J. G. (1983). American high school seniors view the military: 1976 to 1982. *Armed Forces and Society*, *10*(1), 86-104.
- Bachman, J. G. (1983). Premature affluence: Do high school students earn too much? *Economic Outlook U.S.A.*, *10*(3), 64-67.
- Bachman, J. G. (1983). Schooling as a credential: Some suggestions for change. *International Review of Applied Psychology*, *32*, 347-360.
- Herzog, A. R., Bachman, J. G., & Johnston, L. D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. *Sex Roles*, *9*(1), 109-135. (Work funded by NIE.)
- Johnston, L. D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. *Contemporary Drug Problems*, *10*, 463-480.
- Johnston, L. D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? *The U.S. Journal of Drug and Alcohol Dependence*, *7*, 7.
- O'Malley, P. M., & Bachman, J. G. (1983). Self-esteem: Change and stability between ages 13 and 23. *Developmental Psychology*, *19*, 257-268.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1983). Reliability and consistency of self-reports of drug use. *International Journal of the Addictions*, *18*, 805-824.
- Bachman, J. G. (1981). Youth views about the military: Recent trends. *Economic Outlook U.S.A.*, *8*(3), 61-65.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. *American Journal of Public Health*, *71*, 59-69.
- Bachman, J. G., & O'Malley, P. M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. *Public Opinion Quarterly*, *45*, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, *Survey research methods*. Chicago: Univ. of Chicago Press.)
- Bynner, J., O'Malley, P. M., & Bachman, J. G. (1981). Self-esteem and delinquency revisited. *Youth and Adolescence*, *10*, 407-441.
- Herzog, A. R., & Bachman, J. G. (1981). Effects of questionnaire length on response quality. *Public Opinion Quarterly*, *45*(4), 549-559.
- Johnston, L. D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in *Connections*, 1981, *1*(4), 11-14.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1980). Drug use among American youth: 1975-1979. *Economic Outlook U.S.A.*, *7*(2), 39-42.
- Bachman, J. G., & Johnston, L. D. (1979). The freshmen, 1979. *Psychology Today*, *13*(4), 79-87.

- O'Malley, P. M. & Bachman, J. G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. *Journal of Personality and Social Psychology*, 37, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, *Social psychology of the self-concept*. Arlington Heights, IL: AHM Press.)
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1978). The drug scene: A student survey. *Science Teacher*, 45(6), 26-31.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1978). Drug use and military plans of high school seniors. *Youth and Society*, 10, 65-77.
- Segal, D. R., & Bachman, J. G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. *Youth and Society*, 10, 47-64.
- Segal, D. R., Bachman, J. G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. *Youth and Society*, 10, 127-134.
- Bachman, J. G., & Johnston, L. D. (1976). Drug use among American youth. *Economic Outlook U.S.A.*, 3, 32-33.

CHAPTERS

- Johnston, L. D., & O'Malley, P. M. (2003). Tobacco, alcohol, and other drug use in adolescence: Modern-day epidemics. In R. P. Weissberg, H. J. Wahlberg, M. U. O'Brien, & C. B. Kuster (Eds.), *Long-term trends in the well-being of children and youth*. (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.
- Johnston L. D., & O'Malley, P. M. (2002). Article 97: Drug use and abuse: Psychosocial aspects. In N.J. Smelser and P.B. Baltes (Eds.), *International encyclopedia of the social and behavioral sciences*, Vol. IV, Intersecting fields; Section 4.5, Health (J. House & R. Schwarzer, Section Eds.) Amsterdam: Pergamon.
- Burns, D., & Johnston, L. D. (2001). Overview of recent changes in adolescent smoking behavior. In National Cancer Institute, *Changing adolescent smoking prevalence: Where it is and why* (pp. 1-8). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).
- Johnston, L. D. (2001). Changing demographic patterns of adolescent smoking over the past 23 years: National trends from the Monitoring the Future Study. In National Cancer Institute, *Changing adolescent smoking prevalence: Where it is and why* (pp. 9-33). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).
- Johnston, L. D., & O'Malley, P. M. (2001). Cigarette, alcohol, and other drug use in adolescence: A modern day epidemic. In R.P. Weissberg, et al. (Eds.), *Trends in the well-being of children and youth*. (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.
- Pacula, R. L., Grossman, M., Chaloupka, F. J., O'Malley, P. M., Johnston, L. D., & Farrelly, M. C. (2001). Marijuana and youth. In J. Gruber (Ed.), *Risky behavior among youths: An economic analysis* (pp. 271-326). The University of Chicago Press. Also appears as Working Paper 7703, National Bureau of Economic Research, Inc. (2000).
- Schulenberg, J., Maggs, J. L., Steinman, K., & Zucker, R. A. (2001). Development matters: Taking the long view on substance abuse etiology and intervention during adolescence. In P. M. Monti, S. M. Colby, & T. A. O'Leary (Eds.), *Adolescents, alcohol, and substance abuse: Reaching teens through brief intervention* (pp. 19-57). New York: Guilford Press.
- Bachman, J. G., & Wallace, J. M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior*. (2nd ed.). Farmington Hills, MI: Macmillan Publishing.
- O'Malley, P. M. (2000). Drug Use, Socialization Factors. Pp. 309-312 in C. E. Faupel & P. M. Roman (eds.) *Encyclopedia of Criminology and Deviant Behavior, Volume 4, Self-Destructive Behavior and Devalued Identity*. London: Brunner-Routledge, Taylor & Francis Group.

- O'Malley, P. M. (2000). The Monitoring the Future survey. In *Encyclopedia of Drugs, Alcohol, and Addictive Behavior*, Second Edition. Macmillan Reference USA.
- Johnston, L. D. (2000). General population surveys of drug abuse. In *Guide to drug abuse epidemiology* (pp. 125-170). Geneva: World Health Organization.
- Johnston, L. D. (2000). Selecting variables and measures for drug surveys. In *Guide to drug abuse epidemiology* (pp. 171-203). Geneva: World Health Organization.
- Bachman, J. G., & Wallace, J. M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior, second edition*. Macmillan Publishing.
- Johnston, L. D. (2000). The epidemiology of drug use. In W. B. Hansen, S. M. Giles, & M. D. Fearnow-Kenney (Eds.), *Improving prevention effectiveness* (pp. 9-22). Greensboro, NC: Tanglewood Research, Inc.
- (Johnston, L. D., uncredited, 2000). The United States country report on drug use patterns among 10th grade students. In Hibell, B., et al. (Eds.) *The 1999 ESPAD report: Alcohol and other drug use among students in 30 European countries*. Stockholm: Swedish Council for Information on Alcohol and Other Drugs, and the Council of Europe.
- Schulenberg, J., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (2000). "Spread your wings and fly": The course of well-being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), *Negotiating adolescence in times of social change*. New York: Cambridge University Press.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1998). Epidemiology of substance abuse in adolescence. In P. J. Ott, R. E. Tarter, & R. T. Ammerman (Eds.), *Sourcebook on substance abuse: Etiology, epidemiology, assessment, and treatment*. Needham Heights, MA: Allyn & Bacon.
- Johnston, L. D., & O'Malley, P. M. (1997). The recanting of earlier-reported drug use by young adults. In L. Harrison & A. Hughes (Eds.), *The validity of self-reported drug use: Improving the accuracy of survey estimates*. (NIDA Research Monograph 167), pp. 59-80. NIH Publication 97-4147. Washington D.C.: National Institute on Drug Abuse.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to change. In G. A. Marlatt and G. R. VandenBos (Eds.), *Addictive Behaviors: Readings on etiology, prevention, and treatment* (pp. 129-165). Washington, DC: American Psychological Association and was reported in 1997's personal statement]
- (Johnston, L. D., O'Malley, P. M., & Bachman, J. G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), *The ESPAD report: Alcohol and other drug use among students in 26 European countries*. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).
- Schulenberg, J., Maggs, J., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Wallace, J. M., Jr., & Williams, D.R. (1997). Religion and adolescent health. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. Cambridge University Press.

- Maggs, J., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Schulenberg, J. (1996). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J. A. Graber, J. Brooks-Gunn, & A. C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and contexts* (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Hansen, W. B., & O'Malley, P. M. (1996). Drug use. In R. J. DiClemente, W. B. Hansen, & L. E. Ponton (Eds.), *Handbook of adolescent health risk behavior* (pp. 161-192). New York: Plenum Press.
- Allen, W.R. ., & Wallace, J. M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), *One-third of a nation: African American perspectives*. Washington, DC: Howard University Press.
- Schulenberg, J., Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), *Psychological responses to social change: Human development in changing environments*. Berlin: Walter de Gruyter.
- Wallace, J. M., Jr., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. Botwin, S. Schinke, & M. Orlandi (Eds.), *Drug abuse prevention with multi-ethnic youth* (pp. 59-80). Thousand Oaks, CA: Sage.
- (O'Malley, P. M. et al., 1995, uncredited). Epidemiology of injection drug use. In J. Normand, D. Vlahov, & L. E. Moses (Eds.), *Preventing HIV transmission: The role of sterile needles and bleach*. Washington, DC: National Academy Press.
- O'Malley, P. M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), *The development of alcohol problems: Exploring the biopsychosocial matrix of risk* (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Washington, DC: National Institute on Alcohol Abuse and Alcoholism.
- Bachman, J. G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. Collins & L. Seitz (Eds.), *Advances in data analysis for prevention intervention research*. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.
- Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), *International handbook of adolescence* (pp. 414-430). Westport, CT: Greenwood Publishing Group.
- Wallace, J. M., Jr., & Bachman, J. G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa & J. L. Andradoss (Eds.), *Drug abuse among minority youth: Advances in research and methodology*. NIDA Research Monograph No. 130 (pp. 167-200). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975-1987: Overview of key findings. In R. L. Bloom (Ed.) *Changing lives: Studies in*

- human development and professional helping*. Columbia, SC: University of South Carolina Press.
- Johnston, L. D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In *Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life*. Vatican City: The Vatican.
- Johnston, L. D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) *Drug abuse prevention research: Methodological issues* (NIDA Research Monograph No. 107, pp. 57-80). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), *The epidemiology of cocaine use*. (NIDA Research Monograph No. 110, pp. 19-44). Washington, DC: National Institute on Drug Abuse.
- Bachman, J. G. (1991). School dropouts. In R. M. Lerner, A. C. Petersen, & J. Brooks-Gunn (Eds.) *Encyclopedia of adolescence*. New York, NY: Garland.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R. L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L. D. (1991). Toward a theory of drug epidemics. In R. L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L. D. (1990). America's war on drugs: What we should have learned by now. *Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention*. (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.
- Johnston, L. D. (1989). America's drug problem in the media: Is it real or is it Memorex™? In P. Shoemaker (Ed.), *Communication campaigns about drugs: Government, media, and the public* (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), *Research on the quality of life* (pp. 215-234). Ann Arbor, MI: Institute for Social Research.
- Johnston, L. D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C. L. Jones & R. J. Battjes (Eds.), *Etiology of drug abuse: Implications for prevention*. (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), *Studying drug abuse* (pp. 117-136). New Brunswick, NJ: Rutgers University Press.
- Johnston, L. D., & Harrison, L. D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), *Alcohol and the developing brain* (pp. 161-170). New York: Raven Press.
- Johnston, L. D., & O'Malley, P. M. (1985). Issues of validity and population coverage in student surveys of drug use. In B. A. Rouse, N. J. Kozel, & L. G. Richards (Eds.), *Self-report*

- methods of estimating drug use: Meeting current challenges to validity.* (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1985). Cocaine use among American adolescents and young adults. In N. J. Kozel & E. H. Adams (Eds.), *Cocaine use in America: Epidemiologic and clinical perspectives.* (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.
- Bachman, J. G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), *The social psychology of the self-concept.* Arlington Heights, IL: AMH Press.
- Johnston, L. D. (1982). A review and analysis of recent changes in marijuana use by American young people. In *Marijuana: The national impact on education* (pp. 8-13). New York: American Council on Marijuana.
- Johnston, L. D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), *Treating the marijuana dependent person* (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), *The yearbook of substance use and abuse* (Vol. 2). New York: Human Sciences Press.
- Brooke, E., & Johnston, L. D. (1979). The assessment of drug abuse. In *Resource book on measures to reduce illicit demand for drugs* (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.
- Johnston, L. D., O'Malley, P. M., & Eveland, L. K. (1978). Drugs and delinquency: A search for causal connections. In D. G. Kandel (Ed.), *Longitudinal research on drug use: Empirical findings and methodological issues* (pp. 137-156). Washington, DC: Hemisphere Publishing.
- Johnston, L. D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs.* (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L. B. Blevens (Eds.), *The epidemiology of drug abuse: Current issues.* (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J. D. Rittenhouse (Ed.), *The epidemiology of heroin and other narcotics.* (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs.* (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D., & Bachman, J. G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), *Understanding adolescence* (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.
- Johnston, L. D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), *Operational definitions in socio-behavioral drug use research.* (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

TESTIMONY

- Johnston, L. D. (2002, June 25). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Subcommittee for Criminal Justice, Drug Policy, and Human Resources, of the Committee on Government Reform, U. S. House of Representatives. Published in *The Congressional Record*.
- Johnston, L. D. (2002, June 20). Written testimony on the National Youth Media Anti-Drug Media Campaign for the Subcommittee on Treasury, Postal Service, and General Government of the House Appropriations Committee, U.S. House of Representatives. Published in *The Congressional Record*.
- Johnston, L. D. (2002, June 19). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Treasury and General Government Subcommittee on Appropriations of the U.S. Senate Appropriations Committee. Published in *The Congressional Record*.
- Johnston, L. D. (2000, Sept. 19). Written and oral testimony presented at hearings on “Drug trends in America,” held by the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources, of the Government Reform Committee, U.S. House of Representatives. Published in the *Congressional Record*.
- Johnston, L. D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in *The Congressional Record*.
- Johnston, L. D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on Recent trends in youthful drug use. Published in *The Congressional Record*.
- Johnston, L. D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in *The Congressional Record*.
- Johnston, L. D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In *The Congressional Record*.
- Johnston, L. D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in *The Congressional Record*.
- Johnston, L. D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act of 1991. Published in *The Congressional Record*, Washington: GPO ISBN 0-16-039764-2, pp. 44-53.
- Johnston, L. D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in *The Congressional Record*, 134:89, D774.

- Johnston, L. D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in *The Congressional Record*, 134:87, D756.
- Johnston, L. D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in *Advertising of tobacco products* (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).
- Johnston, L. D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in *Beer and wine advertising: Impact of electronic media* (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L. D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in *Alcohol Advertising* (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L. D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In *Health consequences of marijuana use* (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).
- O'Malley, P. M., & Johnston, L. D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commission Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)

MONITORING THE FUTURE OCCASIONAL PAPERS

(Published by the Project)

Paper No.

1. *The Monitoring the Future project: Design and procedures.* J. G. Bachman and L. D. Johnston, 1978, 67 pp.
2. *Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control.* A. R. Herzog, J. G. Bachman, and L. D. Johnston, 1978, 42 pp.
3. *High school seniors' preferences for sharing work and family responsibilities between husband and wife.* A. R. Herzog, J. G. Bachman, and L. D. Johnston, 1979, 58 pp.
4. *Fewer rebels, fewer causes: A profile of today's college freshmen.* J. G. Bachman and L. D. Johnston, 1979, 30 pp.
5. *Developing composite measures of drug use: Comparisons among lifetime, annual, and monthly prevalence reports for thirteen classes of drugs.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1979, 64 pp.
6. *Description of a special survey using a single combined form of the Monitoring the Future questionnaires.* A. R. Herzog and J. G. Bachman, 1979, 35 pp.
7. *Ecological concerns among high school seniors: 1976-1979.* J. D. Miller and J. G. Bachman, 1980, 28 pp.
8. *Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1980, 134 pp.
9. *When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use.* J. G. Bachman and P. M. O'Malley, 1980, 12 pp.
10. *High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980.* A. R. Herzog, 1980. (Available in reprint from Sociology of Education, 1982, 13 pp.)
11. *Changes in drug use after high school as a function of role status and social environment.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1981, 92 pp.
12. *Trends in high school seniors' views of the military.* J. G. Bachman, 1981, 28 pp.
13. *Marijuana decriminalization: The impact on youth 1975-1980.* L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1981, 85 pp.
14. *Period, age, and cohort effects on substance use among American youth 1976-1982.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1983, 50 pp.
15. *Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982.* L. D. Johnston, P. M. O'Malley, and M. L. Davis-Sacks, 1983, 72 pp.
16. *The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth.* J. G. Bachman and P. M. O'Malley, 1983, 30 pp.

17. *The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school.* J. G. Bachman, L. D. Johnston, P. M. O'Malley, and D. E. Bare, 1985, 135 pp.
18. *Changes in marijuana use linked to changes in perceived risks and disapproval.* J. G. Bachman, L. D. Johnston, P. M. O'Malley, and R. H. Humphrey, 1986, 28 pp.
19. *Correlates of employment among high school seniors.* J. G. Bachman, D. E. Bare, and E. I. Frankie, 1986, 105 pp.
20. *Change and consistency in the correlates of drug use among high school seniors: 1975-1986.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1986, 21 pp.
21. *Differentiation of period, age, and cohort effects on drug use 1976-1986.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1988, 62 pp.
22. *Sex differences in adolescents' health-threatening behaviors: What accounts for them?* A. R. Herzog, J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1987, 36 pp.
23. *Student drug use in America: Differences among high schools 1986-1987.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1988, 37 pp.
24. *Drug use among American college students and their noncollege age peers.* L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1988, 40 pp.
25. *Reducing drug use in America: A perspective, a strategy, and some promising approaches.* L. D. Johnston, 1988, 57 pp.
26. *Minimum drinking age laws effects on American youth 1976-1987.* P. M. O'Malley and A. C. Wagenaar, 1990, 68 pp.
27. *Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1990, 42 pp.
28. *Drug use among black, white, Hispanic, native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates.* J. G. Bachman, J. M. Wallace, Jr., C. Kurth, L. D. Johnston, and P. M. O'Malley, 1990, 63 pp.
29. *The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987.* L. D. Johnston, P. M. O'Malley, and L. D. Harrison, 1989, 104 pp.
30. *Part-time work by high school seniors: Sorting out correlates and possible consequences.* J. G. Bachman, and J. Schulenberg, 1992, revised, 154 pp.
31. *The Monitoring the Future project after seventeen years: Design and procedures.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1991, 110 pp.
32. *Aims and objectives of the Monitoring the Future study.* L. D. Johnston, P. M. O'Malley, J. Schulenberg, and J. G. Bachman, 1996, revised, 125pp.
33. *Changes in drug use during the post-high school years.* J. G. Bachman, P. M. O'Malley, L. D. Johnston, W. L. Rodgers, and J. Schulenberg, 1992, 168 pp.
34. *Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976-1992.* J. Schulenberg, J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1994, 62 pp.

35. *The Monitoring the Future project after twenty-two years: Design and procedures.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1996, 89 pp.
36. *Changes in drug use during ages 18-32.* J. G. Bachman, P. M. O'Malley, L. D. Johnston, W. L. Rodgers, J. Schulenberg, J. Lim, and K. N. Wadsworth, 1996, 87 pp.
37. *Trends in military propensity and the propensity-enlistment relationship.* J. G. Bachman, P. Freedman-Doan, D. R. Segal, and P. M. O'Malley, 1997, 68 pp.
38. *Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors.* J. G. Bachman, D. R. Segal, P. Freedman-Doan, and P. M. O'Malley, 1998, 163 pp.
39. *Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment.* J. G. Bachman, P. Freedman-Doan, L. D. Johnston, P. M. O'Malley, and D. R. Segal, 1999, 33 pp.
40. *Life-paths into young adulthood and the course of substance use and well-being: Inter- and intra-cohort comparisons.* J. Schulenberg, P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1998, 64 pp.
41. *Reasons for use, abstention, and quitting illicit drug use by American adolescents.* A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. L. D. Johnston, 1998, 27 pp.
42. *Cigarette brand preferences among adolescents.* L. D. Johnston, P. M. O'Malley, J. G. Bachman, and J. Schulenberg, 1999, 37 pp.
43. *Acting out and lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use.* A. L. Bryant, J. Schulenberg, J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 2000, 29 pp.
44. *Mediators of parental influences on adolescent substance use: Grade, gender, and ethnic comparisons (1994-1996).* C. Pilgrim, J. Schulenberg, P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 2000, 48 pp.
45. *Preferred work intensity of secondary school students: New findings and insights on why part-time work intensity correlates with drug use and problem behavior.* J. G. Bachman, D. J. Safron, S. R. Sy, and J. E. Schulenberg, 2001, 105 pp.
46. *Consistency and change in correlates of youth substance use, 1976-1997.* T.N. Brown, J. Schulenberg, J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 2001, 34 pp.
47. *Analyses showing how religiosity, social activities, and drug-related beliefs mediate relationships between post-high school experiences and substance use.* J. G. Bachman, P. M. O'Malley, J. E. Schulenberg, L. D. Johnston, A. L. Bryant, A. C. Merline, P. Freedman-Doan, N. J. Ridenour, and T. C. Hart, 2001. [Supplement to *The Decline of Substance Use in Young Adulthood* by Bachman et al.]
48. *A developmental perspective on alcohol and other drug use during adolescence and the transition to young adulthood.* J. Schulenberg and J. L. Maggs, 2001, 70 pp.
49. *The aims and objectives of the Monitoring the Future study and progress toward fulfilling them.* 3rd ed. L. D. Johnston, P. M. O'Malley, J. Schulenberg, and J. G. Bachman, 2001, 139 pp.

50. *Demographic subgroup trends for various licit and illicit drugs, 1975-2000*. L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 225 pp.
51. *The Monitoring the Future project after 27 years: Design and procedures*. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 58 pp.
52. *Demographic subgroup trends for various licit and illicit drugs, 1975-2001*. L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 224 pp., available: <http://monitoringthefuture.org/>
53. *Demographic subgroup trends for various licit and illicit drugs, 1975-2002*. L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 264 pp., available: <http://monitoringthefuture.org/>

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	1975	1976	1977	1978	1979	1980
# Public Schools	111	108	108	111	111	107
# Private Schools	14	15	16	20	20	20
Total # Schools	125	123	124	131	131	127
Total # Students	15,791	16,678	18,438	18,924	16,662	16,524
Student Response Rate (%) *	78%	77%	79%	83%	82%	82%

	1981	1982	1983	1984	1985	1986
# Public Schools	109	116	112	117	115	113
# Private Schools	19	21	22	17	17	16
Total # Schools	128	137	134	134	132	129
Total # Students	18,267	18,348	16,947	16,499	16,502	15,713
Student Response Rate (%) *	81%	83%	84%	83%	84%	83%

	1987	1988	1989	1990	1991	1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students	16,843	16,795	17,142	15,676	15,483	16,261
Student Response Rate (%) *	84%	83%	86%	86%	83%	84%

SAMPLE SIZE AND STUDENT RESPONSE RATES

(continued)

	1993	1994	1995	1996	1997	1998
# Public Schools	121	119	120	118	125	124
# Private Schools	18	20	24	21	21	20
Total # Schools	139	139	144	139	146	144
Total # Students	16,763	15,929	15,876	14,824	15,963	15,780
Student Response Rate (%) *	84%	84%	84%	83%	83%	82%

	1999	2000	2001	2002
# Public Schools	124	116	117	102
# Private Schools	19	18	17	18
Total # Schools	143	134	134	120
Total # Students	14,056	13,286	13,304	13,544
Student Response Rate (%) *	84%	83%	82%	83%

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.