

ICPSR 3753

**Monitoring the Future: A  
Continuing Study of American  
Youth (12th-Grade Survey), 2002**

Codebook for Form 6 Data File

Lloyd D. Johnston, Jerald G. Bachman,  
Patrick M. O'Malley, and John E.  
Schulenberg

University of Michigan. Institute for Social  
Research. Survey Research Center

First ICPSR Edition  
October 2003

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



## Terms of Use

**Bibliographic Citation:** Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications. The bibliographic citation for this data collection is:

Johnston, Lloyd D., Jerald G. Bachman, Patrick M. O'Malley, and John E. Schulenberg. MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH (12TH-GRADE SURVEY), 2002 [Computer file]. Conducted by University of Michigan, Institute for Social Research, Survey Research Center. ICPSR ed. Ann Arbor, MI: Inter-university Consortium for Political and Social Research [producer and distributor], 2003.

**Request for Information on Use of ICPSR Resources:** To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Visit the ICPSR Web site for more information on submitting citations.

**Data Disclaimer:** The original collector of the data, ICPSR, and the relevant funding agency bear no responsibility for uses of this collection or for interpretations or inferences based upon such uses.

**Responsible Use Statement:** In preparing data for public release, ICPSR performs a number of procedures to ensure that the identity of research subjects cannot be disclosed. Any intentional identification or disclosure of a person or establishment violates the assurances of confidentiality given to the providers of the information. Therefore, users of data obtained from the ICPSR archive and/or any of its special topic archives agree:

- To use these datasets solely for statistical analysis and reporting of aggregated information, and not for investigation of specific individuals or organizations, except when identification is authorized in writing by ICPSR
- To make no use of the identity of any person or establishment discovered inadvertently, and to advise ICPSR of any such discovery
- To produce no links among ICPSR datasets or among ICPSR data and other datasets that could identify individuals or organizations

**Redistribution:** ICPSR data may not be redistributed or sold to other individuals, institutions, or organizations without the written agreement of ICPSR.



## Data Collection Description

Principal Investigator(s): Lloyd D. Johnston, Jerald G. Bachman, Patrick M. O'Malley, and John E. Schulenberg

Title: Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2002

ICPSR Study Number: 3753

Funding Agency: United States Department of Health and Human Services. National Institute on Drug Abuse

Grant Number: DA01411

Summary: This is the 28th annual survey in this series that explores changes in important values, behaviors, and lifestyle orientations of contemporary American youth. Students are randomly assigned to complete one of six questionnaires, each with a different subset of topical questions, but all containing a set of "core" questions on demographics and drug use. There are about 1,400 variables across the questionnaires. Drugs covered by this survey include tobacco, alcohol, marijuana, hashish, LSD, hallucinogens, amphetamines (stimulants), Ritalin (methylphenidate), Quaaludes (methaqualone), barbiturates (tranquilizers), cocaine, crack cocaine, GHB (gamma hydroxy butyrate), and heroin. Other items include attitudes toward religion, changing roles for women, educational aspirations, self-esteem, exposure to sex and drug education, and violence and crime (both in and out of school).

Universe: High school seniors in the contiguous United States.

Sample: Multistage area probability sample design involving three selection stages: (1) geographic areas or primary sampling units (PSUs), (2) schools (or linked groups of schools) within PSUs, and (3) students within sampled schools. Of the 72 PSUs, 8 were selected with certainty, 10 were selected with a probability of .50, and the remainder were selected with probability proportionate to the size of the senior class. In schools with more than 350 seniors, a random sample of seniors or classes was drawn. In schools with less than 350 seniors, all seniors were asked to participate. Each school was asked to participate for two years so that each year one-half of the sample is replaced. Schools refusing participation were replaced with similar schools in terms of geographic location, size, and type of school (e.g., public, private/Catholic, private/non-Catholic). The total sample was divided into six subsamples consisting of an average of 2,300 respondents, and each subsample was administered a different form of the questionnaire, although all respondents answered the "core" drug and demographic questions. The participation rate among schools has been between 66 and 85 percent since the inception of the study.

Date of Collection: 2002

Data Collection Notes: (1) To protect the privacy of respondents, all variables that could be used to identify individuals have been collapsed or recoded in the public use files. These modifications should not affect analytic uses of the public use files. (2) Variables omitted from the Western region questionnaires are noted in each codebook. (3) The codebooks are provided by ICPSR as Portable Document Format (PDF) files. The PDF file format was developed by Adobe Systems Incorporated and may be accessed using PDF reader software, such as the Adobe Acrobat Reader. Information on how to obtain a copy of the Acrobat Reader is provided on the ICPSR and SAMHDA Web sites.

Data Source: self-administered questionnaires

Extent of Collection: 7 data files + machine-readable documentation (PDF) + SAS data definition statements + SPSS data definition statements

Extent of Processing: CONCHK.PR/ UNDOCCHK.PR/ MDATA.ICPSR/ REFORM.DATA/ UNDOCCHK.ICPSR/ CDBK.ICPSR/ DDEF.ICPSR/ FREQ.ICPSR/ REFORM.DOC/ RECODE

Data Format: Logical Record Length with SAS and SPSS data definition statements

## File Specifications

<i>Part No.</i>	<i>Part Name</i>	<i>File Structure</i>	<i>Case Count</i>	<i>Variable Count</i>	<i>LRECL</i>	<i>Records Per Case</i>
1	Core Data	rectangular	13,544	108	224	1
2	Form 1 Data	rectangular	2,256	618	1,246	1
3	Form 2 Data	rectangular	2,267	332	671	1
4	Form 3 Data	rectangular	2,258	354	715	1
5	Form 4 Data	rectangular	2,241	280	569	1
6	Form 5 Data	rectangular	2,257	312	630	1
7	Form 6 Data	rectangular	2,265	331	669	1

## Related Publications

Johnston, Lloyd D., Patrick M. O'Malley, and Jerald G. Bachman. MONITORING THE FUTURE NATIONAL RESULTS ON ADOLESCENT DRUG USE: OVERVIEW OF KEY FINDINGS, 2002 (NIH Publication No. 03-5374). Bethesda, MD: National Institute on Drug Abuse, April 2003.  
<http://www.monitoringthefuture.org/pubs/monographs/overview2002.pdf>

Johnston, Lloyd D., Patrick M. O'Malley, and Jerald G. Bachman. MONITORING THE FUTURE NATIONAL SURVEY RESULTS ON DRUG USE, 1975-2002. Volume I: Secondary School Students (NIH Publication No. 03-5375). Bethesda, MD: National Institute on Drug Abuse, August 2003.

Bachman, Jerald G., Lloyd D. Johnston, and Patrick M. O'Malley. THE MONITORING THE FUTURE PROJECT AFTER TWENTY-SEVEN YEARS: DESIGN AND PROCEDURES. Monitoring the Future Occasional Paper 54. Ann Arbor, MI: University of Michigan, Institute for Social Research, 2001.  
<http://monitoringthefuture.org/pubs/occpapers/occ54.pdf>

## Contents

Contents .....	i
INTRODUCTION .....	iii
DATA COLLECTION DESCRIPTION .....	iii
DATA COLLECTION PROCEDURES .....	iii
SAMPLING INFORMATION .....	iv
STAGE 1: GEOGRAPHIC AREAS.....	iv
STAGE 2: SCHOOLS .....	iv
STAGE 3: STUDENTS.....	iv
SCHOOL RECRUITING PROCEDURES.....	v
ADVANCE CONTACT WITH TEACHERS AND STUDENTS.....	v
QUESTIONNAIRE ADMINISTRATION.....	v
PROCEDURES FOR PROTECTING CONFIDENTIALITY.....	vi
CONTENT AREAS AND QUESTIONNAIRE DESIGN .....	vii
MEASUREMENT CONTENT AREAS .....	vii
REPRESENTATIVENESS AND VALIDITY.....	viii
SCHOOL PARTICIPATION.....	viii
STUDENT PARTICIPATION.....	ix
VALIDITY OF SELF-REPORT DATA.....	ix
ACCURACY OF THE SAMPLE.....	x
CONSISTENCY AND THE MEASUREMENT OF TRENDS.....	x
INTERPRETING RACIAL DIFFERENCES.....	x
DIFFERENTIAL REPRESENTATION.....	xi
DIFFERENTIAL RESPONSE TENDENCIES.....	xi
COVARIANCE WITH OTHER FACTORS.....	xii
WEIGHTING INFORMATION.....	xiii
FILE STRUCTURE.....	xiii
CODEBOOK INFORMATION .....	xiv
ICPSR PROCESSING INFORMATION.....	xvi
FREQUENCIES .....	1
APPENDICES .....	283
Appendix A: Publications.....	283
Appendix B - Sample Size and Student Response Rates.....	307



## **INTRODUCTION**

### **DATA COLLECTION DESCRIPTION**

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2002, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

### **DATA COLLECTION PROCEDURES**

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

### **SAMPLING INFORMATION**

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

**STAGE 1: GEOGRAPHIC AREAS.** The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

**STAGE 2: SCHOOLS.** In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

**STAGE 3: STUDENTS.** Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half

samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

**SCHOOL RECRUITING PROCEDURES.** Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

**ADVANCE CONTACT WITH TEACHERS AND STUDENTS.** The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

**QUESTIONNAIRE ADMINISTRATION.** The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

**PROCEDURES FOR PROTECTING CONFIDENTIALITY.** In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

## CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

### MEASUREMENT CONTENT AREAS

---

---

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
  - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
  - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
  - T. HEALTH. Health habits, somatic symptoms, medical treatment.
- 
- 

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

### **REPRESENTATIVENESS AND VALIDITY**

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

**SCHOOL PARTICIPATION.** As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed

to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

**STUDENT PARTICIPATION.** Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

**VALIDITY OF SELF-REPORT DATA.** Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study,

but many have not; therefore, there exists little empirical evidence of their validity and reliability.

**ACCURACY OF THE SAMPLE.** A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

**CONSISTENCY AND THE MEASUREMENT OF TRENDS.** One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

**INTERPRETING RACIAL DIFFERENCES.** Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican American, Puerto Rican American, or other Latin American) since each of these groups comprises a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -- who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of

the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

**DIFFERENTIAL REPRESENTATION.** Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

**DIFFERENTIAL RESPONSE TENDENCIES.** In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-cancelling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

**COVARIANCE WITH OTHER FACTORS.** Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

## WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

## FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2002 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS and SPSS data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

part #	form	# of variables	Logical record length	unweighted n
1	Core	108	224	13,544
2	Form 1	618	1246	2,256
3	Form 2	332	671	2,267
4	Form 3	354	715	2,258
5	Form 4	280	569	2,241
6	Form 5	312	630	2,257
7	Form 6	331	669	2,265

The SAS and SPSS data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

### CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134	[2] 991A13	KIND OF PAID JOB
-----------	------------	------------------

[3] Item Number: 25160

[4] A13: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5] PCT VALID	[6] PCT ALL	[7] N	[8] VALUE	[9] LABEL
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	3.3	190	0	
	1.6	94	99	

[10]	[11]	[12]	
100.0	100.0	5,745 cases	(Wtd)

[13] Data type: numeric  
 [14] Decimals: 0  
 [15] Missing-data codes: 0,99  
 [16] Columns: 98-99

---

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

- [2] Indicates the abbreviated variable name used to identify the variable for the user.
- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (\_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to 9 are missing data (MD Codes: 9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

## ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/ missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its full version to a bracketed version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

QUESTIONNAIRE FORM 1 PROCESSING: The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

**FREQUENCIES**  
FORM 6 DATA FILE



CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

2,274 cases (Wtd) (Range of valid codes: 1-2,265)

Data type: numeric  
 Missing-data code: -9  
 Columns: 1-4

V1	YEAR OF ADMIN (4-DIGITS)
----	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,274	2002	
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 14-17

V3	026	:FORM ID
----	-----	----------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,274	6	
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Column: 18

V4	026	:R'S ID-SERIAL #
----	-----	------------------

2,274 cases (Wtd) (Range of valid codes: 60,001-62,265)

Data type: numeric  
 Missing-data code: -9  
 Columns: 19-23

<b>V5</b>	<b>SAMPLING WEIGHT</b>
-----------	------------------------

2,274 cases (Wtd) (Range of valid codes: .1382-4.9904)

Data type: numeric  
 Decimals: 4  
 Missing-data code: -9.0000  
 Columns: 664-669

<b>V13</b>	<b>026</b>	<b>:SCHL RGN-4 CAT</b>
------------	------------	------------------------

PCT VALID	PCT ALL	N	VALUE	LABEL
19.7	19.7	447	1	NE:(1)
25.2	25.2	573	2	NC:(2)
33.3	33.3	756	3	S:(3)
21.9	21.9	497	4	W:(4)
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Column: 5

<b>V16</b>	<b>026</b>	<b>:SELF-REP/NOT=0</b>
------------	------------	------------------------

PCT VALID	PCT ALL	N	VALUE	LABEL
69.0	69.0	1,570	0	
31.0	31.0	704	1	
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Column: 6

<b>V17</b>	<b>026</b>	<b>:SMSA/NON-SMSA=0</b>
------------	------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	23.5	535	0	
76.5	76.5	1,740	1	
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Column: 7

<b>V6207</b>	<b>026A01</b>	<b>:CMP SATFD W/LIFE</b>
--------------	---------------	--------------------------

Item Number: 06840

How satisfied are you with your life asa whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	38	1	COMP DIS:(1)
5.4	5.2	117	2	
7.6	7.3	166	3	
10.0	9.6	219	4	MIXED:(4)
24.8	23.8	542	5	
39.5	38.1	866	6	
11.0	10.6	241	7	COMP SAT:(7)
	3.7	85	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 209-210

V6208

026A02A:DALY WATCH TV

Item Number: 05820

The next questions ask about the kinds of things you might do.  
How often do you do each of the following? A: Watch TV

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	21	1	NEVER:(1)
2.0	2.0	46	2	FEW /YR:(2)
4.8	4.8	108	3	1-2 /MO:(3)
26.4	26.3	598	4	1 /WK:(4)
65.9	65.6	1,491	5	NR DAILY:(5)
	0.4	10	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 211-212

V6209

026A02B:DALY GO TO MOVIE

Item Number: 05830

How often do you do each of the following? B: Go to movies

1="Never" 2="A few times a year" 3="Once or twice a month"  
 4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	71	1	NEVER:(1)
32.4	32.2	733	2	FEW /YR:(2)
56.2	55.9	1,270	3	1-2 /MO:(3)
7.8	7.8	177	4	1 /WK:(4)
0.4	0.4	9	5	NR DAILY:(5)
	0.6	13	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 213-214

V6210

026A02C:DALY ROCK CONCRT

Item Number: 05845

How often do you do each of the following? C: Go to rock  
concerts

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.6	53.1	1,209	1	NEVER:(1)
39.8	39.5	899	2	FEW /YR:(2)
5.0	5.0	113	3	1-2 /MO:(3)
1.1	1.1	25	4	1 /WK:(4)
0.5	0.5	11	5	NR DAILY:(5)
	0.8	17	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 215-216

V6211

026A02D:DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following? D: Ride around in  
a car (or motorcycle) just for fun

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.5	216	1	NEVER:(1)
10.5	10.5	238	2	FEW /YR:(2)
14.6	14.5	330	3	1-2 /MO:(3)
29.5	29.4	668	4	1 /WK:(4)
35.9	35.8	813	5	NR DAILY:(5)
	0.4	10	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 217-218

V6212

026A02E:DALY CMNTY AFFRS

Item Number: 05860

How often do you do each of the following? E: Participate in  
community affairs or volunteer work

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.4	509	1	NEVER:(1)
44.4	44.1	1,003	2	FEW /YR:(2)
19.9	19.8	450	3	1-2 /MO:(3)
10.4	10.3	234	4	1 /WK:(4)
2.8	2.8	64	5	NR DAILY:(5)
	0.6	13	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 219-220

V6213

026A02F:DALY ACTV SPORTS

Item Number: 05890

How often do you do each of the following? H: Actively participate in sports, athletics or exercising

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	9.8	223	1	NEVER:(1)
11.7	11.6	265	2	FEW /YR:(2)
14.4	14.4	326	3	1-2 /MO:(3)
23.5	23.4	532	4	1 /WK:(4)
40.4	40.2	914	5	NR DAILY:(5)
	0.6	14	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 221-222

V6214

026A02G:DALY VIST W/FRDS

Item Number: 05920

How often do you do each of the following? G: Get together  
with friends informally

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	32	1	NEVER:(1)
3.4	3.4	77	2	FEW /YR:(2)
12.3	12.2	277	3	1-2 /MO:(3)
40.1	39.7	903	4	1 /WK:(4)
42.8	42.4	964	5	NR DAILY:(5)
	1.0	22	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 223-224

V6215	026A02H:DALY GO SHOPPING
-------	--------------------------

Item Number: 05930

How often do you do each of the following? H: Go shopping or window-shopping

1="Never" 2="A few times a year" 3="Once or twice a month"  
 4="At least once a week" 5="Almost every day"

PCT VALID	PCT ALL	N	VALUE	LABEL
4.5	4.4	101	1	NEVER:(1)
14.8	14.7	334	2	FEW /YR:(2)
45.6	45.2	1,028	3	1-2 /MO:(3)
30.4	30.1	685	4	1 /WK:(4)
4.8	4.7	107	5	NR DAILY:(5)
	0.9	19	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 225-226

V6216

026A02I:DALY ALONE LEISR

Item Number: 05940

How often do you do each of the following? I: Spend at least  
an hour of leisure time alone

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.7	151	1	NEVER:(1)
6.7	6.7	152	2	FEW /YR:(2)
13.0	12.9	293	3	1-2 /MO:(3)
34.2	33.9	771	4	1 /WK:(4)
39.4	39.0	888	5	NR DAILY:(5)
	0.9	20	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 227-228

<b>V6217</b>	<b>026A02J:DALY READ MAGZNS</b>
--------------	---------------------------------

Item Number: 23070

How often do you do each of the following? J: Read magazines

1="Never" 2="A few times a year" 3="Once or twice a month"  
 4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.6	149	1	NEVER:(1)
12.9	12.8	290	2	FEW /YR:(2)
36.1	35.8	814	3	1-2 /MO:(3)
34.5	34.1	776	4	1 /WK:(4)
9.9	9.8	223	5	NR DAILY:(5)
	1.0	22	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 229-230

<b>V6218</b>	<b>026A02K:DALY READ NWSPPR</b>
--------------	---------------------------------

Item Number: 23080

How often do you do each of the following? K: Read newspapers

1="Never" 2="A few times a year" 3="Once or twice a month"  
 4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	8.1	184	1	NEVER:(1)
16.8	16.6	378	2	FEW /YR:(2)
24.3	24.0	546	3	1-2 /MO:(3)
31.3	31.0	705	4	1 /WK:(4)
19.5	19.3	440	5	NR DAILY:(5)
	0.9	21	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 231-232

V6219

026A02L:DALY GO TO BARS

Item Number: 05960

How often do you do each of the following? L: Go to taverns,  
bars or nightclubs

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	49.2	1,118	1	NEVER:(1)
22.8	22.6	514	2	FEW /YR:(2)
18.3	18.2	414	3	1-2 /MO:(3)
7.4	7.3	166	4	1 /WK:(4)
2.0	2.0	46	5	NR DAILY:(5)
	0.7	15	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 233-234

V6220

026A02M:DALY GO TO PARTY

Item Number: 05970

How often do you do each of the following? M: Go to parties  
or other social affairs

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.4	146	1	NEVER:(1)
22.4	22.3	507	2	FEW /YR:(2)
38.1	37.8	860	3	1-2 /MO:(3)
29.0	28.9	656	4	1 /WK:(4)
4.0	4.0	90	5	NR DAILY:(5)
	0.7	15	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 235-236

V6508

026A02N:DALY GO VID ARC

Item Number: 29620

How often do you do each of the following? N: Go to video arcades

1="Never" 2="A few times a year" 3="Once or twice a month"  
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.9	54.5	1,240	1	NEVER:(1)
30.2	30.0	682	2	FEW /YR:(2)
11.9	11.8	269	3	1-2 /MO:(3)
2.2	2.2	50	4	1 /WK:(4)
0.7	0.7	17	5	NR DAILY:(5)
	0.7	16	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 485-486

V6221

026A03 : \*SC WRK NVR MNG

Item Number: 05700

The next questions are about your experiences in school. How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.6	82	1	NEVER:(1)
24.2	23.2	528	2	SELDOM:(2)
45.3	43.5	990	3	SOMETIME:(3)
19.6	18.8	427	4	OFTEN:(4)
7.2	6.9	157	5	ALWAYS:(5)
	4.0	91	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 237-238

V6222

026A04 : \*MST COUR V DUL

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"  
 3="Fairly interesting" 2="Slightly dull" 1="Very dull"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.6	196	1	VRY DULL:(1)
24.3	24.0	547	2	SLTLY DU:(2)
46.9	46.5	1,057	3	FRLY INT:(3)
17.5	17.3	394	4	QUITE IN:(4)
2.6	2.6	60	5	VRY EXCI:(5)
	0.9	20	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 239-240

V6223

026A05 : \*LRN SCH NT IMP

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"  
2="Slightly important" 1="Not at all important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.1	94	1	NOT IMPT:(1)
22.2	22.0	500	2	SLTLY IM:(2)
35.3	34.9	794	3	FRLY IMP:(3)
23.4	23.1	526	4	QUITE IM:(4)
15.0	14.8	337	5	VRY IMPT:(5)
	1.0	23	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 241-242

V6224

026A06A:LSTYR/ENJOY SCHL

Item Number: 23090

Now thinking back over the past year in school, how often did you. . . A: Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.9	135	1	NEVER:(1)
17.1	17.0	386	2	SELDOM:(2)
42.1	41.9	953	3	SOMETIME:(3)
25.5	25.4	577	4	OFTEN:(4)
9.4	9.3	213	5	ALWAYS:(5)
	0.5	12	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 243-244

V6225

026A06B:LSTYR/HATE SCHL

Item Number: 23100

Now thinking back over the past year in school, how often did you. . . B: Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.0	138	1	NEVER:(1)
24.2	24.0	547	2	SELDOM:(2)
34.9	34.7	789	3	SOMETIME:(3)
24.2	24.1	548	4	OFTEN:(4)
10.6	10.6	240	5	ALWAYS:(5)
	0.6	13	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 245-246

<b>V6226</b>	<b>026A06C:LSTYR/DO BEST WK</b>
--------------	---------------------------------

Item Number: 23110

Now thinking back over the past year in school, how often did you. . . C: Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	22	1	NEVER:(1)
7.0	6.9	158	2	SELDOM:(2)
27.5	27.3	621	3	SOMETIME:(3)
34.8	34.6	786	4	OFTEN:(4)
29.7	29.5	672	5	ALWAYS:(5)
	0.7	15	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 247-248

<b>V6227</b>	<b>026A06D:LSTYR/SCH 2 HARD</b>
--------------	---------------------------------

Item Number: 23120

Now thinking back over the past year in school, how often did you. . . D: Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	15.6	354	1	NEVER:(1)
41.4	41.0	933	2	SELDOM:(2)
32.6	32.3	734	3	SOMETIME:(3)
7.9	7.9	179	4	OFTEN:(4)
2.4	2.4	55	5	ALWAYS:(5)
	0.8	19	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 249-250

V6228

026A06E:LSTYR/FOOL ROUND

Item Number: 23130

Now thinking back over the past year in school, how often did you . . .E: Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.2	210	1	NEVER:(1)
26.3	26.1	593	2	SELDOM:(2)
35.4	35.1	799	3	SOMETIME:(3)
18.7	18.5	422	4	OFTEN:(4)
10.4	10.3	235	5	ALWAYS:(5)
	0.7	15	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 251-252

V6229

026A06F:LSTYR/WK NT DONE

Item Number: 23140

Now thinking back over the past year in school, how often did you . . .F: Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	23.0	523	1	NEVER:(1)
39.1	38.8	882	2	SELDOM:(2)
26.0	25.8	586	3	SOMETIME:(3)
9.7	9.7	220	4	OFTEN:(4)
2.0	2.0	46	5	ALWAYS:(5)
	0.7	17	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 253-254

V6230

026A06G:LSTYR/GT GD GRDS

Item Number: 23150

Now thinking back over the past year in school, how often did you . . .G: Get good grades (like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	51	1	NEVER:(1)
8.6	8.5	194	2	SELDOM:(2)
22.5	22.4	508	3	SOMETIME:(3)
26.0	25.8	588	4	OFTEN:(4)
40.6	40.3	916	5	ALWAYS:(5)
	0.7	17	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 255-256

V6231

026A06H:LSTYR/U MISBEHAV

Item Number: 23160

Now thinking back over the past year in school, how often did you . . .H: Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	70.8	1,610	1	NEVER:(1)
19.8	19.7	447	2	SELDOM:(2)
6.0	6.0	135	3	SOMETIME:(3)
1.9	1.8	42	4	OFTEN:(4)
1.0	1.0	23	5	ALWAYS:(5)
	0.7	17	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 257-258

V6232

026A06I:LSTYR/SKIP SCHL

Item Number: 23170

Now thinking back over the past year in school, how often did you . . . I: Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	42.8	974	1	NEVER:(1)
25.6	25.4	578	2	SELDOM:(2)
19.0	18.9	429	3	SOMETIME:(3)
9.3	9.3	211	4	OFTEN:(4)
2.9	2.9	66	5	ALWAYS:(5)
	0.7	16	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274		cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 259-260

V6242

026A07A:5-6GR/ENJOY SCHL

Item Number: 23270

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . . A: Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.0	206	1	NEVER:(1)
11.3	11.2	255	2	SELDOM:(2)
23.0	22.8	519	3	SOMETIME:(3)
31.8	31.5	717	4	OFTEN:(4)
24.8	24.6	560	5	ALWAYS:(5)
	0.8	19	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 261-262

V6243

026A07B:5-6GR/HATE SCHL

Item Number: 23280

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . . B: Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	17.2	392	1	NEVER:(1)
32.4	32.2	732	2	SELDOM:(2)
26.9	26.7	607	3	SOMETIME:(3)
13.9	13.7	312	4	OFTEN:(4)
9.4	9.3	212	5	ALWAYS:(5)
	0.8	19	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 263-264

V6244

026A07C:5-6GR/DO BEST WK

Item Number: 23290

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . . C: Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	54	1	NEVER:(1)
7.1	7.0	160	2	SELDOM:(2)
19.2	18.9	430	3	SOMETIME:(3)
31.9	31.4	715	4	OFTEN:(4)
39.3	38.8	881	5	ALWAYS:(5)
	1.5	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 265-266

V6245

026A07D:5-6GR/SCH 2 HARD

Item Number: 23300

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . . D: Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	26.4	599	1	NEVER:(1)
32.3	31.9	726	2	SELDOM:(2)
27.7	27.4	623	3	SOMETIME:(3)
10.3	10.2	233	4	OFTEN:(4)
3.1	3.1	70	5	ALWAYS:(5)
	1.0	23	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 267-268

V6246                      026A07E:5-6GR/FOOL ROUND

Item Number: 23310

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . . E: Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	21.1	480	1	NEVER:(1)
25.3	24.9	567	2	SELDOM:(2)
24.6	24.2	551	3	SOMETIME:(3)
17.2	16.9	385	4	OFTEN:(4)
11.5	11.3	256	5	ALWAYS:(5)
	1.5	35	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 269-270

V6247

026A07F:5-6GR/WK NT DONE

Item Number: 23320

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . . F: Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	38.7	880	1	NEVER:(1)
33.1	32.7	744	2	SELDOM:(2)
16.5	16.3	371	3	SOMETIME:(3)
8.1	8.0	182	4	OFTEN:(4)
3.3	3.2	74	5	ALWAYS:(5)
	1.0	24	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 271-272

V6248

026A07G:5-6GR/GT GD GRDS

Item Number: 23330

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . . G: Get good grades (like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	63	1	NEVER:(1)
7.0	6.9	156	2	SELDOM:(2)
15.6	15.4	351	3	SOMETIME:(3)
23.9	23.6	536	4	OFTEN:(4)
50.7	50.0	1,137	5	ALWAYS:(5)
	1.3	30	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 273-274

V6249

026A07H:5-6GR/U MISBEHAV

Item Number: 23340

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . . H: Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.1	64.5	1,466	1	NEVER:(1)
17.3	17.1	389	2	SELDOM:(2)
10.6	10.5	240	3	SOMETIME:(3)
4.5	4.4	101	4	OFTEN:(4)
2.5	2.5	56	5	ALWAYS:(5)
	1.0	22	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 275-276

V6250

026A07I:5-6GR/SKIP SCHL

Item Number: 23350

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . . I: Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.2	85.3	1,939	1	NEVER:(1)
8.5	8.4	192	2	SELDOM:(2)
3.2	3.1	71	3	SOMETIME:(3)
1.3	1.3	29	4	OFTEN:(4)
0.8	0.8	18	5	ALWAYS:(5)
	1.1	25	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 277-278

V6491

026A08A:#X PRNT CHK HMWK

Item Number: 25180

How often do your parents (or stepparents or guardians) do the following? A: Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	29.6	673	1	NEVER:(1)
27.8	21.5	489	2	RARELY:(2)
19.6	15.1	344	3	SOMETIME:(3)
14.3	11.0	250	4	OFTEN:(4)
	22.8	518	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 451-452

V6492

026A08B:#X PRNT HLP HMWK

Item Number: 25190

How often do your parents (or stepparents or guardians) do the following? B: Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	15.7	358	1	NEVER:(1)
22.3	17.3	392	2	RARELY:(2)
27.9	21.6	491	3	SOMETIME:(3)
29.3	22.7	515	4	OFTEN:(4)
	22.7	517	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 453-454

V6493

026A08C:#X PRNT GV CHORE

Item Number: 25200

How often do your parents (or stepparents or guardians) do the following? C: Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	5.4	122	1	NEVER:(1)
14.6	11.2	255	2	RARELY:(2)
28.4	21.8	496	3	SOMETIME:(3)
50.1	38.6	877	4	OFTEN:(4)
	23.0	523	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 455-456

V6494

026A08D:#X PRNT LIMIT TV

Item Number: 25210

How often do your parents (or stepparents or guardians) do the following? D: Limit the amount of time you can spend watching TV

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	53.4	1,214	1	NEVER:(1)
17.2	13.2	301	2	RARELY:(2)
10.3	8.0	181	3	SOMETIME:(3)
3.3	2.6	58	4	OFTEN:(4)
	22.9	520	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 457-458

V6495

026A08E:#X PRNT LMT OUT

Item Number: 25220

How often do your parents (or stepparents or guardians) do the following? E. Limit the amount of time you can go out with friends on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	19.9	452	1	NEVER:(1)
23.6	18.2	414	2	RARELY:(2)
24.3	18.7	426	3	SOMETIME:(3)
26.3	20.3	461	4	OFTEN:(4)
	22.9	521	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 459-460

V6251	026A09A: SCH ACTV-PBLCTNS
-------	---------------------------

Item Number: 22170

To what extent have you participated in the following school activities during this school year? A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	74.4	1,691	1	NOT @ALL:(1)
11.4	11.3	256	2	SLIGHT:(2)
4.3	4.2	97	3	MODERATE:(3)
3.6	3.6	81	4	CONSDRBL:(4)
5.5	5.4	123	5	GRT EXT:(5)
	1.1	26	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 279-280

V6252

026A09B:SCH ACTV-PRF ART

Item Number: 22180

To what extent have you participated in the following school activities during this school year? B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	56.0	1,273	1	NOT @ALL:(1)
8.3	8.2	187	2	SLIGHT:(2)
8.3	8.2	187	3	MODERATE:(3)
8.1	8.0	182	4	CONSDRBL:(4)
18.6	18.4	419	5	GRT EXT:(5)
	1.2	27	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 281-282

V6253

026A09C:SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year? C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.1	45.5	1,035	1	NOT @ALL:(1)
7.3	7.2	164	2	SLIGHT:(2)
10.6	10.4	237	3	MODERATE:(3)
8.9	8.8	200	4	CONSDRBL:(4)
27.1	26.7	608	5	GRT EXT:(5)
	1.4	31	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 283-284

V6254

026A09D:SCH ATV-ACDMC CL

Item Number: 23360

To what extent have you participated in the following school activities during this school year? D: Academic clubs (e.g., science, math, language)

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.1	65.1	1,481	1	NOT @ALL:(1)
11.5	11.4	259	2	SLIGHT:(2)
10.0	9.9	225	3	MODERATE:(3)
6.7	6.6	151	4	CONSDRBL:(4)
5.6	5.5	126	5	GRT EXT:(5)
	1.4	32	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 285-286

V6255

026A09E:SCH ATV-STDN GVT

Item Number: 23370

To what extent have you participated in the following school activities during this school year? E: Student council or government

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	74.7	1,698	1	NOT @ALL:(1)
7.2	7.1	162	2	SLIGHT:(2)
5.2	5.1	116	3	MODERATE:(3)
4.5	4.4	101	4	CONSDRBL:(4)
7.3	7.2	163	5	GRT EXT:(5)
	1.5	35	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 287-288

V6256

026A09F:SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year? F: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"  
5="Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	33.7	766	1	NOT @ALL:(1)
13.3	13.1	297	2	SLIGHT:(2)
18.8	18.5	421	3	MODERATE:(3)
15.4	15.2	345	4	CONSDRBL:(4)
18.4	18.2	414	5	GRT EXT:(5)
	1.4	31	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 289-290

V6272

026A10R:EVER HELD BACK

Item Number: 23530

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	89.6	2,038	1	NO:(1)
9.4	9.3	213	2	YES:(2-3)
	1.0	24	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 291-292

<b>V6273</b>	<b>026A11R:NEEDSUMMER SCHL</b>
--------------	--------------------------------

Item Number: 23540

Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.7	77.8	1,770	1	NO:(1)
21.3	21.1	479	2	YES:(2-4)
	1.1	25	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 293-294

<b>V6496</b>	<b>026A12R:EVER SUSPENDED</b>
--------------	-------------------------------

Item Number: 25140

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	75.0	1,705	1	NO:(1)
24.0	23.7	539	2	YES:(2-3)
	1.4	31	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 461-462

V6507

026A13:#DA GUN SCHL/4WK

Item Number: 29590

During the LAST FOUR WEEKS, on how many days (if any) did you carry a gun to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"  
6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	97.0	2,206	1	NONE:(1)
0.3	0.3	6	2	1 DAY:(2)
0.2	0.2	5	3	2 DAYS:(3)
0.3	0.3	7	4	3-5 DAYS:(4)
0.2	0.2	5	5	6-9 DAYS:(5)
1.0	1.0	22	6	10+ DAYS:(6)
	1.0	24	-9	MISSING

-----  
100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 483-484

V6504

026A14 :ILL DRG SOLD@SCH

Item Number: 25820

During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	72.3	1,643	1	NO:(1)
26.5	26.1	593	2	YES:(2)
	1.7	38	-9	MISSING

-----  
100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 477-478

V6274	026A15A:TCHR PRVNT SMKNG
-------	--------------------------

Item Number: 23550

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .  
 .A: Smoking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"  
 5="Very vigorous" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	13.1	299	1	NOT @ALL:(1)
18.0	17.7	403	2	SLIGHTLY:(2)
18.6	18.4	418	3	SOMEWHAT:(3)
18.3	18.1	411	4	FRLY VGR:(4)
15.2	15.0	341	5	VRY VGRS:(5)
16.5	16.2	369	8	DK:(8)
	1.5	35	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 295-296

V6275

026A15B:TCHR PRVNT DRNKG

Item Number: 23560

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .  
 . B: Drinking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"  
 5="Very vigorous" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.3	257	1	NOT @ALL:(1)
17.9	17.6	400	2	SLIGHTLY:(2)
15.6	15.4	349	3	SOMEWHAT:(3)
15.6	15.3	348	4	FRLY VGR:(4)
20.3	20.0	455	5	VRY VGRS:(5)
19.1	18.8	427	8	DK:(8)
	1.6	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 297-298

V6276

026A15C:TCHR PRVNT DRUGS

Item Number: 23570

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .  
 . C: Drug use?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"  
 5="Very vigorous" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.6	219	1	NOT @ALL:(1)
13.8	13.6	309	2	SLIGHTLY:(2)
15.9	15.7	356	3	SOMEWHAT:(3)
16.4	16.1	367	4	FRLY VGR:(4)
25.6	25.2	573	5	VRY VGRS:(5)
18.5	18.2	413	8	DK:(8)
	1.6	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 299-300

V6277

026A16A:CNSEQNC 4 SMOKNG

Item Number: 23580

How severe do you think the consequences would be for a student in your school who gets caught . . . A: Smoking?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.0	114	1	NONE:(1)
30.2	29.8	677	2	MILD:(2)
36.9	36.4	827	3	MODERATE:(3)
20.4	20.1	458	4	SEVERE:(4)
7.4	7.3	165	8	DK:(8)
	1.5	33	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 301-302

V6278

026A16B:CNSEQNC 4 ALCOHL

Item Number: 23590

How severe do you think the consequences would be for a student in your school who gets caught . . . B: Using (or possessing) alcohol?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	32	1	NONE:(1)
7.1	7.0	159	2	MILD:(2)
29.2	28.8	655	3	MODERATE:(3)
54.0	53.2	1,209	4	SEVERE:(4)
8.3	8.2	186	8	DK:(8)
	1.5	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 303-304

V6279

026A16C:CNSEQNC 4 DRUGS

Item Number: 23600

How severe do you think the consequences would be for a student in your school who gets caught . . . C: Using (or possessing) an illegal drug?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	27	1	NONE:(1)
2.6	2.5	57	2	MILD:(2)
12.3	12.2	276	3	MODERATE:(3)
76.2	75.0	1,706	4	SEVERE:(4)
7.7	7.6	173	8	DK:(8)
	1.5	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 305-306

V6297	026A17A:RSK OF CIG1+PK/D
-------	--------------------------

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	38	1	NO RISK:(1)
6.1	6.0	136	2	SLIGHT:(2)
23.5	23.1	526	3	MOD RISK:(3)
66.7	65.6	1,493	4	GRT RISK:(4)
2.0	2.0	45	5	CANT SAY:(5)
	1.6	36	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 307-308

V6298

026A17B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . B: Try marijuana  
once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	33.7	765	1	NO RISK:(1)
34.2	33.7	765	2	SLIGHT:(2)
15.1	14.8	337	3	MOD RISK:(3)
13.5	13.3	303	4	GRT RISK:(4)
3.0	2.9	67	5	CANT SAY:(5)
	1.6	37	-9	MISSING

-----  
100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 309-310

V6299	026A17C:RSK OF MJ OCSNLY
-------	--------------------------

Item Number: 12380

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . C: Smoke  
marijuana occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.4	305	1	NO RISK:(1)
29.2	28.8	654	2	SLIGHT:(2)
31.8	31.3	711	3	MOD RISK:(3)
22.4	22.0	501	4	GRT RISK:(4)
3.1	3.0	69	5	CANT SAY:(5)
	1.5	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 311-312

V6300

026A17D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . D: Smoke  
marijuana regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.3	142	1	NO RISK:(1)
12.8	12.6	286	2	SLIGHT:(2)
24.3	23.9	543	3	MOD RISK:(3)
53.6	52.7	1,198	4	GRT RISK:(4)
2.9	2.9	66	5	CANT SAY:(5)
	1.7	38	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 313-314

V6523	026A17E:RSK OF COKE 1-2X
-------	--------------------------

Item Number: 12490

How much do you think people risk harming themselves  
(physically or in other ways) if they . . . E: Try cocaine  
once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.3	121	1	NO RISK:(1)
15.4	15.1	344	2	SLIGHT:(2)
23.9	23.5	535	3	MOD RISK:(3)
50.0	49.1	1,117	4	GRT RISK:(4)
5.4	5.3	120	5	CANT SAY:(5)
	1.7	38	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 503-504

V6316

026A17F:RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . F: Take one or  
two drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.4	213	1	NO RISK:(1)
22.4	22.1	502	2	SLIGHT:(2)
32.8	32.3	734	3	MOD RISK:(3)
33.2	32.7	744	4	GRT RISK:(4)
2.0	2.0	45	5	CANT SAY:(5)
	1.6	36	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 315-316

V6317

026A17G:RSK OF 4-5 DR/DA

Item Number: 12530

How much do you think people risk harming themselves  
(physically or in other ways), if they . . . G: Take four or  
five drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.8	87	1	NO RISK:(1)
6.7	6.6	151	2	SLIGHT:(2)
20.4	20.1	456	3	MOD RISK:(3)
67.0	65.8	1,497	4	GRT RISK:(4)
2.0	1.9	44	5	CANT SAY:(5)
	1.7	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 317-318

V6318

026A17H:RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves  
(physically or in other ways), if they. . . H: Have five or  
more drinks once or twice each weekend

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	8.1	184	1	NO RISK:(1)
16.0	15.8	359	2	SLIGHT:(2)
28.1	27.7	629	3	MOD RISK:(3)
45.5	44.8	1,018	4	GRT RISK:(4)
2.1	2.1	47	5	CANT SAY:(5)
	1.6	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 319-320

V6478	026A17I:RSK STEROID ATHL
-------	--------------------------

Item Number: 24510

How much do you think people risk harming themselves (physically or in other ways) if they . . . I: Take steroids for body-building or improved athletic performance

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	66	1	NO RISK:(1)
8.0	7.8	178	2	SLIGHT:(2)
25.5	25.0	569	3	MOD RISK:(3)
56.8	55.8	1,268	4	GRT RISK:(4)
6.8	6.7	151	5	CANT SAY:(5)
	1.8	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 425-426

V6524

026A17J:RSK MDMA 1-2X

Item Number: 23040

How much do you think people risk harming themselves  
(physically or in other ways) if they . . . J: Take MDMA  
(ecstasy) once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.7	107	1	NO RISK:(1)
11.7	11.5	261	2	SLIGHT:(2)
21.0	20.6	469	3	MOD RISK:(3)
52.2	51.4	1,169	4	GRT RISK:(4)
10.4	10.2	232	5	CANT SAY:(5)
	1.6	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 505-506

<b>V6320</b>	<b>026A18A:DAP SMK 1PCK CIG</b>
--------------	---------------------------------

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	33.8	768	1	DONT DIS:(1)
37.0	36.4	827	2	DISAPPRV:(2)
28.7	28.2	642	3	STRG DIS:(3)
	1.6	37	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 321-322

<b>V6321</b>	<b>026A18B:DAP TRY MRJ 1-2T</b>
--------------	---------------------------------

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following? B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.2	50.2	1,142	1	DONT DIS:(1)
28.2	27.7	630	2	DISAPPRV:(2)
20.6	20.3	461	3	STRG DIS:(3)
	1.8	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 323-324

V6322

026A18C:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following? C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	37.6	856	1	DONT DIS:(1)
31.0	30.4	692	2	DISAPPRV:(2)
30.6	30.0	683	3	STRG DIS:(3)
	1.9	43	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 325-326

V6323

026A18D:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following? D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	23.5	534	1	DONT DIS:(1)
28.6	28.1	639	2	DISAPPRV:(2)
47.4	46.5	1,058	3	STRG DIS:(3)
	1.9	42	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 327-328

<b>V6525</b>	<b>026A18E:DAP TRY COC 1-2T</b>
--------------	---------------------------------

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following? E: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	12.4	281	1	NT DISAP:(1)
27.6	27.0	614	2	DISAPRV:(2)
59.8	58.5	1,331	3	ST DISAP:(3)
	2.1	48	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 507-508

<b>V6339</b>	<b>026A18F:DAP 1-2 DRK/DAY</b>
--------------	--------------------------------

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following? F: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	31.9	726	1	DONT DIS:(1)
39.0	38.2	870	2	DISAPPRV:(2)
28.5	28.0	636	3	STRG DIS:(3)
	1.9	42	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 329-330

V6340

026A18G:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following? G: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	15.4	351	1	DONT DIS:(1)
31.4	30.9	702	2	DISAPPRV:(2)
52.9	51.9	1,180	3	STRG DIS:(3)
	1.8	42	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 331-332

V6341

026A18H:DAP 5+ DRK WKND

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following? H: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	35.1	798	1	DONT DIS:(1)
28.9	28.3	644	2	DISAPPRV:(2)
35.3	34.7	788	3	STRG DIS:(3)
	2.0	44	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 333-334

<b>V6479</b>	<b>026A18I:DAP STEROID ATHL</b>
--------------	---------------------------------

Item Number: 24520

Do YOU disapprove of people (who are 18 or older) doing each of the following? I: Taking steroids for body-building or improved athletic performance

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	13.0	296	1	DONT DIS:(1)
34.4	33.7	767	2	DISAPPRV:(2)
52.4	51.4	1,169	3	STRG DIS:(3)
	1.9	43	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 427-428

<b>V6509</b>	<b>026A18J:DAP H -NDL 1-2X</b>
--------------	--------------------------------

Item Number: 29690

Do YOU disapprove of people (who are 18 or older) doing each of the following? J: Trying heroin once or twice without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.7	153	1	DONT DIS:(1)
18.1	17.7	403	2	DISAPPRV:(2)
75.1	73.6	1,674	3	STRG DIS:(3)
	1.9	44	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 487-488

V6510

026A18K:DAP H -NDL OCC

Item Number: 29700

Do YOU disapprove of people (who are 18 or older) doing each of the following? K: Taking heroin occasionally without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.5	126	1	DONT DIS:(1)
13.8	13.6	308	2	DISAPPRV:(2)
80.6	79.1	1,798	3	STRG DIS:(3)
	1.9	42	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 489-490

V6526

026A18L:DAP MDMA 1-2X

Item Number: 29960

Do YOU disapprove of people (who are 18 or older) doing each of the following? L: Taking MDMA (ecstasy) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	16.2	368	1	NT DISAP:(1)
25.4	24.9	567	2	DISAPRV:(2)
58.1	57.0	1,297	3	ST DISAP:(3)
	1.9	42	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 509-510

V6342	026A19A:EASY GT MARIJUAN
-------	--------------------------

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.0	69	1	PROB IMP:(1)
2.5	2.4	56	2	VRY DIFF:(2)
4.5	4.4	100	3	FRLY DIF:(3)
22.2	21.7	494	4	FRLY EAS:(4)
67.8	66.4	1,511	5	VRY EASY:(5)
	2.0	45	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 335-336

V6343

026A19B:EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.0	228	1	PROB IMP:(1)
18.9	18.2	415	2	VRV DIFF:(2)
33.6	32.4	738	3	FRLY DIF:(3)
25.4	24.5	557	4	FRLY EAS:(4)
11.8	11.4	260	5	VRV EASY:(5)
	3.3	76	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 337-338

V6344

026A19C:EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: PCP (angel dust)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.1	299	1	PROB IMP:(1)
26.7	25.9	589	2	VRY DIFF:(2)
33.1	32.1	729	3	FRLY DIF:(3)
16.7	16.2	369	4	FRLY EAS:(4)
9.9	9.6	218	5	VRY EASY:(5)
	3.1	71	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 339-340

V6345

026A19D:EASY GT MDMA

Item Number: 23050

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? D: MDMA (ecstasy)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.5	172	1	PROB IMP:(1)
12.0	11.6	265	2	VRY DIFF:(2)
20.8	20.2	460	3	FRLY DIF:(3)
31.4	30.5	694	4	FRLY EAS:(4)
28.0	27.2	618	5	VRY EASY:(5)
	2.9	65	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 341-342

V6480

026A19E:EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	14.7	334	1	PROB IMP:(1)
23.9	23.1	524	2	VRY DIFF:(2)
27.9	26.9	611	3	FRLY DIF:(3)
19.7	19.0	432	4	FRLY EAS:(4)
13.1	12.6	287	5	VRY EASY:(5)
	3.7	85	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 429-430

V6481

026A19F:EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? F: Steroids

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.0	205	1	PROB IMP:(1)
11.9	11.6	264	2	VRV DIFF:(2)
24.1	23.4	532	3	FRLY DIF:(3)
27.3	26.5	603	4	FRLY EAS:(4)
27.4	26.6	605	5	VRV EASY:(5)
	2.9	65	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 431-432

V6580

026A19G:EASY GT ALCOHOL

Item Number: 30950

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? G. Alcohol

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	41	1	PROB IMP:(1)
0.9	0.9	21	2	VRY DIFF:(2)
2.5	2.4	56	3	FRLY DIFF:(3)
9.9	9.7	221	4	FRLY EAS:(4)
84.8	83.0	1,889	5	VRY EASY:(5)
	2.1	47	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 618-619

V6101

026B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 13" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	43.2	982	1	NEVER:(1)
21.6	21.2	482	2	1-2X:(2)
12.8	12.6	285	3	OCCASNLY:(3)
7.5	7.4	168	4	REG PAST:(4)
14.2	13.9	316	5	REG NOW:(5)
	1.8	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274		cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 38-39

V6102	026B02 :#CIGS SMKD/30DAY
-------	--------------------------

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all--GO TO QUESTION 6" [Includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT VALID	PCT ALL	N	VALUE	LABEL
72.8	71.3	1,621	1	NONE:(1)
9.8	9.6	219	2	<1 CIG/D:(2)
8.9	8.7	198	3	1-5/DAY:(3)
5.1	5.0	114	4	1/2PK/D:(4)
2.6	2.5	57	5	1 PK/DA:(5)
0.6	0.6	13	6	1.5 PK/D:(6)
0.2	0.2	4	7	2+ PKS/D:(7)
0.0	0.0	0	8	INAP:(8)
	2.1	47	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 40-41

V6527

026B03A:CIG HOW BUY-FRND

Item Number: 29970

During the last 30 days, about how many times (if any) have you bought cigarettes . . . A: . . . by having a friend or relative buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3-5 Times" 5="6-9 Times"  
6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	16.4	372	1	NONE:(1)
12.4	3.2	73	2	1 TIME:(2)
10.0	2.6	59	3	2 TIMES:(3)
7.4	1.9	43	4	3-5TIMES:(4)
1.5	0.4	9	5	6-9 TIMES:(5)
5.7	1.5	34	6	10 OR +:(6)
	74.0	1,684	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 511-512

V6528	026B03B:CIG HOW BUY-VEND
-------	--------------------------

Item Number: 29980

During the last 30 days, about how many times (if any) have you bought cigarettes . . . B: . . . on your own from vending machines?

1="None" 2="1 Time" 3="2 Times" 4="3-5 Times" 5="6-9 Times"  
6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	24.1	548	1	NONE:(1)
4.0	1.0	23	2	1 TIME:(2)
1.2	0.3	7	3	2 TIMES:(3)
0.7	0.2	4	4	3-5TIMES:(4)
0.4	0.1	2	5	6-9 TIMES:(5)
0.7	0.2	4	6	10 OR +:(6)
	74.1	1,685	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 513-514

V6529	026B03C:CIG HOW BUY-MAIL
-------	--------------------------

Item Number: 29990

During the last 30 days, about how many times (if any) have you bought cigarettes. . . C: . . . through the mail?

1="None" 2="1 Time" 3="2 Times" 4="3-5 Times" 5="6-9 Times"  
6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	25.2	572	1	NONE:(1)
1.2	0.3	7	2	1 TIME:(2)
0.5	0.1	3	3	2 TIMES:(3)
0.4	0.1	2	4	3-5TIMES:(4)
0.0	0.0	0	5	6-9 TIMES:(5)
0.3	0.1	2	6	10 OR +:(6)
	74.2	1,688	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 515-516

V6530	026B03D:CIG HOW BUY-PKUP
-------	--------------------------

Item Number: 30000

During the last 30 days, about how many times (if any) have you bought cigarettes. . . D: . . . in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3-5 Times" 5="6-9 Times"  
6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.8	17.0	387	1	NONE:(1)
7.8	2.0	46	2	1 TIME:(2)
8.2	2.1	48	3	2 TIMES:(3)
7.6	2.0	45	4	3-5TIMES:(4)
3.4	0.9	20	5	6-9 TIMES:(5)
7.3	1.9	43	6	10 OR +:(6)
	74.1	1,686	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 517-518

V6531

026B03E:CIG HOW BUY-CLRK

Item Number: 30010

During the last 30 days, about how many times (if any) have you bought cigarettes . . . E: . . . in a store where the clerk has to hand you the pack or carton?

1="None" 2="1 Time" 3="2 Times" 4="3-5 Times" 5="6-9 Times"  
6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	8.5	194	1	NONE:(1)
13.9	3.6	83	2	1 TIME:(2)
7.8	2.1	47	3	2 TIMES:(3)
17.0	4.5	101	4	3-5TIMES:(4)
8.7	2.3	52	5	6-9 TIMES:(5)
20.1	5.3	120	6	10 OR +:(6)
	73.8	1,678	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 519-520

V6598	026B03F:CIG HOW BUY-OTHR
-------	--------------------------

Item Number: 31330

During the last 30 days, about how many times (if any) have you bought cigarettes . . . F: . . . Bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3-5 Times" 5="6-9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	21.9	497	1	NONE:(1)
4.0	1.0	23	2	1 TIME:(2)
3.3	0.9	19	3	2 TIMES:(3)
2.7	0.7	16	4	3-5 TIMES:(4)
0.9	0.2	6	5	6-9 TIMES:(5)
4.5	1.2	27	6	10 OR +:(6)
	74.1	1,686	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 654-655

V6532

026B04A:CIG WHERE-SUPMKT

Item Number: 30020

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use. . . A: . . . at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3-5 Times" 5="6-9 Times"  
6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	19.3	438	1	NONE:(1)
12.5	3.2	74	2	1 TIME:(2)
4.7	1.2	28	3	2 TIMES:(3)
5.9	1.5	35	4	3-5TIMES:(4)
0.5	0.1	3	5	6-9 TIMES:(5)
2.2	0.6	13	6	10 OR +:(6)
	74.0	1,684	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 521-522

V6533	026B04B:CIG WHERE-SMLGRC
-------	--------------------------

Item Number: 30030

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use. . . B: . . . at a small grocery store

1="None" 2="1 Time" 3="2 Times" 4="3-5 Times" 5="6-9 Times"  
6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	15.9	362	1	NONE:(1)
12.9	3.3	76	2	1 TIME:(2)
8.4	2.2	50	3	2 TIMES:(3)
8.3	2.2	49	4	3-5TIMES:(4)
3.1	0.8	19	5	6-9 TIMES:(5)
5.9	1.5	35	6	10 OR +:(6)
	74.0	1,683	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 523-524

V6534

026B04C:CIG WHERE-DRGSTR

Item Number: 30040

During the last 30 days, about how many times (if any) did YOU  
buy cigarettes for your own use . . . C: . . . at a  
drugstore?

1="None" 2="1 Time" 3="2 Times" 4="3-5 Times" 5="6-9 Times"  
6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	20.2	459	1	NONE:(1)
7.9	2.1	47	2	1 TIME:(2)
6.5	1.7	38	3	2 TIMES:(3)
4.7	1.2	28	4	3-5TIMES:(4)
1.0	0.3	6	5	6-9 TIMES:(5)
2.1	0.5	12	6	10 OR +:(6)
	74.1	1,684	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 525-526

V6535

026B04D:CIG WHERE-CNVGAS

Item Number: 30050

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . . D: . . . at a convenience store (like a Hop-In or 7-11) or a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3-5 Times" 5="6-9 Times"  
6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	7.8	178	1	NONE:(1)
15.7	4.1	94	2	1 TIME:(2)
11.9	3.1	71	3	2 TIMES:(3)
17.5	4.6	105	4	3-5TIMES:(4)
7.9	2.1	47	5	6-9 TIMES:(5)
17.3	4.6	104	6	10 OR +:(6)
	73.6	1,675	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 527-528

V6599	026B04E:CIG WHERE-WEB
-------	-----------------------

Item Number: 31340

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . . E: . . . from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3-5 Times" 5="6-9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	25.5	580	1	NONE:(1)
0.7	0.2	4	2	1 TIME:(2)
0.3	0.1	2	3	2 TIMES:(3)
0.2	0.0	1	4	3-5 TIMES:(4)
0.0	0.0	0	5	6-9 TIMES:(5)
0.1	0.0	1	6	10 OR +:(6)
	74.2	1,687	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 656-657

V6536                      026B05 :USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"  
 5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"  
 11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"  
 16="More" 17="Newport" 18="Pall Mall" 19="Parliament"  
 20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"  
 24="Other" 25="No usual brand"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.6	0.2	3	1	BASIC:(1)
0.1	0.0	1	2	B & &:(2)
0.1	0.0	1	3	B & &:(3)
0.0	0.0	0	4	CAMBRIDGE:(4)
13.9	3.4	77	5	CAMEL:(5)
0.4	0.1	2	6	CAPRI:(6)
0.0	0.0	0	7	CARLTON:(7)
0.0	0.0	0	8	DORAL:(8)
0.2	0.0	1	9	GPC:(9)
0.0	0.0	0	10	KENT:(10)
0.2	0.0	1	11	KOOL:(11)
59.3	14.5	330	12	MARLBORO:(12)
0.0	0.0	0	13	MERIT:(13)
0.0	0.0	0	14	MISTY:(14)
0.2	0.0	1	15	MONARCH:(15)
0.0	0.0	0	16	MORE:(16)
12.0	2.9	67	17	NEWPORT:(17)
0.0	0.0	0	18	PALLMALL:(18)
3.8	0.9	21	19	PARLIAMENT:(19)
0.0	0.0	0	20	SALEM:(20)
0.0	0.0	0	21	VANTAGE:(21)
0.6	0.2	4	22	VA SLIMS:(22)
0.8	0.2	5	23	WINSTON:(23)
3.2	0.8	18	24	OTHER:(24)
4.7	1.1	26	25	NO USUAL:(25)
	75.5	1,717	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 529-531

V6537

026B06 :CIG PROOF OF AGE

Item Number: 30070

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

1="I never tried to buy cigarettes at a store or a gas station." 2="No, they didn't ask me and they sold me the cigarettes." 3="No, they didn't ask but they didn't sell me the cigarettes." 4="Yes, I was asked for proof of age. [arrow to Q.B06A]"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	20.9	476	1	NEVER TRIED:(1)
24.4	13.1	298	2	NO & SOLD:(2)
0.5	0.3	6	3	NO & NOSALE:(3)
36.2	19.4	442	4	YES:(4)
	46.3	1,052	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 532-533

<b>V6538</b>	<b>026B06A:CIG SHOW ID/SELL</b>
--------------	---------------------------------

Item Number: 30080

If yes, what happened?

1="I showed some ID and got the cigarettes" 2="I showed some ID but they refused to sell me the cigarettes" 3="I didn't show ID and they sold them to me anyway" 4="I didn't show ID and they didn't sell me any cigarettes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	18.0	410	1	ID & GOT:(1)
0.9	0.2	4	2	ID & NOSALE:(2)
3.6	0.7	16	3	NO ID & SOLD:(3)
3.6	0.7	16	4	NO ID & NOSALE:(4)
	80.4	1,829	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 534-535

<b>V6539</b>	<b>026B07 :CIG STORE BUY&lt;20</b>
--------------	------------------------------------

Item Number: 30090

Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	48.1	1,095	1	NO:(1)
8.7	4.7	106	2	PAST 12MO:(2)
1.5	0.8	19	3	NOT PAST12MO:(3)
	46.4	1,055	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 536-537

V6540

026B08 : \*TRY STP SMK &amp; &amp;L

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	9.2	209	1	YES:(1)
82.4	43.2	982	2	NO:(2)
	47.6	1,082	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 538-539

V6541

026B09 : #X TRY STOP SMK

Item Number: 01691

How many times, if any, have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.2	29.7	675	1	NONE:(1)
19.3	10.0	228	2	ONCE:(2)
9.8	5.1	115	3	TWICE:(3)
11.0	5.7	130	4	3-5 X:(4)
1.8	1.0	22	5	6-9X:(5)
0.8	0.4	9	6	10+ X:(6)
	48.2	1,095	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 540-541



V6544

026B12 :START SMK LOSEWT

Item Number: 30110

Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	47.7	1,085	1	NO:(1)
4.7	2.4	55	2	A LITTLE:(2)
1.5	0.8	18	3	SOME:(3)
1.0	0.5	11	4	A LOT:(4)
	48.6	1,105	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 546-547

V6545

026B13 :START SMK THISYR

Item Number: 30120

If you have never smoked, do you think you will try smoking  
cigarettes sometime this year?

1="I have already tried cigarettes" 2="I definitely will" 3="I  
probably will" 4="I probably will not" 5="I definitely will  
not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.3	36.0	818	1	ALREADY TRIED:(1)
0.9	0.8	19	2	DEF WILL:(2)
3.4	3.1	71	3	PROB WILL:(3)
9.3	8.5	194	4	PROB WONT:(4)
47.0	43.0	977	5	DEF WONT:(5)
	8.6	195	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 548-549

V6546

026B14 :NO SMK IN 5 YR

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	30	1	DEF WILL:(1)
10.4	10.1	231	2	PROB WILL:(2)
24.9	24.2	551	3	PROB WONT:(3)
63.3	61.6	1,400	4	DEFWONT:(4)
	2.7	62	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 550-551

V6547

026B15A:NEVER CIG ADDICT

Item Number: 30130

How much do you agree or disagree with the following  
statements? A: I will never get addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	25.6	581	1	DISAGREE:(1)
8.8	8.6	195	2	MOST DISAG:(2)
8.1	7.9	179	3	NEITHER:(3)
8.3	8.1	184	4	MOSTAGREE:(4)
48.4	47.1	1,070	5	AGREE:(5)
	2.8	65	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 552-553

V6548

026B15B:QUIT CIG WN WANT

Item Number: 30140

How much do you agree or disagree with the following statements? B: I could smoke a pack a day for a year or more and still be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	54.6	1,242	1	DISAGREE:(1)
15.2	14.7	335	2	MOST DISAG:(2)
11.1	10.8	245	3	NEITHER:(3)
6.5	6.3	143	4	MOSTAGREE:(4)
10.7	10.4	236	5	AGREE:(5)
	3.2	73	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 554-555

V6549

026B15C:SMK -DANGER QUIT

Item Number: 30150

How much do you agree or disagree with the following statements? C: At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	71.1	1,618	1	DISAGREE:(1)
13.6	13.2	300	2	MOST DISAG:(2)
5.9	5.7	131	3	NEITHER:(3)
2.7	2.6	59	4	MOSTAGREE:(4)
4.3	4.2	95	5	AGREE:(5)
	3.2	72	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 556-557

V6550

026B16 :OWN TOBACCO LOGO

Item Number: 30160

Some tobacco companies make clothing, hats, bags, or other things with their brand on it. Do you have a piece of clothing, or other thing that has a tobacco brand name or logo on it?

1="No" 2="Yes [arrow to Q.B16A]"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	82.7	1,880	1	NO:(1)
14.5	14.0	318	2	YES:(2)
	3.3	76	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 558-559

V6551

026B16Aa:CIG LOGO CAMEL

Item Number: 30170

What brand name is on it (or on them)? (Mark all that apply.)  
 A. Camel

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	10.6	242	0	NO:(0)
24.7	3.5	79	1	YES:(1)
	85.9	1,953	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 560-561

<b>V6552</b>	<b>026B16Ab:CIG LOGO KOOL</b>
--------------	-------------------------------

Item Number: 30180

What brand name is on it (or on them)? (Mark all that apply.)

B. Kool

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	12.8	291	0	NO:(0)
9.3	1.3	30	1	YES:(1)
	85.9	1,953	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 562-563

<b>V6553</b>	<b>026B16Ac:CIG LOGO MARLB</b>
--------------	--------------------------------

Item Number: 30190

What brand name is on it (or on them)? (Mark all that apply.)

C. Marlboro

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	3.8	85	0	NO:(0)
73.4	10.4	236	1	YES:(1)
	85.9	1,953	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 564-565

**V6554****026B16Ad:CIG LOGO NEWPT**

Item Number: 30200

What brand name is on it (or on them)? (Mark all that apply.)

D. Newport

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	12.6	287	0	NO:(0)
10.6	1.5	34	1	YES:(1)
	85.9	1,953	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 566-567

**V6555****026B16Ae:CIG LOGO VASLM**

Item Number: 30210

What brand name is on it (or on them)? (Mark all that apply.)

E. Virginia Slims

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	13.8	314	0	NO:(0)
2.3	0.3	7	1	YES:(1)
	85.9	1,953	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 568-569

<b>V6556</b>	<b>026B16Af:CIG LOGO OTHER</b>
--------------	--------------------------------

Item Number: 30220

What brand name is on it (or on them)? (Mark all that apply.)  
 F. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	11.5	261	0	NO:(0)
18.7	2.6	60	1	YES:(1)
	85.9	1,953	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 570-571

<b>V6557</b>	<b>026B17 :SAVED CIG COUPON</b>
--------------	---------------------------------

Item Number: 30230

Have you ever saved coupons from cigarettes (whether or not you bought them yourself)?

1="No" 2="Yes [arrow to QB17A]"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	88.0	2,002	1	NO:(1)
9.0	8.7	198	2	YES:(2)
	3.2	73	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 572-573

**V6558****026B17A:SAVE CIG CPN NOW**

Item Number: 30240

Are you currently saving coupons from cigarettes?

1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	5.7	129	1	NO:(1)
35.4	3.1	71	2	YES:(2)
	91.2	2,074	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 574-575

**V6559****026B18 :CO GIVE FREE CIG**

Item Number: 30250

Has anyone from a tobacco company ever given you, or mailed you, a free sample of their cigarettes?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	94.7	2,154	1	NEVER:(1)
1.7	1.6	37	2	PAST 12MO:(2)
0.7	0.7	15	3	NOT PAST12M:(3)
	3.0	68	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 576-577

V6505

026B19 :EVR USE SMOKLESS

Item Number: 22230

Have you ever taken or used smokeless tobacco (snuff, plug, dipping tobacco, chewing tobacco)?

1="Never--GO TO QUESTION 21" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	79.4	1,805	1	NEVER:(1)
11.0	10.7	243	2	1-2X:(2)
3.4	3.3	74	3	OCCAS:(3)
1.7	1.6	36	4	REG PAST:(4)
2.2	2.1	49	5	REG NOW:(5)
	3.0	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 479-480

V6506

026B20 :#X SMKLESS/30 DA

Item Number: 22240

How frequently have you taken smokeless tobacco during the past 30 days?

1="Not at all" [includes respondents who marked '1' on Q. 19]  
 2="Once or twice" 3="Once or twice per week" 4="Three to five times per week" 5="About once a day" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	90.9	2,067	1	NOT@ALL:(1)
2.9	2.8	65	2	1-2X:(2)
0.7	0.6	15	3	1-2X/WK:(3)
1.0	0.9	21	4	3-5X/WK:(4)
0.5	0.5	11	5	1/DAY:(5)
1.5	1.4	33	6	>1/DAY:(6)
	2.8	63	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 481-482

V6103

026B21 :EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, wine coolers, and liquor. Have you ever had any beer, wine, wine coolers, or liquor to drink--more than just a few sips . . .

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	21.0	477	1	NO:(1)
78.1	75.0	1,706	2	YES:(2)
	4.0	92	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 42-43

V6104

026B22A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . A: . . . in your lifetime?

1="0 Occasions"[includes respondents who said "no" to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	21.0	477	1	0 OCCAS:(1)
7.7	7.3	166	2	1-2X:(2)
10.0	9.5	215	3	3-5X:(3)
9.1	8.7	197	4	6-9X:(4)
14.1	13.4	304	5	10-19X:(5)
12.7	12.0	272	6	20-39X:(6)
24.2	22.9	520	7	40+OCCAS:(7)
	5.4	123	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 44-45

V6105                      026B22B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	27.0	613	1	0 OCCAS:(1)
16.4	15.5	352	2	1-2X:(2)
13.6	12.8	291	3	3-5X:(3)
11.3	10.7	242	4	6-9X:(4)
12.0	11.3	257	5	10-19X:(5)
8.6	8.1	184	6	20-39X:(6)
9.6	9.1	207	7	40+OCCAS:(7)
	5.6	128	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 46-47

V6106

026B22C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	49.4	1,123	1	0 OCCAS:(1)
20.0	18.9	430	2	1-2X:(2)
11.6	10.9	248	3	3-5X:(3)
7.8	7.4	168	4	6-9X:(4)
4.9	4.7	106	5	10-19X:(5)
1.5	1.4	32	6	20-39X:(6)
1.8	1.7	38	7	40+OCCAS:(7)
	5.8	131	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 48-49

V6107

026B23 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	19.2	437	1	NONE:(1)
26.3	19.7	447	2	FEW:(2)
14.5	10.8	246	3	HALF:(3)
20.7	15.5	352	4	MOST:(4)
12.7	9.5	217	5	NRLY ALL:(5)
	25.3	575	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 50-51

V6108

026B24 :5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, or a mixed drink.)

1="None"[includes respondents who indicated nonuse above]  
 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.9	66.0	1,500	1	NONE:(1)
10.5	9.7	222	2	ONCE:(2)
7.3	6.8	155	3	TWICE:(3)
7.5	7.0	158	4	3-5X:(4)
2.2	2.1	48	5	6-9X:(5)
1.5	1.4	33	6	10+ TIME:(6)
	7.0	159	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 52-53

V6115                      026B25A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	50.3	1,144	1	0 OCCAS:(1)
9.9	9.5	217	2	1-2X:(2)
6.0	5.8	132	3	3-5X:(3)
4.4	4.2	95	4	6-9X:(4)
6.9	6.6	151	5	10-19X:(5)
4.4	4.2	97	6	20-39X:(6)
16.2	15.6	355	7	40+OCCAS:(7)
	3.6	83	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 54-55

V6116

026B25B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	62.4	1,418	1	0 OCCAS:(1)
9.2	8.9	202	2	1-2X:(2)
5.9	5.6	128	3	3-5X:(3)
4.1	4.0	90	4	6-9X:(4)
3.9	3.7	85	5	10-19X:(5)
3.5	3.4	77	6	20-39X:(6)
8.6	8.2	188	7	40+OCCAS:(7)
	3.7	85	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 56-57

V6117                      026B25C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.0	75.1	1,708	1	0 OCCAS:(1)
8.4	8.1	184	2	1-2X:(2)
3.7	3.5	80	3	3-5X:(3)
1.8	1.8	40	4	6-9X:(4)
2.6	2.5	58	5	10-19X:(5)
2.3	2.2	51	6	20-39X:(6)
3.1	3.0	67	7	40+OCCAS:(7)
	3.8	86	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 58-59

V6118

026B26A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid"). . .  
 A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	89.0	2,023	1	0 OCCAS:(1)
4.0	3.8	87	2	1-2X:(2)
1.8	1.7	39	3	3-5X:(3)
0.9	0.9	20	4	6-9X:(4)
0.6	0.6	13	5	10-19X:(5)
0.6	0.6	13	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	3.2	74	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 60-61

V6119

026B26B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid"). . .  
 B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	93.1	2,116	1	0 OCCAS:(1)
2.9	2.8	63	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.3	0.2	6	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.3	75	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 62-63

V6120	026B26C:#X LSD/LAST 30DA
-------	--------------------------

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid"). . .  
 C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	96.2	2,187	1	0 OCCAS:(1)
0.3	0.3	7	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	3.3	75	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 64-65

V6121	026B27A:#X PSYD/LIFETIME
-------	--------------------------

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	88.4	2,009	1	0 OCCAS:(1)
4.4	4.3	98	2	1-2X:(2)
1.6	1.5	34	3	3-5X:(3)
1.3	1.2	28	4	6-9X:(4)
0.9	0.8	19	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.4	0.4	9	7	40+OCCAS:(7)
	3.2	72	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 66-67

V6122	026B27B:#X PSYD/LAST12MO
-------	--------------------------

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	91.8	2,087	1	0 OCCAS:(1)
3.2	3.1	70	2	1-2X:(2)
1.0	0.9	21	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.3	0.2	6	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	3.3	76	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 68-69

V6123                      026B27C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	94.4	2,148	1	0 OCCAS:(1)
1.6	1.6	36	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.4	76	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 70-71

V6127

026B28A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own-- that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	81.1	1,844	1	0 OCCAS:(1)
5.3	5.1	116	2	1-2X:(2)
3.0	2.9	65	3	3-5X:(3)
2.4	2.3	52	4	6-9X:(4)
1.7	1.6	37	5	10-19X:(5)
0.9	0.9	20	6	20-39X:(6)
2.4	2.3	53	7	40+OCCAS:(7)
	3.8	88	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 78-79

V6128	026B28B:#X AMPH/LAST12MO
-------	--------------------------

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.6	86.1	1,959	1	0 OCCAS:(1)
3.9	3.7	85	2	1-2X:(2)
2.1	2.0	46	3	3-5X:(3)
1.1	1.1	24	4	6-9X:(4)
1.5	1.4	32	5	10-19X:(5)
0.8	0.7	17	6	20-39X:(6)
1.0	1.0	22	7	40+OCCAS:(7)
	3.9	88	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 80-81

V6129

026B28C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More" Methamphetamine question triplet is at V129-V131.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	91.2	2,075	1	0 OCCAS:(1)
2.2	2.1	49	2	1-2X:(2)
0.9	0.9	20	3	3-5X:(3)
0.9	0.8	19	4	6-9X:(4)
0.6	0.6	14	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	4.0	90	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 82-83

V6517	026B29A:#X CRACK/LIFETIM
-------	--------------------------

Item Number: 22260

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	93.0	2,115	1	0 OCCAS (1)
1.6	1.5	35	2	1-2X (2)
0.4	0.4	8	3	3-5X (3)
0.5	0.5	11	4	6-9X (4)
0.5	0.5	12	5	10-19X (5)
0.3	0.3	6	6	20-39X (6)
0.3	0.3	7	7	40+X (7)
	3.5	80	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 24-25

V6518

026B29B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	94.2	2,143	1	0 OCCAS (1)
1.3	1.3	29	2	1-2X (2)
0.3	0.3	7	3	3-5X (3)
0.3	0.3	6	4	6-9X (4)
0.3	0.3	7	5	10-19X (5)
0.0	0.0	0	6	20-39X (6)
0.1	0.1	2	7	40+X (7)
	3.5	80	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 26-27

V6519                      026B29C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	95.4	2,170	1	0 OCCAS (1)
0.8	0.8	17	2	1-2X (2)
0.2	0.2	4	3	3-5X (3)
0.0	0.0	1	4	6-9X (4)
0.1	0.1	2	5	10-19X (5)
0.0	0.0	0	6	20-39X (6)
0.1	0.1	2	7	40+X (7)
	3.5	79	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 28-29

V6520

026B30A:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	89.8	2,043	1	0 OCCAS (1)
2.8	2.7	60	2	1-2X (2)
1.3	1.2	28	3	3-5X (3)
1.2	1.1	26	4	6-9X (4)
0.8	0.7	16	5	10-19X (5)
0.4	0.4	9	6	20-39X (6)
0.5	0.4	10	7	40+X (7)
	3.6	82	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 30-31

V6521                      026B30B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	92.0	2,092	1	0 OCCAS (1)
2.2	2.1	48	2	1-2X (2)
0.9	0.8	19	3	3-5X (3)
0.8	0.8	17	4	6-9X (4)
0.3	0.3	7	5	10-19X (5)
0.1	0.1	3	6	20-39X (6)
0.2	0.2	5	7	40+X (7)
	3.6	82	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 32-33

V6522

026B30C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	94.7	2,155	1	0 OCCAS (1)
0.9	0.9	20	2	1-2X (2)
0.2	0.2	5	3	3-5X (3)
0.3	0.3	7	4	6-9X (4)
0.2	0.2	4	5	10-19X (5)
0.0	0.0	1	6	20-39X (6)
0.0	0.0	1	7	40+X (7)
	3.6	81	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 34-35

V6124	026R	:#X COKE/LIFETIME
-------	------	-------------------

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?" (item #22260) and "On how many occasions (if any) have you used cocaine in any other form . . . A. in your lifetime?" (item #22320).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
92.4	88.8	2,020	1	0 OCCAS:(1)
2.5	2.4	55	2	1-2X:(2)
1.7	1.7	38	3	3-5X:(3)
0.9	0.9	19	4	6-9X:(4)
1.1	1.1	24	5	10-19X:(5)
0.6	0.6	14	6	20-39X:(6)
0.8	0.7	16	7	40+OCCAS:(7)
	3.8	87	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 72-73

V6125

026R

:#X COKE/LAST12MO

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . B. During the last 12 months?" (item #22270) and "On how many occasions (if any) have you used cocaine in any other form . . . B. During the last 12 months?" (item #22330).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	91.2	2,075	1	0 OCCAS:(1)
1.9	1.8	42	2	1-2X:(2)
1.6	1.6	36	3	3-5X:(3)
0.5	0.4	10	4	6-9X:(4)
0.7	0.7	15	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.3	0.3	6	7	40+OCCAS:(7)
	3.8	87	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 74-75

V6126                      026R    :#X COKE/LAST30DA

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C. During the last 30 days?" (item #22280) and "On how many occasions (if any) have you used cocaine in any other form . . . C. During the last 30 days?) (item #22340).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.8	94.1	2,141	1	0 OCCAS:(1)
1.1	1.1	24	2	1-2X:(2)
0.4	0.4	9	3	3-5X:(3)
0.3	0.3	6	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	3.8	86	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 76-77

V6133

026B31A:#X BRBT/LIFETIME

Item Number: 01040

Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	87.2	1,984	1	0 OCCAS:(1)
2.6	2.5	58	2	1-2X:(2)
2.3	2.2	50	3	3-5X:(3)
1.4	1.4	32	4	6-9X:(4)
1.5	1.5	34	5	10-19X:(5)
0.6	0.6	14	6	20-39X:(6)
0.9	0.9	20	7	40+OCCAS:(7)
	3.7	83	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 84-85

V6134	026B31B:#X BRBT/LAST12MO
-------	--------------------------

Item Number: 01050

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	89.5	2,035	1	0 OCCAS:(1)
3.0	2.9	65	2	1-2X:(2)
1.7	1.6	37	3	3-5X:(3)
0.8	0.8	17	4	6-9X:(4)
0.8	0.7	17	5	10-19X:(5)
0.4	0.3	8	6	20-39X:(6)
0.5	0.4	10	7	40+OCCAS:(7)
	3.7	85	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 86-87

V6135

026B31C:#X BRBT/LAST30DA

Item Number: 01060

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them.  
 . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	93.3	2,122	1	0 OCCAS:(1)
1.4	1.4	31	2	1-2X:(2)
0.7	0.6	15	3	3-5X:(3)
0.6	0.5	12	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	3.7	84	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 88-89

V6136                      026B32A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-- that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.1	85.9	1,953	1	0 OCCAS:(1)
4.4	4.3	97	2	1-2X:(2)
1.8	1.7	39	3	3-5X:(3)
1.1	1.0	23	4	6-9X:(4)
1.3	1.3	28	5	10-19X:(5)
1.1	1.0	24	6	20-39X:(6)
1.3	1.2	28	7	40+OCCAS:(7)
	3.6	81	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 90-91

V6137

026B32B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them.  
 . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	89.2	2,029	1	0 OCCAS:(1)
3.1	2.9	67	2	1-2X:(2)
1.5	1.4	33	3	3-5X:(3)
1.1	1.0	23	4	6-9X:(4)
1.0	1.0	22	5	10-19X:(5)
0.5	0.5	11	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS:(7)
	3.6	82	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 92-93

V6138	026B32C:#X TRQL/LAST30DA
-------	--------------------------

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	93.2	2,119	1	0 OCCAS:(1)
1.6	1.6	35	2	1-2X:(2)
0.9	0.8	19	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	3.7	83	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 94-95

V6511

026B33A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a  
needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	95.4	2,170	1	0 OCCAS:(1)
0.5	0.5	11	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.7	83	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 491-492

V6512	026B33B:#X H 12M USE NDL
-------	--------------------------

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	96.0	2,184	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.6	82	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 493-494

V6513                      026B33C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a  
 needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	96.1	2,186	1	0 OCCAS:(1)
0.0	0.0	1	2	1-2X:(2)
0.1	0.0	1	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	3.6	81	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 495-496

V6514                      026B34A:#X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	95.1	2,162	1	0 OCCAS:(1)
0.7	0.7	15	2	1-2X:(2)
0.3	0.3	6	3	3-5X:(3)
0.3	0.3	6	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	3.5	81	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 497-498

V6515

026B34B:#X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT  
using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	95.6	2,173	1	0 OCCAS:(1)
0.3	0.3	7	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.7	83	-9	MISSING

-----  
100.0 100.0 2,274 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 499-500

V6516                      026B34C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	95.7	2,177	1	0 OCCAS:(1)
0.5	0.4	10	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	3.7	83	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 501-502

V6139	026R*	:#X "H"/LIFETIME
-------	-------	------------------

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . In your lifetime?" and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . In your lifetime?"

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	94.9	2,158	1	0 OCCAS:(1)
0.7	0.7	16	2	1-2X:(2)
0.4	0.4	10	3	3-5X:(3)
0.4	0.3	8	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	3.3	76	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 96-97

V6140                      026R\*    :#X "H"/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . During the last 12 months?" and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . During the last 12 months?"

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.0	95.7	2,175	1	0 OCCAS:(1)
0.4	0.3	8	2	1-2X:(2)
0.2	0.1	3	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	3.4	78	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 98-99

V6141

026R\* :#X "H"/LAST30DAY

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . During the last 30 days?" and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . During the last 30 days?"

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	95.8	2,179	1	0 OCCAS:(1)
0.4	0.4	9	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	3.4	78	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 100-101

V6142                      026B35A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	85.3	1,941	1	0 OCCAS:(1)
3.9	3.8	85	2	1-2X:(2)
2.2	2.1	48	3	3-5X:(3)
1.2	1.2	26	4	6-9X:(4)
1.3	1.2	27	5	10-19X:(5)
0.7	0.7	15	6	20-39X:(6)
1.4	1.3	31	7	40+OCCAS:(7)
	4.4	101	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 102-103

V6143

026B35B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	88.7	2,017	1	0 OCCAS:(1)
3.3	3.2	72	2	1-2X:(2)
1.4	1.3	30	3	3-5X:(3)
0.7	0.7	15	4	6-9X:(4)
0.8	0.7	17	5	10-19X:(5)
0.5	0.5	11	6	20-39X:(6)
0.5	0.5	11	7	40+OCCAS:(7)
	4.5	102	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 104-105

V6144	026B35C:#X NARC/LAST30DA
-------	--------------------------

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	92.7	2,108	1	0 OCCAS:(1)
1.4	1.3	30	2	1-2X:(2)
0.7	0.7	15	3	3-5X:(3)
0.6	0.5	12	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	4.4	101	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 106-107

V129

026B36A:#X METHAMPH/LIFE

Item Number: 30800

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . . A. . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	89.4	2,032	1	0 OCCAS(1)
3.0	2.9	66	2	1-2 OCCAS(2)
1.2	1.2	27	3	3-5 OCCAS(3)
0.7	0.7	15	4	6-9 OCCAS(4)
0.6	0.6	13	5	10-19 OCCAS(5)
0.4	0.4	9	6	20-39 OCCAS(6)
0.7	0.7	15	7	40 OR MORE(7)
	4.2	96	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 8-9

V130	026B36B:#X METHAMPH/12MO
------	--------------------------

Item Number: 30810

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . . B. . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	89.9	2,044	1	0 OCCAS(1)
1.9	1.7	39	2	1-2 OCCAS(2)
0.7	0.6	15	3	3-5 OCCAS(3)
0.4	0.4	8	4	6-9 OCCAS(4)
0.4	0.3	8	5	10-19 OCCAS(5)
0.2	0.2	4	6	20-39 OCCAS(6)
0.3	0.3	6	7	40 OR MORE(7)
	6.6	150	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 10-11

V131

026B36C:#X METHAMPH/30DA

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . .C. . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	91.9	2,090	1	0 OCCAS(1)
0.6	0.5	12	2	1-2 OCCAS(2)
0.3	0.3	7	3	3-5 OCCAS(3)
0.4	0.4	9	4	6-9 OCCAS(4)
0.0	0.0	0	5	10-19 OCCAS(5)
0.1	0.1	1	6	20-39 OCCAS(6)
0.2	0.1	3	7	40 OR MORE(7)
	6.6	151	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 12-13

<b>V6148</b>	<b>026(R) :AGE &lt;&gt;18 DICHOTOMY</b>
--------------	---

Item Number:

Component questions: 1)"In what year were you born?" (item 3)Date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.8	40.2	915	1	< 18:(1)
58.2	56.1	1,276	2	18+:(2)
	3.7	83	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 108-109

<b>V6150</b>	<b>026C03 :R'S SEX</b>
--------------	------------------------

Item Number: 00030

What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	43.5	988	1	MALE:(1)
54.0	51.0	1,160	2	FEMALE:(2)
	5.5	126	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 110-111

V6151

026C04(R)R'S RACE

Item Number: 00040

How do you describe yourself?

2="Black or African-American" 3="Mexican American or Chicano"  
 4="Cuban American" 8="Puerto Rican American" 9="Other Latin  
 American" 5="Oriental or Asian American" 6="White (Caucasian)"  
 1="American Indian (Native American Indian)" 7="Other".  
 Responses other than (2)"Black or African-American" and  
 (6)"White (Caucasian)" are recoded to missing data in this  
 dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	62.5	1,422	0	WHITE
15.4	11.4	260	1	BLACK
	26.1	593	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 112-113

V6152                      026C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

PCT VALID	PCT ALL	N	VALUE	LABEL
11.0	11.0	250	0	DK/MIXED:(0)
3.8	3.8	87	1	FARM:(1)
10.2	10.2	233	2	COUNTRY:(2)
27.2	27.2	619	3	SML TOWN:(3)
14.0	14.0	319	4	MED CITY:(4)
6.5	6.5	149	5	SUBURB 4:(5)
9.5	9.5	216	6	LRG CITY:(6)
7.1	7.1	161	7	SUBURB 6:(7)
5.8	5.8	133	8	VRYLG CY:(8)
4.7	4.7	108	9	SUBURB 8:(9)
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Column: 114

V6153

026C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.2	51	1	MARRIED:(1)
5.4	5.1	117	2	ENGAGED:(2)
1.0	1.0	22	3	SEP/DIV:(3)
91.3	87.3	1,986	4	SINGLE:(4)
	4.4	100	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 115-116

V49

02C07R:# SIBLINGS

Item Number:

Component questions: How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters; b) Younger brothers and sisters

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more" For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.9	111	0	
29.8	28.6	650	1	
29.7	28.4	647	2	
35.4	33.9	771	3	3 OR MORE
	4.2	95	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 36-37

**V6155****026C07Cb(R):R'S HSHLD FATHER**

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.) B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	23.4	532	0	NT MARKD:(0)
75.7	72.7	1,654	1	MARKED:(1)
	3.9	88	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 117-118

**V6156****026C07Cc(R):R'S HSHLD MOTHER**

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.) C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	9.7	221	0	NT MARKD:(0)
89.9	86.4	1,965	1	MARKED:(1)
	3.9	88	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 119-120

V6157

026C07Cd(R):R'S HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.) D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	31.1	708	0	NT MARKD:(0)
67.6	65.0	1,478	1	MARKED:(1)
	3.9	88	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 121-122

V6163

026C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed college"  
 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.9	67	1	GRDE SCH:(1)
8.3	8.0	181	2	SOME HS:(2)
28.3	27.1	616	3	HS GRAD:(3)
19.6	18.8	427	4	SOME CLG:(4)
20.8	20.0	454	5	CLG GRAD:(5)
13.1	12.5	285	6	GRAD SCH:(6)
6.8	6.5	147	7	DK:(7)
	4.3	97	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 123-124

V6164

026C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed  
 college" 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.1	48	1	GRDE SCH:(1)
7.7	7.4	167	2	SOME HS:(2)
26.1	25.0	568	3	HS GRAD:(3)
24.1	23.1	524	4	SOME CLG:(4)
25.0	23.9	544	5	CLG GRAD:(5)
11.3	10.8	246	6	GRAD SCH:(6)
3.7	3.5	80	7	DK:(7)
	4.3	97	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 125-126

V6165

026C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	14.6	333	1	NO:(1)
19.0	18.1	412	2	SOMETIME:(2)
16.3	15.6	355	3	MOSTTIME:(3)
49.3	47.1	1,071	4	ALL TIME:(4)
	4.6	104	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 127-128

V6166

026C11 :R'S POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT VALID	PCT ALL	N	VALUE	LABEL
9.9	9.1	207	1	STRG GOP:(1)
12.3	11.3	258	2	MILD GOP:(2)
11.9	10.9	249	3	MILD DEM:(3)
8.6	7.9	180	4	STRG DEM:(4)
6.7	6.2	140	5	INDEPNDT:(5)
20.5	18.9	429	6	NO PREF:(6)
1.3	1.2	28	7	OTHER:(7)
28.7	26.4	600	8	DK:(8)
	8.0	182	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 129-130

V6167

026C12 :R'POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"  
 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above,  
 or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.2	95	1	VRY CONS:(1)
11.7	11.1	252	2	CONSERV:(2)
24.9	23.6	536	3	MODERATE:(3)
14.6	13.8	313	4	LIBERAL:(4)
4.0	3.7	85	5	VRY LIB:(5)
3.3	3.2	72	6	RADICAL:(6)
37.1	35.1	798	8	NONE/DK:(8)
	5.4	123	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 131-132

V6169

026C13B:R'ATTND REL SVC

Item Number: 00370

The next three questions are about religion. B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	11.6	264	1	NEVER:(1)
33.5	25.1	570	2	RARELY:(2)
16.9	12.6	287	3	1-2X/MO:(3)
34.1	25.5	581	4	1/WK OR+:(4)
	25.2	572	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 133-134

V6170

026C13C:RLGN IMP R'S LF

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"  
 4="Very important" Responses from the Western region  
 intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	10.6	241	1	NOT IMPT:(1)
23.8	17.8	404	2	LITL IMP:(2)
30.0	22.4	510	3	PRTY IMP:(3)
32.0	23.9	544	4	VERY IMP:(4)
	25.3	575	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 135-136

V6171

026C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"  
 6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	93.5	2,125	1	BY JUNE:(1)
2.2	2.1	48	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.3	0.3	7	6	WONT:(6)
	4.1	94	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 137-138

V6172

026C15 :R'S HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	48.2	1,095	1	CLG PREP:(1)
33.1	31.4	713	2	GENERAL:(2)
8.4	7.9	181	3	VOC-TECH:(3)
7.8	7.4	167	4	OTH/DK:(4)
	5.2	118	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 139-140

V6173

026C16 :RT SF SCH AB&gt;AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	22	1	FAR BLOW:(1)
1.4	1.3	30	2	BELOW AV:(2)
4.0	3.8	85	3	SL BELOW:(3)
35.6	33.8	768	4	AVERAGE:(4)
23.3	22.1	502	5	SL ABOVE:(5)
28.3	26.8	608	6	ABOVE AV:(6)
6.4	6.1	138	7	FAR ABOV:(7)
	5.3	121	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 141-142

V6174

026C17 :RT SF INTELL&gt;AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	16	1	FAR BLOW:(1)
1.5	1.4	32	2	BELOW AV:(2)
3.9	3.7	85	3	SL BELOW:(3)
33.3	31.5	717	4	AVERAGE:(4)
24.3	23.0	524	5	SL ABOVE:(5)
28.1	26.7	606	6	ABOVE AV:(6)
8.1	7.7	174	7	FAR ABOV:(7)
	5.3	120	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 143-144

V6175	026C18A:#DA/4W SC MS ILL
-------	--------------------------

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	55.7	1,266	1	NONE:(1)
16.5	15.5	353	2	1 DAY:(2)
10.5	9.9	224	3	2 DAYS:(3)
7.2	6.7	153	4	3 DAYS:(4)
4.1	3.9	88	5	4-5 DAYS:(5)
1.6	1.5	35	6	6-10 DA:(6)
0.8	0.7	17	7	11+ DAYS:(7)
	6.1	138	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 145-146

V6176	026C18B:#DA/4W SC MS CUT
-------	--------------------------

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
67.3	62.1	1,412	1	NONE:(1)
13.3	12.3	280	2	1 DAY:(2)
8.1	7.5	170	3	2 DAYS:(3)
4.6	4.2	96	4	3 DAYS:(4)
3.6	3.3	75	5	4-5 DAYS:(5)
1.9	1.8	40	6	6-10 DA:(6)
1.2	1.1	25	7	11+ DAYS:(7)
	7.7	176	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 147-148

V6177

026C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have  
you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10  
Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	51.2	1,165	1	NONE:(1)
20.2	18.8	427	2	1 DAY:(2)
10.6	9.8	223	3	2 DAYS:(3)
6.0	5.6	127	4	3 DAYS:(4)
6.0	5.6	127	5	4-5 DAYS:(5)
1.4	1.3	29	6	6-10 DA:(6)
0.7	0.6	14	7	11+ DAYS:(7)
	7.1	162	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 149-150

V6178

026C19 :#DA/4W SKP CLASS

Item Number: 00460

During the last four weeks, how often have you gone to school,  
but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	61.1	1,389	1	NONE:(1)
20.9	19.8	451	2	1-2:(2)
9.5	9.0	204	3	3-5:(3)
3.5	3.3	76	4	6-10:(4)
0.6	0.6	13	5	11-20:(5)
1.2	1.2	27	6	21+:(6)
	5.0	113	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 151-152

V6179

026C20 :R HS GRADE/D=1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
 1="D (69 or below)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	27	1	D:(1)
3.0	2.8	63	2	C-:(2)
5.8	5.5	125	3	C:(3)
10.7	10.1	230	4	C+:(4)
11.5	10.8	247	5	B-:(5)
18.3	17.3	393	6	B:(6)
17.7	16.7	379	7	B+:(7)
16.1	15.2	346	8	A-:(8)
15.6	14.7	335	9	A:(9)
	5.7	130	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 153-154

V6180

026C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school? A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	51.4	1,169	1	DEF WONT:(1)
22.3	20.3	463	2	PRB WONT:(2)
14.0	12.8	291	3	PRB WILL:(3)
7.5	6.8	155	4	DEF WILL:(4)
	8.6	196	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 155-156

V6181

026C21B:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things  
after high school? B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	67.9	1,545	1	DEF WONT:(1)
16.0	14.6	332	2	PRB WONT:(2)
5.6	5.2	117	3	PRB WILL:(3)
4.3	3.9	89	4	DEF WILL:(4)
	8.4	191	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 157-158

V6182

026C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school? C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	36.6	832	1	DEF WONT:(1)
19.3	17.5	399	2	PRB WONT:(2)
21.9	19.8	451	3	PRB WILL:(3)
18.4	16.7	380	4	DEF WILL:(4)
	9.3	212	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 159-160

V6183

026C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school? D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.0	226	1	DEF WONT:(1)
9.6	8.9	203	2	PRB WONT:(2)
24.1	22.4	509	3	PRB WILL:(3)
55.5	51.5	1,171	4	DEF WILL:(4)
	7.2	165	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 161-162

<b>V6184</b>	<b>026C21E:R WL DO GRD/PRF</b>
--------------	--------------------------------

Item Number: 00520

How likely is it that you will do each of the following things after high school? E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	18.1	411	1	DEF WONT:(1)
27.0	24.8	564	2	PRB WONT:(2)
31.9	29.2	665	3	PRB WILL:(3)
21.4	19.6	447	4	DEF WILL:(4)
	8.3	188	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 163-164

<b>V6185</b>	<b>026C22A:R WNTDO VOC/TEC</b>
--------------	--------------------------------

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.6	75.8	1,724	0	NT MARKD:(0)
18.4	17.1	390	1	MARKED:(1)
	7.1	160	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 165-166

V6186

026C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	80.7	1,835	0	NT MARKD:(0)
13.2	12.2	278	1	MARKED:(1)
	7.1	160	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 167-168

V6187

026C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	68.6	1,560	0	NT MARKD:(0)
26.2	24.3	554	1	MARKED:(1)
	7.1	160	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 169-170

<b>V6188</b>	<b>026C22D:R WNTDO 4YR CLG</b>
--------------	--------------------------------

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	17.9	408	0	NT MARKD:(0)
80.7	75.0	1,706	1	MARKED:(1)
	7.1	160	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 171-172

<b>V6189</b>	<b>026C22E:R WNTDO GRD/PRF</b>
--------------	--------------------------------

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	40.1	912	0	NT MARKD:(0)
56.9	52.9	1,202	1	MARKED:(1)
	7.1	160	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 173-174

V6190

026C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	89.0	2,025	0	NT MARKD:(0)
4.2	3.9	89	1	MARKED:(1)
	7.1	160	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 175-176

V6191                      026C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	26.2	596	1	NONE:(1)
8.7	8.1	184	2	5 OR <:(2)
8.8	8.2	186	3	6-10 HRS:(3)
11.0	10.3	234	4	11-15 HR:(4)
15.6	14.5	329	5	16-20 HR:(5)
11.1	10.3	234	6	21-25 HR:(6)
9.4	8.7	198	7	26-30 HR:(7)
7.3	6.8	154	8	30+ HRS:(8)
	7.0	159	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 177-178

V6192

026C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from. . . A:  
A job or other work

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
31.0	28.5	647	1	NONE:(1)
1.3	1.2	27	2	\$1-5:(2)
4.3	3.9	89	3	\$6-10:(3)
2.2	2.0	45	4	\$11-20:(4)
3.7	3.4	78	5	\$21-35:(5)
6.8	6.3	143	6	\$36-50:(6)
8.2	7.6	172	7	\$51-75:(7)
20.9	19.2	436	8	\$76-125:(8)
21.6	19.9	453	9	\$126+:(9)
	8.1	183	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 179-180

V6193

026C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money do you get from. . . B:  
Other sources (allowances, etc.)

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
36.6	32.8	745	1	NONE:(1)
7.2	6.5	147	2	\$1-5:(2)
11.8	10.6	240	3	\$6-10:(3)
18.6	16.6	378	4	\$11-20:(4)
12.0	10.8	245	5	\$21-35:(5)
6.0	5.4	123	6	\$36-50:(6)
2.8	2.5	56	7	\$51-75:(7)
2.4	2.1	49	8	\$76-125:(8)
2.6	2.4	54	9	\$126+:(9)
	10.5	239	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 181-182

V6194

026C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"  
6="Six or Seven"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	9.7	220	1	< 1:(1)
12.7	11.8	269	2	ONE:(2)
27.2	25.2	573	3	TWO:(3)
24.6	22.8	518	4	THREE:(4)
15.7	14.6	331	5	4-5:(5)
9.3	8.6	195	6	6-7:(6)
	7.3	167	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 183-184

V6195	026C26 :#X DATE 3+/WK
-------	-----------------------

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	23.3	531	1	NEVER:(1)
21.3	19.7	448	2	1/MO OR<:(2)
13.9	12.9	293	3	2-3/MO:(3)
14.2	13.1	299	4	1/WK:(4)
15.1	14.0	319	5	2-3/WK:(5)
10.3	9.5	217	6	3+/WK:(6)
	7.4	169	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 185-186

V6196

026C27 :DRIVE&gt;200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	15.0	341	1	NONE:(1)
7.5	6.9	158	2	1-10 MI:(2)
23.1	21.5	489	3	11-50:(3)
23.5	21.9	498	4	51-100:(4)
16.3	15.2	345	5	101-200:(5)
13.5	12.6	286	6	> 200:(6)
	6.9	157	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 187-188

V6197                      026C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	65.4	1,488	0	NONE:(0)
16.7	15.4	351	1	ONE:(1)
8.0	7.4	169	2	TWO:(2)
2.5	2.3	51	3	THREE:(3)
1.8	1.7	38	4	4+:(4)
	7.8	178	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 189-190

V6198

026C29AR#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were  
 . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" (Codes 3  
 and 4 are bracketed in this dataset.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	24.4	556	0	NONE:(0)
7.6	2.0	46	1	ONE:(1)
0.4	0.1	2	2	TWO:(2)
0.1	0.0	1	3	3-4 OR +:(3-4)
	73.4	1,670	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 191-192

V6199

026C29BR#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were  
 . . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" (Codes 3  
 and 4 are bracketed in this dataset.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	25.4	579	0	NONE:(0)
2.3	0.6	14	1	ONE:(1)
1.4	0.4	8	2	TWO:(2)
0.5	0.1	3	3	3-4 OR +:(3-4)
	73.4	1,670	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 193-194

V6200

026C29CR#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were  
 . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" (Codes 3  
 and 4 are bracketed in this dataset.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	26.1	594	0	NONE:(0)
1.4	0.4	9	1	ONE:(1)
0.1	0.0	1	2	TWO:(2)
0.0	0.0	0	3	3-4 OR +:(3-4)
	73.5	1,671	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 195-196

V6201

026C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	69.0	1,570	0	NONE:(0)
20.0	18.4	418	1	ONE:(1)
3.7	3.4	78	2	TWO:(2)
1.1	1.0	23	3	THREE:(3)
0.1	0.1	2	4	4+:(4)
	8.1	184	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 197-198

<b>V6202</b>	<b>026C31AR#ACDTS AFT DRNK</b>
--------------	--------------------------------

Item Number: 00700

How many of these accidents occurred after you were . . . A:  
Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" (Codes 3 and 4 are bracketed in this dataset.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	21.6	491	0	NONE:(0)
4.2	1.0	22	1	ONE:(1)
0.4	0.1	2	2	TWO:(2)
0.2	0.0	1	3	3-4 OR +:(3-4)
	77.3	1,758	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 199-200

<b>V6203</b>	<b>026C31BR#ACDTS AFT MARJ</b>
--------------	--------------------------------

Item Number: 00710

How many of these accidents occurred after you were . . . B:  
Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" (Codes 3 and 4 are bracketed in this dataset.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	22.0	500	0	NONE:(0)
2.7	0.6	14	1	ONE:(1)
0.2	0.1	1	2	TWO:(2)
0.4	0.1	2	3	3-4 OR +:(3-4)
	77.3	1,757	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 201-202

V6204

026C31CR#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . . C:  
Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" (Codes 3  
and 4 are bracketed in this dataset.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	22.5	511	0	NONE:(0)
0.3	0.1	2	1	ONE:(1)
0.0	0.0	0	2	TWO:(2)
0.2	0.0	1	3	3-4 OR +:(3-4)
	77.4	1,761	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 203-204

V6205

026C32 :USE SEATBLT-DRVR

Item Number: 22210

When you drive a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"  
8="Does Not Apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	3.8	87	1	NEVER:(1)
6.8	6.2	142	2	SELDOM:(2)
7.1	6.5	148	3	SOMETIME:(3)
12.6	11.5	262	4	OFTEN:(4)
64.5	59.0	1,342	5	ALWAYS:(5)
4.8	4.4	101	8	INAP:(8)
	8.5	193	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 205-206

V6206

026C33 :USE SEATBLT-RIDR

Item Number: 22220

When you are riding in the front passenger seat of a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"  
8="Does Not Apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.7	84	1	NEVER:(1)
8.3	7.6	172	2	SELDOM:(2)
8.8	8.1	184	3	SOMETIME:(3)
18.5	16.9	384	4	OFTEN:(4)
60.0	54.9	1,249	5	ALWAYS:(5)
0.4	0.4	9	8	INAP:(8)
	8.4	191	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 207-208

V6560

026D01 :#X ANTISMK TV/RD

Item Number: 30260

The next questions are about anti-smoking commercials or "spots" that are intended to discourage cigarette smoking. In recent months, about how often have you seen such anti-smoking commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	6.8	155	1	NOT@ALL:(1)
5.5	5.0	115	2	<1X/MO:(2)
15.5	14.3	324	3	1-3/MO:(3)
28.5	26.3	598	4	1-3/WK:(4)
31.6	29.1	663	5	ABT DAILY:(5)
11.5	10.6	241	6	> DAILY:(6)
	7.8	178	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 578-579

V6561

026D02 :#X ANTISMK PRINT

Item Number: 30270

In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	10.8	246	1	NOT@ALL:(1)
16.9	15.6	354	2	<1X/MO:(2)
29.2	26.9	611	3	1-3/MO:(3)
23.7	21.8	495	4	1-3/WK:(4)
14.6	13.4	305	5	ABT DAILY:(5)
3.8	3.5	79	6	> DAILY:(6)
	8.1	184	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 580-581

V6562

026D03A:ANTISMK ADS&lt;FVRB

Item Number: 30280

To what extent do you think such ads on TV, radio, billboards or in magazines and newspapers have . . . A: . . . made you less favorable toward smoking cigarettes?

1="Not at all" 2="To a little extent" 3="To some extent" 4="To a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	29.8	678	1	NOT@ALL:(1)
20.9	19.1	434	2	LITTLE:(2)
24.4	22.2	505	3	SOME:(3)
10.5	9.6	219	4	GREAT:(4)
11.5	10.5	238	5	VRY GREAT:(5)
	8.8	200	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 582-583

V6563

026D03B:ANTISMK ADS&lt;LKLY

Item Number: 30290

To what extent do you think such ads on TV, radio, billboards or in magazines and newspapers have . . . B: . . . made you less likely to smoke cigarettes?

1="Not at all" 2="To a little extent" 3="To some extent" 4="To a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	33.8	769	1	NOT@ALL:(1)
18.9	17.2	391	2	LITTLE:(2)
19.9	18.1	411	3	SOME:(3)
10.3	9.3	212	4	GREAT:(4)
13.7	12.5	283	5	VRY GREAT:(5)
	9.1	207	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 584-585

V6564

026D03C:ANTISMK ADS EXAG

Item Number: 30300

To what extent do you think such ads on TV, radio, billboards  
or in magazines and newspapers have . . . C: . . .  
overstated the dangers or risks of cigarette smoking?

1="Not at all" 2="To a little extent" 3="To some extent" 4="To  
a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	38.8	883	1	NOT@ALL:(1)
17.5	15.9	361	2	LITTLE:(2)
18.7	16.9	385	3	SOME:(3)
9.5	8.6	196	4	GREAT:(4)
11.6	10.5	238	5	VRY GREAT:(5)
	9.3	211	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 586-587

V6565

026D04A:CIG SMKRS-ATHLTS

Item Number: 30310

These days, how many people in the following groups would you guess are regular cigarette smokers? A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.8	37.7	857	1	0%-10%:(1)
23.8	21.4	487	2	11%-30%:(2)
11.7	10.5	240	3	31%-50%:(3)
5.8	5.3	119	4	51%-70%:(4)
3.7	3.3	75	5	71%-90%:(5)
1.4	1.3	29	6	91%-100%:(6)
11.8	10.6	241	8	NO IDEA:(8)
	9.9	225	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 588-589

V6566

026D04B:CIG SMKRS-ROCKRS

Item Number: 30320

These days, how many people in the following groups would you guess are regular cigarette smokers? B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.7	38	1	0%-10%:(1)
6.0	5.4	123	2	11%-30%:(2)
12.6	11.4	258	3	31%-50%:(3)
22.4	20.2	459	4	51%-70%:(4)
29.6	26.7	606	5	71%-90%:(5)
20.0	18.1	411	6	91%-100%:(6)
7.5	6.7	153	8	NO IDEA:(8)
	9.9	225	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 590-591

V6567

026D04C:CIG SMKRS-ACTORS

Item Number: 30330

These days, how many people in the following groups would you guess are regular cigarette smokers? C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.2	51	1	0%-10%:(1)
9.1	8.2	186	2	11%-30%:(2)
21.7	19.5	443	3	31%-50%:(3)
28.1	25.2	574	4	51%-70%:(4)
20.1	18.1	411	5	71%-90%:(5)
8.7	7.8	178	6	91%-100%:(6)
9.8	8.8	200	8	NO IDEA:(8)
	10.1	230	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 592-593

V6568

026D04D:CIG SMKRS-PEERS

Item Number: 30340

These days, how many people in the following groups would you guess are regular cigarette smokers? D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	2.9	66	1	0%-10%:(1)
14.6	13.1	299	2	11%-30%:(2)
23.3	20.9	476	3	31%-50%:(3)
28.1	25.3	575	4	51%-70%:(4)
19.0	17.1	389	5	71%-90%:(5)
6.6	5.9	135	6	91%-100%:(6)
5.2	4.7	107	8	NO IDEA:(8)
	10.0	227	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 594-595

V6569

026D05A:USE DRUGS-ATHLT

Item Number: 22380

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	22.7	515	1	0%-10%:(1)
26.5	23.9	544	2	11%-30%:(2)
15.0	13.6	309	3	31%-50%:(3)
10.5	9.5	217	4	51%-70%:(4)
7.9	7.1	162	5	71%-90%:(5)
3.2	2.9	66	6	91%-100%:(6)
11.9	10.7	244	8	NO IDEA:(8)
	9.6	218	-9	MISSING

-----  
100.0 100.0 2,274 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 596-597

V6570

026D05B:USE DRUGS-ROCK

Item Number: 22390

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.6	37	1	0%-10%:(1)
7.0	6.3	143	2	11%-30%:(2)
12.4	11.1	253	3	31%-50%:(3)
20.3	18.3	416	4	51%-70%:(4)
26.3	23.7	538	5	71%-90%:(5)
23.0	20.7	470	6	91%-100%:(6)
9.3	8.3	190	8	NO IDEA:(8)
	10.0	227	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 598-599

V6571

026D05C:USE DRUGS-ACTOR

Item Number: 22400

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	5.8	133	1	0%-10%:(1)
17.2	15.5	352	2	11%-30%:(2)
23.2	20.9	474	3	31%-50%:(3)
21.3	19.2	436	4	51%-70%:(4)
13.2	11.8	269	5	71%-90%:(5)
6.5	5.9	134	6	91%-100%:(6)
12.0	10.8	246	8	NO IDEA:(8)
	10.1	230	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 600-601

V6572

026D05D:USE DRUGS-PEERS

Item Number: 22405

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"  
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	5.8	132	1	0%-10%:(1)
19.4	17.5	397	2	11%-30%:(2)
20.6	18.5	421	3	31%-50%:(3)
22.6	20.3	461	4	51%-70%:(4)
17.2	15.4	351	5	71%-90%:(5)
6.5	5.8	133	6	91%-100%:(6)
7.3	6.5	149	8	NO IDEA:(8)
	10.1	230	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 602-603

V6573

026D06 :SMKRS MOVIE THTR

Item Number: 30360

Think about the movie that you watched most recently in a theater. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	20.1	457	1	NO:(1)
55.6	49.8	1,132	2	SOME:(2)
10.7	9.6	217	3	A LOT:(3)
11.3	10.2	231	4	DONT REMEMBER:(4)
	10.4	237	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 604-605

V6574

026D07 :SMKRS MOVIE HOME

Item Number: 30370

Think about the movie that you watched most recently on video or on TV. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	18.7	426	1	NO:(1)
56.9	51.0	1,161	2	SOME:(2)
11.9	10.7	243	3	A LOT:(3)
10.3	9.2	210	4	DONT REMEMBER:(4)
	10.3	234	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 606-607

V6581                      026D08 :#X SEE DRUG SPTS

Item Number: 22460

The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	9.4	214	1	NOT AT ALL(1)
12.6	11.2	255	2	LESS THAN ONCE/MO(2)
26.2	23.3	531	3	1-3/MO(3)
27.6	24.6	559	4	1-3/WEEK(4)
18.0	16.0	365	5	DAILY OR ALMOST(5)
4.9	4.4	100	6	MORE THAN ONCE/DAY(6)
	11.0	251	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274		cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 620-621

V6582

026D09A:ADS-PEOPL &lt;FAVBL

Item Number: 22470

To what extent do you think such commercials have . . . A:  
 Made people your age less favorable toward drugs

1="Not at all" 2="To a little extent" 3="To some extent" 4="To  
 a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	24.0	546	1	NOT AT ALL(1)
32.2	28.1	640	2	LITTLE EXTENT(2)
30.7	26.8	609	3	SOME EXTENT(3)
5.5	4.8	109	4	GREAT EXTENT(4)
4.1	3.6	82	5	VERY GREAT EXTENT(5)
	12.7	288	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 622-623

V6583

026D09B:ADS-YOU &lt;FAVORBL

Item Number: 22480

To what extent do you think such commercials have . . . B:  
 Made you less favorable toward drugs

1="Not at all" 2="To a little extent" 3="To some extent" 4="To  
 a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	26.3	598	1	NOT AT ALL(1)
24.3	21.2	482	2	LITTLE EXTENT(2)
22.8	19.9	452	3	SOME EXTENT(3)
11.5	10.0	227	4	GREAT EXTENT(4)
11.3	9.8	223	5	VERY GREAT EXTENT(5)
	12.8	291	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 624-625

V6584

026D09C:ADS-YOU &lt;TRY DRG

Item Number: 22490

To what extent do you think such commercials have . . . C:  
Made you less likely to use drugs

1="Not at all" 2="To a little extent" 3="To some extent" 4="To  
a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.6	28.3	644	1	NOT AT ALL(1)
22.0	19.1	435	2	LITTLE EXTENT(2)
21.9	19.1	433	3	SOME EXTENT(3)
10.0	8.7	198	4	GREAT EXTENT(4)
13.4	11.6	264	5	VERY GREAT EXTENT(5)
	13.2	300	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 626-627

V6585

026D09D:ADS-OVRST DANGER

Item Number: 22500

To what extent do you think such commercials have . . . D:  
Overstated the dangers or risks of drug use

1="Not at all" 2="To a little extent" 3="To some extent" 4="To  
a great extent" 5="To a very great extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.8	36.2	823	1	NOT AT ALL(1)
18.9	16.4	373	2	LITTLE EXTENT(2)
21.2	18.3	417	3	SOME EXTENT(3)
8.8	7.6	174	4	GREAT EXTENT(4)
9.3	8.1	184	5	VERY GREAT EXTENT(5)
	13.3	303	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 628-629

V6353

026D10A:POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements? A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.5	57	1	DISAGREE:(1)
7.8	6.9	156	2	MOST DIS:(2)
10.4	9.1	208	3	NEITHER:(3)
42.8	37.8	859	4	MOST AGR:(4)
36.2	31.9	726	5	AGREE:(5)
	11.8	268	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 343-344

V6354

026D10B:LIFE MEANINGLESS

Item Number: 23700

How much do you agree or disagree with each of the following statements? B: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	34.5	785	1	DISAGREE:(1)
30.4	26.7	607	2	MOST DIS:(2)
14.2	12.5	283	3	NEITHER:(3)
12.2	10.8	245	4	MOST AGR:(4)
4.0	3.5	80	5	AGREE:(5)
	12.1	274	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 345-346

V6355

026D10C:SHD DO OWN THING

Item Number: 07040

How much do you agree or disagree with each of the following statements? C: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.8	41	1	DISAGREE:(1)
3.2	2.8	64	2	MOST DIS:(2)
9.5	8.3	189	3	NEITHER:(3)
38.7	34.0	773	4	MOST AGR:(4)
46.6	41.0	932	5	AGREE:(5)
	12.1	276	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 347-348

V6356

026D10D:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following statements? D: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	41.6	946	1	DISAGREE:(1)
26.9	23.4	533	2	MOST DIS:(2)
12.4	10.8	245	3	NEITHER:(3)
8.0	7.0	160	4	MOST AGR:(4)
5.0	4.3	98	5	AGREE:(5)
	12.8	292	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 349-350

V6357

026D10E:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements? E: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.3	75	1	DISAGREE:(1)
5.3	4.6	106	2	MOST DIS:(2)
13.0	11.3	258	3	NEITHER:(3)
31.0	27.1	617	4	MOST AGR:(4)
46.9	41.1	934	5	AGREE:(5)
	12.5	285	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 351-352

V6358

026D10F:I ENJOY LIFE

Item Number: 23710

How much do you agree or disagree with each of the following statements? F: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.4	76	1	DISAGREE:(1)
7.5	6.6	150	2	MOST DIS:(2)
12.1	10.6	242	3	NEITHER:(3)
34.9	30.6	696	4	MOST AGR:(4)
41.7	36.6	832	5	AGREE:(5)
	12.3	279	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 353-354

V6359

026D10G:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements? G: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	10.7	244	1	DISAGREE:(1)
16.0	14.1	320	2	MOST DIS:(2)
23.5	20.6	469	3	NEITHER:(3)
29.1	25.5	580	4	MOST AGR:(4)
19.1	16.8	381	5	AGREE:(5)
	12.3	280	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 355-356

V6360

026D10H:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following statements? H: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.1	35.1	798	1	DISAGREE:(1)
26.7	23.3	531	2	MOST DIS:(2)
15.2	13.3	302	3	NEITHER:(3)
12.0	10.5	239	4	MOST AGR:(4)
6.0	5.2	119	5	AGREE:(5)
	12.6	285	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 357-358

V6361

026D10I:DO WELL AS OTHERS

Item Number: 12580

How much do you agree or disagree with each of the following statements? I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	2.9	65	1	DISAGREE:(1)
4.5	3.9	89	2	MOST DIS:(2)
12.0	10.5	239	3	NEITHER:(3)
40.8	35.6	810	4	MOST AGR:(4)
39.3	34.3	780	5	AGREE:(5)
	12.8	290	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 359-360

V6362

026D10J:FUTURE HOPELESS

Item Number: 23720

How much do you agree or disagree with each of the following statements? J: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	43.0	978	1	DISAGREE:(1)
24.3	21.1	480	2	MOST DIS:(2)
14.7	12.8	292	3	NEITHER:(3)
7.7	6.7	153	4	MOST AGR:(4)
3.8	3.3	75	5	AGREE:(5)
	13.0	296	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 361-362

V6363

026D10K:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements? K: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	15.2	346	1	DISAGREE:(1)
14.8	12.9	293	2	MOST DIS:(2)
22.7	19.8	450	3	NEITHER:(3)
27.9	24.3	552	4	MOST AGR:(4)
17.2	14.9	340	5	AGREE:(5)
	12.9	294	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 363-364

V6364

026D10L:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following statements? L: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.6	41.3	940	1	DISAGREE:(1)
24.5	21.3	484	2	MOST DIS:(2)
17.0	14.8	335	3	NEITHER:(3)
6.6	5.7	130	4	MOST AGR:(4)
4.2	3.6	83	5	AGREE:(5)
	13.3	302	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 365-366

V6365

026D10M:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements? M: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.1	71	1	DISAGREE:(1)
6.5	5.7	129	2	MOST DIS:(2)
12.8	11.1	251	3	NEITHER:(3)
33.0	28.6	650	4	MOST AGR:(4)
44.1	38.2	870	5	AGREE:(5)
	13.4	304	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 367-368

V6366

026D10N:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following statements? N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	45.2	1,028	1	DISAGREE:(1)
23.0	19.9	453	2	MOST DIS:(2)
14.8	12.8	291	3	NEITHER:(3)
5.8	5.0	114	4	MOST AGR:(4)
4.2	3.6	83	5	AGREE:(5)
	13.4	305	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 369-370

V6367

026D100:GOOD TO BE ALIVE

Item Number: 23730

How much do you agree or disagree with each of the following statements? 0: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	1.9	43	1	DISAGREE:(1)
3.6	3.1	71	2	MOST DIS:(2)
10.9	9.5	215	3	NEITHER:(3)
24.4	21.1	479	4	MOST AGR:(4)
58.9	50.9	1,158	5	AGREE:(5)
	13.5	308	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 371-372

V6587

026D10P:LIK XPLOR STRANG

Item Number: 31080

How much do you agree or disagree with each of the following statements? P: I would like to explore strange places

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.4	100	1	DISAGREE(1)
7.0	6.0	137	2	MOSTLY DISAGREE(2)
16.6	14.3	326	3	NEITHER(3)
28.8	24.9	566	4	MOSTLY AGREE(4)
42.6	36.9	838	5	AGREE(5)
	13.5	308	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 632-633

V6588

026D10Q:LIK DO FRIGHT TG

Item Number: 31090

How much do you agree or disagree with each of the following statements? Q: I like to do frightening things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	17.1	389	1	DISAGREE(1)
15.9	13.7	312	2	MOSTLY DISAGREE(2)
22.8	19.7	448	3	NEITHER(3)
24.6	21.2	483	4	MOSTLY AGREE(4)
16.9	14.6	333	5	AGREE(5)
	13.6	309	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 634-635

V6589

026D10R:LIK EVN BRK RULE

Item Number: 31100

How much do you agree or disagree with each of the following statements? R: I like new and exciting experiences, even if I have to break the rules

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	11.9	272	1	DISAGREE(1)
15.6	13.5	307	2	MOSTLY DISAGREE(2)
21.2	18.3	416	3	NEITHER(3)
28.6	24.7	561	4	MOSTLY AGREE(4)
20.8	18.0	409	5	AGREE(5)
	13.6	310	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 636-637

V6590

026D10S:PRF FRND EXCITNG

Item Number: 31110

How much do you agree or disagree with each of the following statements? S: I prefer friends who are exciting and unpredictable

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"  
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	5.9	135	1	DISAGREE(1)
9.0	7.8	177	2	MOSTLY DISAGREE(2)
26.9	23.2	528	3	NEITHER(3)
32.8	28.3	643	4	MOSTLY AGREE(4)
24.4	21.1	479	5	AGREE(5)
	13.7	312	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 638-639

V6497                      026D11A:#XDRUNK/LIFETIME

Item Number: 25020

The different questionnaire forms used in this study emphasize different topics. In the rest of this questionnaire, we ask more about your experiences and attitudes relating to alcohol and other drugs. On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	31.6	720	1	0 OCCAS:(1)
14.0	12.1	276	2	1-2X:(2)
9.3	8.1	183	3	3-5X:(3)
7.2	6.2	141	4	6-9X:(4)
8.7	7.5	171	5	10-19X:(5)
9.5	8.2	187	6	20-39X:(6)
14.6	12.6	287	7	40+OCCAS:(7)
	13.6	310	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274		cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 463-464

V6498

026D11B:#XDRUNK/LAST12MO

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.3	40.6	924	1	0 OCCAS:(1)
15.9	13.7	311	2	1-2X:(2)
9.4	8.1	184	3	3-5X:(3)
8.5	7.3	165	4	6-9X:(4)
7.2	6.1	140	5	10-19X:(5)
5.1	4.4	100	6	20-39X:(6)
6.6	5.6	128	7	40+OCCAS:(7)
	14.2	322	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 465-466

V6499	026D11C:#XDRUNK/LAST30DA
-------	--------------------------

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.5	56.9	1,294	1	0 OCCAS:(1)
16.2	13.8	315	2	1-2X:(2)
6.6	5.7	129	3	3-5X:(3)
5.6	4.8	109	4	6-9X:(4)
3.7	3.1	71	5	10-19X:(5)
0.7	0.6	14	6	20-39X:(6)
0.8	0.7	15	7	40+OCCAS:(7)
	14.4	327	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 467-468

V6368

026D12A:#X STRD/LIFETIME

Item Number: 22690

Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	83.3	1,895	1	0 OCCAS:(1)
1.1	0.9	21	2	1-2X:(2)
0.7	0.6	14	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.4	0.4	8	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.5	0.5	10	7	40+OCCAS:(7)
	13.7	312	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 373-374

V6369                      026D12B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . .  
 B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	84.6	1,924	1	0 OCCAS:(1)
0.4	0.3	7	2	1-2X:(2)
0.5	0.4	9	3	3-5X:(3)
0.5	0.4	9	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.3	0.2	5	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	13.7	312	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 375-376

V6370

026D12C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . .  
C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	85.1	1,935	1	0 OCCAS:(1)
0.7	0.6	15	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.0	1	6	20-39X:(6)
0.1	0.0	1	7	40+OCCAS:(7)
	13.7	312	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 377-378

<b>V6376</b>	<b>026D13A: MTHD STRD-INJECT</b>
--------------	----------------------------------

Item Number: 23790

What methods have you used for taking steroids on your own?  
 (Mark ALL that apply.) A. Injection

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	1.5	33	0	NT MRKED:(0)
21.5	0.4	9	1	MARKED:(1)
	98.1	2,232	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 379-380

<b>V6377</b>	<b>026D13B: MTHD STRD-MOUTH</b>
--------------	---------------------------------

Item Number: 23800

What methods have you used for taking steroids on your own?  
 (Mark ALL that apply.) B. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	0.4	8	0	NT MRKED:(0)
81.0	1.5	34	1	MARKED:(1)
	98.1	2,232	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 381-382

V6586

026D13C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?  
 (Mark ALL that apply.) C. Haven't used steroids.

0="UNMARKED" 1="MARKED" These data have been made consistent  
 with the steroid use triplet (Q.6D12a-c).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.8	40	0	NOT MARKED(0)
97.9	83.4	1,897	1	MARKED(1)
	14.8	336	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 630-631

V6500	026D14A:#X INJECT/LIFE
-------	------------------------

Item Number: 25050

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . . Do NOT include anything you took under a doctor's orders. A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	84.5	1,922	1	0 OCCAS:(1)
0.8	0.6	15	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.2	0.1	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	14.3	326	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 469-470

V6501

026D14B:#X INJECT/LST12M

Item Number: 25060

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . . Do NOT include anything you took under a doctor's orders. B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	85.3	1,939	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	14.3	324	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 471-472

V6502	026D14C:#X INJECT/LST30D
-------	--------------------------

Item Number: 25070

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . . Do NOT include anything you took under a doctor's orders. C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	85.4	1,943	1	0 OCCAS:(1)
0.2	0.1	3	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	14.2	323	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 473-474

V6503

026D15 :GR 1ST INJECT

Item Number: 25680

When (if ever) did you FIRST inject any drug with a needle  
(without a doctor's orders)?

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	3	1	GRADE 6:(1)
0.1	0.1	2	2	GRADE 7:(2)
0.1	0.1	3	3	GRADE 8:(3)
0.4	0.4	9	4	GRADE 9:(4)
0.2	0.2	4	5	GRADE 10:(5)
0.1	0.1	1	6	GRADE 11:(6)
0.4	0.3	7	7	GRADE 12:(7)
98.5	84.1	1,913	8	NEVER:(8)
	14.6	333	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 475-476

V6378

026D16A:GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?

Don't count anything you took because a doctor told you to.

A: Smoke your first cigarette 8="Never" 1="Grade 6 or below"

2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10

(Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	10.4	237	1	GRADE 6:(1)
11.4	9.3	211	2	GRADE 7:(2)
10.2	8.4	190	3	GRADE 8:(3)
9.3	7.6	173	4	GRADE 9:(4)
5.4	4.4	100	5	GRADE 10:(5)
4.3	3.5	81	6	GRADE 11:(6)
2.1	1.7	38	7	GRADE 12:(7)
44.4	36.3	825	8	NEVER:(8)
	18.4	418	-9	MISSING

-----

100.0 100.0 2,274 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 383-384

V6379

026D16B:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?  
 B: Smoke cigarettes on a daily basis 8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	20	1	GRADE 6:(1)
1.7	1.4	32	2	GRADE 7:(2)
3.6	3.0	69	3	GRADE 8:(3)
5.9	4.9	111	4	GRADE 9:(4)
5.2	4.3	98	5	GRADE 10:(5)
5.4	4.5	103	6	GRADE 11:(6)
2.7	2.3	51	7	GRADE 12:(7)
74.5	62.1	1,412	8	NEVER:(8)
	16.6	378	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 385-386

V6380	026D16C:GR 1ST SMOKELESS
-------	--------------------------

Item Number: 05576

When (if ever) did you FIRST do each of the following things?

C: Try smokeless tobacco (snuff, plug or chewing tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11

(Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.4	54	1	GRADE 6:(1)
1.5	1.3	29	2	GRADE 7:(2)
2.3	2.0	45	3	GRADE 8:(3)
3.6	3.0	69	4	GRADE 9:(4)
3.3	2.8	63	5	GRADE 10:(5)
2.3	2.0	46	6	GRADE 11:(6)
2.1	1.8	42	7	GRADE 12:(7)
82.1	70.3	1,598	8	NEVER:(8)
	14.5	329	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 387-388

V6482

026D17A:FUTR SMOKE CIGS

Item Number: 24440

In the future, do you think that you will . . . A: Smoke  
cigarettes?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.0	69	1	DEF WILL:(1)
9.7	8.4	190	2	PROB WL:(2)
9.2	7.9	180	3	DK:(3)
14.8	12.7	289	4	PROB WNT:(4)
62.7	53.8	1,223	5	DEF WONT:(5)
	14.2	323	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 433-434

V6483

026D17B:FUTR DRINK ALCOL

Item Number: 24450

In the future, do you think that you will . . . B: Drink  
alcoholic beverages?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	19.6	446	1	DEF WILL:(1)
37.7	32.3	734	2	PROB WL:(2)
15.6	13.4	304	3	DK:(3)
7.7	6.6	150	4	PROB WNT:(4)
16.1	13.8	313	5	DEF WONT:(5)
	14.3	326	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 435-436

V6484

026D17C:FUTR TRY/USE MJ

Item Number: 24460

In the future, do you think that you will . . . C: Try or use marijuana?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	6.8	155	1	DEF WILL:(1)
13.4	11.5	261	2	PROB WL:(2)
13.1	11.2	255	3	DK:(3)
12.7	10.9	247	4	PROB WNT:(4)
52.9	45.2	1,029	5	DEF WONT:(5)
	14.4	327	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 437-438

V6485

026D17D:FUTR TRY/USE CRK

Item Number: 24470

In the future, do you think that you will . . . D: Try or use  
"crack" cocaine?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.8	42	1	DEF WILL:(1)
1.3	1.1	25	2	PROB WL:(2)
2.8	2.4	54	3	DK:(3)
4.7	4.0	91	4	PROB WNT:(4)
89.1	76.3	1,734	5	DEF WONT:(5)
	14.4	328	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 439-440

V6486

026D17E:FUTR TRY/US COKP

Item Number: 24480

In the future, do you think that you will . . . E: Try or use  
cocaine in powder form?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.0	45	1	DEF WILL:(1)
1.8	1.5	35	2	PROB WL:(2)
3.5	3.0	69	3	DK:(3)
4.6	4.0	90	4	PROB WNT:(4)
87.8	75.2	1,710	5	DEF WONT:(5)
	14.3	326	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274		cases (Wtd)

Data type: numeric  
Missing-data code: -9  
Columns: 441-442

<b>V6487</b>	<b>026D17F:FUTR TR/U OTH DG</b>
--------------	---------------------------------

Item Number: 24490

In the future, do you think that you will . . . F: Try or use any other illegal drugs?

1="Definitely will" 2="Probably will" 3="Don't know"  
4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.2	74	1	DEF WILL:(1)
4.1	3.5	80	2	PROB WL:(2)
6.5	5.6	127	3	DK:(3)
5.3	4.5	103	4	PROB WNT:(4)
80.3	68.8	1,565	5	DEF WONT:(5)
	14.3	325	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 443-444

<b>V6575</b>	<b>026D18A:FRND DAP CIG OCC</b>
--------------	---------------------------------

Item Number: 30380

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? A: Smoking cigarettes occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	32.4	738	1	NT DISAP:(1)
32.7	28.0	637	2	DISAPRV:(2)
29.4	25.2	572	3	ST DISAP:(3)
	14.4	327	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 608-609

V6576

026D18B:FRND DAP CIG DLY

Item Number: 30390

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? B: Smoking cigarettes every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	22.5	512	1	NT DISAP:(1)
28.8	24.6	559	2	DISAPRV:(2)
44.9	38.3	871	3	ST DISAP:(3)
	14.6	333	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 610-611

V6408

026D18C:FRD DAP CIGS

Item Number: 11470

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? C: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	15.3	349	1	NT DISAP:(1)
28.0	23.9	543	2	DISAPRV:(2)
54.0	46.0	1,047	3	ST DISAP:(3)
	14.7	335	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 389-390

<b>V6577</b>	<b>026D18D:FRND DAP SMKL OC</b>
--------------	---------------------------------

Item Number: 30400

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? D: Using smokeless tobacco occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT VALID	PCT ALL	N	VALUE	LABEL
20.6	17.5	399	1	NT DISAP:(1)
33.7	28.7	653	2	DISAPRV:(2)
45.7	38.9	885	3	ST DISAP:(3)
	14.8	337	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 612-613

<b>V6578</b>	<b>026D18E:FRND DAP SMKL DL</b>
--------------	---------------------------------

Item Number: 30410

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? E: Using smokeless tobacco every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT VALID	PCT ALL	N	VALUE	LABEL
17.3	14.7	335	1	NT DISAP:(1)
29.4	25.0	569	2	DISAPRV:(2)
53.4	45.4	1,033	3	ST DISAP:(3)
	14.8	337	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 614-615

V6579

026D18F:FRND DAP SMKL D+

Item Number: 30420

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? F: Using smokeless tobacco several times per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	13.7	312	1	NT DISAP:(1)
26.0	22.1	502	2	DISAPRV:(2)
57.9	49.2	1,118	3	ST DISAP:(3)
	15.0	342	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 616-617

V6409

026D18G:FRD DAP TRY MARJ

Item Number: 11480

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? G: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.7	36.4	827	1	NT DISAP:(1)
23.6	20.1	457	2	DISAPRV:(2)
33.7	28.7	652	3	ST DISAP:(3)
	14.9	339	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 391-392

<b>V6410</b>	<b>026D18H:FRD DAP MJ OCC</b>
--------------	-------------------------------

Item Number: 11490

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? H: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	28.0	636	1	NT DISAP:(1)
24.3	20.6	469	2	DISAPRV:(2)
42.8	36.4	827	3	ST DISAP:(3)
	15.0	341	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 393-394

<b>V6411</b>	<b>026D18I:FRD DAP MJ REG</b>
--------------	-------------------------------

Item Number: 11500

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? I: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	18.0	408	1	NT DISAP:(1)
24.7	20.9	476	2	DISAPRV:(2)
54.1	45.9	1,045	3	ST DISAP:(3)
	15.2	345	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 395-396

V6414

026D18J:FRD DAP TRY CRCK

Item Number: 23940

How do you think your CLOSE FRIENDS feel (or would feel) about  
YOU doing each of the following things? J: Trying "crack"  
cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.0	136	1	NT DISAP:(1)
16.1	13.9	316	2	DISAPRV:(2)
77.0	66.5	1,512	3	ST DISAP:(3)
	13.6	310	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 397-398

V6415

026D18K:FRD DAP CRCK OCC

Item Number: 23950

How do you think your CLOSE FRIENDS feel (or would feel) about  
YOU doing each of the following things? K: Taking "crack"  
cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	4.5	103	1	NT DISAP:(1)
13.9	12.0	273	2	DISAPRV:(2)
80.8	69.8	1,586	3	ST DISAP:(3)
	13.7	312	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 399-400

<b>V6416</b>	<b>026D18L:FRD DAP TRY PWDR</b>
--------------	---------------------------------

Item Number: 23960

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? L: Trying cocaine powder once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	6.6	150	1	NT DISAP:(1)
14.9	12.9	293	2	DISAPRV:(2)
77.4	66.6	1,515	3	ST DISAP:(3)
	13.9	317	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 401-402

<b>V6417</b>	<b>026D18M:FRD DAP PWDR OCC</b>
--------------	---------------------------------

Item Number: 23970

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? M: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	5.3	121	1	NT DISAP:(1)
13.6	11.7	265	2	DISAPRV:(2)
80.2	68.7	1,561	3	ST DISAP:(3)
	14.4	327	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 403-404

V6418

026D18N:FRD DAP 1-2DR/DA

Item Number: 11530

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? N: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	23.9	544	1	NT DISAP:(1)
30.5	26.1	595	2	DISAPRV:(2)
41.7	35.8	814	3	ST DISAP:(3)
	14.1	321	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 405-406

V6419

026D18O:FRD DAP 4-5DR/DA

Item Number: 11540

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? O: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	13.7	312	1	NT DISAP:(1)
24.4	21.0	478	2	DISAPRV:(2)
59.7	51.4	1,168	3	ST DISAP:(3)
	13.9	317	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 407-408

<b>V6420</b>	<b>026D18P:FRD DAP 5+DR/WKD</b>
--------------	---------------------------------

Item Number: 11550

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? P: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	32.3	734	1	NT DISAP:(1)
21.5	18.5	420	2	DISAPRV:(2)
41.1	35.4	804	3	ST DISAP:(3)
	13.9	316	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 409-410

<b>V6421</b>	<b>026D18Q:FRD DAP DRIV+2DR</b>
--------------	---------------------------------

Item Number: 11551

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? Q: Driving a car after having 1-2 drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	16.8	381	1	NT DISAP:(1)
28.0	24.1	547	2	DISAPRV:(2)
52.5	45.1	1,026	3	ST DISAP:(3)
	14.1	320	-9	MISSING
-----				
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 411-412

V6422

026D18R:FRD DAP DRIV+5DR

Item Number: 11552

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? R: Driving a car after having 5 or more drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	4.7	106	1	NT DISAP:(1)
15.8	13.5	308	2	DISAPRV:(2)
78.8	67.6	1,538	3	ST DISAP:(3)
	14.1	322	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 413-414

V6423

026D19A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . . A: Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	15.3	348	1	NONE:(1)
38.1	32.8	746	2	A FEW:(2)
24.1	20.8	472	3	SOME:(3)
18.3	15.7	358	4	MOST:(4)
1.8	1.5	35	5	ALL:(5)
	13.9	315	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 415-416

<b>V6424</b>	<b>026D19B:ALL FRD SMK MARJ</b>
--------------	---------------------------------

Item Number: 07080

How many of your friends would you estimate . . . B: Smoke marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	20.0	454	1	NONE:(1)
33.1	28.5	648	2	A FEW:(2)
24.4	21.0	478	3	SOME:(3)
16.3	14.0	319	4	MOST:(4)
3.0	2.6	59	5	ALL:(5)
	13.9	315	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 417-418

<b>V6432</b>	<b>026D19C:# FRNDS TK CRACK</b>
--------------	---------------------------------

Item Number: 07151

How many of your friends would you estimate . . . C: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.1	67.7	1,541	1	NONE:(1)
15.8	13.6	308	2	A FEW:(2)
3.6	3.1	70	3	SOME:(3)
0.7	0.6	14	4	MOST:(4)
0.7	0.6	14	5	ALL:(5)
	14.4	326	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 419-420

V6433

026D19D:# FRNDS TK C PWD

Item Number: 23990

How many of your friends would you estimate. . . D: Take cocaine in powder form?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	66.4	1,509	1	NONE:(1)
17.4	14.9	339	2	A FEW:(2)
3.2	2.7	62	3	SOME:(3)
1.0	0.8	19	4	MOST:(4)
0.9	0.7	17	5	ALL:(5)
	14.4	328	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 421-422

V6436

026D19E:ALL FRD TK INHL

Item Number: 07180

How many of your friends would you estimate . . . E: Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	70.6	1,606	1	NONE:(1)
13.6	11.7	266	2	A FEW:(2)
3.0	2.6	59	3	SOME:(3)
0.3	0.2	5	4	MOST:(4)
0.9	0.7	17	5	ALL:(5)
	14.2	322	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
Missing-data code: -9  
Columns: 423-424

<b>V6488</b>	<b>026D19F:ALL FRD TK MDMA</b>
--------------	--------------------------------

Item Number: 23020

How many of your friends would you estimate . . . F: Take MDMA (ecstasy)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.8	53.0	1,204	1	NONE:(1)
26.1	22.3	508	2	A FEW:(2)
8.6	7.3	167	3	SOME:(3)
2.3	2.0	45	4	MOST:(4)
1.2	1.1	24	5	ALL:(5)
	14.3	326	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 445-446

<b>V6489</b>	<b>026D19G:ALL FRD TK ICE</b>
--------------	-------------------------------

Item Number: 24500

How many of your friends would you estimate . . . G: Take crystal meth ("ice")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.4	70.5	1,603	1	NONE:(1)
12.7	10.9	248	2	A FEW:(2)
3.0	2.6	59	3	SOME:(3)
0.7	0.6	13	4	MOST:(4)
1.2	1.1	24	5	ALL:(5)
	14.4	327	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 447-448

V6490

026D19H:ALL FRD TK STERS

Item Number: 23030

How many of your friends would you estimate . . . H: Take  
steroids?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	66.9	1,521	1	NONE:(1)
16.7	14.3	325	2	A FEW:(2)
3.7	3.2	72	3	SOME:(3)
0.5	0.4	10	4	MOST:(4)
0.9	0.8	18	5	ALL:(5)
	14.4	328	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 449-450

V6591

026D20A:#X GHB/LAST12MO

Item Number: 31050

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you... A. taken GHB ("liquid G," "grievous bodily harm")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	83.9	1,909	1	0 OCCAS:(1)
0.7	0.6	13	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.4	0.3	7	4	6-9X:(4)
0.1	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	14.8	338	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 640-641

V6592

026D20B:#X KETAMINE/12M

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any) have you... B. taken ketamine ("special K," "super K")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	83.3	1,894	1	0 OCCAS:(1)
1.5	1.3	29	2	1-2X:(2)
0.4	0.3	7	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.1	3	7	40+OCCAS:(7)
	14.7	335	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 642-643

V6593

026D20C:#X SMK BIDI/12M

Item Number: 31070

During the LAST 12 MONTHS, on how many occasions (if any) have you... C. smoked bidis (or beedies) which are small brown cigarettes from India

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	80.4	1,829	1	0 OCCAS:(1)
2.6	2.3	51	2	1-2X:(2)
1.2	1.0	23	3	3-5X:(3)
0.9	0.8	17	4	6-9X:(4)
0.5	0.4	9	5	10-19X:(5)
0.3	0.3	6	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	14.7	333	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 644-645

V6594

026D20D:#X SMK KRETK/12M

Item Number: 31150

During the LAST 12 MONTHS, on how many occasions (if any) have you... D. smoked kreteks (clove cigarettes)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	78.1	1,775	1	0 OCCAS:(1)
3.9	3.3	75	2	1-2X:(2)
1.8	1.5	35	3	3-5X:(3)
0.9	0.7	17	4	6-9X:(4)
0.7	0.6	13	5	10-19X:(5)
0.4	0.4	8	6	20-39X:(6)
0.3	0.2	5	7	40+OCCAS:(7)
	15.2	346	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 646-647

V6595                      026D20E:#X ANDRO/12MO

Item Number: 31160

During the LAST 12 MONTHS, on how many occasions (if any) have you... E. taken "andro" (androstenedione, non-prescription steroid)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	83.1	1,890	1	0 OCCAS:(1)
0.5	0.4	10	2	1-2X:(2)
0.8	0.7	16	3	3-5X:(3)
0.5	0.4	10	4	6-9X:(4)
0.3	0.2	5	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.4	0.3	8	7	40+OCCAS:(7)
	14.7	334	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 648-649

V6596

026D20F:#X CREATINE/12MO

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any) have you... F. taken creatine (amino acid used to build muscle)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	77.8	1,769	1	0 OCCAS:(1)
2.4	2.1	47	2	1-2X:(2)
1.3	1.1	26	3	3-5X:(3)
0.9	0.8	18	4	6-9X:(4)
1.0	0.8	19	5	10-19X:(5)
0.9	0.8	18	6	20-39X:(6)
1.9	1.6	37	7	40+OCCAS:(7)
	14.9	340	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric  
 Missing-data code: -9  
 Columns: 650-651

V6597

026D20G:#X RITALIN/12MO

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any) have you... G. taken ritalin (without a doctor's orders)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	80.5	1,830	1	0 OCCAS:(1)
2.6	2.2	49	2	1-2X:(2)
1.0	0.8	18	3	3-5X:(3)
0.5	0.4	9	4	6-9X:(4)
0.4	0.3	7	5	10-19X:(5)
0.3	0.2	5	6	20-39X:(6)
0.3	0.2	5	7	40+OCCAS:(7)
	15.4	350	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 652-653

V6600

026D20H:#X OXYCONTN/12MO

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . H. taken Oxycontin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	81.6	1,855	1	0 OCCAS:(1)
2.0	1.7	39	2	1-2X:(2)
0.5	0.4	10	3	3-5X:(3)
0.9	0.8	17	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	15.0	342	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 658-659

V6601

026D20I:#X VICODIN/12MO

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . I. taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	77.5	1,762	1	0 OCCAS:(1)
4.3	3.7	83	2	1-2X:(2)
1.4	1.2	27	3	3-5X:(3)
0.8	0.7	16	4	6-9X:(4)
1.1	0.9	21	5	10-19X:(5)
0.3	0.3	6	6	20-39X:(6)
0.8	0.7	15	7	40+OCCAS:(7)
	15.1	343	-9	MISSING
-----	-----	-----		
100.0	100.0	2,274	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 660-661

V6602

026D20J:#X ROHYPNL/12MO

Item Number: 29785

During the LAST 12 MONTHS, on how many occasions (if any) have you . . . J. taken Rohypnol ("rophies," "roofies")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	83.7	1,904	1	0 OCCAS:(1)
0.7	0.6	14	2	1-2X:(2)
0.4	0.3	8	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	14.9	340	-9	MISSING

-----  
 100.0 100.0 2,274 cases (Wtd)

Data type: numeric  
 Missing-data code: -9  
 Columns: 662-663

## APPENDICES

### Appendix A: Publications

#### ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1975.* L. D. Johnston and J. G. Bachman, 1980, 188 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1980, 264 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1980, 266 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1980, 266 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1980, 266 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1981, 266 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1982, 268 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1984, 280 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1984, 282 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1985, 284 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1986, 284 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1987, 288 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1991, 283 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1991, 283 pp.

*Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1989.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1992, 327 pp.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1995, 339 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1997, 341 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1997, 341 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1996.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 376 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1997.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1998.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1999.* L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 2000.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 380 pp.

**ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS**

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20847-2345 (Tel. 1-800-729-6686). There is no charge for single copies.

*Drug use among American high school students 1975-1977* (DHEW Publication No. ADM 78-619). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1978, 256 pp.

*Highlights from drug use among American high school students 1975-1977* (DHEW Publication No. ADM 78-621). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1978, 43 pp.

*Drugs and the class of 1978: Behaviors, attitudes, and recent national trends* (DHEW Publication No. ADM 79-877). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 376 pp.

*Highlights from drugs and the class of 1978: Behaviors, attitudes, and recent national trends* (DHEW Publication No. ADM 79-878). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 62 pp.

*1979 Highlights: Drugs and the nation's high school students, Five year national trends* (DHEW Publication No. ADM 80-930). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 85 pp.

*Highlights from student drug use in America, 1975-1980* (DHHS Publication No. ADM 81-1066). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1981, 120 pp.

*Highlights from student drug use in America, 1975-1981* (DHHS Publication No. ADM 82-1208). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1981, 130 pp.

*Student drug use in America, 1975-1981* (DHHS Publication No. ADM 89-1221). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1982, 433 pp.

*Student drug use, attitudes, and beliefs: National trends, 1975-1982* (DHHS Publication No. ADM 83-1260). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1983, 134 pp.

*Highlights from drugs and American high school students, 1975-1983* (DHHS Publication No. ADM 84-1317). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1984, 135 pp.

*Drugs and American high school students: 1975-1983* (DHHS Publication No. ADM 85-1374). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1984, 492 pp.

*Use of licit and illicit drugs by America's high school students: 1975-1984* (DHHS Publication No. ADM 85-1394). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1985, 167 pp.

*Drug use among American high school students, college students, and other young adults: National trends through 1985* (DHHS Publication No. ADM 86-1450). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1986, 237 pp.

*National trends in drug use and related factors among American high school students and young adults, 1975-1986* (DHHS Publication No. ADM 87-1535). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1987, 265 pp.

*Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987* (DHHS Publication No. ADM 89-1602). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1988, 307 pp.

- Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988* (DHHS Publication No. ADM 89-1638). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1989, 339 pp.
- Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989* (Institute for Social Research: Ann Arbor, MI). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 331 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors* (DHHS Publication No. (ADM) 91-1813). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 199 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume II: College students and young adults* (DHHS Publication No. (ADM) 91-1835). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 168 pp.
- Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students* (DHHS Pub. No. (NIH) 93-3481). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1992, 231 pp.
- Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume II: College students and young adults* (DHHS Pub. No. (NIH) 93-3481). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1992, 176 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students* (NIH Pub. No. 93-3597). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1993, 269 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume II: College students and young adults* (NIH Pub. No. 93-3598). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1993, 190 pp.
- National survey results on drug use from the Monitoring the Future study 1975-1993. Volume I: Secondary school students* (NIH Pub. No. 94-3809). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1994, 281 pp.
- National survey results on drug use from the Monitoring the Future study 1975-1993. Volume II: College students and young adults* (NIH Pub. No. 94-3810). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1994, 189 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students* (NIH Pub. No. 95-4026). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1995, 327 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume II: College students and young adults* (NIH Pub. No. 96-4027). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1996, 189 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students* (NIH Pub. No. 96-4139). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1996, 381 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume II: College students and young adults* (NIH Pub. No. 98-4140). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 188 pp.

- National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students* (NIH Pub. No. 98-4345). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 433 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume II: College students and young adults.* (NIH Pub. No. 98-4346). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 206 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students* (NIH Pub. No. 99-4660). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1999, 420 pp.
- National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume II: College students and young adults* (NIH Pub. No. 99-4661). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1999, 218 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 1999.* (NIH Pub. No. 00-4690). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 2000, 56 pp.
- Monitoring the Future national survey results on drug use, 1975-1999. Volume I: Secondary school students* (NIH Pub. No. 00-4802). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2000, 480 pp.
- Monitoring the Future national survey results on drug use, 1975-1999. Volume II: College students and adults ages 19-40* (NIH Pub. No. 00-4803). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2000, 240 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2000* (NIH Pub. No. 01-4923). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 54 pp.
- Monitoring the Future national survey results on drug use, 1975-2000. Volume I: Secondary school students* (NIH Pub. No. 01-4924). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 492 pp.
- Monitoring the Future national survey results on drug use, 1975-2000. Volume II: College students and adults ages 19-40* (NIH Pub. No. 01-4925). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 238 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2001* (NIH Pub. No. 02-5105). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 57 pp.
- Monitoring the Future national survey results on drug use, 1975-2001. Volume I: Secondary school students* (NIH Pub. No. 02-5106). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 530 pp.
- Monitoring the Future national survey results on drug use, 1975-2001. Volume II: College students and adults ages 19-40* (NIH Pub. No. 02-5107). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 242 pp.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2002* (NIH Pub. No. 03-5374). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 56 pp.

*Monitoring the Future national survey results on drug use, 1975-2002. Volume I: Secondary school students* (NIH Pub. No. 03-5375). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 520 pp.

*Monitoring the Future national survey results on drug use, 1975-2002. Volume II: College students and adults ages 19-40* (NIH Pub. No. 03-5376). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 265 pp.

**JOURNAL ARTICLES**

- Bachman, J. G., Safron, D. J., Sy, S. R., & Schulenberg, J. E. (2003). Wishing to work: New perspectives on how adolescents' part-time work intensity is linked to educational disengagement, substance use, and other problem behaviours. *International Journal of Behavioral Development*, 27(4), 301-315.
- O'Malley, P. M., & Johnston, L. D. (2003). Unsafe driving by high school seniors: National trends from 1976 to 2001 in tickets and accidents after use of alcohol, marijuana, and other illegal drugs. *Journal of Studies on Alcohol*, 64, 305-312.
- Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Schulenberg, J., Cooper, S. M., & Johnston, L. D. (2003). Gender and ethnic differences in smoking, drinking, and illicit drug use among American 8<sup>th</sup>, 10<sup>th</sup> and 12<sup>th</sup> grade students, 1976-2000. *Addiction*, 98, 225-234.
- Yamaguchi, R., Johnston, L. D., & O'Malley, P. M. (2003). The relationship between student illicit drug use and school drug-testing policies. *Journal of School Health*, 73(4), 159-164.
- Kumar, R., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Bachman, J. G. (2002). Effect of school-level norms on student substance use. *Prevention Science*, 3, 105-124.
- O'Malley, P. M., & Johnston, L. D. (2002). Epidemiology of alcohol and other drug use among college students. *Journal of Studies on Alcohol, Supplement 14*, 23-39.
- Schulenberg, J., & Maggs, J. (2002). A developmental perspective on alcohol use and heavy drinking during the transition to adulthood. *Journal of Studies on Alcohol, Supplement 14*, 54-70.
- Wallace, J. M., Jr., & Muroff, J. R. (2002). Preventing substance abuse among African American children and youth: Race differences in risk factor exposure and vulnerability. *The Journal of Primary Prevention* 22(3), 235-261.
- Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Cooper, S. M. (2002). Tobacco, alcohol, and illicit drug use: Racial and ethnic differences among U.S. high school seniors, 1976-2000. *Public Health Reports* 117(Supplement 1): S67-S75.
- Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science*, 2(1), 29-43.
- Maggs, J. L., & Schulenberg, J. (2001). Editors' introduction: Prevention as altering the course of development and the complementary purposes of developmental and prevention sciences. *Applied Developmental Science*, 5(4), 196-200.
- Safron, D. J., Schulenberg, J. E., & Bachman, J. G. (2001). Part-time work and hurried adolescence: The links among work intensity, social activities, health behaviors, and substance use. *Journal of Health and Social Behavior* 42, 425-449.
- Schulenberg, J., Maggs, J. L., Long, S. W., Sher, K. J., Gotham, H. J., Baer, J. S., Kivlahan, D. R., Marlatt, G. A., & Zucker, R. A. (2001). The problem of college drinking: Insights

- from a developmental perspective. *Alcoholism: Clinical and Experimental Research*, 25, 473-477.
- Schuster, C., O'Malley, P. M., Bachman, J. G., Johnston, L. D., & Schulenberg, J. (2001). Adolescent marijuana use and adult occupational attainment: A longitudinal study from age 18 to 28. *Substance Use & Misuse*, 36(8), 997-1014.
- Wagenaar, A. C., O'Malley, P. M., & LaFond, C. (2001). Lowered legal blood alcohol limits for young drivers: Effects on drinking, driving, and driving-after-drinking behaviors in 30 states. *American Journal of Public Health*, 91, 801-804.
- Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science* 2(1), 29-43.
- Bryant, A. L., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. *Prevention Science*, 1(2), 71-87.
- O'Malley, P. M., Johnston, L. D., Bachman, J. G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30(1), 35-54.
- O'Malley, P. M., & Johnston, L. D. (1999). Drinking and driving among American high school seniors: 1984-1997. *American Journal of Public Health*, 89, 678-684.
- An, L. C., O'Malley, P. M., Schulenberg, J., Bachman, J. G., & Johnston, L. D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. *American Journal of Public Health*, 89, 699-705.
- Bachman, J. G., Freedman-Doan, P., O'Malley, P. M., Johnston, L. D., & Segal, D. R. (1999). Changing patterns of drug use among high school seniors (1976-1995) who entered military service: Implications for drug abuse prevention. *American Journal of Public Health*, 89, 672-677.
- Schulenberg, J., Maggs, J. L., Dielman, T. E., Leech, S. L., Kloska, D. D., Shope, J. T., & Laetz, V. B. (1999). On peer influences to get drunk: A panel study of young adolescents. *Merrill-Palmer Quarterly*, 45, 108-142.
- Wallace, J. M., Jr. (1999). Race, risk, and resilience: The social ecology of addiction in America's black and Hispanic communities. *Pediatrics*, 103(5), 1122-1127.
- Wallace, J. M., Jr., Forman, T. A., Guthrie, B. J., Bachman, J. G., O'Malley, P. M., Johnston, L. D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. *Journal of Studies on Alcohol*, 60(6), 800-809.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1998). Explaining the recent increases in students' marijuana use: The impacts of perceived risks and disapproval from 1976 through 1996. *American Journal of Public Health* 88, 887-892.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1998). Alcohol use among adolescents. *Alcohol Health & Research World*, 22, 85-93.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal *Substance Use and Misuse* entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993", vol. 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), *The epidemiology*

- of cocaine use and abuse* (pp. 19-44). (NIDA Research Monograph 110.) Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. *Substance Use and Misuse*, 32 (12&13). (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)
- Wallace, J. M., Jr. & Bachman, J. G. (1997). Validity of self-reports in student-based studies of minority populations: Issues and concerns. *Substance Use & Misuse*, 32, 1949-1954.
- Bell, R., Wechsler, H., Johnston, L. D. (1997). Correlates of college marijuana use: Results of a national survey. *Addiction*, 92, 571-582.
- Osgood, D. W., Wilson, J. K., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. *American Sociological Review*, 61, 635-655.
- Schulenberg, J., O'Malley, P. M., Bachman, J. G., Wadsworth, K. N., & Johnston, L. D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. *Journal of Studies on Alcohol*, 57, 289-304.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to understanding change. *Developmental Psychology*, 32, 659-674.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1995, April). Adolescent substance use: Epidemiology and implications for public policy. *Pediatrics Clinics of North America*, 42, 241-260.
- Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. *Journal of Health and Social Behavior*, 35, 45-62.
- Wallace, J. M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. *African-American Research Perspectives*, 1(1), 31-35.
- Bachman, J. G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? *Developmental Psychology*, 29, 220-235.
- Johnston, L. D. (1993). The "war" on drugs and the role of the media. *Nieman Reports*, 47(7), 39-41.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. *Adolescent Medicine: State of the Art Reviews*, 4, 227-248.
- Bachman, J. G., & Wallace, J. M., Jr. (1991). The Drug Problem among adolescents: Getting beyond the stereotypes. *Ethnicity & Disease*, 1(fall), 85-97.
- Bachman, J. G., Wallace, J. M., Jr., O'Malley, P. M., Johnston, L. D., Kurth, C. L., & Neighbors, H. W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. *American Journal of Public Health*, 81, 372-377.
- O'Malley, P. M., & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. *Journal of Studies on Alcohol*, 52, 478-491.

- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. *Journal of Health and Social Behavior*, *31*, 173-184.
- Johnston, L. D. (1989). The survey technique in drug abuse assessment. *Bulletin on Narcotics*, *41*, 29-40.
- Osgood, D. W., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. *Criminology*, *27*, 389-417.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Humphrey, R. H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. *Journal of Health and Social Behavior*, *29*, 92-112.
- Humphrey, R. H., O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. *Social Psychology Quarterly*, *51*, 329-345.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. *American Journal of Public Health*, *78*, 1315-1321.
- Osgood, D. W., Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1988). The generality of deviance in late adolescence and early adulthood. *American Sociological Review*, *53*, 81-93.
- Bachman, J. G. (1987). An eye on the future. *Psychology Today*, *21*(7), 6-8.
- Bachman, J. G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. *Armed Forces and Society*, *13*(2), 169-187.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. *Journal of Adolescent Health Care*, *8*, 36-51.
- Bachman, J. G. (1986). Effects of early marriage on substance abuse. *Medical Aspects of Human Sexuality*, *20*(10), 15.
- Bachman, J. G., & O'Malley, P. M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). *Journal of Personality and Social Psychology*, *50*, 35-46.
- Diamond, G., & Bachman, J. G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. *International Journal of Mental Health*, *15*, 210-241.
- Johnston, L. D., & O'Malley, P. M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. *Journal of Drug Issues*, *16*, 29-66.
- Johnston, L. D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? *Plenary session paper in Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence* (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in *The Drinking and Drug Practices Surveyor*, March 1985, *20*, 11-14.)
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1984). Drug use among young adults: The impacts of role status and social environments. *Journal of Personality and Social Psychology*, *47*, 629-645.

- Bachman, J. G., & O'Malley, P. M. (1984). Black-white differences in self-esteem: Are they affected by response styles? *American Journal of Sociology*, *90*, 624-639.
- Bachman, J. G., & O'Malley, P. M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? *Public Opinion Quarterly*, *48*, 491-509.
- O'Malley, P. M. (1984). Cigarette use among high school seniors: Did the rate decline? *Preventive Medicine*, *13*, 421-426.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1984). Period, age, and cohort effects on substance use among American youth. *American Journal of Public Health*, *74*, 682-688.
- Bachman, J. G. (1983). American high school seniors view the military: 1976 to 1982. *Armed Forces and Society*, *10*(1), 86-104.
- Bachman, J. G. (1983). Premature affluence: Do high school students earn too much? *Economic Outlook U.S.A.*, *10*(3), 64-67.
- Bachman, J. G. (1983). Schooling as a credential: Some suggestions for change. *International Review of Applied Psychology*, *32*, 347-360.
- Herzog, A. R., Bachman, J. G., & Johnston, L. D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. *Sex Roles*, *9*(1), 109-135. (Work funded by NIE.)
- Johnston, L. D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. *Contemporary Drug Problems*, *10*, 463-480.
- Johnston, L. D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? *The U.S. Journal of Drug and Alcohol Dependence*, *7*, 7.
- O'Malley, P. M., & Bachman, J. G. (1983). Self-esteem: Change and stability between ages 13 and 23. *Developmental Psychology*, *19*, 257-268.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1983). Reliability and consistency of self-reports of drug use. *International Journal of the Addictions*, *18*, 805-824.
- Bachman, J. G. (1981). Youth views about the military: Recent trends. *Economic Outlook U.S.A.*, *8*(3), 61-65.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. *American Journal of Public Health*, *71*, 59-69.
- Bachman, J. G., & O'Malley, P. M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. *Public Opinion Quarterly*, *45*, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, *Survey research methods*. Chicago: Univ. of Chicago Press.)
- Bynner, J., O'Malley, P. M., & Bachman, J. G. (1981). Self-esteem and delinquency revisited. *Youth and Adolescence*, *10*, 407-441.
- Herzog, A. R., & Bachman, J. G. (1981). Effects of questionnaire length on response quality. *Public Opinion Quarterly*, *45*(4), 549-559.
- Johnston, L. D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in *Connections*, 1981, *1*(4), 11-14.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1980). Drug use among American youth: 1975-1979. *Economic Outlook U.S.A.*, *7*(2), 39-42.
- Bachman, J. G., & Johnston, L. D. (1979). The freshmen, 1979. *Psychology Today*, *13*(4), 79-87.

- O'Malley, P. M. & Bachman, J. G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. *Journal of Personality and Social Psychology*, 37, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, *Social psychology of the self-concept*. Arlington Heights, IL: AHM Press.)
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1978). The drug scene: A student survey. *Science Teacher*, 45(6), 26-31.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1978). Drug use and military plans of high school seniors. *Youth and Society*, 10, 65-77.
- Segal, D. R., & Bachman, J. G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. *Youth and Society*, 10, 47-64.
- Segal, D. R., Bachman, J. G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. *Youth and Society*, 10, 127-134.
- Bachman, J. G., & Johnston, L. D. (1976). Drug use among American youth. *Economic Outlook U.S.A.*, 3, 32-33.

## CHAPTERS

- Johnston, L. D., & O'Malley, P. M. (2003). Tobacco, alcohol, and other drug use in adolescence: Modern-day epidemics. In R. P. Weissberg, H. J. Wahlberg, M. U. O'Brien, & C. B. Kuster (Eds.), *Long-term trends in the well-being of children and youth*. (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.
- Johnston L. D., & O'Malley, P. M. (2002). Article 97: Drug use and abuse: Psychosocial aspects. In N.J. Smelser and P.B. Baltes (Eds.), *International encyclopedia of the social and behavioral sciences*, Vol. IV, Intersecting fields; Section 4.5, Health (J. House & R. Schwarzer, Section Eds.) Amsterdam: Pergamon.
- Burns, D., & Johnston, L. D. (2001). Overview of recent changes in adolescent smoking behavior. In National Cancer Institute, *Changing adolescent smoking prevalence: Where it is and why* (pp. 1-8). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).
- Johnston, L. D. (2001). Changing demographic patterns of adolescent smoking over the past 23 years: National trends from the Monitoring the Future Study. In National Cancer Institute, *Changing adolescent smoking prevalence: Where it is and why* (pp. 9-33). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).
- Johnston, L. D., & O'Malley, P. M. (2001). Cigarette, alcohol, and other drug use in adolescence: A modern day epidemic. In R.P. Weissberg, et al. (Eds.), *Trends in the well-being of children and youth*. (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.
- Pacula, R. L., Grossman, M., Chaloupka, F. J., O'Malley, P. M., Johnston, L. D., & Farrelly, M. C. (2001). Marijuana and youth. In J. Gruber (Ed.), *Risky behavior among youths: An economic analysis* (pp. 271-326). The University of Chicago Press. Also appears as Working Paper 7703, National Bureau of Economic Research, Inc. (2000).
- Schulenberg, J., Maggs, J. L., Steinman, K., & Zucker, R. A. (2001). Development matters: Taking the long view on substance abuse etiology and intervention during adolescence. In P. M. Monti, S. M. Colby, & T. A. O'Leary (Eds.), *Adolescents, alcohol, and substance abuse: Reaching teens through brief intervention* (pp. 19-57). New York: Guilford Press.
- Bachman, J. G., & Wallace, J. M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior*. (2nd ed.). Farmington Hills, MI: Macmillan Publishing.
- O'Malley, P. M. (2000). Drug Use, Socialization Factors. Pp. 309-312 in C. E. Faupel & P. M. Roman (eds.) *Encyclopedia of Criminology and Deviant Behavior, Volume 4, Self-Destructive Behavior and Devalued Identity*. London: Brunner-Routledge, Taylor & Francis Group.

- O'Malley, P. M. (2000). The Monitoring the Future survey. In *Encyclopedia of Drugs, Alcohol, and Addictive Behavior*, Second Edition. Macmillan Reference USA.
- Johnston, L. D. (2000). General population surveys of drug abuse. In *Guide to drug abuse epidemiology* (pp. 125-170). Geneva: World Health Organization.
- Johnston, L. D. (2000). Selecting variables and measures for drug surveys. In *Guide to drug abuse epidemiology* (pp. 171-203). Geneva: World Health Organization.
- Bachman, J. G., & Wallace, J. M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior, second edition*. Macmillan Publishing.
- Johnston, L. D. (2000). The epidemiology of drug use. In W. B. Hansen, S. M. Giles, & M. D. Fearnow-Kenney (Eds.), *Improving prevention effectiveness* (pp. 9-22). Greensboro, NC: Tanglewood Research, Inc.
- (Johnston, L. D., uncredited, 2000). The United States country report on drug use patterns among 10th grade students. In Hibell, B., et al. (Eds.) *The 1999 ESPAD report: Alcohol and other drug use among students in 30 European countries*. Stockholm: Swedish Council for Information on Alcohol and Other Drugs, and the Council of Europe.
- Schulenberg, J., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (2000). "Spread your wings and fly": The course of well-being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), *Negotiating adolescence in times of social change*. New York: Cambridge University Press.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1998). Epidemiology of substance abuse in adolescence. In P. J. Ott, R. E. Tarter, & R. T. Ammerman (Eds.), *Sourcebook on substance abuse: Etiology, epidemiology, assessment, and treatment*. Needham Heights, MA: Allyn & Bacon.
- Johnston, L. D., & O'Malley, P. M. (1997). The recanting of earlier-reported drug use by young adults. In L. Harrison & A. Hughes (Eds.), *The validity of self-reported drug use: Improving the accuracy of survey estimates*. (NIDA Research Monograph 167), pp. 59-80. NIH Publication 97-4147. Washington D.C.: National Institute on Drug Abuse.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to change. In G. A. Marlatt and G. R. VandenBos (Eds.), *Addictive Behaviors: Readings on etiology, prevention, and treatment* (pp. 129-165). Washington, DC: American Psychological Association and was reported in 1997's personal statement]
- (Johnston, L. D., O'Malley, P. M., & Bachman, J. G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), *The ESPAD report: Alcohol and other drug use among students in 26 European countries*. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).
- Schulenberg, J., Maggs, J., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Wallace, J. M., Jr., & Williams, D.R. (1997). Religion and adolescent health. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. Cambridge University Press.

- Maggs, J., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Schulenberg, J. (1996). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J. A. Graber, J. Brooks-Gunn, & A. C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and contexts* (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Hansen, W. B., & O'Malley, P. M. (1996). Drug use. In R. J. DiClemente, W. B. Hansen, & L. E. Ponton (Eds.), *Handbook of adolescent health risk behavior* (pp. 161-192). New York: Plenum Press.
- Allen, W.R. ., & Wallace, J. M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), *One-third of a nation: African American perspectives*. Washington, DC: Howard University Press.
- Schulenberg, J., Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), *Psychological responses to social change: Human development in changing environments*. Berlin: Walter de Gruyter.
- Wallace, J. M., Jr., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. Botwin, S. Schinke, & M. Orlandi (Eds.), *Drug abuse prevention with multi-ethnic youth* (pp. 59-80). Thousand Oaks, CA: Sage.
- (O'Malley, P. M. et al., 1995, uncredited). Epidemiology of injection drug use. In J. Normand, D. Vlahov, & L. E. Moses (Eds.), *Preventing HIV transmission: The role of sterile needles and bleach*. Washington, DC: National Academy Press.
- O'Malley, P. M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), *The development of alcohol problems: Exploring the biopsychosocial matrix of risk* (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Washington, DC: National Institute on Alcohol Abuse and Alcoholism.
- Bachman, J. G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. Collins & L. Seitz (Eds.), *Advances in data analysis for prevention intervention research*. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.
- Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), *International handbook of adolescence* (pp. 414-430). Westport, CT: Greenwood Publishing Group.
- Wallace, J. M., Jr., & Bachman, J. G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa & J. L. Andradoss (Eds.), *Drug abuse among minority youth: Advances in research and methodology*. NIDA Research Monograph No. 130 (pp. 167-200). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975-1987: Overview of key findings. In R. L. Bloom (Ed.) *Changing lives: Studies in*

- human development and professional helping*. Columbia, SC: University of South Carolina Press.
- Johnston, L. D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In *Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life*. Vatican City: The Vatican.
- Johnston, L. D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) *Drug abuse prevention research: Methodological issues* (NIDA Research Monograph No. 107, pp. 57-80). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), *The epidemiology of cocaine use*. (NIDA Research Monograph No. 110, pp. 19-44). Washington, DC: National Institute on Drug Abuse.
- Bachman, J. G. (1991). School dropouts. In R. M. Lerner, A. C. Petersen, & J. Brooks-Gunn (Eds.) *Encyclopedia of adolescence*. New York, NY: Garland.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R. L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L. D. (1991). Toward a theory of drug epidemics. In R. L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L. D. (1990). America's war on drugs: What we should have learned by now. *Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention*. (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.
- Johnston, L. D. (1989). America's drug problem in the media: Is it real or is it Memorex™? In P. Shoemaker (Ed.), *Communication campaigns about drugs: Government, media, and the public* (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), *Research on the quality of life* (pp. 215-234). Ann Arbor, MI: Institute for Social Research.
- Johnston, L. D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C. L. Jones & R. J. Battjes (Eds.), *Etiology of drug abuse: Implications for prevention*. (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), *Studying drug abuse* (pp. 117-136). New Brunswick, NJ: Rutgers University Press.
- Johnston, L. D., & Harrison, L. D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), *Alcohol and the developing brain* (pp. 161-170). New York: Raven Press.
- Johnston, L. D., & O'Malley, P. M. (1985). Issues of validity and population coverage in student surveys of drug use. In B. A. Rouse, N. J. Kozel, & L. G. Richards (Eds.), *Self-report*

- methods of estimating drug use: Meeting current challenges to validity.* (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1985). Cocaine use among American adolescents and young adults. In N. J. Kozel & E. H. Adams (Eds.), *Cocaine use in America: Epidemiologic and clinical perspectives.* (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.
- Bachman, J. G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), *The social psychology of the self-concept.* Arlington Heights, IL: AMH Press.
- Johnston, L. D. (1982). A review and analysis of recent changes in marijuana use by American young people. In *Marijuana: The national impact on education* (pp. 8-13). New York: American Council on Marijuana.
- Johnston, L. D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), *Treating the marijuana dependent person* (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), *The yearbook of substance use and abuse* (Vol. 2). New York: Human Sciences Press.
- Brooke, E., & Johnston, L. D. (1979). The assessment of drug abuse. In *Resource book on measures to reduce illicit demand for drugs* (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.
- Johnston, L. D., O'Malley, P. M., & Eveland, L. K. (1978). Drugs and delinquency: A search for causal connections. In D. G. Kandel (Ed.), *Longitudinal research on drug use: Empirical findings and methodological issues* (pp. 137-156). Washington, DC: Hemisphere Publishing.
- Johnston, L. D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs.* (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L. B. Blevens (Eds.), *The epidemiology of drug abuse: Current issues.* (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J. D. Rittenhouse (Ed.), *The epidemiology of heroin and other narcotics.* (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs.* (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.
- Johnston, L. D., & Bachman, J. G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), *Understanding adolescence* (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.
- Johnston, L. D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), *Operational definitions in socio-behavioral drug use research.* (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

## TESTIMONY

- Johnston, L. D. (2002, June 25). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Subcommittee for Criminal Justice, Drug Policy, and Human Resources, of the Committee on Government Reform, U. S. House of Representatives. Published in *The Congressional Record*.
- Johnston, L. D. (2002, June 20). Written testimony on the National Youth Media Anti-Drug Media Campaign for the Subcommittee on Treasury, Postal Service, and General Government of the House Appropriations Committee, U.S. House of Representatives. Published in *The Congressional Record*.
- Johnston, L. D. (2002, June 19). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Treasury and General Government Subcommittee on Appropriations of the U.S. Senate Appropriations Committee. Published in *The Congressional Record*.
- Johnston, L. D. (2000, Sept. 19). Written and oral testimony presented at hearings on "Drug trends in America," held by the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources, of the Government Reform Committee, U.S. House of Representatives. Published in the *Congressional Record*.
- Johnston, L. D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in *The Congressional Record*.
- Johnston, L. D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on Recent trends in youthful drug use. Published in *The Congressional Record*.
- Johnston, L. D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in *The Congressional Record*.
- Johnston, L. D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In *The Congressional Record*.
- Johnston, L. D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in *The Congressional Record*.
- Johnston, L. D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act of 1991. Published in *The Congressional Record*, Washington: GPO ISBN 0-16-039764-2, pp. 44-53.
- Johnston, L. D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in *The Congressional Record*, 134:89, D774.

- Johnston, L. D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in *The Congressional Record*, 134:87, D756.
- Johnston, L. D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in *Advertising of tobacco products* (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).
- Johnston, L. D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in *Beer and wine advertising: Impact of electronic media* (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L. D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in *Alcohol Advertising* (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L. D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In *Health consequences of marijuana use* (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).
- O'Malley, P. M., & Johnston, L. D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commission Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)

**MONITORING THE FUTURE OCCASIONAL PAPERS**

(Published by the Project)

Paper No.

1. *The Monitoring the Future project: Design and procedures.* J. G. Bachman and L. D. Johnston, 1978, 67 pp.
2. *Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control.* A. R. Herzog, J. G. Bachman, and L. D. Johnston, 1978, 42 pp.
3. *High school seniors' preferences for sharing work and family responsibilities between husband and wife.* A. R. Herzog, J. G. Bachman, and L. D. Johnston, 1979, 58 pp.
4. *Fewer rebels, fewer causes: A profile of today's college freshmen.* J. G. Bachman and L. D. Johnston, 1979, 30 pp.
5. *Developing composite measures of drug use: Comparisons among lifetime, annual, and monthly prevalence reports for thirteen classes of drugs.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1979, 64 pp.
6. *Description of a special survey using a single combined form of the Monitoring the Future questionnaires.* A. R. Herzog and J. G. Bachman, 1979, 35 pp.
7. *Ecological concerns among high school seniors: 1976-1979.* J. D. Miller and J. G. Bachman, 1980, 28 pp.
8. *Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1980, 134 pp.
9. *When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use.* J. G. Bachman and P. M. O'Malley, 1980, 12 pp.
10. *High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980.* A. R. Herzog, 1980. (Available in reprint from Sociology of Education, 1982, 13 pp.)
11. *Changes in drug use after high school as a function of role status and social environment.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1981, 92 pp.
12. *Trends in high school seniors' views of the military.* J. G. Bachman, 1981, 28 pp.
13. *Marijuana decriminalization: The impact on youth 1975-1980.* L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1981, 85 pp.
14. *Period, age, and cohort effects on substance use among American youth 1976-1982.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1983, 50 pp.
15. *Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982.* L. D. Johnston, P. M. O'Malley, and M. L. Davis-Sacks, 1983, 72 pp.
16. *The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth.* J. G. Bachman and P. M. O'Malley, 1983, 30 pp.

17. *The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school.* J. G. Bachman, L. D. Johnston, P. M. O'Malley, and D. E. Bare, 1985, 135 pp.
18. *Changes in marijuana use linked to changes in perceived risks and disapproval.* J. G. Bachman, L. D. Johnston, P. M. O'Malley, and R. H. Humphrey, 1986, 28 pp.
19. *Correlates of employment among high school seniors.* J. G. Bachman, D. E. Bare, and E. I. Frankie, 1986, 105 pp.
20. *Change and consistency in the correlates of drug use among high school seniors: 1975-1986.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1986, 21 pp.
21. *Differentiation of period, age, and cohort effects on drug use 1976-1986.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1988, 62 pp.
22. *Sex differences in adolescents' health-threatening behaviors: What accounts for them?* A. R. Herzog, J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1987, 36 pp.
23. *Student drug use in America: Differences among high schools 1986-1987.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1988, 37 pp.
24. *Drug use among American college students and their noncollege age peers.* L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1988, 40 pp.
25. *Reducing drug use in America: A perspective, a strategy, and some promising approaches.* L. D. Johnston, 1988, 57 pp.
26. *Minimum drinking age laws effects on American youth 1976-1987.* P. M. O'Malley and A. C. Wagenaar, 1990, 68 pp.
27. *Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1990, 42 pp.
28. *Drug use among black, white, Hispanic, native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates.* J. G. Bachman, J. M. Wallace, Jr., C. Kurth, L. D. Johnston, and P. M. O'Malley, 1990, 63 pp.
29. *The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987.* L. D. Johnston, P. M. O'Malley, and L. D. Harrison, 1989, 104 pp.
30. *Part-time work by high school seniors: Sorting out correlates and possible consequences.* J. G. Bachman, and J. Schulenberg, 1992, revised, 154 pp.
31. *The Monitoring the Future project after seventeen years: Design and procedures.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1991, 110 pp.
32. *Aims and objectives of the Monitoring the Future study.* L. D. Johnston, P. M. O'Malley, J. Schulenberg, and J. G. Bachman, 1996, revised, 125pp.
33. *Changes in drug use during the post-high school years.* J. G. Bachman, P. M. O'Malley, L. D. Johnston, W. L. Rodgers, and J. Schulenberg, 1992, 168 pp.
34. *Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976-1992.* J. Schulenberg, J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1994, 62 pp.

35. *The Monitoring the Future project after twenty-two years: Design and procedures.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1996, 89 pp.
36. *Changes in drug use during ages 18-32.* J. G. Bachman, P. M. O'Malley, L. D. Johnston, W. L. Rodgers, J. Schulenberg, J. Lim, and K. N. Wadsworth, 1996, 87 pp.
37. *Trends in military propensity and the propensity-enlistment relationship.* J. G. Bachman, P. Freedman-Doan, D. R. Segal, and P. M. O'Malley, 1997, 68 pp.
38. *Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors.* J. G. Bachman, D. R. Segal, P. Freedman-Doan, and P. M. O'Malley, 1998, 163 pp.
39. *Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment.* J. G. Bachman, P. Freedman-Doan, L. D. Johnston, P. M. O'Malley, and D. R. Segal, 1999, 33 pp.
40. *Life-paths into young adulthood and the course of substance use and well-being: Inter- and intra-cohort comparisons.* J. Schulenberg, P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1998, 64 pp.
41. *Reasons for use, abstention, and quitting illicit drug use by American adolescents.* A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. L. D. Johnston, 1998, 27 pp.
42. *Cigarette brand preferences among adolescents.* L. D. Johnston, P. M. O'Malley, J. G. Bachman, and J. Schulenberg, 1999, 37 pp.
43. *Acting out and lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use.* A. L. Bryant, J. Schulenberg, J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 2000, 29 pp.
44. *Mediators of parental influences on adolescent substance use: Grade, gender, and ethnic comparisons (1994-1996).* C. Pilgrim, J. Schulenberg, P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 2000, 48 pp.
45. *Preferred work intensity of secondary school students: New findings and insights on why part-time work intensity correlates with drug use and problem behavior.* J. G. Bachman, D. J. Safron, S. R. Sy, and J. E. Schulenberg, 2001, 105 pp.
46. *Consistency and change in correlates of youth substance use, 1976-1997.* T.N. Brown, J. Schulenberg, J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 2001, 34 pp.
47. *Analyses showing how religiosity, social activities, and drug-related beliefs mediate relationships between post-high school experiences and substance use.* J. G. Bachman, P. M. O'Malley, J. E. Schulenberg, L. D. Johnston, A. L. Bryant, A. C. Merline, P. Freedman-Doan, N. J. Ridenour, and T. C. Hart, 2001. [Supplement to *The Decline of Substance Use in Young Adulthood* by Bachman et al.]
48. *A developmental perspective on alcohol and other drug use during adolescence and the transition to young adulthood.* J. Schulenberg and J. L. Maggs, 2001, 70 pp.
49. *The aims and objectives of the Monitoring the Future study and progress toward fulfilling them.* 3rd ed. L. D. Johnston, P. M. O'Malley, J. Schulenberg, and J. G. Bachman, 2001, 139 pp.

50. *Demographic subgroup trends for various licit and illicit drugs, 1975-2000*. L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 225 pp.
51. *The Monitoring the Future project after 27 years: Design and procedures*. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 58 pp.
52. *Demographic subgroup trends for various licit and illicit drugs, 1975-2001*. L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 224 pp., available: <http://monitoringthefuture.org/>
53. *Demographic subgroup trends for various licit and illicit drugs, 1975-2002*. L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 264 pp., available: <http://monitoringthefuture.org/>



### Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	1975	1976	1977	1978	1979	1980
# Public Schools	111	108	108	111	111	107
# Private Schools	14	15	16	20	20	20
Total # Schools	125	123	124	131	131	127
Total # Students	15,791	16,678	18,438	18,924	16,662	16,524
Student Response Rate (%) *	78%	77%	79%	83%	82%	82%

  

	1981	1982	1983	1984	1985	1986
# Public Schools	109	116	112	117	115	113
# Private Schools	19	21	22	17	17	16
Total # Schools	128	137	134	134	132	129
Total # Students	18,267	18,348	16,947	16,499	16,502	15,713
Student Response Rate (%) *	81%	83%	84%	83%	84%	83%

  

	1987	1988	1989	1990	1991	1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students	16,843	16,795	17,142	15,676	15,483	16,261
Student Response Rate (%) *	84%	83%	86%	86%	83%	84%

## SAMPLE SIZE AND STUDENT RESPONSE RATES

(continued)

	1993	1994	1995	1996	1997	1998
# Public Schools	121	119	120	118	125	124
# Private Schools	18	20	24	21	21	20
Total # Schools	139	139	144	139	146	144
Total # Students	16,763	15,929	15,876	14,824	15,963	15,780
Student Response Rate (%) *	84%	84%	84%	83%	83%	82%

  

	1999	2000	2001	2002
# Public Schools	124	116	117	102
# Private Schools	19	18	17	18
Total # Schools	143	134	134	120
Total # Students	14,056	13,286	13,304	13,544
Student Response Rate (%) *	84%	83%	82%	83%

\* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.