

Sequence
Labeling for Part
of Speech and
Named Entities

Part of Speech Tagging

Parts of Speech

From the earliest linguistic traditions (Yaska and Panini 5th C. BCE, Aristotle 4th C. BCE), the idea that words can be classified into grammatical categories

- part of speech, word classes, POS, POS tags

8 parts of speech attributed to Dionysius Thrax of Alexandria (c. 1st C. BCE):

- noun, verb, pronoun, preposition, adverb, conjunction, participle, article
- These categories are relevant for NLP today.

Two classes of words: Open vs. Closed

Closed class words

- Relatively fixed membership
- Usually **function** words: short, frequent words with grammatical function
 - determiners: *a, an, the*
 - pronouns: *she, he, I*
 - prepositions: *on, under, over, near, by, ...*

Open class words

- Usually **content** words: Nouns, Verbs, Adjectives, Adverbs
 - Plus interjections: *oh, ouch, uh-huh, yes, hello*
- New nouns and verbs like *iPhone* or *to fax*

Open class ("content") words

Nouns

Proper

Janet
Italy

Common

cat, cats
mango

Verbs

Main

eat
went

Auxiliary

can
had

Adjectives *old green tasty*

Adverbs *slowly yesterday*

Numbers

122,312
one

Interjections *Ow hello*

... more

Closed class ("function")

Determiners *the some*

Conjunctions *and or*

Pronouns *they its*

Prepositions *to with*

Particles *off up*

... more

Part-of-Speech Tagging

Assigning a part-of-speech to each word in a text.


Words often have more than one POS.

book:

- VERB: (***Book** that flight*)
- NOUN: (*Hand me that **book***).

Part-of-Speech Tagging

Map from sequence x_1, \dots, x_n of words to y_1, \dots, y_n of POS tags



"Universal Dependencies" Tagset

Nivre et al. 2016

	Tag	Description	Example
Open Class	ADJ	Adjective: noun modifiers describing properties	<i>red, young, awesome</i>
	ADV	Adverb: verb modifiers of time, place, manner	<i>very, slowly, home, yesterday</i>
	NOUN	words for persons, places, things, etc.	<i>algorithm, cat, mango, beauty</i>
	VERB	words for actions and processes	<i>draw, provide, go</i>
	PROPN	Proper noun: name of a person, organization, place, etc..	<i>Regina, IBM, Colorado</i>
	INTJ	Interjection: exclamation, greeting, yes/no response, etc.	<i>oh, um, yes, hello</i>
Closed Class Words	ADP	Adposition (Preposition/Postposition): marks a noun's spacial, temporal, or other relation	<i>in, on, by under</i>
	AUX	Auxiliary: helping verb marking tense, aspect, mood, etc.,	<i>can, may, should, are</i>
	CCONJ	Coordinating Conjunction: joins two phrases/clauses	<i>and, or, but</i>
	DET	Determiner: marks noun phrase properties	<i>a, an, the, this</i>
	NUM	Numeral	<i>one, two, first, second</i>
	PART	Particle: a preposition-like form used together with a verb	<i>up, down, on, off, in, out, at, by</i>
	PRON	Pronoun: a shorthand for referring to an entity or event	<i>she, who, I, others</i>
	SCONJ	Subordinating Conjunction: joins a main clause with a subordinate clause such as a sentential complement	<i>that, which</i>
Other	PUNCT	Punctuation	<i>; , ()</i>
	SYM	Symbols like \$ or emoji	<i>\$, %</i>
	X	Other	<i>asdf, qwfg</i>

Sample "Tagged" English sentences

There/**PRO** were/**VERB** 70/**NUM** children/**NOUN**
there/**ADV** ./**PUNC**

Preliminary/**ADJ** findings/**NOUN** were/**AUX**
reported/**VERB** in/**ADP** today/**NOUN** 's/**PART**
New/**PROPN** England/**PROPN** Journal/**PROPN**
of/**ADP** Medicine/**PROPN**

Why Part of Speech Tagging?

- Can be useful for other NLP tasks
 - Parsing: POS tagging can improve syntactic parsing
 - MT: reordering of adjectives and nouns (say from Spanish to English)
 - Sentiment or affective tasks: may want to distinguish adjectives or other POS
 - Text-to-speech (how do we pronounce “lead” or “object”?)
- Or linguistic or language-analytic computational tasks
 - Need to control for POS when studying linguistic change like creation of new words, or meaning shift
 - Or control for POS in measuring meaning similarity or difference

How difficult is POS tagging in English?

Roughly 15% of word types are ambiguous

- Hence 85% of word types are unambiguous
- *Janet* is always PROPN, *hesitantly* is always ADV

But those 15% tend to be very common.

So ~60% of word tokens are ambiguous

E.g., *back*

earnings growth took a *back*/ADJ seat

a small building in the *back*/NOUN

a clear majority of senators *back*/VERB the bill

enable the country to buy *back*/PART debt

I was twenty-one *back*/ADV then

POS tagging performance in English

How many tags are correct? (Tag accuracy)

- About 97%
- Hasn't changed in the last 10+ years
- HMMs, CRFs, BERT perform similarly .
- Human accuracy about the same

But baseline is 92%!

- Baseline is performance of stupidest possible method
- "Most frequent class baseline" is an important baseline for many tasks
 - Tag every word with its most frequent tag
 - (and tag unknown words as nouns)
- Partly easy because
 - Many words are unambiguous

Sources of information for POS tagging

Janet **will** back the **bill**
AUX/NOUN/VERB? **NOUN/VERB?**

Prior probabilities of word/tag

- "**will**" is usually an AUX

Identity of neighboring words

- "**the**" means the next word is probably not a verb

Morphology and wordshape:

- Prefixes **unable:** **un-** → ADJ
- Suffixes **importantly:** **-ly** → ADJ
- Capitalization **Janet:** **CAP** → PROP

Standard algorithms for POS tagging

Supervised Machine Learning Algorithms:

- Hidden Markov Models
- Conditional Random Fields (CRF)/ Maximum Entropy Markov Models (MEMM)
- Neural sequence models (RNNs or Transformers)
- Large Language Models (like BERT), finetuned

All required a hand-labeled training set, all about equal performance (97% on English)

All make use of information sources we discussed

- Via human created features: HMMs and CRFs
- Via representation learning: Neural LMs

Sequence
Labeling for Part
of Speech and
Named Entities

Part of Speech Tagging

Sequence
Labeling for Part
of Speech and
Named Entities

Named Entity Recognition (NER)

Named Entities

- **Named entity**, in its core usage, means anything that can be referred to with a proper name. Most common 4 tags:
 - **PER** (Person): “Marie Curie”
 - **LOC** (Location): “New York City”
 - **ORG** (Organization): “Stanford University”
 - **GPE** (Geo-Political Entity): “Boulder, Colorado”
- Often multi-word phrases
- But the term is also extended to things that aren't entities:
 - dates, times, prices

Named Entity tagging

The task of named entity recognition (NER):

- find spans of text that constitute proper names
- tag the type of the entity.

NER output

Citing high fuel prices, [ORG **United Airlines**] said [TIME **Friday**] it has increased fares by [MONEY **\$6**] per round trip on flights to some cities also served by lower-cost carriers. [ORG **American Airlines**], a unit of [ORG **AMR Corp.**], immediately matched the move, spokesman [PER **Tim Wagner**] said. [ORG **United**], a unit of [ORG **UAL Corp.**], said the increase took effect [TIME **Thursday**] and applies to most routes where it competes against discount carriers, such as [LOC **Chicago**] to [LOC **Dallas**] and [LOC **Denver**] to [LOC **San Francisco**].

Why NER?

Sentiment analysis: consumer's sentiment toward a particular company or person?

Question Answering: answer questions about an entity?

Information Extraction: Extracting facts about entities from text.

Why NER is hard

1) Segmentation

- In POS tagging, no segmentation problem since each word gets one tag.
- In NER we have to find and segment the entities!

2) Type ambiguity

[PER Washington] was born into slavery on the farm of James Burroughs.
[ORG Washington] went up 2 games to 1 in the four-game series.
Blair arrived in [LOC Washington] for what may well be his last state visit.
In June, [GPE Washington] passed a primary seatbelt law.

BIO Tagging

How can we turn this structured problem into a sequence problem like POS tagging, with one label per word?

[PER Jane Villanueva] of [ORG United] , a unit of [ORG United Airlines Holding] , said the fare applies to the [LOC Chicago] route.

BIO Tagging

[PER Jane Villanueva] of [ORG United] , a unit of [ORG United Airlines Holding] ,
said the fare applies to the [LOC Chicago] route.

Words	BIO Label
Jane	B-PER
Villanueva	I-PER
of	O
United	B-ORG
Airlines	I-ORG
Holding	I-ORG
discussed	O
the	O
Chicago	B-LOC
route	O
.	O

Now we have one tag per token!!!

BIO Tagging

B: token that *begins* a span

I: tokens *inside* a span

O: tokens outside of any span

of tags (where n is #entity types):

1 O tag,

n B tags,

n I tags

total of $2n+1$

Words	BIO Label
Jane	B-PER
Villanueva	I-PER
of	O
United	B-ORG
Airlines	I-ORG
Holding	I-ORG
discussed	O
the	O
Chicago	B-LOC
route	O
.	O

BIO Tagging variants: IO and BIOES

[PER Jane Villanueva] of [ORG United] , a unit of [ORG United Airlines Holding] ,
said the fare applies to the [LOC Chicago] route.

Words	IO Label	BIO Label	BIOES Label
Jane	I-PER	B-PER	B-PER
Villanueva	I-PER	I-PER	E-PER
of	O	O	O
United	I-ORG	B-ORG	B-ORG
Airlines	I-ORG	I-ORG	I-ORG
Holding	I-ORG	I-ORG	E-ORG
discussed	O	O	O
the	O	O	O
Chicago	I-LOC	B-LOC	S-LOC
route	O	O	O
.	O	O	O

Standard algorithms for NER

Supervised Machine Learning given a human-labeled training set of text annotated with tags

- Hidden Markov Models
- Conditional Random Fields (CRF)/ Maximum Entropy Markov Models (MEMM)
- Neural sequence models (RNNs or Transformers)
- Large Language Models (like BERT), finetuned

Sequence
Labeling for Part
of Speech and
Named Entities

Named Entity Recognition (NER)